Olivia A Wackowski

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1992791/publications.pdf

Version: 2024-02-01

140 papers 4,798 citations

34 h-index 62 g-index

144 all docs

144 docs citations

times ranked

144

3975 citing authors

#	Article	IF	CITATIONS
1	Reasons for Electronic Cigarette Experimentation and Discontinuation Among Adolescents and Young Adults. Nicotine and Tobacco Research, 2015, 17, 847-854.	2.6	508
2	High School Students' Use of Electronic Cigarettes to Vaporize Cannabis. Pediatrics, 2015, 136, 611-616.	2.1	242
3	E-cigarette Use Among High School and Middle School Adolescents in Connecticut. Nicotine and Tobacco Research, 2015, 17, 810-818.	2.6	185
4	The drug effects questionnaire: psychometric support across three drug types. Psychopharmacology, 2013, 227, 177-192.	3.1	165
5	Trajectories of E-Cigarette and Conventional Cigarette Use Among Youth. Pediatrics, 2018, 141, .	2.1	163
6	Examining market trends in the United States smokeless tobacco use: 2005–2011. Tobacco Control, 2014, 23, 107-112.	3.2	140
7	Psychometrically improved, abbreviated versions of three classic measures of impulsivity and self-control Psychological Assessment, 2014, 26, 1003-1020.	1.5	132
8	Assessing nicotine dependence in adolescent E-cigarette users: The 4-item Patient-Reported Outcomes Measurement Information System (PROMIS) Nicotine Dependence Item Bank for electronic cigarettes. Drug and Alcohol Dependence, 2018, 188, 60-63.	3.2	117
9	Preferring more e-cigarette flavors is associated with e-cigarette use frequency among adolescents but not adults. PLoS ONE, 2018, 13, e0189015.	2.5	105
10	Association of Flavored Tobacco Use With Tobacco Initiation and Subsequent Use Among US Youth and Adults, 2013-2015. JAMA Network Open, 2019, 2, e1913804.	5.9	103
11	Young Adults' Risk Perceptions of Various Tobacco Products Relative to Cigarettes. Health Education and Behavior, 2016, 43, 328-336.	2.5	100
12	Use of JUUL E-cigarettes Among Youth in the United States. Nicotine and Tobacco Research, 2020, 22, 827-832.	2.6	92
13	Nicotine concentration of e-cigarettes used by adolescents. Drug and Alcohol Dependence, 2016, 167, 224-227.	3.2	89
14	Exploring the relationship between race/ethnicity, menthol smoking, and cessation, in a nationally representative sample of adults. Preventive Medicine, 2009, 49, 553-557.	3.4	84
15	Predictors of Adult E-Cigarette Users Vaporizing Cannabis Using E-Cigarettes and Vape-Pens. Substance Use and Misuse, 2017, 52, 974-981.	1.4	79
16	Socioeconomic status and adolescent e-cigarette use: The mediating role of e-cigarette advertisement exposure. Preventive Medicine, 2018, 112, 193-198.	3.4	66
17	Smokers' attitudes and support for e-cigarette policies and regulation in the USA: TableÂ1. Tobacco Control, 2015, 24, 543-546.	3.2	61
18	Menthol cigarettes and indicators of tobacco dependence among adolescents. Addictive Behaviors, 2007, 32, 1964-1969.	3.0	58

#	Article	IF	CITATIONS
19	Adolescents' and Young Adults' Perceptions of Electronic Cigarettes for Smoking Cessation: A Focus Group Study. Nicotine and Tobacco Research, 2015, 17, 1235-1241.	2.6	57
20	Vaping to lose weight: Predictors of adult e-cigarette use for weight loss or control. Addictive Behaviors, 2017, 66, 55-59.	3.0	56
21	Adolescents' awareness of the nicotine strength and e-cigarette status of JUUL e-cigarettes. Drug and Alcohol Dependence, 2019, 204, 107512.	3.2	56
22	First Drink to First Drunk: Age of Onset and Delay to Intoxication Are Associated with Adolescent Alcohol Use and Binge Drinking. Alcoholism: Clinical and Experimental Research, 2014, 38, 2615-2621.	2.4	54
23	Appeal of JUUL among adolescents. Drug and Alcohol Dependence, 2019, 205, 107691.	3.2	53
24	Hydroxyl Radicals in E-Cigarette Vapor and E-Vapor Oxidative Potentials under Different Vaping Patterns. Chemical Research in Toxicology, 2019, 32, 1087-1095.	3.3	53
25	The Anticipated Effects of Alcohol Scale: Development and psychometric evaluation of a novel assessment tool for measuring alcohol expectancies Psychological Assessment, 2012, 24, 1008-1023.	1.5	52
26	Psychometric Evaluation of the E-cigarette Dependence Scale. Nicotine and Tobacco Research, 2019, 21, 1556-1564.	2.6	52
27	The Impact of E-Cigarette Warnings, Warning Themes and Inclusion of Relative Harm Statements on Young Adults' E-Cigarette Perceptions and Use Intentions. International Journal of Environmental Research and Public Health, 2019, 16, 184.	2.6	49
28	In Their Own Words: Young Adults' Menthol Cigarette Initiation, Perceptions, Experiences and Regulation Perspectives. Nicotine and Tobacco Research, 2018, 20, 1076-1084.	2.6	44
29	Sources of Electronic Cigarette Acquisition among Adolescents in Connecticut. Tobacco Regulatory Science (discontinued), 2017, 3, 10-16.	0.2	44
30	Smokers' sources of e-cigarette awareness and risk information. Preventive Medicine Reports, 2015, 2, 906-910.	1.8	42
31	Latent class analysis of current e-cigarette and other substance use in high school students. Drug and Alcohol Dependence, 2016, 161, 292-297.	3.2	42
32	Using Cognitive Interviewing to Better Assess Young Adult E-cigarette Use. Nicotine and Tobacco Research, 2016, 18, 1998-2005.	2.6	41
33	Smokers' and E-Cigarette Users' Perceptions about E-Cigarette Warning Statements. International Journal of Environmental Research and Public Health, 2016, 13, 655.	2.6	40
34	Harm perceptions and tobacco use initiation among youth in Wave 1 and 2 of the Population Assessment of Tobacco and Health (PATH) Study. Preventive Medicine, 2019, 123, 185-191.	3.4	40
35	Prevalence and correlates of medical cannabis patients' use of cannabis for recreational purposes. Addictive Behaviors, 2019, 93, 233-239.	3.0	40
36	"Knowledge, recommendation, and beliefs of e-cigarettes among physicians involved in tobacco cessation: A qualitative study― Preventive Medicine Reports, 2017, 8, 25-29.	1.8	38

3

#	Article	IF	CITATIONS
37	Examining Market Trends in Smokeless Tobacco Sales in the United States: 2011–2019. Nicotine and Tobacco Research, 2021, 23, 1420-1424.	2.6	37
38	Contingency management improves smoking cessation treatment outcomes among highly impulsive adolescent smokers relative to cognitive behavioral therapy. Addictive Behaviors, 2015, 42, 86-90.	3.0	36
39	Young Adults' Behavioral Intentions Surrounding a Potential Menthol Cigarette Ban. Nicotine and Tobacco Research, 2014, 16, 876-880.	2.6	33
40	Early age of e-cigarette use onset mediates the association between impulsivity and e-cigarette use frequency in youth. Drug and Alcohol Dependence, 2017, 181, 146-151.	3.2	32
41	The Short Form Vaping Consequences Questionnaire: Psychometric Properties of a Measure of Vaping Expectancies for Use With Adult E-cigarette Users. Nicotine and Tobacco Research, 2017, 19, 215-221.	2.6	31
42	Querying About the Use of Specific E-Cigarette Devices May Enhance Accurate Measurement of E-Cigarette Prevalence Rates Among High School Students. Nicotine and Tobacco Research, 2020, 22, 833-837.	2.6	31
43	Comparison of Direct and Indirect Measures of E-cigarette Risk Perceptions. Tobacco Regulatory Science (discontinued), 2016, 2, 38-43.	0.2	30
44	The influence of menthol, e-cigarettes and other tobacco products on young adults' self-reported changes in past year smoking. Tobacco Control, 2016, 25, 571-574.	3.2	30
45	Trends in e-cigarette brands, devices and the nicotine profile of products used by youth in England, Canada and the USA: 2017–2019. Tobacco Control, 2023, 32, 19-29.	3.2	30
46	Evaluation of E-Vapor Nicotine and Nicotyrine Concentrations under Various E-Liquid Compositions, Device Settings, and Vaping Topographies. Chemical Research in Toxicology, 2018, 31, 861-868.	3.3	29
47	Qualitative analysis of Camel Snus' website message board-users' product perceptions, insights and online interactions. Tobacco Control, 2011, 20, e1-e1.	3.2	28
48	Asian American, Native Hawaiian and Pacific Islander Tobacco Use Patterns. American Journal of Health Behavior, 2014, 38, 362-369.	1.4	28
49	Age at drinking onset, age at first intoxication, and delay to first intoxication: Assessing the concurrent validity of measures of drinking initiation with alcohol use and related problems. Addictive Behaviors, 2018, 79, 195-200.	3.0	28
50	Content Analysis of US News Stories About E-Cigarettes in 2015. Nicotine and Tobacco Research, 2018, 20, 1015-1019.	2.6	28
51	Investigating E-Cigarette Particle Emissions and Human Airway Depositions under Various E-Cigarette-Use Conditions. Chemical Research in Toxicology, 2020, 33, 343-352.	3.3	28
52	Smokers' Early E-cigarette Experiences, Reasons for Use, and Use Intentions. Tobacco Regulatory Science (discontinued), 2016, 2, 133-145.	0.2	27
53	The Self-Report Habit Index: Assessing habitual marijuana, alcohol, e-cigarette, and cigarette use. Drug and Alcohol Dependence, 2018, 186, 207-214.	3.2	27
54	Cooling e-cigarette flavors and the association with e-cigarette use among a sample of high school students. PLoS ONE, 2021, 16, e0256844.	2.5	26

#	Article	IF	CITATIONS
55	Risk perceptions of menthol cigarettes compared with nonmenthol cigarettes among New Jersey adults. Nicotine and Tobacco Research, 2010, 12, 786-790.	2.6	25
56	A Content Analysis of Smokeless Tobacco Coverage in U.S. Newspapers and News Wires. Nicotine and Tobacco Research, 2013, 15, 1289-1296.	2.6	25
57	Switching to E-Cigarettes in the Event of a Menthol Cigarette Ban. Nicotine and Tobacco Research, 2015, 17, 1286-1287.	2.6	25
58	Baseline assessment of noticing e-cigarette health warnings among youth and young adults in the United States, Canada and England, and associations with harm perceptions, nicotine awareness and warning recall. Preventive Medicine Reports, 2019, 16, 100966.	1.8	24
59	Menthol and Mint Cigarettes and Cigars: Initiation and Progression in Youth, Young Adults and Adults in Waves 1–4 of the PATH Study, 2013–2017. Nicotine and Tobacco Research, 2021, 23, 1318-1326.	2.6	24
60	Smokers' and e-cigarette users' perceptions of modified risk warnings for e-cigarettes. Preventive Medicine Reports, 2016, 4, 309-312.	1.8	23
61	Identifying message content to reduce vaping: Results from online message testing trials in young adult tobacco users. Addictive Behaviors, 2021, 115, 106778.	3.0	23
62	Electronic cigarette use among individuals with a selfâ€reported eating disorder diagnosis. International Journal of Eating Disorders, 2018, 51, 77-81.	4.0	22
63	E-cigarette devices used on school grounds. Addictive Behaviors, 2020, 110, 106516.	3.0	22
64	Integrating acquired preparedness and dual process models of risk for heavy drinking and related problems Psychology of Addictive Behaviors, 2015, 29, 864-874.	2.1	21
65	Considerations and Future Research Directions for E-Cigarette Warnings—Findings from Expert Interviews. International Journal of Environmental Research and Public Health, 2017, 14, 781.	2.6	20
66	Prevalence and correlates of nicotine and nicotine product perceptions in U.S. young adults, 2016. Addictive Behaviors, 2019, 98, 106020.	3.0	20
67	High school students' use of flavored e-cigarette e-liquids for appetite control and weight loss. Addictive Behaviors, 2020, 102, 106139.	3.0	20
68	From the Deeming Rule to JUUL—US News Coverage of Electronic Cigarettes, 2015–2018. Nicotine and Tobacco Research, 2020, 22, 1816-1822.	2.6	20
69	Adolescents and Young Adults Have Difficulty Understanding Nicotine Concentration Labels on Vaping Products Presented as mg/mL and Percent Nicotine. Nicotine and Tobacco Research, 2021, 23, 1389-1397.	2.6	20
70	Smokers' perceptions of risks and harm from snus relative to cigarettes: A latent profile analysis study. Addictive Behaviors, 2019, 91, 171-174.	3.0	19
71	Smokers' and Young Adult Non-Smokers' Perceptions and Perceived Impact of Snus and E-Cigarette Modified Risk Messages. International Journal of Environmental Research and Public Health, 2020, 17, 6807.	2.6	19
72	Interviews with smokers about smokeless tobacco products, risk messages and news articles: TableÂ1. Tobacco Control, 2016, 25, 671-678.	3.2	18

#	Article	IF	Citations
73	Youth and young adult exposure to and perceptions of news media coverage about e-cigarettes in the United States, Canada and England. Preventive Medicine, 2019, 121, 7-10.	3.4	18
74	Flavour types used by youth and adult tobacco users in wave 2 of the Population Assessment of Tobacco and Health (PATH) Study 2014–2015. Tobacco Control, 2019, 29, tobaccocontrol-2018-054852.	3.2	18
75	Preference for gain- or loss-framed electronic cigarette prevention messages. Addictive Behaviors, 2016, 62, 108-113.	3.0	17
76	Development and psychometric validation of a novel measure of sensory expectancies associated with E-cigarette use. Addictive Behaviors, 2019, 91, 208-215.	3.0	17
77	The Association of Impulsivity and Family History of Alcohol Use Disorder on Alcohol Use and Consequences. Alcoholism: Clinical and Experimental Research, 2020, 44, 159-167.	2.4	17
78	Nicotine pouch product awareness, interest and ever use among US adults who smoke, 2021. Tobacco Control, 2023, 32, 782-785.	3.2	17
79	Exposure to Negative News Stories About Vaping, and Harm Perceptions of Vaping, Among Youth in England, Canada, and the United States Before and After the Outbreak of E-cigarette or Vaping-Associated Lung Injury (â€~EVALI'). Nicotine and Tobacco Research, 2022, 24, 1386-1395.	2.6	17
80	Evaluating the accuracy of alcohol expectancies relative to subjective response to alcohol. Addictive Behaviors, 2015, 51, 197-203.	3.0	16
81	The Impact of Smokeless Tobacco Risk Information on Smokers' Risk Perceptions and Use Intentions: A News Media Experiment. Health Communication, 2019, 34, 325-332.	3.1	15
82	Dripping and vape tricks: Alternative e-cigarette use behaviors among adolescents. Addictive Behaviors, 2020, 107, 106394.	3.0	15
83	Marketing Content on E-Cigarette Brand-Sponsored Facebook Profile Pages. Substance Use and Misuse, 2021, 56, 442-448.	1.4	15
84	Over 1 year later: smokers' EVALI awareness, knowledge and perceived impact on e-cigarette interest. Tobacco Control, 2023, 32, e255-e259.	3.2	15
85	Latent Classes of Nicotine Beliefs Correlate with Perceived Susceptibility and Severity of Nicotine and Tobacco Products in US Young Adults. Nicotine and Tobacco Research, 2019, 21, S91-S100.	2.6	14
86	US young adults' perceived effectiveness of draft pictorial e-cigarette warning labels. Tobacco Control, 2019, 28, e49-e51.	3.2	14
87	Youth generated prevention messages about electronic cigarettes. Health Education Research, 2019, 34, 247-256.	1.9	13
88	Transitions across tobacco use profiles among adolescents: results from the Population Assessment of Tobacco and Health (PATH) study waves 1 and 2. Addiction, 2020, 115, 740-747.	3.3	13
89	Demographic and substance use-related differences among high school adolescents who vape cannabis versus use other cannabis modalities. Drug and Alcohol Dependence, 2021, 228, 109104.	3.2	13
90	Inferences beyond a claim: a typology of potential halo effects related to modified risk tobacco product claims. Tobacco Control, 2021, 30, 714-720.	3.2	12

#	Article	IF	CITATIONS
91	Smokeless Tobacco Risk Comparisons and Other Debate Messages in the News. Health Behavior and Policy Review, 2014, 1, 183-190.	0.4	12
92	Does it come from tobacco? Young adults' interpretations of the term "tobacco-free nicotine―in a cross-sectional national survey sample. PLoS ONE, 2022, 17, e0268464.	2.5	12
93	The Yale Craving Scale: Development and psychometric properties. Drug and Alcohol Dependence, 2015, 154, 158-166.	3.2	11
94	Experts' Perceptions of and Suggestions for Cigar Warning Label Messages and Pictorials. Nicotine and Tobacco Research, 2021, 23, 1382-1388.	2.6	11
95	Predictors of Middle School Students' Interest in Participating in an Incentive-Based Tobacco Prevention and Cessation Program in Connecticut. Journal of Addiction, 2014, 2014, 1-6.	0.9	10
96	Communication Between US Physicians and Patients Regarding Electronic Cigarette Use. JAMA Network Open, 2022, 5, e226692.	5.9	10
97	Characteristics of storefront tobacco advertisements and differences by product type: A content analysis of retailers in New York City, USA. Preventive Medicine, 2019, 123, 204-207.	3.4	9
98	Cigarettes, Smokeless Tobacco, and Poly-Tobacco Among Workers in Three Dusty Industries. Journal of Occupational and Environmental Medicine, 2016, 58, 477-484.	1.7	8
99	Predictors of quickly progressing from initiating alcohol use to engaging in binge drinking among adolescents. Addictive Behaviors Reports, 2019, 9, 100165.	1.9	8
100	Smokers' Exposure to Perceived Modified Risk Claims for E-Cigarettes, Snus, and Smokeless Tobacco in the United States. Nicotine and Tobacco Research, 2021, 23, 605-608.	2.6	8
101	First tobacco product tried among adolescents based on race/ethnicity and socioeconomic status. Addictive Behaviors, 2021, 113, 106666.	3.0	8
102	Food Waste in Schools: A Pre-/Post-test Study Design Examining the Impact of a Food Service Training Intervention to Reduce Food Waste. International Journal of Environmental Research and Public Health, 2021, 18, 6389.	2.6	8
103	The Cigarette and Smokeless Tobacco Markets in Texas Relative to the United States. Tobacco Regulatory Science (discontinued), 2017, 3, 183-191.	0.2	8
104	Content Analysis of E-cigarette News Articles Amidst the 2019 Vaping-Associated Lung Injury (EVALI) Outbreak in the United States. Nicotine and Tobacco Research, 2022, 24, 799-803.	2.6	8
105	High school students' use of JUUL pod flavors before and after JUUL implemented voluntary sales restrictions on certain flavors in 2018. PLoS ONE, 2020, 15, e0243368.	2.5	8
106	Comparison of a General and Conditional Measure of E-Cigarette Harm Perceptions. International Journal of Environmental Research and Public Health, 2020, 17, 5151.	2.6	7
107	Differences in Subjective Response to Alcohol by Gender, Family History, Heavy Episodic Drinking, and Cigarette Use: Refining and Broadening the Scope of Measurement. Journal of Studies on Alcohol and Drugs, 2015, 76, 287-295.	1.0	6
108	â€~95% less harmful'? Exploring reactions to quantitative modified risk claims for snus and e-cigarettes. Tobacco Control, 2022, 31, 730-736.	3.2	6

#	Article	IF	CITATIONS
109	Influence of cigarillo packaging characteristics on young adults' perceptions and intentions: findings from three online experiments. Tobacco Control, 2023, 32, 344-351.	3.2	6
110	Psychometric Evaluation of the Short-Form Vaping Consequences Questionnaire for Use With High School Adolescents Who Use and Do Not Use E-cigarettes. Nicotine and Tobacco Research, 2022, 24, 699-709.	2.6	6
111	Packaging Characteristics of Top-Selling Cigars in the United States, 2018. Nicotine and Tobacco Research, 2022, 24, 1678-1683.	2.6	6
112	Noticing people, discounts and non-tobacco flavours in e-cigarette ads may increase e-cigarette product appeal among non-tobacco-using young adults. Tobacco Control, 2024, 33, 30-37.	3.2	6
113	Positive Drinking Consequences Are Associated With Alcohol Use and Alcohol-Related Problems Among Veterans Seeking Treatment for Alcohol Use Disorder. Substance Use and Misuse, 2015, 50, 1383-1389.	1.4	5
114	Adults who use e-cigarettes have difficulty understanding nicotine concentrations presented as mg/ml and percent nicotine. Addictive Behaviors, 2021, 120, 106965.	3.0	5
115	Perceptions of Game cigarillo packaging among young adult tobacco users: The effect of package color and the "natural leaf―descriptor. Addictive Behaviors, 2022, 132, 107334.	3.0	5
116	Tobacco Use, Dependence, and Age of Initiation among Youths with Cognitive Disability. Journal of Pediatrics, 2022, 247, 102-108.e8.	1.8	5
117	E-cigarette brand mocks tobacco control warning labels. Tobacco Control, 2018, 27, 717-718.	3.2	4
118	Prospective associations between nicotine beliefs and tobacco-related susceptibility, curiosity, and use in U.S. adults. Preventive Medicine, 2020, 140, 106285.	3.4	4
119	Cigar Warning Noticing and Demographic and Usage Correlates: Analysis from the United States Population Assessment of Tobacco and Health Study, Wave 5. International Journal of Environmental Research and Public Health, 2022, 19, 3221.	2.6	4
120	Perspectives for Clinicians on Regulation of Electronic Cigarettes. Annals of Internal Medicine, 2016, 165, 665.	3.9	3
121	Secondhand Smoke Risk Communication: Effects on Parent Smokers' Perceptions and Intentions. Journal of Health Communication, 2020, 25, 554-565.	2.4	3
122	The Modified E-Cigarette Evaluation Questionnaire: Psychometric Evaluation of an Adapted Version of the Modified Cigarette Evaluation Questionnaire for Use With Adults Who Use Electronic Nicotine Delivery Systems. Nicotine and Tobacco Research, 2022, 24, 1396-1404.	2.6	3
123	Young adults' cigarillo risk perceptions, attention to warning labels and perceptions of proposed pictorial warnings: a focus group study. BMJ Open, 2022, 12, e061064.	1.9	3
124	Estimates of Cigarette Smoking From the NJ Adult Tobacco Survey: Real or Spurious. American Journal of Health Behavior, 2010, 34, 585-92.	1.4	2
125	Alcohol Stimulation and Sedation: a Critical Review of the Biphasic Alcohol Effects Scale. Current Addiction Reports, 2017, 4, 209-220.	3.4	2
126	Content Analysis of Electronic Nicotine Delivery System Publications in Core Clinical Journals from 2012 to 2018. International Journal of Environmental Research and Public Health, 2020, 17, 2201.	2.6	2

#	Article	IF	Citations
127	Differences in JUUL Appeal Among Past and Current Youth JUUL Users. Nicotine and Tobacco Research, 2021, 23, 807-814.	2.6	2
128	State marijuana policies and vaping associated lung injuries in the US. Drug and Alcohol Dependence, 2021, 228, 109086.	3.2	2
129	Can States Continue to Set the Agenda for Tobacco 21? Insights From US News Coverage Between 2012 and 2020. Nicotine and Tobacco Research, 2022, 24, 1305-1309.	2.6	2
130	Shifts in preference for Natural American Spirit and associated belief that one's own cigarette brand might be less harmful than other brands: results from Waves 1–4 of the Population Assessment of Tobacco and Health (PATH) Study (2013–2018). Tobacco Control, 2023, 32, 567-574.	3.2	2
131	Assessing Tobacco Use Among Working Adults in the United States. Journal of Occupational and Environmental Medicine, 2017, 59, e100.	1.7	1
132	E-cigarette and Nicotine Inhaler Use: 6-month Follow-Up Crossover Trial. Tobacco Regulatory Science (discontinued), 2016, 2, 64-69.	0.2	1
133	Exploring the implications of modified risk claim placement in tobacco advertising. Preventive Medicine Reports, 2021, 24, 101608.	1.8	1
134	Internalizing Problems are Associated with Initiation and Past 30-Day Use of Flavored Tobacco Products. Addictive Behaviors, 2021, 125, 107162.	3.0	1
135	Does warning language impact perceptions? Results from an exploratory experiment comparing English, Spanish, and Dual language E-Cigarette warnings among Spanish speakers in the US. Preventive Medicine Reports, 2021, 24, 101656.	1.8	1
136	Characteristics of Cheyenne little filtered cigar Instagram ads, 2019–2020. Tobacco Control, 2024, 33, 131-134.	3.2	1
137	High School Students' Use of Electronic Cigarettes to Vaporize Cannabis. , 2017, , 154-159.		O
138	Trajectories of E-Cigarette and Conventional Cigarette Use Among Youth., 2020,, 46-52.		O
139	Novel nicotine concentration labels improve adolescents' and young adults' understanding of the nicotine strength of electronic nicotine delivery system products. Nicotine and Tobacco Research, 2022, , .	2.6	O
140	Optimizing Images for an E-Cigarette Messaging Campaign: Liking and Perceived Effectiveness. International Journal of Environmental Research and Public Health, 2021, 18, 12989.	2.6	0