Ana Fresn-Orellana

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/1993350/ana-fresan-orellana-publications-by-year.pdf

Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

110
papers1,125
citations15
h-index28
g-index124
ext. papers1,377
ext. citations3.8
avg, IF4.18
L-index

#	Paper	IF	Citations
110	An Indicator of environmental enrichment to measure physical, social and cognitive activities in human daily life <i>BMC Psychiatry</i> , 2022 , 22, 295	4.2	O
109	Weak Hand Grip Strength Is Associated with Alexithymia in Outpatients in a Mexican Population. Brain Sciences, 2022 , 12, 576	3.4	
108	Higher risk of depression in individuals with type 2 diabetes and obesity: Results of a meta-analysis. Journal of Health Psychology, 2021 , 26, 1404-1419	3.1	3
107	Evaluation of the quality of life in individuals with amputations in relation to the etiology of their amputation. A case-control study. <i>Physiotherapy Theory and Practice</i> , 2021 , 37, 1313-1320	1.5	
106	Mental health problems among healthcare workers involved with the COVID-19 outbreak. <i>Revista Brasileira De Psiquiatria</i> , 2021 , 43, 494-503	2.6	15
105	Suicidal ideation in psychiatry trainees. The impact of self-perceived mental health and perfectionism. <i>Asian Journal of Psychiatry</i> , 2021 , 68, 102938	6.7	
104	Knowledge, Emotions and Stressors in Front-Line Healthcare Workers during the COVID-19 Outbreak in Mexico. <i>International Journal of Environmental Research and Public Health</i> , 2021 , 18,	4.6	3
103	Identifying Risk Factors for Self-reported Mental Health Problems in Psychiatry Trainees and Psychiatrists in Mexico. <i>Academic Psychiatry</i> , 2021 , 45, 698-707	1.1	0
102	Masked Depression: Profile and Severity of Symptoms and Impulsivity in Patients with Generalized Anxiety Disorder. <i>International Journal of Mental Health and Addiction</i> , 2021 , 19, 429-437	8.8	
101	Evaluation of alexithymia in individuals with chronic pain in a Mexican population: Alexithymia in a Mexican population. <i>International Journal of Psychiatry in Medicine</i> , 2021 , 56, 177-188	1	2
100	Mental Health Service Users' Perceptions of Stigma, From the General Population and From Mental Health Professionals in Mexico: A Qualitative Study. <i>Community Mental Health Journal</i> , 2021 , 57, 985-99	2 .1	5
99	The role of rs242941, rs1876828, rs242939 and rs110402 polymorphisms of CRHR1 gene and the depression: systematic review and meta-analysis. <i>Genes and Genomics</i> , 2021 , 43, 1339-1349	2.1	1
98	Posttraumatic stress disorder in urban women. <i>Current Opinion in Psychiatry</i> , 2020 , 33, 245-249	4.9	5
97	From planning to action in smoking cessation: Demographic and psychological symptom dimensions related to readiness to quit smoking. <i>International Journal of Mental Health and Addiction</i> , 2020 , 1	8.8	
96	Differences in attitude toward prevention of suicide between nursing and medicine students: A study in Mexican population. <i>Archives of Psychiatric Nursing</i> , 2020 , 34, 159-163	2.1	2
95	Similarities and Differences in Associations Between Duration of Untreated Psychosis (DUP) and Demographic, Premorbid, and Symptom Severity Measures in Two Samples of First-Episode Psychosis Patients from Mexico and the United States. <i>Psychiatric Quarterly</i> , 2020 , 91, 769-781	4.1	0
94	Development of the Mexican Version of the Empathy Quotient. Salud Mental, 2020, 43, 85-90	0.5	1

(2019-2020)

93	Prevalence for and Factors Associated With Depression and Anxiety Symptoms in Mexican Patients With Rheumatoid Arthritis. <i>Journal of Clinical Rheumatology</i> , 2020 , 26, S111-S115	1.1	3
92	Risk factors for violence in transgender people: a retrospective study of experiences during adolescence. <i>Psychology and Sexuality</i> , 2020 , 1-17	1.3	3
91	Accessibility, acceptability, and adequacy of schizophrenia definition according to experts by experience: an ICD-11 field study of patients and relative caregivers in Mexico. <i>Psychosis</i> , 2020 , 1-12	1.2	О
90	Clinical efficacy of a combined acceptance and commitment therapy, dialectical behavioural therapy, and functional analytic psychotherapy intervention in patients with borderline personality disorder. <i>Psychology and Psychotherapy: Theory, Research and Practice</i> , 2020 , 93, 474-489	3.5	7
89	Comorbid personality disorders and their impact on severe dissociative experiences in Mexican patients with borderline personality disorder. <i>Nordic Journal of Psychiatry</i> , 2019 , 73, 509-514	2.3	2
88	Prevalence and Associated Factors to Depression and Anxiety in Women with Premature Babies Hospitalized in a Neonatal Intensive-Care Unit in a Mexican Population. <i>Journal of Pediatric Nursing</i> , 2019 , 45, e53-e56	2.2	4
87	Chemotherapy-induced neuropathic pain characteristics in Mexico's National Cancer Center pain clinic. <i>Journal of Pain Research</i> , 2019 , 12, 1331-1339	2.9	5
86	Changes in facial emotion expression during a psychotherapeutic intervention for patients with borderline personality disorder. <i>Journal of Psychiatric Research</i> , 2019 , 114, 126-132	5.2	1
85	Work motivation in patients with bipolar disorder: Associated factors. <i>International Journal of Social Psychiatry</i> , 2019 , 65, 300-304	8.5	4
84	Psychological distress among transgender people in Brazil: frequency, intensity and social causation - an ICD-11 field study. <i>Revista Brasileira De Psiquiatria</i> , 2019 , 41, 310-315	2.6	7
83	Why and how to support depsychiatrisation of adult transidentity in ICD-11: A French study. <i>European Psychiatry</i> , 2019 , 59, 8-14	6	8
82	Low diagnostic accuracy of fragile X tremor/ataxia syndrome diagnostic criteria in late onset ataxia. <i>Movement Disorders</i> , 2019 , 34, 582-583	7	
81	Combining Adobe Forms and Dropbox to Obtain a Low-Cost Electronic Data Collection System. <i>Telemedicine Journal and E-Health</i> , 2019 , 25, 250-256	5.9	4
80	The interplay between respondents[and patients[biological sex in the perception of aggression and dangerousness in schizophrenia. <i>Journal of Gender Studies</i> , 2019 , 28, 973-979	1.7	O
79	Percepcifi de inimputabilidad en esquizofrenia en adolescentes de la Ciudad de M\(\mathbb{B}\)ico. <i>Revista Espanola De Medicina Legal</i> , 2019 , 45, 48-51	0.2	
78	Decreased Quality of Life in Individuals with Type 2 Diabetes Mellitus Is Associated with Emotional Distress. <i>International Journal of Environmental Research and Public Health</i> , 2019 , 16,	4.6	6
77	Legal and Policy Implications in Mexico of Changes in ICD-11 Paraphilic Disorders. <i>Journal of Sexual Medicine</i> , 2019 , 16, 1623-1637	1.1	2
76	Psychometric evaluation of the Hospital Anxiety and Depression Scale in Mexican adults with ischemic and hypertensive cardiomyopathy. <i>Archivos De Cardiolog?a De M?xico (English Ed Internet)</i> , 2019 , 89, 221-226	0.2	1

75	Development and psychometric properties of the Subtle Gender-Based Violence Among Medical Residents Assessment Scale (SGEVRA). <i>Salud Mental</i> , 2019 , 42, 227-234	0.5	
74	Psychometric evaluation of the Hospital Anxiety and Depression Scale in Mexican adults with ischemic and hypertensive cardiomyopathy. <i>Archivos De Cardiologia De Mexico</i> , 2019 , 89, 242-247	0.2	1
73	Professional Adversities and Protective Factors Associated with Suicidal Ideation in Mexican Psychiatrists. <i>Archives of Medical Research</i> , 2019 , 50, 484-489	6.6	2
72	Psychopathic Disorder Subtypes Based on Temperament and Character Differences. <i>International Journal of Environmental Research and Public Health</i> , 2019 , 16,	4.6	3
71	Association between BDNF Val66Met polymorphism and generalized anxiety disorder and clinical characteristics in a Mexican population: A case-control study. <i>Medicine (United States)</i> , 2019 , 98, e14838	1.8	7
70	Reaction to Severe Stress and Adjustment Disorders After the September 2017 Earthquakes in a Psychiatric Emergency Department in Mexico City. <i>Disaster Medicine and Public Health Preparedness</i> , 2019 , 13, 686-690	2.8	1
69	Facial Emotion Recognition and Empathy in Employees at a Juvenile Detention Center. International Journal of Offender Therapy and Comparative Criminology, 2018, 62, 2430-2446	1.3	8
68	Prevalence and correlations between suicide attempt, depression, substance use, and functionality among patients with limb amputations. <i>International Journal of Rehabilitation Research</i> , 2018 , 41, 52-56	1.8	11
67	Demographic and clinical features related to perceived discrimination in schizophrenia. <i>Psychiatry Research</i> , 2018 , 262, 427-430	9.9	2
66	Risk Factors and Prevalence of Suicide Attempt in Patients with Type 2 Diabetes in the Mexican Population. <i>International Journal of Environmental Research and Public Health</i> , 2018 , 15,	4.6	7
65	Cross-cultural psychometric assessment of the VAGUS insight into psychosis scale - Spanish version. <i>Psychiatry Research</i> , 2018 , 259, 450-454	9.9	О
64	Association study between , , and gene variants and antipsychotic treatment response in Mexican patients with schizophrenia. <i>Neuropsychiatric Disease and Treatment</i> , 2018 , 14, 2981-2987	3.1	13
63	Validation of the Bipolar Spectrum Diagnostic Scale in Mexican Psychiatric Patients. <i>Spanish Journal of Psychology</i> , 2018 , 21, E60	1	O
62	Hospital Anxiety and Depression Scale (HADS): Validation in Mexican Patients with Inflammatory Bowel Disease. <i>Gastroenterolog Y Hepatolog</i> , 2018 , 41, 477-482	0.9	13
61	Demographic and Clinical Characteristics of Completed Suicides in Mexico City 2014-2015. <i>Frontiers in Psychiatry</i> , 2018 , 9, 402	5	11
60	The role of gene Val108/158Met polymorphism in suicidal behavior: systematic review and updated meta-analysis. <i>Neuropsychiatric Disease and Treatment</i> , 2018 , 14, 2485-2496	3.1	8
59	Psychometric properties and cross-cultural comparison of the cognitive complaints in bipolar disorder rating assessment (COBRA) in Mexican patients with bipolar disorder. <i>Psychiatry Research</i> , 2018 , 269, 536-541	9.9	3
58	A Qualitative Study of the Acceptability of the Proposed ICD-11 Gender Incongruence of Childhood Diagnosis Among Transgender Adults Who Were Labeled Due to Their Gender Identity Since Childhood. <i>Archives of Sexual Behavior</i> , 2018 , 47, 2363-2374	3.5	8

(2015-2017)

57	Gender differences of suicides in children and adolescents: Analysis of 167 suicides in a Mexican population from 2003 to 2013. <i>Psychiatry Research</i> , 2017 , 258, 83-87	9.9	3
56	Characteristics of Mexican children and adolescents who died by suicide: A study of psychological autopsies. <i>Journal of Clinical Forensic and Legal Medicine</i> , 2017 , 52, 236-240	1.7	3
55	Mental health literacy about bipolar disorder and schizophrenia among medical students: a comparative study of illness recognition, treatment, and attitudes according to perception of aggressiveness-dangerousness. <i>Salud Mental</i> , 2017 , 40, 141-148	0.5	5
54	Validity and reliability of a novel Color-Risk Psychiatric Triage in a psychiatric emergency department. <i>BMC Psychiatry</i> , 2016 , 16, 30	4.2	7
53	Sleep and rest activity measured by wrist actigraphy in an HIV-infected patient with StevenDohnson syndrome. <i>Biological Rhythm Research</i> , 2016 , 47, 1-6	0.8	5
52	Differences by gender in completed suicides in a Mexican population: A psychological autopsy study. <i>Journal of Clinical Forensic and Legal Medicine</i> , 2016 , 38, 70-4	1.7	10
51	Evaluacifi psicolgica de la agresividad impulsiva/predeterminada y factores asociados: Un estudio transversal en usuarios de los servicios de salud en Tabasco, M\(\text{Mico.} \) <i>Salud Mental</i> , 2016 , 39, 19-24	0.5	3
50	Risk-factor differences for nonsuicidal self-injury and suicide attempts in Mexican psychiatric patients. <i>Neuropsychiatric Disease and Treatment</i> , 2016 , 12, 1631-7	3.1	3
49	Increase in Suicide Rates by Hanging in the Population of Tabasco, Mexico between 2003 and 2012. <i>International Journal of Environmental Research and Public Health</i> , 2016 , 13,	4.6	13
48	The Effects of Ketamine on Cognitive Function in Elderly Patients Undergoing Ophthalmic Surgery: A Pilot Study. <i>Anesthesia and Analgesia</i> , 2016 , 122, 969-75	3.9	11
47	The Role of a Catechol-O-Methyltransferase (COMT) Val158Met Genetic Polymorphism in Schizophrenia: A Systematic Review and Updated Meta-analysis on 32,816 Subjects. <i>NeuroMolecular Medicine</i> , 2016 , 18, 216-31	4.6	59
46	Assessing the reliability, predictive and construct validity of historical, clinical and risk management-20 (HCR-20) in Mexican psychiatric inpatients. <i>Nordic Journal of Psychiatry</i> , 2016 , 70, 456-6	5 7 .3	7
45	Association between completed suicide and environmental temperature in a Mexican population, using the Knowledge Discovery in Database approach. <i>Computer Methods and Programs in Biomedicine</i> , 2016 , 135, 219-24	6.9	9
44	Removing transgender identity from the classification of mental disorders: a Mexican field study for ICD-11. <i>Lancet Psychiatry,the</i> , 2016 , 3, 850-9	23.3	87
43	Validation of the Impulsive/Premeditated Aggression Scale in Mexican psychiatric patients. <i>Nordic Journal of Psychiatry</i> , 2015 , 69, 397-402	2.3	5
42	Categories that should be removed from mental disorders classifications: perspectives and rationales of clinicians from eight countries. <i>Journal of Clinical Psychology</i> , 2015 , 71, 267-81	2.8	15
41	Gender differences in socio-demographic, clinical characteristics and psychiatric diagnosis in/of suicide attempters in a Mexican population. <i>Acta Neuropsychiatrica</i> , 2015 , 27, 182-8	3.9	13
40	Association analysis of TPH-1 and TPH-2 genes with suicidal behavior in patients with attempted suicide in Mexican population. <i>Comprehensive Psychiatry</i> , 2015 , 61, 72-7	7.3	14

39	Differences Between Patients that Made an Impulsive or Premeditated Suicide Attempt in a Mexican Population. <i>International Journal of Psychiatry in Medicine</i> , 2015 , 49, 63-74	1	5
38	The Affective and Emotional Composite Temperament Scale (AFECTS): Psychometric properties of the Spanish version in a community sample from Mexico City and comparison between remitted psychiatric patients. <i>Journal of Affective Disorders</i> , 2015 , 172, 251-8	6.6	2
37	No association between ApoE and schizophrenia: Evidence of systematic review and updated meta-analysis. <i>Schizophrenia Research</i> , 2015 , 169, 355-368	3.6	15
36	Predicting functional remission in patients with schizophrenia: a cross-sectional study of symptomatic remission, psychosocial remission, functioning, and clinical outcome. <i>Neuropsychiatric Disease and Treatment</i> , 2015 , 11, 2339-48	3.1	20
35	Association between obesity and depression in patients with diabetes mellitus type 2; a study protocol. <i>F1000Research</i> , 2015 , 4, 7	3.6	5
34	Personality features in ultra-high risk for psychosis: a comparative study with schizophrenia and control subjects using the Temperament and Character Inventory-Revised (TCI-R). <i>Journal of Psychiatric Research</i> , 2015 , 61, 168-73	5.2	28
33	Melatonin attenuates antipsychotic metabolic effects: an eight-week randomized, double-blind, parallel-group, placebo-controlled clinical trial. <i>Bipolar Disorders</i> , 2014 , 16, 410-21	3.8	81
32	Problematic, absent and stigmatizing diagnoses in current mental disorders classifications: Results from the WHO-WPA and WHO-IUPsyS Global Surveys. <i>International Journal of Clinical and Health Psychology</i> , 2014 , 14, 165-177	5.1	11
31	Exploring personality features in patients with affective disorders and history of suicide attempts: a comparative study with their parents and control subjects. <i>Depression Research and Treatment</i> , 2014 , 2014, 291802	3.8	3
30	Spanish version of the Substance Use Risk Profile Scale: factor structure, reliability, and validity in Mexican adolescents. <i>Psychiatry Research</i> , 2014 , 220, 1113-7	9.9	15
29	Association study between the MDR1 gene and clinical characteristics in schizophrenia. <i>Revista Brasileira De Psiquiatria</i> , 2014 , 36, 227-32	2.6	7
28	History of religious delusions and psychosocial functioning among Mexican patients with paranoid schizophrenia. <i>Journal of Religion and Health</i> , 2014 , 53, 1622-33	2.6	3
27	No association between catechol-o-methyltransferase Val108/158Met polymorphism and schizophrenia or its clinical symptomatology in a Mexican population. <i>Molecular Biology Reports</i> , 2013 , 40, 2053-8	2.8	19
26	Facial emotion recognition in schizophrenia: a comparison with siblings and control subjects. <i>Schizophrenia Research</i> , 2013 , 151, 291-2	3.6	5
25	Mental illness recognition and beliefs about adequate treatment of a patient with schizophrenia: association with gender and perception of aggressiveness-dangerousness in a community sample of Mexico City. <i>International Journal of Social Psychiatry</i> , 2013 , 59, 811-8	8.5	17
24	Recognition of facial expression of the emotions and their relation to attachment styles and psychiatric symptoms. Preliminary study on Psychiatric Residents (Reconocimiento de la expresi\(\textit{B}\) facial de las emociones y su relaci\(\textit{B}\) con estilos de apego y s\(\textit{B}\)tomas psiqui\(\textit{B}\)ricos. Estudio	0.5	6
23	Alfabetizaci en salud mental en el trastorno bipolar: Asociaci con la percepci de agresividad y el gliero en estudiantes de medicina. <i>Salud Mental</i> , 2013 , 36, 229	0.5	3
22	Validation of the dimensions of psychosis instrument in Mexican patients with schizophrenia spectrum disorders. <i>Schizophrenia Research</i> , 2011 , 132, 153-6	3.6	

(2003-2011)

21	The Benzodiazepine Dependence Questionnaire (BDEPQ): validity and reliability in Mexican psychiatric patients. <i>Addictive Behaviors</i> , 2011 , 36, 874-7	4.2	5
20	Personality differences according to age and sex in a Mexican sample using the Temperament and Character Inventory-Revised. <i>Comprehensive Psychiatry</i> , 2011 , 52, 774-9	7-3	29
19	Association study of DRD3 gene in schizophrenia in Mexican sib-pairs. <i>Psychiatry Research</i> , 2011 , 190, 367-8	9.9	3
18	Anxiety disorders comorbidity in first-episode depressed patients: Personality differences based on the temperament and character inventory. <i>Personality and Individual Differences</i> , 2009 , 47, 522-526	3.3	8
17	Premorbid adjustment in schizophrenia and schizoaffective disorder. <i>Psychiatry Research</i> , 2009 , 165, 234-40	9.9	17
16	APOE-epsilon3 and APOE-219G haplotypes increase the risk for schizophrenia in sibling pairs. <i>Journal of Neuropsychiatry and Clinical Neurosciences</i> , 2009 , 21, 440-4	2.7	6
15	Variations of rest lactivity rhythm and sleep lwake in schizophrenic patients versus healthy subjects: An actigraphic comparative study. <i>Biological Rhythm Research</i> , 2008 , 39, 69-78	0.8	14
14	Temperament and character in violent schizophrenic patients. <i>Schizophrenia Research</i> , 2007 , 94, 74-80	3.6	25
13	The P50 auditory evoked potential in violent and non-violent patients with schizophrenia. <i>Schizophrenia Research</i> , 2007 , 97, 128-36	3.6	13
12	Association study of MAO-A and DRD4 genes in schizophrenic patients with aggressive behavior. <i>Neuropsychobiology</i> , 2007 , 55, 171-5	4	32
11	Association analysis of exon III and exon I polymorphisms of the dopamine D4 receptor locus in Mexican psychotic patients. <i>Psychiatry Research</i> , 2007 , 153, 209-15	9.9	13
10	Repetitive transcranial magnetic stimulation of dorsolateral prefrontal cortex increases tolerance to human experimental pain. <i>Cognitive Brain Research</i> , 2005 , 25, 153-60		109
9	The effects of amisulpride on five dimensions of psychopathology in patients with schizophrenia: a prospective open-label study. <i>BMC Psychiatry</i> , 2005 , 5, 22	4.2	7
8	Violent behavior in schizophrenic patients: relationship with clinical symptoms. <i>Aggressive Behavior</i> , 2005 , 31, 511-520	2.8	40
7	Amoxapine as an atypical antipsychotic: a comparative study vs risperidone. Neuropsychopharmacology, 2005 , 30, 2236-44	8.7	25
6	Survey on schizophrenia treatment in Mexico: perception and antipsychotic prescription patterns. <i>BMC Psychiatry</i> , 2004 , 4, 12	4.2	14
5	Premorbid adjustment and violent behavior in schizophrenic patients. <i>Schizophrenia Research</i> , 2004 , 69, 143-8	3.6	12
4	Minimum effective doses of haloperidol for the treatment of first psychotic episode: a comparative study with risperidone and olanzapine. <i>International Journal of Neuropsychopharmacology</i> , 2003 , 6, 403	- 8 ^{5.8}	16

3	Amoxapine shows atypical antipsychotic effects in patients with schizophrenia: results from a prospective open-label study. <i>Schizophrenia Research</i> , 2003 , 59, 35-9	3.6	15
2	Dopamine D4 receptor (DRD4) gene polymorphism in the first psychotic episode. <i>Archives of Medical Research</i> , 2001 , 32, 35-8	6.6	8
1	Lack of association of apolipoprotein E polymorphism in obsessive-compulsive disorder. <i>CNS Spectrums</i> , 2001 , 6, 978-9, 992	1.8	3