

James R Smiley

List of Publications by Citations

Source: <https://exaly.com/author-pdf/1994149/james-r-smiley-publications-by-citations.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

69

papers

7,853

citations

31

h-index

70

g-index

70

ext. papers

8,455

ext. citations

8.4

avg, IF

5.49

L-index

#	Paper	IF	Citations
69	Characteristics of a human cell line transformed by DNA from human adenovirus type 5. <i>Journal of General Virology</i> , 1977 , 36, 59-74	4.9	4038
68	Mitochondrial DNA stress primes the antiviral innate immune response. <i>Nature</i> , 2015 , 520, 553-7	50.4	831
67	Herpes simplex virus triggers and then disarms a host antiviral response. <i>Journal of Virology</i> , 2001 , 75, 750-8	6.6	223
66	The interferon response inhibits HIV particle production by induction of TRIM22. <i>PLoS Pathogens</i> , 2008 , 4, e1000007	7.6	208
65	Construction and characterization of a recombinant plasmid encoding the gene for the thymidine kinase of Herpes simplex type 1 virus. <i>Gene</i> , 1979 , 7, 335-42	3.8	199
64	Herpes simplex virus virion host shutoff protein: immune evasion mediated by a viral RNase?. <i>Journal of Virology</i> , 2004 , 78, 1063-8	6.6	178
63	Herpes simplex virus ICP0 mutants are hypersensitive to interferon. <i>Journal of Virology</i> , 2000 , 74, 2052-66.6		177
62	Signals for site-specific cleavage of HSV DNA: maturation involves two separate cleavage events at sites distal to the recognition sequences. <i>Cell</i> , 1985 , 41, 793-802	56.2	129
61	Evidence that herpes simplex virus VP16 is required for viral egress downstream of the initial envelopment event. <i>Journal of Virology</i> , 2000 , 74, 6287-99	6.6	111
60	The herpes simplex virus vhs protein induces endoribonucleolytic cleavage of target RNAs in cell extracts. <i>Journal of Virology</i> , 1999 , 73, 7153-64	6.6	104
59	Herpes simplex virus ICP0 and ICP34.5 counteract distinct interferon-induced barriers to virus replication. <i>Journal of Virology</i> , 2002 , 76, 1995-8	6.6	96
58	Herpes simplex virus eliminates host mitochondrial DNA. <i>EMBO Reports</i> , 2007 , 8, 188-93	6.5	89
57	Construction of a double-jointed herpes simplex viral DNA molecule: inverted repeats are required for segment inversion, and direct repeats promote deletions. <i>Virology</i> , 1981 , 113, 345-62	3.6	78
56	Abundant expression of herpes simplex virus glycoprotein gB using an adenovirus vector. <i>Virology</i> , 1988 , 164, 1-14	3.6	74
55	A herpes simplex virus 1 integration site in the mouse genome defined by somatic cell genetic analysis. <i>Cell</i> , 1978 , 15, 455-68	56.2	69
54	Construction in vitro and rescue of a thymidine kinase-deficient deletion mutation of herpes simplex virus. <i>Nature</i> , 1980 , 285, 333-5	50.4	68
53	Herpes simplex virus virion host shutoff protein is stimulated by translation initiation factors eIF4B and eIF4H. <i>Journal of Virology</i> , 2004 , 78, 4684-99	6.6	55

52	Activation of RNA polymerase III transcription of human Alu elements by herpes simplex virus. <i>Virology</i> , 1994 , 202, 408-17	3.6	54
51	Genetic and physical evidence for the polarity of transcription of the thymidine kinase gene of herpes simplex virus. <i>Virology</i> , 1980 , 102, 83-93	3.6	52
50	Picornavirus internal ribosome entry site elements target RNA cleavage events induced by the herpes simplex virus virion host shutoff protein. <i>Journal of Virology</i> , 1999 , 73, 9222-31	6.6	52
49	Human HERC5 restricts an early stage of HIV-1 assembly by a mechanism correlating with the ISGylation of Gag. <i>Retrovirology</i> , 2011 , 8, 95	3.6	51
48	The herpes simplex virus 1 vhs protein enhances translation of viral true late mRNAs and virus production in a cell type-dependent manner. <i>Journal of Virology</i> , 2011 , 85, 5363-73	6.6	50
47	Control of VP16 translation by the herpes simplex virus type 1 immediate-early protein ICP27. <i>Journal of Virology</i> , 2005 , 79, 4120-31	6.6	46
46	Activation of expression of multiple subfamilies of human Alu elements by adenovirus type 5 and herpes simplex virus type 1. <i>Journal of Molecular Biology</i> , 1995 , 248, 513-24	6.5	46
45	Herpes simplex virus UL12.5 targets mitochondria through a mitochondrial localization sequence proximal to the N terminus. <i>Journal of Virology</i> , 2009 , 83, 2601-10	6.6	43
44	Truncation of the C-terminal acidic transcriptional activation domain of herpes simplex virus VP16 renders expression of the immediate-early genes almost entirely dependent on ICP0. <i>Journal of Virology</i> , 1999 , 73, 9726-33	6.6	43
43	Herpes simplex virus requires VP11/12 to activate Src family kinase-phosphoinositide 3-kinase-Akt signaling. <i>Journal of Virology</i> , 2011 , 85, 2803-12	6.6	36
42	Herpes simplex virus vhs protein. <i>Methods in Enzymology</i> , 2001 , 342, 440-51	1.7	35
41	Herpes simplex virus VP16, but not ICP0, is required to reduce histone occupancy and enhance histone acetylation on viral genomes in U2OS osteosarcoma cells. <i>Journal of Virology</i> , 2010 , 84, 1366-75	6.6	34
40	Herpes simplex virus protein kinases US3 and UL13 modulate VP11/12 phosphorylation, virion packaging, and phosphatidylinositol 3-kinase/Akt signaling activity. <i>Journal of Virology</i> , 2014 , 88, 7379-88	6.6	32
39	Evidence for translational regulation by the herpes simplex virus virion host shutoff protein. <i>Journal of Virology</i> , 2010 , 84, 6041-9	6.6	31
38	The herpes simplex virus 1 virion host shutoff protein enhances translation of viral late mRNAs by preventing mRNA overload. <i>Journal of Virology</i> , 2014 , 88, 9624-32	6.6	29
37	Herpes simplex virus ICP27 is required for virus-induced stabilization of the ARE-containing IEX-1 mRNA encoded by the human IER3 gene. <i>Journal of Virology</i> , 2006 , 80, 9720-9	6.6	29
36	Processing of alpha-globin and ICP0 mRNA in cells infected with herpes simplex virus type 1 ICP27 mutants. <i>Journal of Virology</i> , 2000 , 74, 7307-19	6.6	29
35	Herpes simplex virus regulatory proteins VP16 and ICP0 counteract an innate intranuclear barrier to viral gene expression. <i>Virology</i> , 2006 , 352, 237-52	3.6	27

34	Herpes simplex virus virion host shutoff protein requires a mammalian factor for efficient in vitro endoribonuclease activity. <i>Journal of Virology</i> , 2001 , 75, 1172-85	6.6	26
33	The herpes simplex virus 2 virion-associated ribonuclease vhs interferes with stress granule formation. <i>Journal of Virology</i> , 2014 , 88, 12727-39	6.6	25
32	Functional inaccessibility of quiescent herpes simplex virus genomes. <i>Virology Journal</i> , 2005 , 2, 85	6.1	25
31	Activation and inhibition of expression of the 72,000-Da early protein of adenovirus type 5 in mouse cells constitutively expressing an immediate early protein of herpes simplex virus type 1. <i>Virology</i> , 1985 , 144, 35-45	3.6	25
30	The Herpes Simplex Virus Virion Host Shutoff Protein Enhances Translation of Viral True Late mRNAs Independently of Suppressing Protein Kinase R and Stress Granule Formation. <i>Journal of Virology</i> , 2016 , 90, 6049-6057	6.6	24
29	Herpes simplex virus ICP27 induces cytoplasmic accumulation of unspliced polyadenylated alpha-globin pre-mRNA in infected HeLa cells. <i>Journal of Virology</i> , 2000 , 74, 2913-9	6.6	24
28	The vhs1 mutant form of herpes simplex virus virion host shutoff protein retains significant internal ribosome entry site-directed RNA cleavage activity. <i>Journal of Virology</i> , 2001 , 75, 1072-6	6.6	22
27	Elimination of mitochondrial DNA is not required for herpes simplex virus 1 replication. <i>Journal of Virology</i> , 2014 , 88, 2967-76	6.6	21
26	Cell-type-specific tyrosine phosphorylation of the herpes simplex virus tegument protein VP11/12 encoded by gene UL46. <i>Journal of Virology</i> , 2008 , 82, 6098-108	6.6	20
25	Role of herpes simplex virus VP11/12 tyrosine-based motifs in binding and activation of the Src family kinase Lck and recruitment of p85, Grb2, and Shc. <i>Journal of Virology</i> , 2013 , 87, 11276-86	6.6	19
24	Mitochondrial nucleases ENDOG and EXOG participate in mitochondrial DNA depletion initiated by herpes simplex virus 1 UL12.5. <i>Journal of Virology</i> , 2013 , 87, 11787-97	6.6	18
23	Herpes simplex virus requires VP11/12 to induce phosphorylation of the activation loop tyrosine (Y394) of the Src family kinase Lck in T lymphocytes. <i>Journal of Virology</i> , 2009 , 83, 12452-61	6.6	18
22	RNA degradation induced by the herpes simplex virus vhs protein proceeds 5' to 3' in vitro. <i>Journal of Virology</i> , 2004 , 78, 13391-4	6.6	18
21	The XIAP IRES activates 3' UTR expression by inducing production of monocistronic mRNA in the betagal/CAT bicistronic reporter system. <i>Rna</i> , 2009 , 15, 1980-5	5.8	14
20	Herpes simplex virus infection stabilizes cellular IEX-1 mRNA. <i>Journal of Virology</i> , 2005 , 79, 4090-8	6.6	13
19	The herpes simplex virus host shutoff (vhs) RNase limits accumulation of double stranded RNA in infected cells: Evidence for accelerated decay of duplex RNA. <i>PLoS Pathogens</i> , 2019 , 15, e1008111	7.6	12
18	Subversion of Host Responses to Energy Insufficiency by Us3 Supports Herpes Simplex Virus 1 Replication during Stress. <i>Journal of Virology</i> , 2017 , 91,	6.6	11
17	Single Amino Acid Differences between Closely Related Reovirus T3D Lab Strains Alter Oncolytic Potency and. <i>Journal of Virology</i> , 2020 , 94,	6.6	11

16	Role of Herpes simplex virus 1 VP11/12 tyrosine-based binding motifs for Src family kinases, p85, Grb2 and Shc in activation of the phosphoinositide 3-kinase-Akt pathway. <i>Virology</i> , 2016 , 498, 31-35	3.6	11
15	Expression of herpesvirus thymidine kinase gene under control of early promoter of SV40. <i>Virology</i> , 1982 , 117, 536-40	3.6	9
14	Remodeling mTORC1 Responsiveness to Amino Acids by the Herpes Simplex Virus UL46 and Us3 Gene Products Supports Replication during Nutrient Insufficiency. <i>Journal of Virology</i> , 2018 , 92,	6.6	9
13	Polymorphisms in the Most Oncolytic Reovirus Strain Confer Enhanced Cell Attachment, Transcription, and Single-Step Replication Kinetics. <i>Journal of Virology</i> , 2020 , 94,	6.6	8
12	Closely related reovirus lab strains induce opposite expression of RIG-I/IFN-dependent versus -independent host genes, via mechanisms of slow replication versus polymorphisms in dsRNA binding β respectively. <i>PLoS Pathogens</i> , 2020 , 16, e1008803	7.6	6
11	Herpes simplex virus 1 infection of T cells causes VP11/12-dependent phosphorylation and degradation of the cellular protein Dok-2. <i>Virology</i> , 2017 , 511, 66-73	3.6	5
10	Expression of the Vaccinia Virus Antiapoptotic F1 Protein Is Blocked by Protein Kinase R in the Absence of the Viral E3 Protein. <i>Journal of Virology</i> , 2018 , 92,	6.6	3
9	Cell fusion-induced activation of interferon-stimulated genes is not required for restriction of a herpes simplex virus VP16/ICP0 mutant in heterokarya formed between permissive and restrictive cells. <i>Journal of Virology</i> , 2009 , 83, 8976-9	6.6	3
8	The herpes simplex virus type 1 immediate-early polypeptide ICP4 is required for expression of globin genes located in the viral genome. <i>Virology</i> , 1992 , 190, 538-41	3.6	3
7	Organization and Control of the mRNA of the HSV TK Gene 1985 , 101-125		2
6	Regulated expression of stably transfected herpes simplex virus thymidine kinase genes in continuous cell lines expressing a temperature-sensitive mutant form of the immediate-early protein ICP4. <i>Virology</i> , 1988 , 162, 490-3	3.6	1
5	Construction and preliminary characterization of a nondefective herpes simplex virus recombinant bearing the genome of human papillomavirus type 16. <i>Canadian Journal of Microbiology</i> , 1993 , 39, 111-7 ^{3,2}		
4	Closely related reovirus lab strains induce opposite expression of RIG-I/IFN-dependent versus -independent host genes, via mechanisms of slow replication versus polymorphisms in dsRNA binding β respectively 2020 , 16, e1008803		
3	Closely related reovirus lab strains induce opposite expression of RIG-I/IFN-dependent versus -independent host genes, via mechanisms of slow replication versus polymorphisms in dsRNA binding β respectively 2020 , 16, e1008803		
2	Closely related reovirus lab strains induce opposite expression of RIG-I/IFN-dependent versus -independent host genes, via mechanisms of slow replication versus polymorphisms in dsRNA binding β respectively 2020 , 16, e1008803		
1	Closely related reovirus lab strains induce opposite expression of RIG-I/IFN-dependent versus -independent host genes, via mechanisms of slow replication versus polymorphisms in dsRNA binding β respectively 2020 , 16, e1008803		