

# PÃ¡l Tod

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1994754/publications.pdf>

Version: 2024-02-01

10  
papers

83  
citations

1478505

6  
h-index

1474206

9  
g-index

10  
all docs

10  
docs citations

10  
times ranked

115  
citing authors

#	ARTICLE	IF	CITATIONS
1	The Acute Phase Response Is a Prominent Renal Proteome Change in Sepsis in Mice. <i>International Journal of Molecular Sciences</i> , 2020, 21, 200.	4.1	18
2	P2X7 Receptor-Dependent Layer-Specific Changes in Neuron-Microglia Reactivity in the Prefrontal Cortex of a Phencyclidine Induced Mouse Model of Schizophrenia. <i>Frontiers in Molecular Neuroscience</i> , 2020, 13, 566251.	2.9	14
3	Maternal P2X7 receptor inhibition prevents autism-like phenotype in male mouse offspring through the NLRP3-IL-1 $\beta$ pathway. <i>Brain, Behavior, and Immunity</i> , 2022, 101, 318-332.	4.1	11
4	Time-Dependent miRNA Profile during Septic Acute Kidney Injury in Mice. <i>International Journal of Molecular Sciences</i> , 2020, 21, 5316.	4.1	10
5	Post-Ischemic Renal Fibrosis Progression Is Halted by Delayed Contralateral Nephrectomy: The Involvement of Macrophage Activation. <i>International Journal of Molecular Sciences</i> , 2020, 21, 3825.	4.1	9
6	Glomerular Collagen Deposition and Lipocalin-2 Expression Are Early Signs of Renal Injury in Prediabetic Obese Rats. <i>International Journal of Molecular Sciences</i> , 2019, 20, 4266.	4.1	8
7	Divergent regulation of lncRNA expression by ischemia in adult and aging mice. <i>GeroScience</i> , 2022, 44, 429-445.	4.6	7
8	Elevated Serum Purine Levels in Schizophrenia: A Reverse Translational Study to Identify Novel Inflammatory Biomarkers. <i>International Journal of Neuropsychopharmacology</i> , 2022, 25, 645-659.	2.1	4
9	Delayed Contralateral Nephrectomy Halted Post-Ischemic Renal Fibrosis Progression and Inhibited the Ischemia-Induced Fibromir Upregulation in Mice. <i>Biomedicines</i> , 2021, 9, 815.	3.2	2
10	Cold Saline Perfusion before Ischemia-Reperfusion Is Harmful to the Kidney and Is Associated with the Loss of Ezrin, a Cytoskeletal Protein, in Rats. <i>Biomedicines</i> , 2021, 9, 30.	3.2	0