
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/199544/publications.pdf Version: 2024-02-01



LOSE ACHIRDE

#	Article	IF	CITATIONS
1	Deltoid muscle contribution to shoulder flexion and abduction strength: an experimental approach. Journal of Shoulder and Elbow Surgery, 2021, 30, e60-e68.	2.6	17
2	Bladder management in patients undergoing spine surgery: An assessment of care delivery. North American Spine Society Journal (NASSJ), 2021, 6, 100059.	0.5	1
3	Inflammation reduces osteoblast cytotoxicity induced by diclofenac. European Journal of Anaesthesiology, 2021, 38, S24-S32.	1.7	2
4	Hand or foot train-of-four tests and surgical site muscle relaxation assessed with multiple motor evoked potentials. European Journal of Anaesthesiology, 2021, 38, 872-879.	1.7	2
5	Ultrasonographyâ€guided anterior approach for axillary nerve blockade: An anatomical study. Clinical Anatomy, 2020, 33, 488-499.	2.7	10
6	Dislocation rates of perineural catheters placed either perpendicular or parallel to the femoral nerve. European Journal of Anaesthesiology, 2020, 37, 758-764.	1.7	3
7	<p>Persistent postdischarge pain and chronic postoperative pain after breast cancer surgery under general anesthesia and single-shot paravertebral block: incidence, characteristics and impact on quality of life and healthcare costs</p> . Journal of Pain Research, 2019, Volume 12, 1193-1199.	2.0	16
8	Early Recognition of a Transient Ischemic Attack Utilizing Cerebral Oxygenation Monitoring During Shoulder Surgery in the Beach Chair Position: A Case Report. A&A Practice, 2019, 13, 176-180.	0.4	1
9	Does spinal chloroprocaine pharmacokinetic profile actually translate into a clinical advantage in terms of clinical outcomes when compared to low-dose spinal bupivacaine? A systematic review and meta-analysis. Journal of Clinical Anesthesia, 2019, 52, 99-104.	1.6	23
10	The beach chair position for shoulder surgery in intravenous general anesthesia and controlled hypotension: Impact on cerebral oxygenation, cerebral blood flow and neurobehavioral outcome. Journal of Clinical Anesthesia, 2019, 53, 40-48.	1.6	30
11	A preoperative single dose of methadone for moderate-to-severely painful surgery reduces postoperative morphine consumption. Minerva Anestesiologica, 2019, 85, 1053-1061.	1.0	5
12	Prevention of arterial hypotension after spinal anaesthesia using vena cava ultrasound to guide fluid management. British Journal of Anaesthesia, 2018, 120, 101-108.	3.4	44
13	Spinal versus general anesthesia for lumbar spine surgery in high risk patients: Perioperative hemodynamic stability, complications and costs. Journal of Clinical Anesthesia, 2018, 46, 3-7.	1.6	55
14	Influence of skin disinfection prior removal of perineural catheter on bacterial colonization, contamination and local inflammation: a prospective randomized study. Minerva Anestesiologica, 2018, 84, 319-327.	1.0	4
15	The effect of nonsteroidal anti-inflammatory drugs on bone healing in humans: A qualitative, systematic review. Journal of Clinical Anesthesia, 2018, 49, 92-100.	1.6	44
16	Intra-osseous local anaesthetic patellar pain catheter suppresses osteoarthritic patello-femoral pain. Knee, 2017, 24, 882-889.	1.6	1
17	ls outpatient continuous regional analgesia more effective and equally safe than single-shot peripheral nerve blocks after ambulatory orthopedic surgery?. Minerva Anestesiologica, 2017, 83, 972-981.	1.0	5
18	A cost analysis of orthopedic foot surgery: can outpatient continuous regional analgesia provide the same standard of care for postoperative pain control at home without shifting costs?. European Journal of Health Economics, 2016, 17, 951-961.	2.8	14

#	Article	IF	CITATIONS
19	Can the choice of the local anesthetic have an impact on ambulatory surgery perioperative costs? Chloroprocaine for popliteal block in outpatient foot surgery. Journal of Clinical Anesthesia, 2016, 32, 119-126.	1.6	12
20	Cerebral oxygenation in the beach chair position for shoulder surgery in regional anesthesia: impact on cerebral blood flow and neurobehavioral outcome. Journal of Clinical Anesthesia, 2016, 35, 456-464.	1.6	21
21	Clinical concentrations of morphine are cytotoxic on proliferating human fibroblasts in vitro. European Journal of Anaesthesiology, 2016, 33, 832-839.	1.7	5
22	Unraveling Interactions Between Anesthetics and the Endothelium. Anesthesia and Analgesia, 2016, 122, 330-348.	2.2	15
23	In reply: Is 60 mg a suitable dosage for same-day spinal prilocaine?. Canadian Journal of Anaesthesia, 2016, 63, 497-498.	1.6	0
24	Novel Protocol for Knee Mobilization Under Femoral and Sciatic Nerve Blocks for Postoperative Knee Stiffness. Orthopedics, 2016, 39, e708-14.	1.1	7
25	A reply. Anaesthesia, 2015, 70, 232-232.	3.8	0
26	Transcutaneous continuous carbon dioxide tension monitoring reduced incidence, degree and duration of hypercapnia during combined regional anaesthesia and monitored anaesthesia care in shoulder surgery patients. Journal of Clinical Monitoring and Computing, 2015, 29, 499-507.	1.6	5
27	Intrathecal hyperbaric 2% prilocaine versus 0.4% plain ropivacaine for same-day arthroscopic knee surgery: a prospective randomized double-blind controlled study. Canadian Journal of Anaesthesia, 2015, 62, 1055-1062.	1.6	8
28	The effect of continuous popliteal sciatic nerve block on unplanned postoperative visits and readmissions after foot surgery – a randomised, controlled study comparing day are and inpatient management. Anaesthesia, 2014, 69, 1197-1205.	3.8	23
29	Regional anaesthesia and cancer metastases: the implication of local anaesthetics. Acta Anaesthesiologica Scandinavica, 2013, 57, 1211-1229.	1.6	53
30	Case Scenario: Compartment Syndrome of the Forearm in Patient with an Infraclavicular Catheter. Anesthesiology, 2013, 118, 1198-1205.	2.5	30
31	Drugs for Thromboprophylaxis: Unfractionated Heparin, Low Molecular Weight Heparin, Warfarin, and Fondaparinux. , 2013, , 53-65.		3
32	Deltoid, triceps, or both responses improve the success rate of the interscalene catheter surgical block compared with the biceps response. British Journal of Anaesthesia, 2012, 109, 975-980.	3.4	9
33	Continuous Epicapsular Ropivacaine 0.3% Infusion After Minimally Invasive Hip Arthroplasty. Anesthesia and Analgesia, 2012, 114, 456-461.	2.2	44
34	The Role of Continuous Peripheral Nerve Blocks. Anesthesiology Research and Practice, 2012, 2012, 1-20.	0.7	52
35	Assessment and Treatment of Postblock Neurologic Injury. Anesthesiology Clinics, 2011, 29, 243-256.	1.4	7
36	Ultrasound-Guided Evaluation of the Local Anesthetic Spread Parameters Required for a Rapid Surgical Popliteal Sciatic Nerve Block. Regional Anesthesia and Pain Medicine, 2011, 36, 308-309.	2.3	2

#	Article	IF	CITATIONS
37	Additional femoral catheter in combination with popliteal catheter for analgesia after major ankle surgery. British Journal of Anaesthesia, 2011, 106, 387-393.	3.4	40
38	Update on local anesthetics. Current Opinion in Anaesthesiology, 2010, 23, 466-471.	2.0	67
39	Continuous Interscalene Analgesia with Ropivacaine 0.2% Versus Ropivacaine 0.3% After Open Rotator Cuff Repair. Anesthesia and Analgesia, 2010, 111, 1543-1547.	2.2	30
40	Does ultrasound-guided infraclavicular block meet users' expectations?. Canadian Journal of Anaesthesia, 2010, 57, 176-178.	1.6	0
41	<i>In vitro</i> exposure of human fibroblasts to local anaesthetics impairs cell growth. Clinical and Experimental Immunology, 2010, 162, 280-288.	2.6	56
42	Interscalene block should be a block for shoulder and proximal humerus surgery, and nothing else. Journal of Clinical Anesthesia, 2010, 22, 151.	1.6	1
43	Case Scenario: Neurologic Complication after Continuous Interscalene Block. Anesthesiology, 2010, 112, 742-745.	2.5	17
44	Ultrasound-Guided Interscalene Block Should be Compared With the Accepted Standard for the Neurostimulation Technique. Regional Anesthesia and Pain Medicine, 2009, 34, 180.	2.3	4
45	Volume-Concentration Studies Should First Be Performed in Hospitalized Patients. Regional Anesthesia and Pain Medicine, 2009, 34, 605-606.	2.3	Ο
46	Does a 2-Dimensional Picture Compensate for Lacking Anatomic Knowledge?. Regional Anesthesia and Pain Medicine, 2009, 34, 606-607.	2.3	1
47	Ultrasound Does Not Improve Clinical Outcome Compared With Neurostimulation. Regional Anesthesia and Pain Medicine, 2009, 34, 621-622.	2.3	3
48	Ultrasound-Guided Supraclavicular Block. Regional Anesthesia and Pain Medicine, 2009, 34, 622.	2.3	2
49	The sciatic nerve should be blocked to optimize postoperative analgesia after knee arthroplasty. European Journal of Anaesthesiology, 2009, 26, 439-440.	1.7	3
50	Regional Anesthesia for the Opulent World!. Regional Anesthesia and Pain Medicine, 2009, 34, 616-617.	2.3	1
51	Ultrasound Guidance for Sciatic Nerve Block at the Popliteal Fossa Should Be Compared With the Best Motor Response and the Lowest Current Clinically Used in Neurostimulation Technique. Regional Anesthesia and Pain Medicine, 2009, 34, 182-183.	2.3	7
52	Sedation and regional anesthesia. Current Opinion in Anaesthesiology, 2009, 22, 678-682.	2.0	19
53	Less is More, or Keep Pain Therapy Simple, Safe, and, for the Patient, Understandable!. Regional Anesthesia and Pain Medicine, 2009, 34, 610-611.	2.3	1
54	Delayed Inhibition of Agonist-Induced Granulocyte-Platelet Aggregation After Low-Dose Sevoflurane Inhalation in Humans. Anesthesia and Analgesia, 2008, 106, 1749-1758.	2.2	13

#	Article	IF	CITATIONS
55	Severe Brachial Plexopathy after an Ultrasound-guided Single-injection Nerve Block for Total Shoulder Arthroplasty in a Patient with Multiple Sclerosis: What Is the Likely Cause of This Complication?. Anesthesiology, 2008, 109, 750-751.	2.5	11
56	Sevoflurane Inhalation at Sedative Concentrations Provides Endothelial Protection against Ischemia–Reperfusion Injury in Humans. Anesthesiology, 2007, 106, 262-268.	2.5	112
57	Molecular Evidence of Late Preconditioning After Sevoflurane Inhalation in Healthy Volunteers. Anesthesia and Analgesia, 2007, 105, 629-640.	2.2	36
58	Letter to the Editor: Ketamine and spinal instrumentation by Alain Borgeat. Paediatric Anaesthesia, 2007, 17, 1237-1237.	1.1	0
59	Ultrasound guidance and success rates of axillary brachial plexus block - I. Canadian Journal of Anaesthesia, 2007, 54, 583-583.	1.6	7