

# Taiji Noguchi

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1995644/publications.pdf>

Version: 2024-02-01

28  
papers

398  
citations

758635

12  
h-index

839053

18  
g-index

29  
all docs

29  
docs citations

29  
times ranked

314  
citing authors

#	ARTICLE	IF	CITATIONS
1	Relationships between stress urinary incontinence and trunk muscle mass or spinal alignment in older women. LUTS: Lower Urinary Tract Symptoms, 2022, 14, 10-16.	0.6	3
2	Association between community-level social capital and frailty onset among older adults: a multilevel longitudinal study from the Japan Gerontological Evaluation Study (JAGES). Journal of Epidemiology and Community Health, 2022, 76, 182-189.	2.0	13
3	Social frailty and depressive symptoms during the COVID-19 pandemic among older adults in Japan: Role of home exercise habits. Archives of Gerontology and Geriatrics, 2022, 98, 104555.	1.4	13
4	Art and cultural activity engagement and depressive symptom onset among older adults: A longitudinal study from the Japanese Gerontological Evaluation Study. International Journal of Geriatric Psychiatry, 2022, 37, .	1.3	8
5	Social functions and adverse outcome onset in older adults with mild long-term care needs: A two-year longitudinal study. Archives of Gerontology and Geriatrics, 2022, 100, 104631.	1.4	3
6	Eating alone and weight change in community-dwelling older adults during the coronavirus pandemic: A longitudinal study. Nutrition, 2022, 102, 111697.	1.1	3
7	Chronic obstructive pulmonary disease and the mortality risk in male older adults: role of socioeconomic factors. Archives of Gerontology and Geriatrics, 2022, , 104741.	1.4	2
8	Predictive validity of the modified Kihon Checklist for the incidence of functional disability among older people: A 3-year cohort study from the <sc>JAGES</sc>. Geriatrics and Gerontology International, 2022, 22, 667-674.	0.7	7
9	Association between social isolation and depression onset among older adults: a cross-national longitudinal study in England and Japan. BMJ Open, 2021, 11, e045834.	0.8	50
10	Role of non-“face-to-face social contacts in moderating the association between living alone and mental health among community-dwelling older adults: a cross-sectional study. Public Health, 2021, 194, 25-28.	1.4	11
11	Examining the associations between oral health and social isolation: A cross-national comparative study between Japan and England. Social Science and Medicine, 2021, 277, 113895.	1.8	27
12	The Impact of Job Conditions on Health-Related Quality of Life among Working Japanese Older Adults: A Five-Year Longitudinal Study Using J-MICC Okazaki Study Data. Archives of Gerontology and Geriatrics, 2021, 95, 104385.	1.4	3
13	Social Isolation and Self-Reported Cognitive Decline Among Older Adults in Japan: A Longitudinal Study in the COVID-19 Pandemic. Journal of the American Medical Directors Association, 2021, 22, 1352-1356.e2.	1.2	41
14	Association between Decreased Social Participation and Depressive Symptom Onset among Community-Dwelling Older Adults: A Longitudinal Study during the COVID-19 Pandemic. Journal of Nutrition, Health and Aging, 2021, 25, 1070-1075.	1.5	21
15	Association between family caregivers and depressive symptoms among community-dwelling older adults in Japan: A cross-sectional study during the COVID-19 pandemic. Archives of Gerontology and Geriatrics, 2021, 96, 104468.	1.4	23
16	Cross-national comparison of social isolation and mortality among older adults: A 10-year follow-up study in Japan and England. Geriatrics and Gerontology International, 2021, 21, 209-214.	0.7	27
17	Association Between Social Isolation and Smoking in Japan and England. Journal of Epidemiology, 2021, 31, 523-529.	1.1	16
18	Change in the prevalence of social isolation among the older population from 2010 to 2016: A repeated cross-sectional comparative study of Japan and England. Archives of Gerontology and Geriatrics, 2020, 91, 104237.	1.4	29

#	ARTICLE	IF	CITATIONS
19	Smaller muscle mass is associated with increase in EMG coherence of the leg muscle during unipedal stance in elderly adults. <i>Human Movement Science</i> , 2020, 71, 102614.	0.6	7
20	Neighbourhood relationships moderate the positive association between family caregiver burden and psychological distress in Japanese adults: a cross-sectional study. <i>Public Health</i> , 2020, 185, 80-86.	1.4	3
21	Association Between Second-hand Smoke Exposure and Depressive Symptoms Among Japanese Adults: A Cross-sectional Study. <i>Journal of Epidemiology</i> , 2020, 30, 566-573.	1.1	7
22	The Association between Family Caregiver Burden and Subjective Well-Being and the Moderating Effect of Social Participation among Japanese Adults: A Cross-Sectional Study. <i>Healthcare (Switzerland)</i> , 2020, 8, 87.	1.0	12
23	The Impact of Marital Transitions on Vegetable Intake in Middle-aged and Older Japanese Adults: A 5-year Longitudinal Study. <i>Journal of Epidemiology</i> , 2020, , .	1.1	1
24	The Association between Social Support Sources and Cognitive Function among Community-Dwelling Older Adults: A One-Year Prospective Study. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 4228.	1.2	21
25	Handling missing data in an FFQ: multiple imputation and nutrient intake estimates. <i>Public Health Nutrition</i> , 2019, 22, 1351-1360.	1.1	8
26	Community social capital and the onset of functional disability among older adults in Japan: a multilevel longitudinal study using Japan Gerontological Evaluation Study (JAGES) data. <i>BMJ Open</i> , 2019, 9, e029279.	0.8	14
27	Predictive factors for the outcome of multidisciplinary treatments in chronic low back pain at the first multidisciplinary pain center of Japan. <i>Journal of Physical Therapy Science</i> , 2015, 27, 2901-2905.	0.2	10
28	Repeated short-term daily exercise ameliorates oxidative cerebral damage and the resultant motor dysfunction after transient ischemia in rats. <i>Journal of Clinical Biochemistry and Nutrition</i> , 2013, 53, 8-14.	0.6	15