## Xiu-Juan Li

## List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/1997643/xiu-juan-li-publications-by-year.pdf

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

30	1,067	19	<b>31</b>
papers	citations	h-index	g-index
31	1,145	<b>5.1</b> avg, IF	4.24
ext. papers	ext. citations		L-index

#	Paper	IF	Citations
30	Matrix compatibility of typical sol-gel solid-phase microextraction coatings in undiluted plasma and whole blood for the analysis of phthalic acid esters <i>Analytical and Bioanalytical Chemistry</i> , <b>2022</b> , 414, 2493	4.4	1
29	Direct-immersion SPME in soy milk for pesticide analysis at trace levels by means of a matrix-compatible coating. <i>Talanta</i> , <b>2020</b> , 211, 120746	6.2	25
28	Multifiber solid-phase microextraction using different molecularly imprinted coatings for simultaneous selective extraction and sensitive determination of organophosphorus pesticides. <i>Journal of Separation Science</i> , <b>2020</b> , 43, 756-765	3.4	7
27	Membrane fouling by the aggregations formed from oppositely charged organic foulants. <i>Water Research</i> , <b>2019</b> , 159, 95-101	12.5	51
26	Click Reaction-Mediated Immunosensor for Ultrasensitive Detection of Pesticide Residues via Brush-like Nanostructure-Triggered Coordination Chemistry. <i>Journal of Agricultural and Food Chemistry</i> , <b>2019</b> , 67, 9942-9949	5.7	16
25	Background Signal-Free Magnetic Bioassay for Food-Borne Pathogen and Residue of Veterinary Drug via Mn(VII)/Mn(II) Interconversion. <i>ACS Sensors</i> , <b>2019</b> , 4, 2771-2777	9.2	20
24	In Situ Real-Time Tracing of Organophosphorus Pesticides in Apples by Solid-Phase Microextraction with Developed Sampling-Rate Calibration. <i>Molecules</i> , <b>2019</b> , 24,	4.8	9
23	Molecularly imprinted calixarene fiber for solid-phase microextraction of four organophosphorous pesticides in fruits. <i>Food Chemistry</i> , <b>2016</b> , 192, 260-7	8.5	71
22	Synthesis, characterization and adsorption properties of magnetite/reduced graphene oxide nanocomposites. <i>Talanta</i> , <b>2015</b> , 144, 1116-24	6.2	54
21	Development of a method for identification and accurate quantitation of aroma compounds in Chinese Daohuaxiang liquors based on SPME using a sol-gel fibre. <i>Food Chemistry</i> , <b>2015</b> , 169, 230-40	8.5	47
20	Magnetic solid phase extraction based on magnetite/reduced graphene oxide nanoparticles for determination of trace isocarbophos residues in different matrices. <i>Journal of Chromatography A</i> , <b>2014</b> , 1347, 30-8	4.5	60
19	Application of Vis/NIR Spectroscopy for Chinese Liquor Discrimination. <i>Food Analytical Methods</i> , <b>2014</b> , 7, 1337-1344	3.4	37
18	Sol-gel molecularly imprinted polymer for selective solid phase microextraction of organophosphorous pesticides. <i>Talanta</i> , <b>2013</b> , 115, 920-7	6.2	62
17	Multiple headspace solid-phase microextraction after matrix modification for avoiding matrix effect in the determination of ethyl carbamate in bread. <i>Analytica Chimica Acta</i> , <b>2012</b> , 710, 75-80	6.6	24
16	Multiple headspace solid-phase microextraction using a new fiber for avoiding matrix interferences in the quantitative determination of ethyl carbamate in pickles. <i>Journal of Separation Science</i> , <b>2012</b> , 35, 1152-9	3.4	7
15	Determination of Polycyclic Aromatic Hydrocarbons in Vegetables by Headspace SPME-GC. <i>Chromatographia</i> , <b>2011</b> , 74, 99-107	2.1	30
14	Multiple headspace solid-phase microextraction of ethyl carbamate from different alcoholic beverages employing drying agent based matrix modification. <i>Journal of Chromatography A</i> , <b>2011</b> , 1218, 5063-70	4.5	19

## LIST OF PUBLICATIONS

13	chromatography: very simple, rapid and sensitive method for the determination of chlorobenzenes in water. <i>Mikrochimica Acta</i> , <b>2010</b> , 168, 161-167	5.8	22	
12	Development and application of an SPME/GC method for the determination of trace phthalates in beer using a calix[6]arene fiber. <i>Analytica Chimica Acta</i> , <b>2009</b> , 641, 64-74	6.6	71	
11	Determination of Phthalates in Beverages by Headspace SPME-GC Using Calix[6]arene Fiber. <i>Chromatographia</i> , <b>2009</b> , 70, 883-890	2.1	19	
10	pH-resistant titania hybrid organic-inorganic sol-gel coating for solid-phase microextraction of polar compounds. <i>Analytica Chimica Acta</i> , <b>2007</b> , 590, 26-33	6.6	36	
9	Solid-phase microextraction coupled to gas chromatography for the determination of 2,3-dimethyl-2,3-dinitrobutane as a marking agent for explosives. <i>Talanta</i> , <b>2007</b> , 72, 1581-5	6.2	19	
8	A solid-phase microextraction fiber coated with diglycidyloxycalix[4]arene yields very high extraction selectivity and sensitivity during the analysis of chlorobenzenes in soil. <i>Analytical and Bioanalytical Chemistry</i> , <b>2006</b> , 384, 1428-37	4.4	18	
7	Solid-Phase Microextraction of Aromatic Amines with an Amide Bridged Calix[4]arene Coated Fiber. <i>Chromatographia</i> , <b>2005</b> , 61, 75-80	2.1	19	
6	Development of a Sol-Gel Procedure for Preparation of a Diglycidyloxycalix[4]arene Solid-Phase Microextraction Fiber with Enhanced Extraction Efficiency. <i>Chromatographia</i> , <b>2005</b> , 62, 519-525	2.1	11	
5	High operationally stable sol-gel diglycidyloxycalix[4]arene fiber for solid-phase microextraction of propranolol in human urine. <i>Journal of Separation Science</i> , <b>2005</b> , 28, 2489-500	3.4	21	
4	Determination of phthalate acid esters plasticizers in plastic by ultrasonic solvent extraction combined with solid-phase microextraction using calix[4]arene fiber. <i>Talanta</i> , <b>2004</b> , 63, 1013-9	6.2	79	
3	Preparation and characteristics of sol-gel-coated calix[4]arene fiber for solid-phase microextraction. <i>Journal of Chromatography A</i> , <b>2004</b> , 1023, 15-25	4.5	99	
2	Novel fiber coated with amide bridged-calix[4]arene used for solid-phase microextraction of aliphatic amines. <i>Journal of Chromatography A</i> , <b>2004</b> , 1041, 1-9	4.5	49	
1	High thermal-stable solgel-coated calix[4]arene fiber for solid-phase microextraction of chlorophenols. <i>Analytica Chimica Acta</i> , <b>2004</b> , 509, 27-37	6.6	64	