

# Brian J Leury

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/1999402/brian-j-leury-publications-by-year.pdf>

**Version:** 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

136 papers	3,076 citations	30 h-index	51 g-index
139 ext. papers	3,510 ext. citations	2.8 avg, IF	4.93 L-index

#	Paper	IF	Citations
136	Reducing the Fermentability of Wheat with a Starch Binding Agent Reduces Some of the Negative Effects of Heat Stress in Sheep. <i>Animals</i> , <b>2022</b> , 12, 1396	3.1	1
135	Non-invasive measure of heat stress in sheep using machine learning techniques and infrared thermography. <i>Small Ruminant Research</i> , <b>2021</b> , 207, 106592	1.7	1
134	Review: What have we learned about the effects of heat stress on the pig industry?. <i>Animal</i> , <b>2021</b> , 1003491	3.1	1
133	Acid-insoluble ash is a better indigestible marker than chromic oxide to measure apparent total tract digestibility in pigs. <i>Animal Nutrition</i> , <b>2021</b> , 7, 64-71	4.8	4
132	Dietary nano chromium picolinate can ameliorate some of the impacts of heat stress in cross-bred sheep. <i>Animal Nutrition</i> , <b>2021</b> , 7, 198-205	4.8	3
131	Maternal Heat Stress Alters Expression of Genes Associated with Nutrient Transport Activity and Metabolism in Female Placentae from Mid-Gestating Pigs. <i>International Journal of Molecular Sciences</i> , <b>2021</b> , 22,	6.3	3
130	Towards Sustainable Livestock Production: Estimation of Methane Emissions and Dietary Interventions for Mitigation. <i>Sustainability</i> , <b>2021</b> , 13, 6081	3.6	1
129	Effect of slaughter age and post-mortem days on meat quality of longissimus and semimembranosus muscles of Boer goats. <i>Meat Science</i> , <b>2021</b> , 175, 108466	6.4	4
128	Compensatory feeding during early gestation for sows with a high weight loss after a summer lactation increased piglet birth weight but reduced litter size. <i>Journal of Animal Science</i> , <b>2021</b> , 99,	0.7	1
127	Comparison of measures of insulin sensitivity in early-lactation dairy goats. <i>JDS Communications</i> , <b>2021</b> , 2, 300-304	1.4	0
126	Reducing rumen starch fermentation of wheat with 3% NaOH does not reduce whole tract starch digestibility and increases energy utilization in wethers during heat stress. <i>Small Ruminant Research</i> , <b>2021</b> , 204, 106523	1.7	3
125	Strategies to Ameliorate Heat Stress Impacts in Sheep <b>2021</b> , 161-174		
124	Nutritional Amelioration of Thermal Stress Impacts in Dairy Cows <b>2021</b> , 141-150		
123	A Meta-Analysis of the Effectiveness of High, Medium, and Low Voltage Electrical Stimulation on the Meat Quality of Small Ruminants. <i>Foods</i> , <b>2020</b> , 9,	4.9	5
122	Gene expression of the heat stress response in bovine peripheral white blood cells and milk somatic cells in vivo. <i>Scientific Reports</i> , <b>2020</b> , 10, 19181	4.9	8
121	Resilience of Small Ruminants to Climate Change and Increased Environmental Temperature: A Review. <i>Animals</i> , <b>2020</b> , 10,	3.1	35
120	Heat Stress Impacts on Lactating Cows Grazing Australian Summer Pastures on an Automatic Robotic Dairy. <i>Animals</i> , <b>2020</b> , 10,	3.1	14

119	Short communication: Associations between nonesterified fatty acids, ̢-hydroxybutyrate, and glucose in periparturient dairy goats. <i>Journal of Dairy Science</i> , <b>2020</b> , 103, 6672-6678	4	1
118	The Effect of Heat Stress on Respiratory Alkalosis and Insulin Sensitivity in Cinnamon Supplemented Pigs. <i>Animals</i> , <b>2020</b> , 10,	3.1	5
117	Endocrine and metabolic responses to glucose, insulin, and adrenocorticotropin infusions in early-lactation dairy goats of high and low milk yield. <i>Journal of Dairy Science</i> , <b>2020</b> , 103, 12045-12058	4	3
116	Effects of Astragalus membranaceus roots supplementation on growth performance, serum antioxidant and immune response in finishing lambs. <i>Asian-Australasian Journal of Animal Sciences</i> , <b>2020</b> , 33, 965-972	2.4	7
115	Effects of month of kidding, parity number, and litter size on milk yield of commercial dairy goats in Australia. <i>Journal of Dairy Science</i> , <b>2020</b> , 103, 954-964	4	6
114	Lipid metabolic differences in cows producing small or large milk fat globules: Fatty acid origin and degree of saturation. <i>Journal of Dairy Science</i> , <b>2020</b> , 103, 1920-1930	4	7
113	The Greater Proportion of Born-Light Progeny from Sows Mated in Summer Contributes to Increased Carcass Fatness Observed in Spring. <i>Animals</i> , <b>2020</b> , 10,	3.1	3
112	Controlled elevated temperatures during early-mid gestation cause placental insufficiency and implications for fetal growth in pregnant pigs. <i>Scientific Reports</i> , <b>2020</b> , 10, 20677	4.9	6
111	Milk fat globule size development in the mammary epithelial cell: a potential role for ether phosphatidylethanolamine. <i>Scientific Reports</i> , <b>2020</b> , 10, 12299	4.9	2
110	Endocrine and metabolic status of commercial dairy goats during the transition period. <i>Journal of Dairy Science</i> , <b>2020</b> , 103, 5616-5628	4	5
109	An Extended Photoperiod Increases Milk Yield and Decreases Ovulatory Activity in Dairy Goats. <i>Animals</i> , <b>2020</b> , 10,	3.1	2
108	Nano Chromium Picolinate Improves Gene Expression Associated with Insulin Signaling in Porcine Skeletal Muscle and Adipose Tissue. <i>Animals</i> , <b>2020</b> , 10,	3.1	1
107	Comparative Assessment of Thermotolerance in Dorper and Second-Cross (Poll Dorset/Merino × Border Leicester) Lambs. <i>Animals</i> , <b>2020</b> , 10,	3.1	6
106	Perennial Ryegrass Alkaloids Increase Respiration Rate and Decrease Plasma Prolactin in Merino Sheep under Both Thermoneutral and Mild Heat Conditions. <i>Toxins</i> , <b>2019</b> , 11,	4.9	1
105	Basal diet and indigestible marker influence apparent digestibilities of nitrogen and amino acids of cottonseed meal and soybean meal in pigs. <i>Animal Nutrition</i> , <b>2019</b> , 5, 234-240	4.8	3
104	Responses to metabolic challenges in dairy cows with high or low milk yield during an extended lactation. <i>Journal of Dairy Science</i> , <b>2019</b> , 102, 4590-4605	4	3
103	Betaine Improves Milk Yield in Grazing Dairy Cows Supplemented with Concentrates at High Temperatures. <i>Animals</i> , <b>2019</b> , 9,	3.1	14
102	Genetic Selection for Thermotolerance in Ruminants. <i>Animals</i> , <b>2019</b> , 9,	3.1	28

101	The effect of physiological state, milk production traits and environmental conditions on milk fat globule size in cow's milk. <i>Journal of Dairy Research</i> , <b>2019</b> , 86, 454-460	1.6	5
100	Plasma glucose and nonesterified fatty acids response to epinephrine challenges in dairy cows during a 670-d lactation. <i>Journal of Dairy Science</i> , <b>2018</b> , 101, 3501-3513	4	1
99	Responses of dairy cows with divergent residual feed intake as calves to metabolic challenges during midlactation and the nonlactating period. <i>Journal of Dairy Science</i> , <b>2018</b> , 101, 6474-6485	4	5
98	Effects of a short-term supranutritional selenium supplementation on redox balance, physiology and insulin-related metabolism in heat-stressed pigs. <i>Journal of Animal Physiology and Animal Nutrition</i> , <b>2018</b> , 102, 276-285	2.6	15
97	Forage type influences milk yield and ruminal responses to wheat adaptation in late-lactation dairy cows. <i>Journal of Dairy Science</i> , <b>2018</b> , 101, 9901-9914	4	2
96	Climate Change and Goat Production: Enteric Methane Emission and Its Mitigation. <i>Animals</i> , <b>2018</b> , 8,	3.1	13
95	Effect of feeding slowly fermentable grains on productive variables and amelioration of heat stress in lactating dairy cows in a sub-tropical summer. <i>Tropical Animal Health and Production</i> , <b>2018</b> , 50, 1763-1769	1.7	18
94	Dietary lecithin improves feed efficiency without impacting meat quality in immunocastrated male pigs and gilts fed a summer ration containing added fat. <i>Animal Nutrition</i> , <b>2018</b> , 4, 203-209	4.8	5
93	Responses of plasma glucose and nonesterified fatty acids to intravenous insulin tolerance tests in dairy cows during a 670-day lactation. <i>Journal of Dairy Science</i> , <b>2017</b> , 100, 3272-3281	4	5
92	In vitro evaluation of the methane mitigation potential of a range of grape marc products. <i>Animal Production Science</i> , <b>2017</b> , 57, 1437	1.4	15
91	Responses of dairy cows to short-term heat stress in controlled-climate chambers. <i>Animal Production Science</i> , <b>2017</b> , 57, 1233	1.4	38
90	Effects of chromium supplementation on physiology, feed intake, and insulin related metabolism in growing pigs subjected to heat stress. <i>Translational Animal Science</i> , <b>2017</b> , 1, 116-125	1.4	11
89	Reducing rumen starch fermentation of wheat with three percent sodium hydroxide has the potential to ameliorate the effect of heat stress in grain-fed wethers. <i>Journal of Animal Science</i> , <b>2017</b> , 95, 5547-5562	0.7	15
88	Nutritional Strategies to Alleviate Heat Stress in Sheep <b>2017</b> , 371-388		4
87	Feeding slowly fermentable grains has the potential to ameliorate heat stress in grain-fed wethers. <i>Journal of Animal Science</i> , <b>2016</b> , 94, 2981-91	0.7	18
86	High dietary vitamin E and selenium improves feed intake and weight gain of finisher lambs and maintains redox homeostasis under hot conditions. <i>Small Ruminant Research</i> , <b>2016</b> , 137, 17-23	1.7	32
85	Production and physiological effects of perennial ryegrass alkaloids under thermoneutral conditions in Merinos. <i>Animal Production Science</i> , <b>2016</b> , 56, 1629	1.4	2
84	Physiological Effects of Ergot Alkaloid and Indole-Diterpene Consumption on Sheep under Hot and Thermoneutral Ambient Temperature Conditions. <i>Animals</i> , <b>2016</b> , 6,	3.1	3

83	Dietary Lecithin Decreases Skeletal Muscle COL1A1 and COL3A1 Gene Expression in Finisher Gilts. <i>Animals</i> , <b>2016</b> , 6,	3.1	4
82	Dietary Betaine Impacts the Physiological Responses to Moderate Heat Conditions in a Dose Dependent Manner in Sheep. <i>Animals</i> , <b>2016</b> , 6,	3.1	32
81	Selenium and vitamin E together improve intestinal epithelial barrier function and alleviate oxidative stress in heat-stressed pigs. <i>Experimental Physiology</i> , <b>2016</b> , 101, 801-10	2.4	81
80	Exhaled breath condensate hydrogen peroxide concentration, a novel biomarker for assessment of oxidative stress in sheep during heat stress. <i>Animal Production Science</i> , <b>2016</b> , 56, 1105	1.4	11
79	Functionality and genomics of selenium and vitamin E supplementation in ruminants. <i>Animal Production Science</i> , <b>2016</b> , 56, 1285	1.4	9
78	Dietary chromium picolinate of varying particle size improves carcass characteristics and insulin sensitivity in finishing pigs fed low- and high-fat diets. <i>Animal Production Science</i> , <b>2015</b> , 55, 454	1.4	14
77	Milk production and body composition of single-bearing East Friesian, Romney and Border Leicester Merino ewes. <i>Small Ruminant Research</i> , <b>2015</b> , 131, 123-129	1.7	3
76	Response of plasma glucose, insulin, and nonesterified fatty acids to intravenous glucose tolerance tests in dairy cows during a 670-day lactation. <i>Journal of Dairy Science</i> , <b>2015</b> , 98, 179-89	4	20
75	Relationship between plasma and tissue corticosterone in laying hens ( <i>Gallus gallus domesticus</i> ): implications for stress physiology and animal welfare. <i>Domestic Animal Endocrinology</i> , <b>2015</b> , 50, 72-82	2.3	9
74	High dietary selenium and vitamin E supplementation ameliorates the impacts of heat load on oxidative status and acid-base balance in sheep. <i>Journal of Animal Science</i> , <b>2015</b> , 93, 3342-54	0.7	27
73	Overview: Antioxidants: A Biggs Boson In Animal Health and Production. <i>Clinical Immunology, Endocrine and Metabolic Drugs</i> , <b>2015</b> , 2, 6-7		2
72	Nutritional strategies to alleviate heat stress in pigs. <i>Animal Production Science</i> , <b>2015</b> , 55, 1391	1.4	28
71	Proliferative and Inhibitory Activity of Siberian ginseng ( <i>Eleutherococcus senticosus</i> ) Extract on Cancer Cell Lines; A-549, XWLC-05, HCT-116, CNE and Beas-2b. <i>Asian Pacific Journal of Cancer Prevention</i> , <b>2015</b> , 16, 4781-6	1.7	23
70	High cortisol responses identify propensity for obesity that is linked to thermogenesis in skeletal muscle. <i>FASEB Journal</i> , <b>2014</b> , 28, 35-44	0.9	15
69	Dietary nano-chromium tripicolinate increases feed intake and decreases plasma cortisol in finisher gilts during summer. <i>Tropical Animal Health and Production</i> , <b>2014</b> , 46, 1483-9	1.7	15
68	Antioxidant dynamics in the live animal and implications for ruminant health and product (meat/milk) quality: role of vitamin E and selenium. <i>Animal Production Science</i> , <b>2014</b> , 54, 1525	1.4	60
67	Potential nutritional strategies for the amelioration or prevention of high rigor temperature in cattle: a review. <i>Animal Production Science</i> , <b>2014</b> , 54, 430	1.4	13
66	Evaluation of growth hormone response to insulin-induced hypoglycaemia in dairy cattle during a 670-day lactation. <i>Animal Production Science</i> , <b>2014</b> , 54, 1323	1.4	5

65	Dietary betaine supplementation has energy-sparing effects in feedlot cattle during summer, particularly in those without access to shade. <i>Animal Production Science</i> , <b>2014</b> , 54, 450	1.4	19
64	Dietary antioxidants at supranutritional doses modulate skeletal muscle heat shock protein and inflammatory gene expression in sheep exposed to heat stress. <i>Journal of Animal Science</i> , <b>2014</b> , 92, 4897-908	0.7	50
63	Thermoregulatory differences in lactating dairy cattle classed as efficient or inefficient based on residual feed intake. <i>Animal Production Science</i> , <b>2014</b> , 54, 1877	1.4	17
62	Dietary antioxidants at supranutritional doses improve oxidative status and reduce the negative effects of heat stress in sheep. <i>Journal of Animal Science</i> , <b>2014</b> , 92, 3364-74	0.7	97
61	Dietary lecithin improves dressing percentage and decreases chewiness in the longissimus muscle in finisher gilts. <i>Meat Science</i> , <b>2014</b> , 96, 1147-51	6.4	11
60	Amelioration of thermal stress impacts in dairy cows. <i>Animal Production Science</i> , <b>2013</b> , 53, 965	1.4	57
59	The $\beta$ -adrenergic agonist (BRL35135A) improves feed efficiency and decreases visceral but not subcutaneous fat in lambs. <i>Small Ruminant Research</i> , <b>2013</b> , 109, 128-132	1.7	1
58	Artificially extending photoperiod improves milk yield in dairy goats and is most effective in late lactation. <i>Small Ruminant Research</i> , <b>2013</b> , 113, 179-186	1.7	7
57	Temporal changes in plasma concentrations of hormones and metabolites in pasture-fed dairy cows during extended lactation. <i>Journal of Dairy Science</i> , <b>2011</b> , 94, 5017-26	4	13
56	Feed conversion efficiency and marginal milk production responses of pasture-fed dairy cows offered supplementary grain during an extended lactation. <i>Animal Production Science</i> , <b>2011</b> , 51, 204	1.4	13
55	The $\beta$ -adrenergic agonist (BRL35135A) acutely increases oxygen consumption and plasma intermediate metabolites in sheep. <i>Animal Production Science</i> , <b>2011</b> , 51, 881	1.4	1
54	Dual energy X-ray absorptiometry (DXA) can be used to predict live animal and whole carcass composition of sheep. <i>Small Ruminant Research</i> , <b>2011</b> , 100, 143-152	1.7	20
53	Feed efficiency and body composition are related to cortisol response to adrenocorticotropin hormone and insulin-induced hypoglycemia in rams. <i>Domestic Animal Endocrinology</i> , <b>2010</b> , 39, 137-46	2.3	30
52	Early weaning has minimal effects on lifetime growth performance and body composition of pigs. <i>Animal Production Science</i> , <b>2010</b> , 50, 79	1.4	4
51	The use of different models for the estimation of residual feed intake (RFI) as a measure of feed efficiency in meat sheep. <i>Animal Feed Science and Technology</i> , <b>2008</b> , 143, 242-255	3	25
50	Rams with poor feed efficiency are highly responsive to an exogenous adrenocorticotropin hormone (ACTH) challenge. <i>Domestic Animal Endocrinology</i> , <b>2008</b> , 34, 261-8	2.3	45
49	In vivo quantification of fat content in mice using the Hologic QDR 4500A densitometer. <i>Obesity Research and Clinical Practice</i> , <b>2007</b> , 1, 1-78	5.4	3
48	Repeatability of pig body composition measurements using dual energy X-ray absorptiometry and influence of animal size and subregional analyses. <i>Australian Journal of Experimental Agriculture</i> , <b>2006</b> , 46, 1447		7

47	Dual energy X-ray absorptiometry predicts the effects of dietary protein on body composition of pigs. <i>Australian Journal of Experimental Agriculture</i> , <b>2006</b> , 46, 1439		4
46	Dietary preferences of cows offered choices between white clover and 'high sugar' and 'typical' perennial ryegrass cultivars. <i>Australian Journal of Experimental Agriculture</i> , <b>2006</b> , 46, 1579		11
45	Longitudinal DXA measurements demonstrate lifetime differences in lean and fat tissue deposition between boars and barrows under individual and group-penned systems. <i>Australian Journal of Agricultural Research</i> , <b>2006</b> , 57, 1009		15
44	Feed intake, growth, plasma glucose and urea nitrogen concentration, and carcass traits of lambs fed isoenergetic amounts of canola meal, soybean meal, and fish meal with forage based diet. <i>Small Ruminant Research</i> , <b>2005</b> , 58, 245-252	1.7	21
43	Porcine somatotropin alters body composition and the distribution of fat and lean tissue in the finisher gilt. <i>Australian Journal of Experimental Agriculture</i> , <b>2005</b> , 45, 683		7
42	Insulin increases the abundance of the growth hormone receptor in liver and adipose tissue of periparturient dairy cows. <i>Journal of Nutrition</i> , <b>2004</b> , 134, 1020-7	4.1	76
41	Nutrient supply to dairy cows from processed white lupines. <i>Archives of Animal Nutrition</i> , <b>2004</b> , 58, 117-357		2
40	The accuracy of dual energy X-ray absorptiometry (DXA), weight, and P2 back fat to predict half-carcass and primal-cut composition in pigs within and across research experiments. <i>Australian Journal of Agricultural Research</i> , <b>2004</b> , 55, 973		30
39	Interrelationships between porcine somatotropin (pST), betaine, and energy level on body composition and tissue distribution of finisher boars. <i>Australian Journal of Agricultural Research</i> , <b>2004</b> , 55, 983		25
38	Manipulation of dietary preferences by the infusion of propionic acid into the rumen of dairy cows in different body condition. <i>Australian Journal of Agricultural Research</i> , <b>2004</b> , 55, 495		
37	Exogenous porcine somatotropin administered to neonatal pigs at high doses can alter lifetime fat but not lean tissue deposition. <i>British Journal of Nutrition</i> , <b>2003</b> , 89, 795-801	3.6	7
36	Conjugated linoleic acid decreases fat accretion in pigs: evaluation by dual-energy X-ray absorptiometry. <i>British Journal of Nutrition</i> , <b>2003</b> , 89, 219-29	3.6	56
35	Accuracy of dual energy X-ray absorptiometry (DXA), weight and P2 back fat to predict whole body and carcass composition in pigs within and across experiments. <i>Livestock Science</i> , <b>2003</b> , 84, 231-242		61
34	Effect of insulin and growth hormone on plasma leptin in periparturient dairy cows. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , <b>2003</b> , 285, R1107-15	3.2	45
33	Dietary manipulation of muscle long-chain omega-3 and omega-6 fatty acids and sensory properties of lamb meat. <i>Meat Science</i> , <b>2002</b> , 60, 125-32	6.4	38
32	Purine derivative excretion and ruminal microbial yield in growing lambs fed raw and dry roasted legume seeds as protein supplements. <i>Animal Feed Science and Technology</i> , <b>2002</b> , 95, 33-48	3	22
31	An analysis of the nutritive value of heat processed legume seeds for animal production using the DVE/OEB model: a review. <i>Animal Feed Science and Technology</i> , <b>2002</b> , 99, 141-176	3	53
30	Ruminal Behavior of Protein and Starch Free Organic Matter of Lupinus Albus and Vicia Faba in Dairy Cows. <i>Asian-Australasian Journal of Animal Sciences</i> , <b>2002</b> , 15, 974-981	2.4	4



29	Effect of diets containing n-3 fatty acids on muscle long-chain n-3 fatty acid content in lambs fed low- and medium-quality roughage diets. <i>Journal of Animal Science</i> , <b>2001</b> , 79, 698-706	0.7	46
28	Comparison of the color stability and lipid oxidative stability of fresh and vacuum packaged lamb muscle containing elevated omega-3 and omega-6 fatty acid levels from dietary manipulation. <i>Meat Science</i> , <b>2001</b> , 58, 151-61	6.4	55
27	Comparison of raw and roasted narbon beans ( <i>Vicia narbonensis</i> ) on performance and meat sensory attributes of lambs fed a roughage-based diet. <i>Animal Feed Science and Technology</i> , <b>2001</b> , 92, 1-16	3	12
26	Effect of dietary protein variation in terms of net truly digested intestinal protein (DVE) and rumen degraded protein balance (OEB) on the concentrations and excretion of urinary creatinine, purine derivatives and microbial N supply in sheep: comparison with the prediction from the DVE/OEB method. <i>Animal Feed Science and Technology</i> , <b>2001</b> , 92, 71-81	3	12
25	Effect of the DVE and OEB value changes of grain legumes (lupin and faba beans) after roasting on the performance of lambs fed a roughage-based diet. <i>Animal Feed Science and Technology</i> , <b>2001</b> , 94, 89-102	3	7
24	Aromatase-deficient (ArKO) mice accumulate excess adipose tissue. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , <b>2001</b> , 79, 3-9	5.1	109
23	Effect of dietary modification of muscle long-chain n-3 fatty acid on plasma insulin and lipid metabolites, carcass traits, and fat deposition in lambs. <i>Journal of Animal Science</i> , <b>2001</b> , 79, 895-903	0.7	53
22	The influence of dietary magnesium supplement type, and supplementation dose and duration, on pork quality and the incidence of PSE pork. <i>Australian Journal of Agricultural Research</i> , <b>2000</b> , 51, 185		25
21	Aromatase-deficient (ArKO) mice have a phenotype of increased adiposity. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2000</b> , 97, 12735-40	11.5	587
20	Diurnal changes in the concentration of water-soluble carbohydrates in <i>Phalaris aquatica</i> L. pasture in spring, and the effect of short-term shading. <i>Australian Journal of Agricultural Research</i> , <b>2000</b> , 51, 749		31
19	Diet selection by sheep grazing <i>Phalaris aquatica</i> L. pastures of differing water-soluble carbohydrate content. <i>Australian Journal of Agricultural Research</i> , <b>2000</b> , 51, 757		32
18	Comparison of different dietary magnesium supplements on pork quality. <i>Meat Science</i> , <b>1999</b> , 51, 221-5	6.4	50
17	In Sacco Evaluation of Rumen Protein Degradation Characteristics and In Vitro Enzyme Digestibility of Dry Roasted Whole Lupin Seeds ( <i>Lupinus albus</i> ). <i>Asian-Australasian Journal of Animal Sciences</i> , <b>1999</b> , 12, 358-365	2.4	3
16	Protein Evaluation of Dry Roasted Whole Faba Bean ( <i>Vicia faba</i> ) and Lupin Seeds ( <i>Lupinus albus</i> ) by the New Dutch Protein Evaluation System: the DVE/OEB System. <i>Asian-Australasian Journal of Animal Sciences</i> , <b>1999</b> , 12, 871-880	2.4	6
15	Effect of mixing boars during lairage and pre-slaughter handling on pork quality. <i>Australian Journal of Agricultural Research</i> , <b>1999</b> , 50, 109		17
14	Spray-topping annual grass pasture with glyphosate to delay loss of feeding value during summer. I. Effects on pasture yield and nutritive value. <i>Australian Journal of Agricultural Research</i> , <b>1999</b> , 50, 453		9
13	Spray-topping annual grass pasture with glyphosate to delay loss of feeding value during summer. II. Herbage intake, digestibility, and diet selection in penned sheep. <i>Australian Journal of Agricultural Research</i> , <b>1999</b> , 50, 465		8
12	Spray-topping annual grass pasture with glyphosate to delay loss of feeding value during summer. III. Quantitative basis of the alkane- based procedures for estimating diet selection and herbage intake by grazing sheep. <i>Australian Journal of Agricultural Research</i> , <b>1999</b> , 50, 475		25



11	Spray-topping annual grass pasture with glyphosate to delay loss of feeding value during summer. IV. Diet composition, herbage intake, and performance in grazing sheep. <i>Australian Journal of Agricultural Research</i> , <b>1999</b> , 50, 487		10
10	The effect of handling pre-slaughter and carcass processing rate post-slaughter on pork quality. <i>Meat Science</i> , <b>1998</b> , 50, 429-37	6.4	64
9	Assessment of apparent ileal digestibility of amino acids and nitrogen in cottonseed and soyabean meals fed to pigs determined using ileal dissection under halothane anaesthesia or following carbon dioxide-stunning. <i>British Journal of Nutrition</i> , <b>1998</b> , 80, 183-91	3.6	13
8	The effect of dietary magnesium aspartate supplementation on pork quality. <i>Journal of Animal Science</i> , <b>1998</b> , 76, 104-9	0.7	70
7	Influence of dry roasting on rumen protein degradation characteristics of whole faba bean ( <i>Vicia faba</i> ) in dairy cows. <i>Asian-Australasian Journal of Animal Sciences</i> , <b>1998</b> , 11, 35-42	2.4	4
6	Lipolytic responses to catecholamines in ractopamine-treated pigs. <i>Australian Journal of Agricultural Research</i> , <b>1998</b> , 49, 875		15
5	Effect of on-farm and pre-slaughter handling of pigs on meat quality. <i>Australian Journal of Agricultural Research</i> , <b>1998</b> , 49, 1021		39
4	Glucose partitioning in the pregnant ewe: effects of undernutrition and exercise. <i>British Journal of Nutrition</i> , <b>1990</b> , 64, 449-62	3.6	28
3	Effects of maternal undernutrition and exercise on glucose kinetics in fetal sheep. <i>British Journal of Nutrition</i> , <b>1990</b> , 64, 463-72	3.6	13
2	Effect of nutrition on the response in ovulation rate in Merino ewes following short-term lupin supplementation and insulin administration. <i>Australian Journal of Agricultural Research</i> , <b>1990</b> , 41, 751		18
1	Effects of undernutrition and exercise during late pregnancy on uterine, fetal and uteroplacental metabolism in the ewe. <i>British Journal of Nutrition</i> , <b>1985</b> , 53, 625-35	3.6	52