## Rudy Syah Putra

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2001019/publications.pdf

Version: 2024-02-01

1307594 1058476 23 224 7 14 citations g-index h-index papers 23 23 23 199 docs citations times ranked citing authors all docs

#	Article	IF	Citations
1	Electrokinetic Remediation. Handbook of Environmental Chemistry, 2022, , 1.	0.4	O
2	Analysis of Bubbles Size Produced in Electroflotation Using Graphite and Stainless Steel Electrode With DinoCapture 2.0. , 2021, , .		1
3	Measurement of Gas Bubbles Distribution on Electroflotation Process Using Titanium and Stainless Steel Electrode with DinoCapture 2.0., 2021, , .		2
4	Batik Wastewater Treatment Using Simultaneous Process of Electrocoagulation and Electro-Assisted Phytoremediation (EAPR). Indonesian Journal of Chemistry, 2020, 20, 1221.	0.8	2
5	Assessing the Effect of Weak and Strong Acids as Electrolytes in the Removal of Cesium by Soil Electrokinetic Remediation. Indonesian Journal of Chemistry, 2020, 21, 118.	0.8	4
6	Enhancement of EAPR System Using Aeration Process on the Removal of Heavy Metal (Cu and Fe) in the Wastewater and Up-Take by Vetiver Grass ( <i>Vetiveira zizaniodes</i> L). Materials Science Forum, 2019, 948, 3-8.	0.3	3
7	Al-alginate as acid catalyst for FAME synthesis using electrolysis process. E3S Web of Conferences, 2018, 43, 01002.	0.5	0
8	Synthesis of Fatty Acid Methyl Ester from Soybean Oil Using Electrolysis Enhanced by Treated Kaolinite as Catalyst. E3S Web of Conferences, 2018, 43, 01024.	0.5	2
9	Removal of Heavy Metals from Leachate Using Electro-Assisted Phytoremediation (EAPR) and Up-Take by Water Hyacinth ( <i>Eichornia crassipes</i> ). Indonesian Journal of Chemistry, 2018, 18, 306.	0.8	5
10	Enhanced Electro-Catalytic Process on the Synthesis of FAME Using CaO from Eggshell. Energy Procedia, 2017, 105, 289-296.	1.8	25
11	Wastewater treatment of chemical laboratory using electro assisted-phytoremediation (EAPR). AIP Conference Proceedings, 2017, , .	0.4	4
12	Carbon material@Chitosan composite as catalyst on the synthesis of FAME from used-cooking oil with electrocatalytic process. Journal of Physics: Conference Series, 2017, 877, 012063.	0.4	1
13	Enhanced Electrocatalytic Biodiesel Production with Chitosan Gel (Hydrogel and Xerogel). Procedia Engineering, 2016, 148, 609-614.	1.2	17
14	Development of electrokinetic remediation for caesium: A feasibility study of 2D electrode configuration system. IOP Conference Series: Materials Science and Engineering, 2016, 107, 012015.	0.6	1
15	Remediation of lead (Pb) and copper (Cu) using water hyacinth [Eichornia crassipes (Mart.) Solms] with electro-assisted phytoremediation (EAPR)., 2016,,.		8
16	Removal of Lead and Copper from Contaminated Water Using EAPR System and Uptake by Water Lettuce (Pistia Stratiotes L.). Procedia Chemistry, 2015, 14, 381-386.	0.7	27
17	Conversion of Methyl Ester from Used Cooking Oil: The Combined Use of Electrolysis Process and Chitosan. Energy Procedia, 2015, 65, 309-316.	1.8	25
18	Pre-treatment of Used-Cooking Oil as Feed Stocks of Biodiesel Production by Using Activated Carbon and Clay Minerals. International Journal of Renewable Energy Development, 2014, 3, 33-35.	2.4	10

#	Article	IF	CITATIONS
19	Application of EAPR system on the removal of lead from sandy soil and uptake by Kentucky bluegrass (Poa pratensis L.). Separation and Purification Technology, 2013, 102, 34-42.	7.9	48
20	Aluminum drinking water treatment residuals (Al-WTRs) as an entrapping zone for lead in soil by electrokinetic remediation. Separation and Purification Technology, 2011, 79, 208-215.	7.9	36
21	Performance Comparison between Biocoagulant Based on Protein and Tannin Compared with Chemical Coagulant. Key Engineering Materials, 0, 840, 29-34.	0.4	3
22	Enhancement of EAPR Treatment Using Double Aeration System and Uptake by Pakcoy ( <i>Brassica rapa) Tj ETQq</i>	0.00 rgB1	「Overlock I
23	Enhancement of Electroflotation Using Papaya Seeds ( <i>Carica papaya</i> ) as Biocoagulant for Laboratory Wastewater Treatment. Key Engineering Materials, 0, 884, 3-9.	0.4	O