

Shihuan Kuang

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/2002785/shihuan-kuang-publications-by-year.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

136
papers

7,753
citations

44
h-index

86
g-index

144
ext. papers

9,254
ext. citations

6.4
avg, IF

6.06
L-index

#	Paper	IF	Citations
136	Lipid droplet dynamics regulate adult muscle stem cell fate.. <i>Cell Reports</i> , 2022 , 38, 110267	10.6	1
135	ACSS3 in brown fat drives propionate catabolism and its deficiency leads to autophagy and systemic metabolic dysfunction.. <i>Clinical and Translational Medicine</i> , 2022 , 12, e665	5.7	1
134	Chchd10 is dispensable for myogenesis but critical for adipose browning.. <i>Cell Regeneration</i> , 2022 , 11, 14	2.5	1
133	Chemically-defined generation of human hemogenic endothelium and definitive hematopoietic progenitor cells.. <i>Biomaterials</i> , 2022 , 285, 121569	15.6	1
132	LETMD1 is required for mitochondrial structure and thermogenic function of brown adipocytes. <i>FASEB Journal</i> , 2021 , 35, e21965	0.9	2
131	Innentitelbild: Imaging and Analysis of Isomeric Unsaturated Lipids through Online Photochemical Derivatization of Carbon-Carbon Double Bonds (Angew. Chem. 14/2021). <i>Angewandte Chemie</i> , 2021 , 133, 7526-7526	3.6	
130	Reduced electron transport chain complex I protein abundance and function in Mfn2-deficient myogenic progenitors lead to oxidative stress and mitochondria swelling. <i>FASEB Journal</i> , 2021 , 35, e21426	0.9	1
129	Harnessing nerve-muscle cell interactions for biomaterials-based skeletal muscle regeneration. <i>Journal of Biomedical Materials Research - Part A</i> , 2021 , 109, 289-299	5.4	4
128	Biomimetic glycosaminoglycan-based scaffolds improve skeletal muscle regeneration in a Murine volumetric muscle loss model. <i>Bioactive Materials</i> , 2021 , 6, 1201-1213	16.7	10
127	Phosphatase orphan 1 inhibits myoblast proliferation and promotes myogenic differentiation. <i>FASEB Journal</i> , 2021 , 35, e21154	0.9	0
126	PTEN Inhibition Ameliorates Muscle Degeneration and Improves Muscle Function in a Mouse Model of Duchenne Muscular Dystrophy. <i>Molecular Therapy</i> , 2021 , 29, 132-148	11.7	5
125	Imaging and Analysis of Isomeric Unsaturated Lipids through Online Photochemical Derivatization of Carbon-Carbon Double Bonds**. <i>Angewandte Chemie</i> , 2021 , 133, 7637-7641	3.6	1
124	Imaging and Analysis of Isomeric Unsaturated Lipids through Online Photochemical Derivatization of Carbon-Carbon Double Bonds*. <i>Angewandte Chemie - International Edition</i> , 2021 , 60, 7559-7563	16.4	15
123	Extracellular vesicles released from stress-induced prematurely senescent myoblasts impair endothelial function and proliferation. <i>Experimental Physiology</i> , 2021 , 106, 2083-2095	2.4	2
122	Prenatal Serotonin Fluctuation Affects Serotonergic Development and Related Neural Circuits in Chicken Embryos. <i>Neuroscience</i> , 2021 , 473, 66-80	3.9	3
121	One-to-one relationships between milk miRNA content and protein abundance in neonate duodenum support the potential for milk miRNAs regulating neonate development. <i>Functional and Integrative Genomics</i> , 2020 , 20, 645-656	3.8	0
120	Harnessing Fiber Diameter-Dependent Effects of Myoblasts Toward Biomimetic Scaffold-Based Skeletal Muscle Regeneration. <i>Frontiers in Bioengineering and Biotechnology</i> , 2020 , 8, 203	5.8	32

119	Temporal Dynamics and Heterogeneity of Cell Populations during Skeletal Muscle Regeneration. <i>IScience</i> , 2020 , 23, 100993	6.1	48
118	Effects of repeated local heat therapy on skeletal muscle structure and function in humans. <i>Journal of Applied Physiology</i> , 2020 , 128, 483-492	3.7	23
117	Isolation, Culture, and Differentiation of Primary Myoblasts Derived from Muscle Satellite Cells. <i>Bio-protocol</i> , 2020 , 10, e3686	0.9	4
116	Multivesicular body and exosome pathway responses to acute exercise. <i>Experimental Physiology</i> , 2020 , 105, 511-521	2.4	14
115	Imaging of Triglycerides in Tissues Using Nanospray Desorption Electrospray Ionization (Nano-DESI) Mass Spectrometry. <i>International Journal of Mass Spectrometry</i> , 2020 , 448,	1.9	16
114	Exosomal Secretion of Adipose Tissue during Various Physiological States. <i>Pharmaceutical Research</i> , 2020 , 37, 221	4.5	6
113	Protein Arginine Methyltransferase PRMT5 Regulates Fatty Acid Metabolism and Lipid Droplet Biogenesis in White Adipose Tissues. <i>Advanced Science</i> , 2020 , 7, 2002602	13.6	6
112	Skeletal muscle IGF-1 is lower at rest and after resistance exercise in humans with obesity. <i>European Journal of Applied Physiology</i> , 2020 , 120, 2835-2846	3.4	4
111	Nanoparticle-Mediated Inhibition of Notch Signaling Promotes Mitochondrial Biogenesis and Reduces Subcutaneous Adipose Tissue Expansion in Pigs. <i>IScience</i> , 2020 , 23, 101167	6.1	8
110	Polymeric nanoparticles functionalized with muscle-homing peptides for targeted delivery of phosphatase and tensin homolog inhibitor to skeletal muscle. <i>Acta Biomaterialia</i> , 2020 , 118, 196-206	10.8	5
109	Sustained activation of notch signaling maintains tumor-initiating cells in a murine model of liposarcoma. <i>Cancer Letters</i> , 2020 , 494, 27-39	9.9	3
108	In Vitro Evaluation of Clinical Candidates of βSecretase Inhibitors: Effects on Notch Inhibition and Promoting Beige Adipogenesis and Mitochondrial Biogenesis. <i>Pharmaceutical Research</i> , 2020 , 37, 185	4.5	1
107	Factors secreted from high glucose treated endothelial cells impair expansion and differentiation of human skeletal muscle satellite cells. <i>Journal of Physiology</i> , 2019 , 597, 5109-5124	3.9	8
106	Nanosecond pulsed electric field induced proliferation and differentiation of osteoblasts and myoblasts. <i>Journal of the Royal Society Interface</i> , 2019 , 16, 20190079	4.1	10
105	Advanced Glycation End-Products Suppress Mitochondrial Function and Proliferative Capacity of Achilles Tendon-Derived Fibroblasts. <i>Scientific Reports</i> , 2019 , 9, 12614	4.9	15
104	Heat therapy improves soleus muscle force in a model of ischemia-induced muscle damage. <i>Journal of Applied Physiology</i> , 2019 , 127, 215-228	3.7	11
103	Methyltransferase-like 21e inhibits 26S proteasome activity to facilitate hypertrophy of type IIb myofibers. <i>FASEB Journal</i> , 2019 , 33, 9672-9684	0.9	5
102	The development of the serotonergic and dopaminergic systems during chicken mid-late embryogenesis. <i>Molecular and Cellular Endocrinology</i> , 2019 , 493, 110472	4.4	6

101	Skeletal muscle-derived exosomes regulate endothelial cell functions via reactive oxygen species-activated nuclear factor- κ B signalling. <i>Experimental Physiology</i> , 2019 , 104, 1262-1273	2.4	30
100	Maternal high-fat diet exposure during gestation, lactation, or gestation and lactation differentially affects intestinal morphology and proteome of neonatal mice. <i>Nutrition Research</i> , 2019 , 66, 48-60	4	6
99	Effects of acute aerobic and concurrent exercise on skeletal muscle metabolic enzymes in untrained men. <i>Sport Sciences for Health</i> , 2019 , 15, 417-426	1.3	1
98	Fndc5 loss-of-function attenuates exercise-induced browning of white adipose tissue in mice. <i>FASEB Journal</i> , 2019 , 33, 5876-5886	0.9	17
97	Methyltransferase-like 21c methylates and stabilizes the heat shock protein Hspa8 in type I myofibers in mice. <i>Journal of Biological Chemistry</i> , 2019 , 294, 13718-13728	5.4	10
96	Polymeric Carriers for Controlled Drug Delivery in Obesity Treatment. <i>Trends in Endocrinology and Metabolism</i> , 2019 , 30, 974-989	8.8	14
95	A requirement of Polo-like kinase 1 in murine embryonic myogenesis and adult muscle regeneration. <i>ELife</i> , 2019 , 8,	8.9	8
94	Adipocyte dedifferentiation in health and diseases. <i>Clinical Science</i> , 2019 , 133, 2107-2119	6.5	18
93	Impact of heat therapy on recovery after eccentric exercise in humans. <i>Journal of Applied Physiology</i> , 2019 , 126, 965-976	3.7	13
92	Transdifferentiation of Muscle Satellite Cells to Adipose Cells Using CRISPR/Cas9-Mediated Targeting of MyoD. <i>Methods in Molecular Biology</i> , 2019 , 1889, 25-41	1.4	4
91	Adipocyte-specific DKO of Lkb1 and mTOR protects mice against HFD-induced obesity, but results in insulin resistance. <i>Journal of Lipid Research</i> , 2018 , 59, 974-981	6.3	10
90	A novel brown adipocyte-enriched long non-coding RNA that is required for brown adipocyte differentiation and sufficient to drive thermogenic gene program in white adipocytes. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2018 , 1863, 409-419	5	36
89	Enhanced Mechanical and Biological Performance of an Extremely Fine Nanograined 316L Stainless Steel Cell-Substrate Interface Fabricated by Ultrasonic Shot Peening. <i>ACS Biomaterials Science and Engineering</i> , 2018 , 4, 1609-1621	5.5	11
88	High Incomplete Skeletal Muscle Fatty Acid Oxidation Explains Low Muscle Insulin Sensitivity in Poorly Controlled T2D. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2018 , 103, 882-889	5.6	13
87	Shisa2 regulates the fusion of muscle progenitors. <i>Stem Cell Research</i> , 2018 , 31, 31-41	1.6	6
86	Identification of genes directly responding to DLK1 signaling in Callipyge sheep. <i>BMC Genomics</i> , 2018 , 19, 283	4.5	9
85	Wearable and Implantable Epidermal Paper-Based Electronics. <i>ACS Applied Materials & Interfaces</i> , 2018 , 10, 31061-31068	9.5	36
84	Inhibition of cholesterol biosynthesis overcomes enzalutamide resistance in castration-resistant prostate cancer (CRPC). <i>Journal of Biological Chemistry</i> , 2018 , 293, 14328-14341	5.4	48

83	Microarray, IPA and GSEA Analysis in Mice Models. <i>Bio-protocol</i> , 2018 , 8,	0.9	1
82	Notoginsenoside R1 Protects Against Diabetic Cardiomyopathy Through Activating Estrogen Receptor and Its Downstream Signaling. <i>Frontiers in Pharmacology</i> , 2018 , 9, 1227	5.6	33
81	Early detection and monitoring of chronic wounds using low-cost, omniphobic paper-based smart bandages. <i>Biosensors and Bioelectronics</i> , 2018 , 117, 696-705	11.8	71
80	Pten is necessary for the quiescence and maintenance of adult muscle stem cells. <i>Nature Communications</i> , 2017 , 8, 14328	17.4	66
79	Loss of MyoD Promotes Fate Transdifferentiation of Myoblasts Into Brown Adipocytes. <i>EBioMedicine</i> , 2017 , 16, 212-223	8.8	42
78	The hypoxia-inducible factors HIF1 and HIF2 are dispensable for embryonic muscle development but essential for postnatal muscle regeneration. <i>Journal of Biological Chemistry</i> , 2017 , 292, 5981-5991	5.4	30
77	Dibenzazepine-Loaded Nanoparticles Induce Local Browning of White Adipose Tissue to Counteract Obesity. <i>Molecular Therapy</i> , 2017 , 25, 1718-1729	11.7	27
76	Myricitrin Alleviates Oxidative Stress-induced Inflammation and Apoptosis and Protects Mice against Diabetic Cardiomyopathy. <i>Scientific Reports</i> , 2017 , 7, 44239	4.9	66
75	Peripheral Neuropathy and Hindlimb Paralysis in a Mouse Model of Adipocyte-Specific Knockout of Lkb1. <i>EBioMedicine</i> , 2017 , 24, 127-136	8.8	8
74	Evaluation of Muscle Performance in Mice by Treadmill Exhaustion Test and Whole-limb Grip Strength Assay. <i>Bio-protocol</i> , 2017 , 7,	0.9	40
73	Muscle Histology Characterization Using H&E Staining and Muscle Fiber Type Classification Using Immunofluorescence Staining. <i>Bio-protocol</i> , 2017 , 7,	0.9	33
72	Enhanced human osteoblast cell functions by Bet-like nanostructured cell-substrate interface in orthopedic applications. <i>Materials Letters</i> , 2017 , 189, 275-278	3.3	8
71	Stimulated Raman scattering flow cytometry for label-free single-particle analysis. <i>Optica</i> , 2017 , 4, 103	8.6	62
70	Depot-specific differences in fat mass expansion in WT and ob/ob mice. <i>Oncotarget</i> , 2017 , 8, 46326-46336	3.3	3
69	Ascl2 inhibits myogenesis by antagonizing the transcriptional activity of myogenic regulatory factors. <i>Development (Cambridge)</i> , 2017 , 144, 235-247	6.6	15
68	Notch activation drives adipocyte dedifferentiation and tumorigenic transformation in mice. <i>Journal of Experimental Medicine</i> , 2016 , 213, 2019-37	16.6	46
67	Heat therapy promotes the expression of angiogenic regulators in human skeletal muscle. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2016 , 311, R377-91	3.2	34
66	Conditional Loss of Pten in Myogenic Progenitors Leads to Postnatal Skeletal Muscle Hypertrophy but Age-Dependent Exhaustion of Satellite Cells. <i>Cell Reports</i> , 2016 , 17, 2340-2353	10.6	47

65	Lkb1 controls brown adipose tissue growth and thermogenesis by regulating the intracellular localization of CRT3. <i>Nature Communications</i> , 2016 , 7, 12205	17.4	56
64	Deletion of Lkb1 in adult mice results in body weight reduction and lethality. <i>Scientific Reports</i> , 2016 , 6, 36561	4.9	9
63	Adipocyte-specific deletion of mTOR inhibits adipose tissue development and causes insulin resistance in mice. <i>Diabetologia</i> , 2016 , 59, 1995-2004	10.3	53
62	The brain expressed x-linked gene 1 (Bex1) regulates myoblast fusion. <i>Developmental Biology</i> , 2016 , 409, 16-25	3.1	8
61	Stage-specific effects of Notch activation during skeletal myogenesis. <i>ELife</i> , 2016 , 5,	8.9	44
60	Stilbenoids remodel the DNA methylation patterns in breast cancer cells and inhibit oncogenic NOTCH signaling through epigenetic regulation of MAML2 transcriptional activity. <i>Carcinogenesis</i> , 2016 , 37, 656-68	4.6	60
59	Lkb1 deletion upregulates Pax7 expression through activating Notch signaling pathway in myoblasts. <i>International Journal of Biochemistry and Cell Biology</i> , 2016 , 76, 31-8	5.6	7
58	Impaired exercise tolerance, mitochondrial biogenesis, and muscle fiber maintenance in miR-133a-deficient mice. <i>FASEB Journal</i> , 2016 , 30, 3745-3758	0.9	46
57	Lkb1 deletion promotes ectopic lipid accumulation in muscle progenitor cells and mature muscles. <i>Journal of Cellular Physiology</i> , 2015 , 230, 1033-41	7	24
56	Notch signaling as a novel regulator of metabolism. <i>Trends in Endocrinology and Metabolism</i> , 2015 , 26, 248-55	8.8	97
55	Heterogeneous activation of a slow myosin gene in proliferating myoblasts and differentiated single myofibers. <i>Developmental Biology</i> , 2015 , 402, 72-80	3.1	13
54	Hypoxia Inhibits Myogenic Differentiation through p53 Protein-dependent Induction of Bhlhe40 Protein. <i>Journal of Biological Chemistry</i> , 2015 , 290, 29707-16	5.4	26
53	AMP-Activated Protein Kinase Directly Phosphorylates and Destabilizes Hedgehog Pathway Transcription Factor GLI1 in Medulloblastoma. <i>Cell Reports</i> , 2015 , 12, 599-609	10.6	50
52	Biodegradable Polymeric Microsphere-Based Drug Delivery for Inductive Browning of Fat. <i>Frontiers in Endocrinology</i> , 2015 , 6, 169	5.7	8
51	mTOR is necessary for proper satellite cell activity and skeletal muscle regeneration. <i>Biochemical and Biophysical Research Communications</i> , 2015 , 463, 102-8	3.4	52
50	Inhibition of polo-like kinase 1 (Plk1) enhances the antineoplastic activity of metformin in prostate cancer. <i>Journal of Biological Chemistry</i> , 2015 , 290, 2024-33	5.4	27
49	Measurement of Resting Energy Metabolism in Mice Using OxyMax Open Circuit Indirect Calorimeter. <i>Bio-protocol</i> , 2015 , 5,	0.9	15
48	Plk1 inhibition enhances the efficacy of androgen signaling blockade in castration-resistant prostate cancer. <i>Cancer Research</i> , 2014 , 74, 6635-47	10.1	67

47	Mammalian target of rapamycin is essential for cardiomyocyte survival and heart development in mice. <i>Biochemical and Biophysical Research Communications</i> , 2014 , 452, 53-9	3.4	20
46	Inhibition of Notch signaling promotes browning of white adipose tissue and ameliorates obesity. <i>Nature Medicine</i> , 2014 , 20, 911-8	50.5	170
45	Fighting obesity: When muscle meets fat. <i>Adipocyte</i> , 2014 , 3, 280-9	3.2	12
44	Plk1 phosphorylation of PTEN causes a tumor-promoting metabolic state. <i>Molecular and Cellular Biology</i> , 2014 , 34, 3642-61	4.8	58
43	Lkb1 is indispensable for skeletal muscle development, regeneration, and satellite cell homeostasis. <i>Stem Cells</i> , 2014 , 32, 2893-907	5.8	44
42	Notch signaling deficiency underlies age-dependent depletion of satellite cells in muscular dystrophy. <i>DMM Disease Models and Mechanisms</i> , 2014 , 7, 997-1004	4.1	62
41	Park7 expression influences myotube size and myosin expression in muscle. <i>PLoS ONE</i> , 2014 , 9, e92030	3.7	8
40	Canonical Wnt signaling induces BMP-4 to specify slow myofibrogenesis of fetal myoblasts. <i>Skeletal Muscle</i> , 2013 , 3, 5	5.1	33
39	Plk1-dependent microtubule dynamics promotes androgen receptor signaling in prostate cancer. <i>Prostate</i> , 2013 , 73, 1352-63	4.2	23
38	Fatty acid binding protein 4 expression marks a population of adipocyte progenitors in white and brown adipose tissues. <i>FASEB Journal</i> , 2013 , 27, 277-87	0.9	123
37	Myostatin knockout drives browning of white adipose tissue through activating the AMPK-PGC1 β -Fndc5 pathway in muscle. <i>FASEB Journal</i> , 2013 , 27, 1981-9	0.9	208
36	Proinflammatory cytokine tumor necrosis factor (TNF)-like weak inducer of apoptosis (TWEAK) suppresses satellite cell self-renewal through inversely modulating Notch and NF- κ B signaling pathways. <i>Journal of Biological Chemistry</i> , 2013 , 288, 35159-69	5.4	32
35	miR-133a regulates adipocyte browning in vivo. <i>PLoS Genetics</i> , 2013 , 9, e1003626	6	97
34	Plk1 phosphorylation of orc2 and hbo1 contributes to gemcitabine resistance in pancreatic cancer. <i>Molecular Cancer Therapeutics</i> , 2013 , 12, 58-68	6.1	50
33	miR-133 links to energy balance through targeting Prdm16. <i>Journal of Molecular Cell Biology</i> , 2013 , 5, 432-4	6.3	11
32	A heterogeneous lineage origin underlies the phenotypic and molecular differences of white and beige adipocytes. <i>Journal of Cell Science</i> , 2013 , 126, 3527-32	5.3	39
31	Distinct populations of adipogenic and myogenic Myf5-lineage progenitors in white adipose tissues. <i>Journal of Lipid Research</i> , 2013 , 54, 2214-2224	6.3	63
30	A heterogeneous lineage origin underlies the phenotypic and molecular differences of white and beige adipocytes. <i>Development (Cambridge)</i> , 2013 , 140, e1807-e1807	6.6	

29	Intramuscular adipose is derived from a non-Pax3 lineage and required for efficient regeneration of skeletal muscles. <i>Developmental Biology</i> , 2012 , 361, 27-38	3.1	48
28	Mouse transgenic lines that selectively label Type I, Type IIA, and Types IIX+B skeletal muscle fibers. <i>Genesis</i> , 2012 , 50, 50-8	1.9	15
27	Hypoxia promotes satellite cell self-renewal and enhances the efficiency of myoblast transplantation. <i>Development (Cambridge)</i> , 2012 , 139, 2857-65	6.6	127
26	Myostatin facilitates slow and inhibits fast myosin heavy chain expression during myogenic differentiation. <i>Biochemical and Biophysical Research Communications</i> , 2012 , 426, 83-8	3.4	44
25	TRIM32 regulates skeletal muscle stem cell differentiation and is necessary for normal adult muscle regeneration. <i>PLoS ONE</i> , 2012 , 7, e30445	3.7	54
24	Constitutive Notch activation upregulates Pax7 and promotes the self-renewal of skeletal muscle satellite cells. <i>Molecular and Cellular Biology</i> , 2012 , 32, 2300-11	4.8	178
23	Plk1 phosphorylates Sgt1 at the kinetochores to promote timely kinetochore-microtubule attachment. <i>Molecular and Cellular Biology</i> , 2012 , 32, 4053-67	4.8	25
22	Reciprocal interaction between TRAF6 and notch signaling regulates adult myofiber regeneration upon injury. <i>Molecular and Cellular Biology</i> , 2012 , 32, 4833-45	4.8	25
21	PPAR δ regulates satellite cell proliferation and skeletal muscle regeneration. <i>Skeletal Muscle</i> , 2011 , 1, 33	5.1	36
20	Elevated levels of active matrix metalloproteinase-9 cause hypertrophy in skeletal muscle of normal and dystrophin-deficient mdx mice. <i>Human Molecular Genetics</i> , 2011 , 20, 4345-59	5.6	51
19	Identification and evolutionary implications of neurotransmitter-ciliary interactions underlying the behavioral response to hypoxia in <i>Lymnaea stagnalis</i> embryos. <i>Journal of Experimental Biology</i> , 2011 , 214, 2660-70	3	7
18	Peripheral endocannabinoids regulate skeletal muscle development and maintenance. <i>European Journal of Translational Myology</i> , 2010 , 20, 167	2.1	5
17	Dlk1 is necessary for proper skeletal muscle development and regeneration. <i>PLoS ONE</i> , 2010 , 5, e15055	3.7	93
16	Genetic ablation of TWEAK augments regeneration and post-injury growth of skeletal muscle in mice. <i>American Journal of Pathology</i> , 2010 , 177, 1732-42	5.8	45
15	Muscle Stem Cells 2010 , 105-120		
14	p38- γ -dependent gene silencing restricts entry into the myogenic differentiation program. <i>Journal of Cell Biology</i> , 2009 , 187, 991-1005	7.3	83
13	PRDM16 controls a brown fat/skeletal muscle switch. <i>Nature</i> , 2008 , 454, 961-7	50.4	1645
12	The emerging biology of satellite cells and their therapeutic potential. <i>Trends in Molecular Medicine</i> , 2008 , 14, 82-91	11.5	253

11	Niche regulation of muscle satellite cell self-renewal and differentiation. <i>Cell Stem Cell</i> , 2008 , 2, 22-31	18	368
10	The molecular regulation of muscle stem cell function. <i>Cold Spring Harbor Symposia on Quantitative Biology</i> , 2008 , 73, 323-31	3.9	177
9	Integrative biology of an embryonic respiratory behaviour in pond snails: the 'embryo stir-bar hypothesis'. <i>Journal of Experimental Biology</i> , 2008 , 211, 1729-36	3	24
8	Megf10 regulates the progression of the satellite cell myogenic program. <i>Journal of Cell Biology</i> , 2007 , 179, 911-22	7.3	65
7	Asymmetric self-renewal and commitment of satellite stem cells in muscle. <i>Cell</i> , 2007 , 129, 999-1010	56.2	941
6	Distinct roles for Pax7 and Pax3 in adult regenerative myogenesis. <i>Journal of Cell Biology</i> , 2006 , 172, 103-13	7.3	356
5	Ryanodine receptors in human pancreatic beta cells: localization and effects on insulin secretion. <i>FASEB Journal</i> , 2004 , 18, 878-80	0.9	70
4	Coordinated development of identified serotonergic neurons and their target ciliary cells in <i>Helisoma trivolvis</i> embryos. <i>Journal of Comparative Neurology</i> , 2003 , 457, 313-25	3.4	18
3	Serotonergic sensory-motor neurons mediate a behavioral response to hypoxia in pond snail embryos. <i>Journal of Neurobiology</i> , 2002 , 52, 73-83		48
2	Long-term culture of decapsulated gastropod embryos: a transplantation study. <i>Biological Bulletin</i> , 2002 , 203, 278-88	1.5	4
1	Laser ablation reveals regulation of ciliary activity by serotonergic neurons in molluscan embryos. <i>Journal of Neurobiology</i> , 2001 , 47, 1-15		37