

Ye Qiu

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/2003688/ye-qiu-publications-by-year.pdf>

Version: 2024-04-29

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

33
papers

950
citations

12
h-index

30
g-index

44
ext. papers

1,323
ext. citations

6.5
avg, IF

5.09
L-index

#	Paper	IF	Citations
33	Innate Immunity Evasion Strategies of Highly Pathogenic Coronaviruses: SARS-CoV, MERS-CoV, and SARS-CoV-2. <i>Frontiers in Microbiology</i> , 2021 , 12, 770656	5.7	2
32	In vivo activation of pH-responsive oxidase-like graphitic nanozymes for selective killing of <i>Helicobacter pylori</i> . <i>Nature Communications</i> , 2021 , 12, 2002	17.4	34
31	The 442th amino acid residue of the spike protein is critical for the adaptation to bat hosts for SARS-related coronaviruses. <i>Virus Research</i> , 2021 , 295, 198307	6.4	2
30	The taxonomy, host range and pathogenicity of coronaviruses and other viruses in the order. <i>Animal Diseases</i> , 2021 , 1, 5		12
29	Literature Review of the Implications of Exercise Rehabilitation Strategies for SARS Patients on the Recovery of COVID-19 Patients. <i>Healthcare (Switzerland)</i> , 2021 , 9,	3.4	3
28	Epidemiology and evolution of novel deltacoronaviruses in birds in central China. <i>Transboundary and Emerging Diseases</i> , 2021 ,	4.2	1
27	Receptor utilization of angiotensin-converting enzyme 2 (ACE2) indicates a narrower host range of SARS-CoV-2 than that of SARS-CoV. <i>Transboundary and Emerging Diseases</i> , 2021 , 68, 1046-1053	4.2	9
26	Prokaryotic virus host predictor: a Gaussian model for host prediction of prokaryotic viruses in metagenomics. <i>BMC Biology</i> , 2021 , 19, 5	7.3	8
25	Cleavage of Desmosomal Cadherins Promotes E-catenin Degradation and Benefits Wnt Signaling in Coxsackievirus B3-Induced Destruction of Cardiomyocytes. <i>Frontiers in Microbiology</i> , 2020 , 11, 767	5.7	1
24	A Unique Protease Cleavage Site Predicted in the Spike Protein of the Novel Pneumonia Coronavirus (2019-nCoV) Potentially Related to Viral Transmissibility. <i>Virologica Sinica</i> , 2020 , 35, 337-339	6.4	84
23	Predicting the angiotensin converting enzyme 2 (ACE2) utilizing capability as the receptor of SARS-CoV-2. <i>Microbes and Infection</i> , 2020 , 22, 221-225	9.3	128
22	Characterization of the First Genome of Porcine mastadenovirus B (HNU1 Strain) and Implications on Its Lymphoid and Special Origin. <i>Virologica Sinica</i> , 2020 , 35, 528-537	6.4	1
21	The ORF6, ORF8 and nucleocapsid proteins of SARS-CoV-2 inhibit type I interferon signaling pathway. <i>Virus Research</i> , 2020 , 286, 198074	6.4	212
20	Phage protein receptors have multiple interaction partners and high expressions. <i>Bioinformatics</i> , 2020 , 36, 2975-2979	7.2	2
19	The epidemic of 2019-novel-coronavirus (2019-nCoV) pneumonia and insights for emerging infectious diseases in the future. <i>Microbes and Infection</i> , 2020 , 22, 80-85	9.3	198
18	Cleavage and degradation of EDEM1 promotes coxsackievirus B3 replication via ATF6a-mediated unfolded protein response signalling. <i>Cellular Microbiology</i> , 2020 , 22, e13198	3.9	2
17	BioAider: An efficient tool for viral genome analysis and its application in tracing SARS-CoV-2 transmission. <i>Sustainable Cities and Society</i> , 2020 , 63, 102466	10.1	22

16	Detection and genome characterization of two novel papillomaviruses and a novel polyomavirus in tree shrew (<i>Tupaia belangeri chinensis</i>) in China. <i>Virology Journal</i> , 2019 , 16, 35	6.1	1
15	Expression Profile and Function Analysis of Long Non-coding RNAs in the Infection of Coxsackievirus B3. <i>Virologica Sinica</i> , 2019 , 34, 618-630	6.4	7
14	Cleavage and Sub-Cellular Redistribution of Nuclear Pore Protein 98 by Coxsackievirus B3 Protease 2A Impairs Cardioprotection. <i>Frontiers in Cellular and Infection Microbiology</i> , 2019 , 9, 265	5.9	4
13	Intercalated discs: cellular adhesion and signaling in heart health and diseases. <i>Heart Failure Reviews</i> , 2019 , 24, 115-132	5	25
12	Heat shock protein 70 promotes coxsackievirus B3 translation initiation and elongation via Akt-mTORC1 pathway depending on activation of p70S6K and Cdc2. <i>Cellular Microbiology</i> , 2017 , 19, e12725	3.9	9
11	Cleavage of osmosensitive transcriptional factor NFAT5 by Coxsackieviral protease 2A promotes viral replication. <i>PLoS Pathogens</i> , 2017 , 13, e1006744	7.6	8
10	Cleavage of Grb2-Associated Binding Protein 2 by Viral Proteinase 2A during Infection. <i>Frontiers in Cellular and Infection Microbiology</i> , 2017 , 7, 85	5.9	6
9	Hsp70-1: upregulation via selective phosphorylation of heat shock factor 1 during coxsackieviral infection and promotion of viral replication via the AU-rich element. <i>Cellular and Molecular Life Sciences</i> , 2016 , 73, 1067-84	10.3	8
8	Emodin inhibits coxsackievirus B3 replication via multiple signalling cascades leading to suppression of translation. <i>Biochemical Journal</i> , 2016 , 473, 473-85	3.8	12
7	P58(IPK) inhibits coxsackievirus-induced apoptosis via the PI3K/Akt pathway requiring activation of ATF6a and subsequent upregulation of mitofusin 2. <i>Cellular Microbiology</i> , 2014 , 16, 411-24	3.9	6
6	Antiviral activity of an isatin derivative via induction of PERK-Nrf2-mediated suppression of cap-independent translation. <i>ACS Chemical Biology</i> , 2014 , 9, 1015-24	4.9	23
5	Coxsackievirus-induced miR-21 disrupts cardiomyocyte interactions via the downregulation of intercalated disk components. <i>PLoS Pathogens</i> , 2014 , 10, e1004070	7.6	37
4	MiR-126 promotes coxsackievirus replication by mediating cross-talk of ERK1/2 and Wnt/ β -catenin signal pathways. <i>Cellular and Molecular Life Sciences</i> , 2013 , 70, 4631-44	10.3	47
3	IRES-Dependent Translational Control during Virus-Induced Endoplasmic Reticulum Stress and Apoptosis. <i>Frontiers in Microbiology</i> , 2012 , 3, 92	5.7	24
2	Predicting the Angiotensin Converting Enzyme 2 (ACE2) Utilizing Capability as the Receptor of SARS-CoV-2		8
1	Characterization of the substitution hotspots in SARS-CoV-2 genome using BioAider and detection of a SR-rich region in N protein providing further evidence of its animal origin		2