

Victor M Chernyshev

List of Publications by Citations

Source: <https://exaly.com/author-pdf/2004010/victor-m-chernyshev-publications-by-citations.pdf>

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

83

papers

1,047

citations

16

h-index

28

g-index

92

ext. papers

1,257

ext. citations

3.5

avg, IF

4.69

L-index

#	Paper	IF	Citations
83	A New Mode of Operation of Pd-NHC Systems Studied in a Catalytic Mizoroki-Heck Reaction. <i>Organometallics</i> , 2017 , 36, 1981-1992	3.8	97
82	Conversion of plant biomass to furan derivatives and sustainable access to the new generation of polymers, functional materials and fuels. <i>Russian Chemical Reviews</i> , 2017 , 86, 357-387	6.8	59
81	Sustainable Utilization of Biomass Refinery Wastes for Accessing Activated Carbons and Supercapacitor Electrode Materials. <i>ChemSusChem</i> , 2018 , 11, 3599-3608	8.3	55
80	The impact of Al ₂ O ₃ promoter on an efficiency of C ₅ + hydrocarbons formation over Co/SiO ₂ catalysts via Fischer-Tropsch synthesis. <i>Catalysis Today</i> , 2017 , 279, 107-114	5.3	45
79	Revealing the unusual role of bases in activation/deactivation of catalytic systems: O-NHC coupling in M/NHC catalysis. <i>Chemical Science</i> , 2018 , 9, 5564-5577	9.4	44
78	Pd and Pt Catalyst Poisoning in the Study of Reaction Mechanisms: What Does the Mercury Test Mean for Catalysis?. <i>ACS Catalysis</i> , 2019 , 9, 2984-2995	13.1	43
77	The key role of R-NHC coupling (R = C, H, heteroatom) and M-NHC bond cleavage in the evolution of M/NHC complexes and formation of catalytically active species. <i>Chemical Science</i> , 2020 , 11, 6957-6974	9.4	43
76	A direct approach to a 6-hetarylamino[1,2,4]triazolo[4,3-b][1,2,4,5]tetrazine library. <i>Organic Letters</i> , 2014 , 16, 406-9	6.2	41
75	Facile Hydrolysis of Nickel(II) Complexes with N-Heterocyclic Carbene Ligands. <i>Organometallics</i> , 2015 , 34, 5759-5766	3.8	38
74	Fast and Slow Release of Catalytically Active Species in Metal/NHC Systems Induced by Aliphatic Amines. <i>Organometallics</i> , 2018 , 37, 1483-1492	3.8	35
73	Influence of R-NHC Coupling on the Outcome of R-X Oxidative Addition to Pd/NHC Complexes (R = Me, Ph, Vinyl, Ethynyl). <i>Organometallics</i> , 2018 , 37, 787-796	3.8	28
72	Ionic Pd/NHC Catalytic System Enables Recoverable Homogeneous Catalysis: Mechanistic Study and Application in the Mizoroki-Heck Reaction. <i>Chemistry - A European Journal</i> , 2019 , 25, 16564	4.8	24
71	Technological aspects of fructose conversion to high-purity 5-hydroxymethylfurfural, a versatile platform chemical. <i>Russian Journal of Organic Chemistry</i> , 2016 , 52, 767-771	0.7	23
70	Diversity Oriented Synthesis of Polycyclic Heterocycles through the Condensation of 2-Amino[1,2,4]triazolo[1,5-a]pyrimidines with 1,3-Diketones. <i>Journal of Organic Chemistry</i> , 2015 , 80, 10694-709 ²¹	4.2	21
69	Selective Synthesis of 2,5-Diformylfuran by Sustainable 4-acetamido-TEMPO/Halogen-Mediated Electrooxidation of 5-Hydroxymethylfurfural. <i>Chemistry - an Asian Journal</i> , 2016 , 11, 2578-85	4.5	19
68	Nickel(ii) N-heterocyclic carbene complexes as efficient catalysts for the Suzuki-Miyaura reaction. <i>Russian Chemical Bulletin</i> , 2020 , 69, 683-690	1.7	18
67	Reactivity of C-Amino-1,2,4-triazoles toward Electrophiles: A Combined Computational and Experimental Study of Alkylation by Halogen Alkanes. <i>Journal of Organic Chemistry</i> , 2015 , 80, 375-85	4.2	16

66	Pd-PEPSI complexes based on 1,2,4-triazol-3-ylidene ligands as efficient catalysts in the Suzuki-Miyaura reaction. <i>Russian Chemical Bulletin</i> , 2018 , 67, 79-84	1.7	16
65	Reaction of 1-substituted 3,5-diamino-1,2,4-triazoles with β -keto esters: synthesis and new rearrangement of mesoionic 3-amino-2H-[1,2,4]triazolo-[4,3-a]pyrimidin-5-ones. <i>Tetrahedron</i> , 2010 , 66, 3301-3313	2.4	16
64	Partially hydrogenated 2-amino[1,2,4]triazolo[1,5-a]pyrimidines as synthons for the preparation of polycondensed heterocycles: reaction with chlorocarboxylic acid chlorides. <i>Tetrahedron</i> , 2014 , 70, 684-704	2.1	15
63	A TEMPO-like nitroxide combined with an alkyl-substituted pyridine: An efficient catalytic system for the selective oxidation of alcohols with iodine. <i>Tetrahedron Letters</i> , 2017 , 58, 3517-3521	2	15
62	The one-pot synthesis of 2,5-diformylfuran, a promising synthon for organic materials in the conversion of biomass. <i>Russian Chemical Bulletin</i> , 2015 , 64, 1069-1073	1.7	13
61	Optimization of the synthesis of 5-amino-1,2,4-triazol-3-ylacetic acid and bis(5-amino-1,2,4-triazol-3-yl)methane. <i>Russian Journal of Applied Chemistry</i> , 2009 , 82, 276-281	0.8	13
60	2-amino-4,5,6,7-tetrahydro-1,2,4-triazolo[1,5-a]pyrimidines: Synthesis and reactions with electrophilic reagents. <i>Russian Journal of Organic Chemistry</i> , 2008 , 44, 715-722	0.7	13
59	Preventing Pd-NHC bond cleavage and switching from nano-scale to molecular catalytic systems: amines and temperature as catalyst activators. <i>Catalysis Science and Technology</i> , 2020 , 10, 1228-1247	5.5	13
58	Formation and stabilization of nanosized Pd particles in catalytic systems: Ionic nitrogen compounds as catalytic promoters and stabilizers of nanoparticles. <i>Coordination Chemistry Reviews</i> , 2021 , 437, 213860	23.2	13
57	Synthesis, structure and some reactions of 4a',5',6',7',8',8a'-hexahydro-4'H-spiro[cyclohexane-1,9'-[1,2,4]triazolo[5,1-b]-quinazolines]. <i>Journal of Heterocyclic Chemistry</i> , 2008 , 45, 1419-1427	1.9	12
56	Synthesis of esters and amides of 5-amino-1,2,4-triazole-3-carboxylic and 5-amino-1,2,4-triazol-3-ylacetic acids. <i>Russian Journal of Applied Chemistry</i> , 2006 , 79, 783-786	0.8	12
55	Alkoxy base-mediated selective synthesis and new rearrangements of 1,2,4-triazolodipyrimidinones. <i>Tetrahedron Letters</i> , 2017 , 58, 748-754	2	11
54	Partially hydrogenated 2-amino[1,2,4]triazolo[1,5-a]pyrimidines as synthons for the preparation of polycondensed heterocycles: reaction with β -bromoketones. <i>Tetrahedron</i> , 2015 , 71, 6259-6271	2.4	11
53	Molecular Structure of 3-Amino[1,2,4]Triazolo-[4,3-A]Pyrimidin-5-One in Various Tautomeric Forms: Investigation by DFT and QTAIM Methods. <i>Chemistry of Heterocyclic Compounds</i> , 2014 , 50, 319-326	1.4	10
52	Reactivity of 2-amino[1,2,4]triazolo[1,5-a]pyrimidines with various saturation of the pyrimidine ring towards electrophiles. <i>Chemistry of Heterocyclic Compounds</i> , 2015 , 51, 1039-1047	1.4	10
51	Rearrangement of 2-(2,5-Dioxopyrrolidin-1-yl)guanidine: An Efficient Synthesis and Structure of 3-(5-Amino-1H-1,2,4-triazol-3-yl)propanoic Acid and Derivatives. <i>Heterocycles</i> , 2010 , 81, 2291	0.8	10
50	A new approach to synthesis of 2-sulfonylamino-1,2,4-triazolo[1,5-a]pyrimidines. <i>Russian Journal of Applied Chemistry</i> , 2007 , 80, 1691-1694	0.8	10
49	Regioselective synthesis of alkyl derivatives of 3,5-diamino-1,2,4-triazole. <i>Russian Journal of Applied Chemistry</i> , 2006 , 79, 624-630	0.8	10

48	Improved synthesis of 2-amino-1,2,4-triazolo[1,5-a]pyrimidines. <i>Russian Journal of Applied Chemistry</i> , 2006 , 79, 1134-1137	0.8	10
47	Reaction of thiosemicarbazide with n-cyanoguanidine: synthesis of 3,5-diamino-1-thiocarbamoyl- and 3,5-diamino-1-thiazol-2-yl-1,2,4-triazoles. <i>Russian Chemical Bulletin</i> , 2006 , 55, 338-344	1.7	10
46	Base-free aerobic oxidation of 5-hydroxymethylfurfural to 2,5-furandicarboxylic acid over Pt/C catalysts synthesized by pulse alternating current technique. <i>Mendeleev Communications</i> , 2018 , 28, 431-433	1.9	10
45	Synthesis of 3-pyridyl-substituted 5-amino-1,2,4-triazoles from aminoguanidine and pyridinecarboxylic acids. <i>Russian Journal of Applied Chemistry</i> , 2011 , 84, 1890-1896	0.8	8
44	Acyl and Sulfonyl Derivatives of 3,5-Diamino-1-R-1,2,4-triazoles. <i>Chemistry of Heterocyclic Compounds</i> , 2005 , 41, 1139-1146	1.4	8
43	Metal-ligand bond dissociation energies in the Ni, Pd, and Pt complexes with N-heterocyclic carbenes: effect of the oxidation state of the metal (0, +2). <i>Russian Chemical Bulletin</i> , 2020 , 69, 2073-2081	1.7	7
42	Relative stabilities of M/NHC complexes (M = Ni, Pd, Pt) against R-NHC, X-NHC and X-X couplings in M(0)/M(ii) and M(ii)/M(iv) catalytic cycles: a theoretical study. <i>Dalton Transactions</i> , 2019 , 48, 17052-17062	4.3	7
41	Synthesis of [1,2,4]triazolo[4,3-a]pyrimidin-5(1H)-ones by the Condensation of 3-Alkylamino-5-amino-1-phenyl[1,2,4]triazoles with β -Keto Esters or Diethyl Ethoxymethylenemalonate. <i>Chemistry of Heterocyclic Compounds</i> , 2014 , 49, 1500-1507	1.4	6
40	Novel route for the synthesis of partially hydrogenated 1,2a,5a,8a-tetraazaacenaphthylenes and 1,4a,5,9,8a-pentaazafluorenes. <i>Chemistry of Heterocyclic Compounds</i> , 2011 , 47, 249-251	1.4	6
39	Alkylation of acyl and sulfonyl derivatives of 3,5-diamino-1-phenyl-1,2,4-triazole. <i>Chemistry of Heterocyclic Compounds</i> , 2009 , 45, 436-444	1.4	6
38	Thermodynamic and kinetic aspects of the reaction of aminoguanidine with malonic acid in acidic aqueous solutions. <i>Russian Journal of Applied Chemistry</i> , 2008 , 81, 1813-1817	0.8	6
37	Nickel and Palladium Catalysis: Stronger Demand than Ever. <i>ACS Catalysis</i> , 2022 , 12, 1180-1200	13.1	6
36	Reactions of Pd-PEPPI complexes with protic acids. <i>Russian Chemical Bulletin</i> , 2018 , 67, 1196-1201	1.7	6
35	Chlorotrimethylsilane-promoted synthesis of 1,2,4-triazolopyrimidines from 3,5-diamino-1,2,4-triazoles and pentane-2,4-diones. <i>Mendeleev Communications</i> , 2018 , 28, 439-441	1.9	5
34	Palladium-catalyzed synthesis of pyrimido[5,4-b,4']pyrrolo[1,2-f]phenanthridine-12,14(11H,13H)-diones and related compounds. <i>Russian Chemical Bulletin</i> , 2018 , 67, 1684-1694	1.7	5
33	Mechanochemical synthesis of platinum(IV) complexes with N-heterocyclic carbenes. <i>Russian Chemical Bulletin</i> , 2018 , 67, 2003-2009	1.7	5
32	Ten-fold boost of catalytic performance in thiolone click reaction enabled by a palladium diketonate complex with a hexafluoroacetylacetonate ligand. <i>Catalysis Science and Technology</i> , 2018 , 8, 3073-3080	5.5	5
31	Ni/NHC catalysis in C-H functionalization using air-tolerant nickelocene and sodium formate for in situ catalyst generation. <i>Organic Chemistry Frontiers</i> ,	5.2	5

30	Different effects of metal-NHC bond cleavage on the Pd/NHC and Ni/NHC catalyzed arylation of ketones with aryl halides. <i>Inorganic Chemistry Frontiers</i> , 2021 , 8, 1511-1527	6.8	5
29	Phase stabilization of ammonium nitrate by double addition of potassium nitrate and melamine. <i>Russian Journal of Applied Chemistry</i> , 2017 , 90, 1392-1396	0.8	4
28	Synthesis and rearrangement of 3-Amino-2-Benzyl[1,2,4]Triazolo[4,3-a]Pyrimidinium Salts. <i>Chemistry of Heterocyclic Compounds</i> , 2012 , 48, 1417-1419	1.4	4
27	Stabilization of the Pd/NHC framework with 1,2,4-triazol-5-ylidene ligands toward decomposition in alkaline media. <i>Inorganic Chemistry Frontiers</i> ,	6.8	4
26	Thermodynamic and kinetic aspects of a single-reactor synthesis of 5-amino-3-methyl-1,2,4-triazole hydrochloride from aminoguanidine and acetic acid. <i>Russian Journal of Applied Chemistry</i> , 2011 , 84, 400-406	0.8	3
25	4-(5-Amino-1H-1,2,4-triazol-3-yl)pyridinium chloride monohydrate. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2011 , 67, o466-7		3
24	Synthesis of mesoionic 1,2,4-triazolo[4,3-a]pyrimidin-5-ones and substituted formamidines from diethyl (5-(1-(1H-1,2,4-triazol-3-yl)aminomethylenemalonates. <i>Chemistry of Heterocyclic Compounds</i> , 2010 , 46, 1144-1145	1.4	3
23	Molecular and crystal structure of 5-amino-3-(N-p-methylbenzoyl-N-p-toluenesulfonyl)amino-1-phenyl-1,2,4-triazole. <i>Chemistry of Heterocyclic Compounds</i> , 2007 , 43, 776-780	1.4	3
22	Control of Structure and Phase Formation in the Development of Low-Temperature Technologies Based on Clay-Containing Raw Material. <i>Glass and Ceramics (English Translation of Steklo I Keramika)</i> , 2017 , 73, 446	0.6	2
21	3-Methyl-4-(2-phenyl-1,2,4-triazolo[1,5-a]pyrimidin-7-yl)furazan. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2013 , 69, o1648-9		2
20	3,5-Diamino-1-phenyl-1,2,4-triazolium bromide. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2010 , 66, o1644-5		2
19	2-(4-Chloro-benzo-yl)-1-(diamino-methyl-ene)hydrazinium chloride monohydrate. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2010 , 66, o1152-3		2
18	Recyclization of 2-(2,5-dioxopyrrolidin-1-yl)-guanidine under the action of aliphatic amines. a novel method for the synthesis of 3-(5-amino-1H-1,2,4-triazol-3-yl)propanoic acid amides. <i>Chemistry of Heterocyclic Compounds</i> , 2010 , 46, 627-628	1.4	2
17	Synthesis of 1-Acyl- and 1-Arylsulfonyl Derivatives of 3,5-Diamino-1,2,4-triazole. <i>Russian Journal of Applied Chemistry</i> , 2005 , 78, 776-780	0.8	2
16	3-Amino-1,2,4-triazolium salts as NHC-proligands: synthesis and postmodification of a new type of amino-functionalized Pd/NHC complexes. <i>Mendeleev Communications</i> , 2021 , 31, 176-178	1.9	2
15	Synthesis and Phase Formation in the System Cu/CrO. <i>Glass and Ceramics (English Translation of Steklo I Keramika)</i> , 2017 , 74, 20-22	0.6	1
14	The structure of protonated 3-pyridyl-substituted 5-amino-1H-1,2,4-triazoles: an experimental and theoretical study. <i>Russian Chemical Bulletin</i> , 2014 , 63, 2591-2598	1.7	1
13	2-Amino-5-methyl-3-(2-oxo-2-phenyl-eth-yl)-7-phenyl-4,5,6,7-tetra-hydro-3H-[1,2,4]triazolo[1,5-a]pyrimidin-8-ium bromide ethanol monosolvate. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2013 , 69, o1586-7		1

12	Regioselective single-reactor synthesis of arylsulfonyl derivatives of 3,5-diamino-1,2,4-triazole. <i>Russian Journal of Applied Chemistry</i> , 2011 , 84, 230-235	0.8	1
11	4-Benzyl-3-[(1-oxidoethylidene)amino]-1-phenyl-4,5-dihydro-1H-1,2,4-triazol-5-iminium. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2011 , 67, o870-1		1
10	6-(3,5-Dimethyl-1H-pyrazol-1-yl)-1,2,4,5-tetra-zin-3(2H)-one. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2013 , 69, o1630-1		1
9	Introduction to Dynamic Catalysis and the Interface Between Molecular and Heterogeneous Catalysts 2021 , 13-42		1
8	Complexes LNi(Cp)X with alkylamino-substituted N-heterocyclic carbene ligands (L) and their catalytic activity in the Suzuki-Miyaura reaction. <i>Russian Chemical Bulletin</i> , 2021 , 70, 1281-1289	1.7	1
7	Thermal decomposition of ammonium nitrate with three-component additives. <i>Russian Journal of Applied Chemistry</i> , 2015 , 88, 574-578	0.8	0
6	Ruthenium complexes with chelating carboxylate-NHC ligands as efficient catalysts for C-H arylation in water. <i>Mendeleev Communications</i> , 2022 , 32, 205-207	1.9	0
5	Dimroth rearrangement of 1,2,4-triazole-synthesis and exploration of 3-sulfanyl-1,2,4-triazolium salts as NHC-proligands. <i>Russian Chemical Bulletin</i> , 2022 , 71, 993-1008	1.7	0
4	Ionic Pd/NHC Catalytic System Enables Recoverable Homogeneous Catalysis: Mechanistic Study and Application in the Mizoroki-Heck Reaction. <i>Chemistry - A European Journal</i> , 2019 , 25, 16439	4.8	
3	N-[(E)-Morpholin-4-yl-methylidene]-1-phenyl-1H-1,2,4-triazole-3,5-diamine monohydrate. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2010 , 66, o3247-8		
2	Crystal structure of bis-[(5-amino-1H-1,2,4-triazol-3-yl- λ (4))acetato- κ (4)]di-aqua-nickel(II) dihydrate. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2014 , 70, 286-9		
1	Tautomerism and basicity of carboxylic acid guanyl hydrazides (acylaminoguanidines). <i>Russian Chemical Bulletin</i> , 2021 , 70, 1509-1522	1.7	