

Victor M Chernyshev

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2004010/publications.pdf>

Version: 2024-02-01

87
papers

1,543
citations

361045

20
h-index

360668

35
g-index

92
all docs

92
docs citations

92
times ranked

1368
citing authors

#	ARTICLE	IF	CITATIONS
1	Nickel and Palladium Catalysis: Stronger Demand than Ever. <i>ACS Catalysis</i> , 2022, 12, 1180-1200.	5.5	77
2	One-Step Access to Heteroatom-Functionalized Imidazol(in)ium Salts. <i>Angewandte Chemie - International Edition</i> , 2022, 61, .	7.2	9
3	Frontispiece: One-Step Access to Heteroatom-Functionalized Imidazol(in)ium Salts. <i>Angewandte Chemie - International Edition</i> , 2022, 61, .	7.2	0
4	Frontispiz: One-Step Access to Heteroatom-Functionalized Imidazol(in)ium Salts. <i>Angewandte Chemie</i> , 2022, 134, .	1.6	0
5	Ruthenium complexes with chelating carboxylate-NHC ligands as efficient catalysts for C-H arylation in water. <i>Mendeleev Communications</i> , 2022, 32, 205-207.	0.6	4
6	Dimroth rearrangement of thiadiazole-triazole synthesis and exploration of 3-sulfanyl-1,2,4-triazolium salts as NHC-proligands. <i>Russian Chemical Bulletin</i> , 2022, 71, 993-1008.	0.4	4
7	Discovery of the NHC Coupling Process under the Conditions of Pd/NHC- and Ni/NHC-Catalyzed Buchwald-Hartwig Amination. <i>Organometallics</i> , 2022, 41, 1519-1531.	1.1	8
8	Stabilization of the Pd-NHC framework with 1,2,4-triazol-5-ylidene ligands toward decomposition in alkaline media. <i>Inorganic Chemistry Frontiers</i> , 2021, 8, 3382-3401.	3.0	15
9	3-Amino-1,2,4-triazolium salts as NHC-proligands: synthesis and postmodification of a new type of amino-functionalized Pd/NHC complexes. <i>Mendeleev Communications</i> , 2021, 31, 176-178.	0.6	7
10	Formation and stabilization of nanosized Pd particles in catalytic systems: Ionic nitrogen compounds as catalytic promoters and stabilizers of nanoparticles. <i>Coordination Chemistry Reviews</i> , 2021, 437, 213860.	9.5	36
11	Complexes LNi(Cp)X with alkylamino-substituted N-heterocyclic carbene ligands (L) and their catalytic activity in the Suzuki-Miyaura reaction. <i>Russian Chemical Bulletin</i> , 2021, 70, 1281-1289.	0.4	10
12	Tautomerism and basicity of carboxylic acid guanyl hydrazides (acylaminoguanidines). <i>Russian Chemical Bulletin</i> , 2021, 70, 1509-1522.	0.4	2
13	Ni/NHC catalysis in C-H functionalization using air-tolerant nickelocene and sodium formate for <i>in situ</i> catalyst generation. <i>Organic Chemistry Frontiers</i> , 2021, 8, 2515-2524.	2.3	19
14	Different effects of metal-NHC bond cleavage on the Pd/NHC and Ni/NHC catalyzed C-arylation of ketones with aryl halides. <i>Inorganic Chemistry Frontiers</i> , 2021, 8, 1511-1527.	3.0	12
15	Preventing Pd-NHC bond cleavage and switching from nano-scale to molecular catalytic systems: amines and temperature as catalyst activators. <i>Catalysis Science and Technology</i> , 2020, 10, 1228-1247.	2.1	20
16	Metal-ligand bond dissociation energies in the Ni, Pd, and Pt complexes with N-heterocyclic carbenes: effect of the oxidation state of the metal (0, +2). <i>Russian Chemical Bulletin</i> , 2020, 69, 2073-2081.	0.4	10
17	The key role of Pd-NHC coupling (R = C, H, heteroatom) and Pd-NHC bond cleavage in the evolution of M/NHC complexes and formation of catalytically active species. <i>Chemical Science</i> , 2020, 11, 6957-6977.	3.7	87
18	Nickel(ii) N-heterocyclic carbene complexes as efficient catalysts for the Suzuki-Miyaura reaction. <i>Russian Chemical Bulletin</i> , 2020, 69, 683-690.	0.4	25

#	ARTICLE	IF	CITATIONS
19	Ionic Pd/NHC Catalytic System Enables Recoverable Homogeneous Catalysis: Mechanistic Study and Application in the Mizoroki-Heck Reaction. <i>Chemistry - A European Journal</i> , 2019, 25, 16439-16439.	1.7	0
20	Ionic Pd/NHC Catalytic System Enables Recoverable Homogeneous Catalysis: Mechanistic Study and Application in the Mizoroki-Heck Reaction. <i>Chemistry - A European Journal</i> , 2019, 25, 16564-16572.	1.7	32
21	Pd and Pt Catalyst Poisoning in the Study of Reaction Mechanisms: What Does the Mercury Test Mean for Catalysis?. <i>ACS Catalysis</i> , 2019, 9, 2984-2995.	5.5	85
22	Relative stabilities of M/NHC complexes (M = Ni, Pd, Pt) against R ¹ -NHC, X ¹ -NHC and X ¹ -X couplings in M(O)/M(<i>η</i> -NHC) and M(<i>η</i> -NHC)/M(<i>η</i> -X) catalytic cycles: a theoretical study. <i>Dalton Transactions</i> , 2019, 48, 17052-17062.	1.6	12
23	Fast and Slow Release of Catalytically Active Species in Metal/NHC Systems Induced by Aliphatic Amines. <i>Organometallics</i> , 2018, 37, 1483-1492.	1.1	45
24	Pd-PEPSSI complexes based on 1,2,4-triazol-3-ylidene ligands as efficient catalysts in the Suzuki-Miyaura reaction. <i>Russian Chemical Bulletin</i> , 2018, 67, 79-84.	0.4	20
25	Influence of R ¹ -NHC Coupling on the Outcome of R ¹ -X Oxidative Addition to Pd/NHC Complexes (R = Me,). <i>Tetrahedron Letters</i> , 2018, 49, 1111-1114.	1.1	32
26	Chlorotrimethylsilane-promoted synthesis of 1,2,4-triazolopyrimidines from 3,5-diamino-1,2,4-triazoles and pentane-2,4-diones. <i>Mendeleev Communications</i> , 2018, 28, 439-441.	0.6	10
27	Base-free aerobic oxidation of 5-hydroxymethylfurfural to 2,5-furandicarboxylic acid over Pt/C catalysts synthesized by pulse alternating current technique. <i>Mendeleev Communications</i> , 2018, 28, 431-433.	0.6	11
28	Palladium-catalyzed synthesis of pyrimido[5 <i>a</i> :4 <i>b</i>]pyrrolo[1,2- <i>f</i>]phenanthridine-12,14(11 <i>H</i> ,13 <i>H</i>)-diones and related compounds. <i>Russian Chemical Bulletin</i> , 2018, 67, 1684-1694.	0.4	6
29	Mechanochemical synthesis of platinum(IV) complexes with N-heterocyclic carbenes. <i>Russian Chemical Bulletin</i> , 2018, 67, 2003-2009.	0.4	6
30	Reactions of Pd-PEPSSI complexes with protic acids. <i>Russian Chemical Bulletin</i> , 2018, 67, 1196-1201.	0.4	7
31	Sustainable Utilization of Biomass Refinery Wastes for Accessing Activated Carbons and Supercapacitor Electrode Materials. <i>ChemSusChem</i> , 2018, 11, 3599-3608.	3.6	70
32	Ten-fold boost of catalytic performance in thiol-ene click reaction enabled by a palladium diketonate complex with a hexafluoroacetylacetonate ligand. <i>Catalysis Science and Technology</i> , 2018, 8, 3073-3080.	2.1	10
33	Revealing the unusual role of bases in activation/deactivation of catalytic systems: O ¹ -NHC coupling in M/NHC catalysis. <i>Chemical Science</i> , 2018, 9, 5564-5577.	3.7	62
34	The impact of Al ₂ O ₃ promoter on an efficiency of C ₅ + hydrocarbons formation over Co/SiO ₂ catalysts via Fischer-Tropsch synthesis. <i>Catalysis Today</i> , 2017, 279, 107-114.	2.2	52
35	Alkoxy base-mediated selective synthesis and new rearrangements of 1,2,4-triazolodipyrimidinones. <i>Tetrahedron Letters</i> , 2017, 58, 748-754.	0.7	12
36	Synthesis and Phase Formation in the System Cu ¹ -Cr ¹ -O. <i>Glass and Ceramics (English Translation of) Tetrahedron Letters</i> , 2017, 58, 748-754.	0.2	1

#	ARTICLE	IF	CITATIONS
37	A New Mode of Operation of Pd-NHC Systems Studied in a Catalytic Mizoroki-Heck Reaction. <i>Organometallics</i> , 2017, 36, 1981-1992.	1.1	119
38	Control of Structure and Phase Formation in the Development of Low-Temperature Technologies Based on Clay-Containing Raw Material. <i>Glass and Ceramics (English Translation of Steklo i Keramika)</i> , 2017, 73, 446.	0.2	3
39	A TEMPO-like nitroxide combined with an alkyl-substituted pyridine: An efficient catalytic system for the selective oxidation of alcohols with iodine. <i>Tetrahedron Letters</i> , 2017, 58, 3517-3521.	0.7	20
40	Phase stabilization of ammonium nitrate by double addition of potassium nitrate and melamine. <i>Russian Journal of Applied Chemistry</i> , 2017, 90, 1392-1396.	0.1	5
41	Conversion of plant biomass to furan derivatives and sustainable access to the new generation of polymers, functional materials and fuels. <i>Russian Chemical Reviews</i> , 2017, 86, 357-387.	2.5	85
42	Technological aspects of fructose conversion to high-purity 5-hydroxymethylfurfural, a versatile platform chemical. <i>Russian Journal of Organic Chemistry</i> , 2016, 52, 767-771.	0.3	30
43	Selective Synthesis of 2,5-Diformylfuran by Sustainable 4-Acetamido-TEMPO/Halogen-Mediated Electrooxidation of 5-Hydroxymethylfurfural. <i>Chemistry - an Asian Journal</i> , 2016, 11, 2578-2585.	1.7	28
44	Facile Hydrolysis of Nickel(II) Complexes with N-Heterocyclic Carbene Ligands. <i>Organometallics</i> , 2015, 34, 5759-5766.	1.1	48
45	The one-pot-synthesis of 2,5-diformylfuran, a promising synthon for organic materials in the conversion of biomass. <i>Russian Chemical Bulletin</i> , 2015, 64, 1069-1073.	0.4	14
46	Reactivity of 2-amino[1,2,4]triazolo[1,5- <i>D</i>]-pyrimidines with various saturation of the pyrimidine ring towards electrophiles. <i>Chemistry of Heterocyclic Compounds</i> , 2015, 51, 1039-1047.	0.6	13
47	Thermal decomposition of ammonium nitrate with three-component additives. <i>Russian Journal of Applied Chemistry</i> , 2015, 88, 574-578.	0.1	1
48	Partially hydrogenated 2-amino[1,2,4]triazolo[1,5- <i>a</i>]pyrimidines as synthons for the preparation of polycondensed heterocycles: reaction with α -bromoketones. <i>Tetrahedron</i> , 2015, 71, 6259-6271.	1.0	13
49	Diversity Oriented Synthesis of Polycyclic Heterocycles through the Condensation of 2-Amino[1,2,4]triazolo[1,5- <i>a</i>]pyrimidines with 1,3-Diketones. <i>Journal of Organic Chemistry</i> , 2015, 80, 10694-10709.	1.7	22
50	Reactivity of <i>C</i> -Amino-1,2,4-triazoles toward Electrophiles: A Combined Computational and Experimental Study of Alkylation by Halogen Alkanes. <i>Journal of Organic Chemistry</i> , 2015, 80, 375-385.	1.7	22
51	The structure of protonated 3-pyridyl-substituted 5-amino-1H-1,2,4-triazoles: an experimental and theoretical study. <i>Russian Chemical Bulletin</i> , 2014, 63, 2591-2598.	0.4	1
52	Molecular Structure of 3-Amino[1,2,4]Triazolo-[4,3- <i>A</i>]Pyrimidin-5-One in Various Tautomeric Forms: Investigation by DFT and QTAIM Methods. <i>Chemistry of Heterocyclic Compounds</i> , 2014, 50, 319-326.	0.6	12
53	A Direct Approach to a 6-Hetarylamino[1,2,4]triazolo[4,3- <i>b</i>][1,2,4,5]tetrazine Library. <i>Organic Letters</i> , 2014, 16, 406-409.	2.4	47
54	Synthesis of [1,2,4]triazolo[4,3- <i>a</i>]pyrimidin-5(1H)-ones by the Condensation of 3-Alkylamino-5-amino-1-phenyl[1,2,4]triazoles with β -Keto Esters or Diethyl Ethoxymethylenemalonate. <i>Chemistry of Heterocyclic Compounds</i> , 2014, 49, 1500-1507.	0.6	8

#	ARTICLE	IF	CITATIONS
55	Partially hydrogenated 2-amino[1,2,4]triazolo[1,5-a]pyrimidines as synthons for the preparation of polycondensed heterocycles: reaction with chlorocarboxylic acid chlorides. <i>Tetrahedron</i> , 2014, 70, 684-701.	1.0	19
56	Crystal structure of bis[(5-amino-1H-1,2,4-triazol-3-yl)nitrogen]diaquanickel(II) dihydrate. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2014, 70, 286-289.	0.2	0
57	3-Methyl-4-(2-phenyl-1,2,4-triazolo[1,5-a]pyrimidin-7-yl)furazan. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2013, 69, o1648-o1649.	0.2	2
58	2-Amino-5-methyl-3-(2-oxo-2-phenylethyl)-7-phenyl-4,5,6,7-tetrahydro-3H-[1,2,4]triazolo[1,5-a]pyrimidin-8-ium bromide ethanol monosolvate. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2013, 69, o1586-o1587.	0.2	1
59	6-(3,5-Dimethyl-1H-pyrazol-1-yl)-1,2,4,5-tetrazin-3(2H)-one. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2013, 69, o1630-o1631.	0.2	1
60	Synthesis and rearrangement of 3-Amino-2-Benzyl[1,2,4]Triazolo[4,3-a]Pyrimidinium Salts. <i>Chemistry of Heterocyclic Compounds</i> , 2012, 48, 1417-1419.	0.6	6
61	Regioselective single-reactor synthesis of arylsulfonyl derivatives of 3,5-diamino-1,2,4-triazole. <i>Russian Journal of Applied Chemistry</i> , 2011, 84, 230-235.	0.1	2
62	Thermodynamic and kinetic aspects of a single-reactor synthesis of 5-amino-3-methyl-1,2,4-triazole hydrochloride from aminoguanidine and acetic acid. <i>Russian Journal of Applied Chemistry</i> , 2011, 84, 400-406.	0.1	3
63	Synthesis of 3-pyridyl-substituted 5-amino-1,2,4-triazoles from aminoguanidine and pyridinecarboxylic acids. <i>Russian Journal of Applied Chemistry</i> , 2011, 84, 1890-1896.	0.1	10
64	Novel route for the synthesis of partially hydrogenated 1,2a,5a,8a-tetraazaacenaphthylenes and 1,4a,5,9,8a-pentaazafluorenes. <i>Chemistry of Heterocyclic Compounds</i> , 2011, 47, 249-251.	0.6	7
65	4-Benzyl-3-[(1-oxidoethylidene)amino]-1-phenyl-4,5-dihydro-1H-1,2,4-triazol-5-iminium. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2011, 67, o870-o871.	0.2	1
66	4-(5-Amino-1H-1,2,4-triazol-3-yl)pyridinium chloride monohydrate. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2011, 67, o466-o467.	0.2	4
67	Rearrangement of 2-(2,5-Dioxopyrrolidin-1-yl)guanidine: An Efficient Synthesis and Structure of 3-(5-Amino-1H-1,2,4-triazol-3-yl)propanoic Acid and Derivatives. <i>Heterocycles</i> , 2010, 81, 2291.	0.4	12
68	Recyclization of 2-(2,5-dioxopyrrolidin-1-yl)guanidine under the action of aliphatic amines: a novel method for the synthesis of 3-(5-amino-1H-1,2,4-triazol-3-yl)propanoic acid amides. <i>Chemistry of Heterocyclic Compounds</i> , 2010, 46, 627-628.	0.6	3
69	Synthesis of mesoionic 1,2,4-triazolo[4,3-a]pyrimidin-5-ones and substituted formamidines from diethyl (5-1-r-1h-1,2,4-triazol-3-yl)aminomethylenemalonates. <i>Chemistry of Heterocyclic Compounds</i> , 2010, 46, 1144-1145.	0.6	4
70	Reaction of 1-substituted 3,5-diamino-1,2,4-triazoles with β -keto esters: synthesis and new rearrangement of mesoionic 3-amino-2H-[1,2,4]triazolo-[4,3-a]pyrimidin-5-ones. <i>Tetrahedron</i> , 2010, 66, 3301-3313.	1.0	20
71	3,5-Diamino-1-phenyl-1,2,4-triazolium bromide. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2010, 66, o1644-o1645.	0.2	2
72	2-(4-Chlorobenzoyl)-1-(diaminomethylene)hydrazinium chloride monohydrate. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2010, 66, o1152-o1153.	0.2	2

#	ARTICLE	IF	CITATIONS
73	N3-[(E)-Morpholin-4-ylmethylidene]-1-phenyl-1H-1,2,4-triazole-3,5-diamine monohydrate. Acta Crystallographica Section E: Structure Reports Online, 2010, 66, o3247-o3248.	0.2	0
74	Alkylation of acyl and sulfonyl derivatives of 3,5-diamino-1-phenyl-1,2,4-triazole. Chemistry of Heterocyclic Compounds, 2009, 45, 436-444.	0.6	6
75	Optimization of the synthesis of 5-amino-1,2,4-triazol-3-ylacetic acid and bis(5-amino-1,2,4-triazol-3-yl)methane. Russian Journal of Applied Chemistry, 2009, 82, 276-281.	0.1	13
76	Synthesis, structure and some reactions of 4a',5a',6a',7a',8a',8a'â€ˆhexahydroâ€ˆ4a',5a',6a',7a',8a',8a'â€ˆspiro[cyclohexaneâ€ˆ1,9â€ˆâ€ˆ[1,2,4]triazolo[5,1â€ˆ<i>b,4/i>]â€ˆquinoxalines] of Heterocyclic Chemistry, 2008, 45, 1419-1427.		
77	Thermodynamic and kinetic aspects of the reaction of aminoguanidine with malonic acid in acidic aqueous solutions. Russian Journal of Applied Chemistry, 2008, 81, 1813-1817.	0.1	7
78	2-amino-4,5,6,7-tetrahydro-1,2,4-triazolo[1,5-a]pyrimidines: Synthesis and reactions with electrophilic reagents. Russian Journal of Organic Chemistry, 2008, 44, 715-722.	0.3	15
79	A new approach to synthesis of 2-sulfonylamino-1,2,4-triazolo[1,5-a]pyrimidines. Russian Journal of Applied Chemistry, 2007, 80, 1691-1694.	0.1	11
80	Molecular and crystal structure of 5-amino-3-(N-p-methylbenzoyl-N-p-toluenesulfonyl)amino-1-phenyl-1,2,4-triazole. Chemistry of Heterocyclic Compounds, 2007, 43, 776-780.	0.6	3
81	Regioselective synthesis of alkyl derivatives of 3,5-diamino-1,2,4-triazole. Russian Journal of Applied Chemistry, 2006, 79, 624-630.	0.1	11
82	Synthesis of esters and amides of 5-amino-1,2,4-triazole-3-carboxylic and 5-amino-1,2,4-triazol-3-ylacetic acids. Russian Journal of Applied Chemistry, 2006, 79, 783-786.	0.1	14
83	Improved synthesis of 2-amino-1,2,4-triazolo[1,5-a]pyrimidines. Russian Journal of Applied Chemistry, 2006, 79, 1134-1137.	0.1	12
84	Reaction of thiosemicarbazide with n-cyanoguanidine: synthesis of 3,5-diamino-1-thiocarbamoyl-and 3,5-diamino-1-thiazol-2-yl-1,2,4-triazoles. Russian Chemical Bulletin, 2006, 55, 338-344.	0.4	11
85	Acyl and Sulfonyl Derivatives of 3,5-Diamino-1-R-1,2,4-triazoles. Chemistry of Heterocyclic Compounds, 2005, 41, 1139-1146.	0.6	10
86	Synthesis of 1-Acyl- and 1-Arylsulfonyl Derivatives of 3,5-Diamino-1,2,4-triazole. Russian Journal of Applied Chemistry, 2005, 78, 776-780.	0.1	2
87	Oneâ€ˆStep Access to Heteroatomâ€ˆFunctionalized Imidazol(in)ium Salts. Angewandte Chemie, 0, , .	1.6	1