

# Marcin W Wolter

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/2004649/marcin-w-wolter-publications-by-citations.pdf>

**Version:** 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

644  
papers

27,525  
citations

76  
h-index

130  
g-index

678  
ext. papers

30,850  
ext. citations

4.7  
avg, IF

4.05  
L-index

#	Paper	IF	Citations
644	The ATLAS Experiment at the CERN Large Hadron Collider. <i>Journal of Instrumentation</i> , <b>2008</b> , 3, S08003-S08003	1273	
643	The ATLAS Simulation Infrastructure. <i>European Physical Journal C</i> , <b>2010</b> , 70, 823-874	4.2	817
642	Measurement of the J/ψ meson and b-hadron production cross sections in pp collisions at $\sqrt{s}=1960$ GeV. <i>Physical Review D</i> , <b>2005</b> , 71,	4.9	596
641	Observation of the narrow state X(3872)→J/ψπ <sup>+</sup> π <sup>-</sup> in pp collisions at square root of s=1.96 TeV. <i>Physical Review Letters</i> , <b>2004</b> , 93, 072001	7.4	469
640	Observation of a centrality-dependent dijet asymmetry in lead-lead collisions at $\sqrt{S(NN)}=2.76$ TeV with the ATLAS detector at the LHC. <i>Physical Review Letters</i> , <b>2010</b> , 105, 252303	7.4	458
639	Measurement of the azimuthal anisotropy for charged particle production in $\sqrt{sNN}=2.76$ TeV lead-lead collisions with the ATLAS detector. <i>Physical Review C</i> , <b>2012</b> , 86,	2.7	313
638	Combined search for the Standard Model Higgs boson using up to 4.9 fb <sup>-1</sup> of pp collision data at $\sqrt{s}=7$ TeV with the ATLAS detector at the LHC. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2012</b> , 710, 49-66	4.2	301
637	Improved luminosity determination in collisions at [Formula: see text] using the ATLAS detector at the LHC. <i>European Physical Journal C</i> , <b>2013</b> , 73, 2518	4.2	276
636	Performance of the ATLAS trigger system in 2015. <i>European Physical Journal C</i> , <b>2017</b> , 77, 317	4.2	272
635	Muon reconstruction performance of the ATLAS detector in proton-proton collision data at [Formula: see text]=13 TeV. <i>European Physical Journal C</i> , <b>2016</b> , 76, 292	4.2	263
634	Charged-particle multiplicities in pp interactions measured with the ATLAS detector at the LHC. <i>New Journal of Physics</i> , <b>2011</b> , 13, 053033	2.9	259
633	Performance of the ATLAS Trigger System in 2010. <i>European Physical Journal C</i> , <b>2012</b> , 72, 1	4.2	232
632	Performance of missing transverse momentum reconstruction in proton-proton collisions at ( $\sqrt{s} = 7$ TeV) with ATLAS. <i>European Physical Journal C</i> , <b>2012</b> , 72, 1	4.2	217
631	Measurement of the tt production cross section in pp collisions at $\sqrt{s}=1.96$ TeV using lepton + jets events with secondary vertex b-tagging. <i>Physical Review D</i> , <b>2005</b> , 71,	4.9	217
630	Jet energy measurement with the ATLAS detector in proton-proton collisions at ( $\sqrt{s}=7$ TeV). <i>European Physical Journal C</i> , <b>2013</b> , 73, 1	4.2	209
629	Search for new phenomena in final states with an energetic jet and large missing transverse momentum in collisions at [Formula: see text]TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2015</b> , 75, 299	4.2	202
628	Measurement of the pseudorapidity and transverse momentum dependence of the elliptic flow of charged particles in lead-lead collisions at $\sqrt{sNN}=2.76$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2012</b> , 707, 330-348	4.2	200

627	Electron performance measurements with the ATLAS detector using the 2010 LHC proton-proton collision data. <i>European Physical Journal C</i> , <b>2012</b> , 72, 1	4.2	199
626	Jet energy measurement and its systematic uncertainty in proton-proton collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2015</b> , 75, 17	4.2	194
625	Luminosity determination in collisions at [Formula: see text] = 8 TeV using the ATLAS detector at the LHC. <i>European Physical Journal C</i> , <b>2016</b> , 76, 653	4.2	188
624	Measurements of the Higgs boson production and decay rates and coupling strengths using collision data at [Formula: see text] and 8 TeV in the ATLAS experiment. <i>European Physical Journal C</i> , <b>2016</b> , 76, 6	4.2	185
623	Topological cell clustering in the ATLAS calorimeters and its performance in LHC Run 1. <i>European Physical Journal C</i> , <b>2017</b> , 77, 490	4.2	177
622	Luminosity determination in pp collisions at ( $\sqrt{s} = 7$ ) TeV using the ATLAS detector at the LHC. <i>European Physical Journal C</i> , <b>2011</b> , 71, 1	4.2	167
621	Measurement of the muon reconstruction performance of the ATLAS detector using 2011 and 2012 LHC proton-proton collision data. <i>European Physical Journal C</i> , <b>2014</b> , 74, 3130	4.2	166
620	Electron reconstruction and identification efficiency measurements with the ATLAS detector using the 2011 LHC proton-proton collision data. <i>European Physical Journal C</i> , <b>2014</b> , 74, 2941	4.2	160
619	Electron and photon energy calibration with the ATLAS detector using LHC Run 1 data. <i>European Physical Journal C</i> , <b>2014</b> , 74, 1	4.2	160
618	Search for the standard model Higgs boson in the diphoton decay channel with 4.9 fb <sup>-1</sup> of pp collision data at $\sqrt{s} = 7$ TeV with ATLAS. <i>Physical Review Letters</i> , <b>2012</b> , 108, 111803	7.4	157
617	Jet energy resolution in proton-proton collisions at [Formula: see text] recorded in 2010 with the ATLAS detector. <i>European Physical Journal C</i> , <b>2013</b> , 73, 2306	4.2	153
616	Search for an additional, heavy Higgs boson in the [Formula: see text] decay channel at [Formula: see text] in [Formula: see text] collision data with the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 45	4.2	152
615	Performance of pile-up mitigation techniques for jets in [Formula: see text] collisions at [Formula: see text] TeV using the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 581	4.2	148
614	Measurement of the distributions of event-by-event flow harmonics in lead-lead collisions at ( $\sqrt{s_{NN}}$ ) = 2.76 TeV with the ATLAS detector at the LHC. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5.4	143
613	Search for squarks and gluinos using final states with jets and missing transverse momentum with the ATLAS detector in $\sqrt{s} = 7$ TeV proton-proton collisions. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2012</b> , 710, 67-85	4.2	142
612	Measurement of the top quark-pair production cross section with ATLAS in pp collisions at ( $\sqrt{s} = 7$ ) TeV. <i>European Physical Journal C</i> , <b>2011</b> , 71, 1	4.2	138
611	Measurement of the differential cross-sections of inclusive, prompt and non-prompt J/ψ production in proton-proton collisions at $\sqrt{s} = 7$ TeV. <i>Nuclear Physics B</i> , <b>2011</b> , 850, 387-444	2.8	130
610	Measurement of the inelastic proton-proton cross-section at $\sqrt{s} = 7$ TeV with the ATLAS detector. <i>Nature Communications</i> , <b>2011</b> , 2, 463	17.4	127

609	Search for new high-mass phenomena in the dilepton final state using 36 fb <sup>-1</sup> of proton-proton collision data at ( $\sqrt{s}=13$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	126
608	Search for supersymmetry using final states with one lepton, jets, and missing transverse momentum with the ATLAS detector in $\sqrt{s}=7$ TeV pp collisions. <i>Physical Review Letters</i> , <b>2011</b> , 106, 131802	7.4	125
607	Search for dark matter candidates and large extra dimensions in events with a jet and missing transverse momentum with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5.4	124
606	Charged-particle multiplicities in pp interactions at $\sqrt{s}=7$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2010</b> , 688, 21-42	4.2	121
605	Search for direct production of charginos, neutralinos and sleptons in final states with two leptons and missing transverse momentum in pp collisions at ( $\sqrt{s}$ ) = 8 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	120
604	Measurement of the inclusive $W\mu$ and $Z/\mu$ cross sections in the e and $\mu$ decay channels in pp collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. <i>Physical Review D</i> , <b>2012</b> , 85,	4.9	117
603	Search for charged Higgs bosons decaying via $H\mu \rightarrow \mu n$ ( $\overline{t}$ ) events using pp collision data at ( $\sqrt{s}=7$ ;TeV) with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5.4	112
602	Measurement of the inclusive isolated prompt photon cross section in pp collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. <i>Physical Review D</i> , <b>2011</b> , 83,	4.9	112
601	ATLAS Run 1 searches for direct pair production of third-generation squarks at the Large Hadron Collider. <i>European Physical Journal C</i> , <b>2015</b> , 75, 510	4.2	109
600	Search for squarks and gluinos with the ATLAS detector in final states with jets and missing transverse momentum using ( $\sqrt{s}=8$ ) TeV proton-proton collision data. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	108
599	Search for squarks and gluinos using final states with jets and missing transverse momentum with the ATLAS detector in $\sqrt{s}=7$ TeV pp collisions. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2011</b> , 701, 186-203	4.2	108
598	A search for new physics in dijet mass and angular distributions in pp collisions at $\sqrt{s}=7$ TeV measured with the ATLAS detector. <i>New Journal of Physics</i> , <b>2011</b> , 13, 053044	2.9	108
597	Measurement of the [Formula: see text] production cross-section using [Formula: see text] events with [Formula: see text]-tagged jets in [Formula: see text] collisions at [Formula: see text] and 8 TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2014</b> , 74, 3109	4.2	107
596	Measurement of inclusive jet and dijet production in pp collisions at $\sqrt{s}=7$ TeV using the ATLAS detector. <i>Physical Review D</i> , <b>2012</b> , 86,	4.9	107
595	Study of the spin and parity of the Higgs boson in diboson decays with the ATLAS detector. <i>European Physical Journal C</i> , <b>2015</b> , 75, 476	4.2	104
594	Measurement of the centrality dependence of the charged particle pseudorapidity distribution in lead-lead collisions at $\sqrt{s_{NN}}=2.76$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2012</b> , 710, 363-382	4.2	104
593	Search for doubly charged Higgs bosons in like-sign dilepton final states at ( $\sqrt{s}=7$ TeV) with the ATLAS detector. <i>European Physical Journal C</i> , <b>2012</b> , 72, 1	4.2	104
592	Measurement of inclusive jet and dijet cross sections in proton-proton collisions at 7 TeV centre-of-mass energy with the ATLAS detector. <i>European Physical Journal C</i> , <b>2011</b> , 71, 1	4.2	103

591	Search for dark matter and other new phenomena in events with an energetic jet and large missing transverse momentum using the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	101
590	Determination of the strange-quark density of the proton from ATLAS measurements of the $W \rightarrow \mu \nu$ and $Z \rightarrow \mu \mu$ cross sections. <i>Physical Review Letters</i> , <b>2012</b> , 109, 012001	7.4	98
589	Search for new particles in two-jet final states in 7 TeV proton-proton collisions with the ATLAS detector at the LHC. <i>Physical Review Letters</i> , <b>2010</b> , 105, 161801	7.4	97
588	Measurement of the centrality dependence of $J/\psi$ yields and observation of Z production in lead-lead collisions with the ATLAS detector at the LHC. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2011</b> , 697, 294-312	4.2	97
587	First measurements of inclusive W and Z cross sections from run II of the Fermilab Tevatron collider. <i>Physical Review Letters</i> , <b>2005</b> , 94, 091803	7.4	97
586	Combined search for the Standard Model Higgs boson in pp collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. <i>Physical Review D</i> , <b>2012</b> , 86,	4.9	96
585	Search for the Standard Model Higgs boson produced in association with top quarks and decaying into $[Formula: see text]$ in $[Formula: see text]$ collisions at $[Formula: see text]$ with the ATLAS detector. <i>European Physical Journal C</i> , <b>2015</b> , 75, 349	4.2	94
584	Search for direct third-generation squark pair production in final states with missing transverse momentum and two b-jets in $(\sqrt{s}=8)$ TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5.4	92
583	Constraints on new phenomena via Higgs boson couplings and invisible decays with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	91
582	Measurement of the t-channel single top-quark production cross section in pp collisions at $\sqrt{s}=7$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2012</b> , 717, 330-350	4.2	91
581	Search for the Standard Model Higgs boson in the decay channel $H \rightarrow ZZ(\gamma) \rightarrow 4\ell$ with 4.8 fb <sup>-1</sup> of pp collision data at $\sqrt{s}=7$ TeV with ATLAS. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2012</b> , 710, 383-402	4.2	86
580	Design and performance of the ABCD3TA ASIC for readout of silicon strip detectors in the ATLAS semiconductor tracker. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , <b>2005</b> , 552, 292-328	1.2	83
579	Measurement of $[Formula: see text]$ production with a veto on additional central jet activity in collisions at $[Formula: see text]$ TeV using the ATLAS detector. <i>European Physical Journal C</i> , <b>2012</b> , 72, 2043	4.2	82
578	Readiness of the ATLAS Tile Calorimeter for LHC collisions. <i>European Physical Journal C</i> , <b>2010</b> , 70, 1193-1236	4.2	82
577	Search for additional heavy neutral Higgs and gauge bosons in the ditau final state produced in 36 fb <sup>-1</sup> of pp collisions at $(\sqrt{s}=13)$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	81
576	Measurement of the $Z/\gamma$ boson transverse momentum distribution in pp collisions at $(\sqrt{s}=7)$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	79
575	Tests of CPT symmetry and quantum mechanics with experimental data from CPLEAR. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>1995</b> , 364, 239-245	4.2	79
574	Measurement of the charge asymmetry in top quark pair production in collisions at $[Formula: see text]$ using the ATLAS detector. <i>European Physical Journal C</i> , <b>2012</b> , 72, 2039	4.2	78

573	Search for heavy neutrinos and right-handed bosons in events with two leptons and jets in collisions at [Formula: see text] with the ATLAS detector. <i>European Physical Journal C</i> , <b>2012</b> , 72, 2056	4.2	78
572	Measurement of bottom-quark hadron masses in exclusive J/psi decays with the CDF detector. <i>Physical Review Letters</i> , <b>2006</b> , 96, 202001	7.4	78
571	Observation of a new $(b)$ state in radiative transitions to $(1S)$ and $(2S)$ at ATLAS. <i>Physical Review Letters</i> , <b>2012</b> , 108, 152001	7.4	77
570	Search for direct production of charginos and neutralinos in events with three leptons and missing transverse momentum in $(\sqrt{s}) = 8$ TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	76
569	Search for a light charged Higgs boson in the decay channel [Formula: see text] in [Formula: see text] events using collisions at [Formula: see text] with the ATLAS detector. <i>European Physical Journal C</i> , <b>2013</b> , 73, 2465	4.2	76
568	Evidence for the Higgs-boson Yukawa coupling to tau leptons with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	74
567	Search for dilepton resonances in pp collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. <i>Physical Review Letters</i> , <b>2011</b> , 107, 272002	7.4	74
566	Search for production of [Formula: see text] resonances decaying to a lepton, neutrino and jets in [Formula: see text] collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2015</b> , 75, 209	4.2	73
565	Search for new physics in the dijet mass distribution using 1 fb of pp collision data at $\sqrt{s}=7$ TeV collected by the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2012</b> , 708, 37-54	4.2	72
564	ATLAS search for new phenomena in dijet mass and angular distributions using pp collisions at $(\sqrt{s}=7)$ TeV. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5.4	72
563	Measurement of the inclusive jet cross-section in collisions at [Formula: see text] and comparison to the inclusive jet cross-section at [Formula: see text] using the ATLAS detector. <i>European Physical Journal C</i> , <b>2013</b> , 73, 2509	4.2	71
562	Rapidity gap cross sections measured with the ATLAS detector in pp collisions at $(\sqrt{s} = 7 \text{ TeV})$ . <i>European Physical Journal C</i> , <b>2012</b> , 72, 1	4.2	70
561	The ATLAS Inner Detector commissioning and calibration. <i>European Physical Journal C</i> , <b>2010</b> , 70, 787-821	4.2	70
560	Searches for scalar leptoquarks in collisions at [Formula: see text] = 8 TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 5	4.2	68
559	Search for neutral Higgs bosons of the minimal supersymmetric standard model in pp collisions at $(\sqrt{s}=8)$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	67
558	Jet mass and substructure of inclusive jets in $(\sqrt{s} = 7; \text{TeV})$ pp collisions with the ATLAS experiment. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5.4	67
557	Observation of spin correlation in $tt$ events from pp collisions at $\sqrt{s}=7$ TeV using the ATLAS detector. <i>Physical Review Letters</i> , <b>2012</b> , 108, 212001	7.4	67
556	Search for Higgs boson pair production in the [Formula: see text] final state from collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2015</b> , 75, 412	4.2	66



555	Search for high-mass diboson resonances with boson-tagged jets in proton-proton collisions at ( $\sqrt{s}=8$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1-39	5-4	66
554	Performance of missing transverse momentum reconstruction with the ATLAS detector using proton-proton collisions at. <i>European Physical Journal C</i> , <b>2018</b> , 78, 903	4-2	66
553	Search for heavy Majorana neutrinos with the ATLAS detector in pp collisions at ( $\sqrt{s}=8$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5-4	65
552	Search for the ( $\overline{b}$ ) decay of the Standard Model Higgs boson in associated (W/Z)H production with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5-4	64
551	Measurement of the top quark pair production cross-section with ATLAS in the single lepton channel. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2012</b> , 711, 244-263	4-2	64
550	Search for new phenomena in final states with large jet multiplicities and missing transverse momentum at ( $\sqrt{s}=8$ ) TeV proton-proton collisions using the ATLAS experiment. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5-4	64
549	Measurement of the transverse momentum and [Formula: see text] distributions of Drell-Yan lepton pairs in proton-proton collisions at [Formula: see text]TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 291	4-2	63
548	The barrel modules of the ATLAS semiconductor tracker. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , <b>2006</b> , 568, 642-671	1-2	63
547	Search for resonant diboson production in the [Formula: see text] final state in [Formula: see text] collisions at [Formula: see text]TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2015</b> , 75, 69	4-2	62
546	Underlying event in hard interactions at the Fermilab Tevatron p-p collider. <i>Physical Review D</i> , <b>2004</b> , 70,	4-9	62
545	Electron efficiency measurements with the ATLAS detector using 2012 LHC proton-proton collision data. <i>European Physical Journal C</i> , <b>2017</b> , 77, 195	4-2	61
544	Search for dark matter in events with heavy quarks and missing transverse momentum in [Formula: see text] collisions with the ATLAS detector. <i>European Physical Journal C</i> , <b>2015</b> , 75, 92	4-2	60
543	Search for new phenomena in final states with large jet multiplicities and missing transverse momentum using ( $\sqrt{s}$ ) = 7 TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2011</b> , 2011, 1	5-4	60
542	Measurement of the $\tau$ -boson mass in pp collisions at with the ATLAS detector. <i>European Physical Journal C</i> , <b>2018</b> , 78, 110	4-2	59
541	Search for a high-mass Higgs boson decaying to a W boson pair in pp collisions at ( $\sqrt{s}=8$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5-4	59
540	Measurement of the W $\rightarrow$ $\tau$ and Z $\rightarrow$ $\tau$ production cross sections in proton-proton collisions at ( $\sqrt{s} = 7$ ; [text{TeV}]) with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2010</b> , 2010, 1	5-4	58
539	Study of jet shapes in inclusive jet production in pp collisions at $s=1.96$ TeV. <i>Physical Review D</i> , <b>2005</b> , 71,	4-9	58
538	A search for ( $\overline{t}$ ) resonances using lepton-plus-jets events in proton-proton collisions at ( $\sqrt{s}=8$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5-4	57

537	Search for $B_0 \rightarrow \mu^+ \mu^-$ and $B_0 \rightarrow \mu^+ \mu^-$ decays in pp collisions at square root $s = 1.96$ TeV. <i>Physical Review Letters</i> , <b>2004</b> , 93, 032001	7.4	57
536	Search for charged Higgs bosons decaying via $H^\pm \rightarrow \tau^\pm \nu_\tau$ in fully hadronic final states using pp collision data at $(\sqrt{s}) = 8$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	56
535	Constraints on the off-shell Higgs boson signal strength in the high-mass and final states with the ATLAS detector. <i>European Physical Journal C</i> , <b>2015</b> , 75, 335	4.2	56
534	Precision measurement and interpretation of inclusive $\tau$ and production cross sections with the ATLAS detector. <i>European Physical Journal C</i> , <b>2017</b> , 77, 367	4.2	56
533	The ATLAS semiconductor tracker end-cap module. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , <b>2007</b> , 575, 353-389 <sup>1,2</sup>		56
532	Search for doubly charged Higgs boson production in multi-lepton final states with the ATLAS detector using proton-proton collisions at $\sqrt{s} = 8$ TeV. <i>European Physical Journal C</i> , <b>2018</b> , 78, 199	4.2	55
531	Search for resonances decaying into top-quark pairs using fully hadronic decays in pp collisions with ATLAS at $(\sqrt{s}) = 7$ TeV. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5.4	55
530	Measurements of top quark pair relative differential cross-sections with ATLAS in pp collisions at $(\sqrt{s}) = 7$ TeV. <i>European Physical Journal C</i> , <b>2013</b> , 73, 1	4.2	55
529	Summary of the searches for squarks and gluinos using $(\sqrt{s}) = 8$ TeV pp collisions with the ATLAS experiment at the LHC. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	55
528	Search for the decay $\tau \rightarrow \mu \nu_\tau \nu_\mu$ . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2012</b> , 713, 387-407	4.2	55
527	Measurement of the transverse momentum distribution of $\tau$ . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2011</b> , 705, 415-434	4.2	55
526	Measurements of the $W \rightarrow \tau \nu_\tau$ production cross sections in association with jets with the ATLAS detector. <i>European Physical Journal C</i> , <b>2015</b> , 75, 82	4.2	54
525	Searches for supersymmetry with the ATLAS detector using final states with two leptons and missing transverse momentum in $\sqrt{s} = 7$ TeV proton-proton collisions. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2012</b> , 709, 137-157	4.2	54
524	Search for production of vector-like quark pairs and of four top quarks in the lepton-plus-jets final state in pp collisions at $(\sqrt{s}) = 8$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	54
523	Search for top squark pair production in final states with one isolated lepton, jets, and missing transverse momentum in $(\sqrt{s}) = 8$ TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	54
522	Measurement of $W \rightarrow \tau \nu_\tau$ production in proton-proton collisions at $(\sqrt{s}) = 7$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2012</b> , 72, 1	4.2	54
521	Search for supersymmetry in pp collisions at $\sqrt{s} = 7$ TeV in final states with missing transverse momentum and b-jets. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2011</b> , 701, 398-416	4.2	54
520	Search for scalar bottom quark pair production with the ATLAS detector in pp collisions at $\sqrt{s} = 7$ TeV. <i>Physical Review Letters</i> , <b>2012</b> , 108, 181802	7.4	54



519	Search for squarks and gluinos in final states with jets and missing transverse momentum at [Formula: see text] = 13 [Formula: see text] with the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 392	4.2	53
518	Search for new phenomena in events with at least three photons collected in collisions at [Formula: see text] = 8 TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 210	4.2	53
517	Search for a heavy top-quark partner in final states with two leptons with the ATLAS detector at the LHC. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5.4	53
516	Search for supersymmetry in final states with jets, missing transverse momentum and one isolated lepton in $\sqrt{s}=7$ TeV pp collisions using 1 fb <sup>-1</sup> of ATLAS data. <i>Physical Review D</i> , <b>2012</b> , 85,	4.9	53
515	Measurement of the inclusive and dijet cross-sections of b-jets in pp collisions at ( $\sqrt{s}=7$ TeV) with the ATLAS detector. <i>European Physical Journal C</i> , <b>2011</b> , 71, 1	4.2	53
514	Search for quark contact interactions in dijet angular distributions in pp collisions at $\sqrt{s}=7$ TeV measured with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2011</b> , 694, 327-345	4.2	53
513	Measurement of the photon identification efficiencies with the ATLAS detector using LHC Run-1 data. <i>European Physical Journal C</i> , <b>2016</b> , 76, 666	4.2	53
512	Search for direct top-squark pair production in final states with two leptons in pp collisions at ( $\sqrt{s}$ ) = 8 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	52
511	Search for lepton-flavour-violating decays of the Higgs and bosons with the ATLAS detector. <i>European Physical Journal C</i> , <b>2017</b> , 77, 70	4.2	52
510	Search for dark matter at [Formula: see text] in final states containing an energetic photon and large missing transverse momentum with the ATLAS detector. <i>European Physical Journal C</i> , <b>2017</b> , 77, 393	4.2	52
509	Measurement of flow harmonics with multi-particle cumulants in Pb+Pb collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2014</b> , 74, 3157	4.2	52
508	Measurement of the W boson polarization in top quark decays with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5.4	52
507	Search for new phenomena with the monojet and missing transverse momentum signature using the ATLAS detector in . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2011</b> , 705, 294-312	4.2	52
506	Search for stable hadronising squarks and gluinos with the ATLAS experiment at the LHC. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2011</b> , 701, 1-19	4.2	52
505	Performance of the ATLAS muon trigger in pp collisions at [Formula: see text] TeV. <i>European Physical Journal C</i> , <b>2015</b> , 75, 120	4.2	51
504	Measurement of the jet fragmentation function and transverse profile in proton-proton collisions at a center-of-mass energy of 7 TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2011</b> , 71, 1	4.2	51
503	Measurement of the production cross section of jets in association with a Z boson in pp collisions at ( $\sqrt{s}=7$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5.4	50
502	Evidence for the ( $H \rightarrow b\bar{b}$ ) decay with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	50

501	Search for direct pair production of a chargino and a neutralino decaying to the 125 GeV Higgs boson in $\sqrt{s} = 7$ TeV collisions with the ATLAS detector. <i>European Physical Journal C</i> , <b>2015</b> , 75, 208	4.2	50
500	Study of jet shapes in inclusive jet production in pp collisions at $\sqrt{s} = 7$ TeV using the ATLAS detector. <i>Physical Review D</i> , <b>2011</b> , 83,	4.9	50
499	Measurement of the lifetime difference between Bs mass eigenstates. <i>Physical Review Letters</i> , <b>2005</b> , 94, 101803	7.4	50
498	Identification and energy calibration of hadronically decaying tau leptons with the ATLAS experiment in collisions at $\sqrt{s} = 7$ TeV. <i>European Physical Journal C</i> , <b>2015</b> , 75, 303	4.2	49
497	Measurement of charged-particle spectra in Pb+Pb collisions at $(\sqrt{s_{\text{NN}}}=2.76)$ TeV with the ATLAS detector at the LHC. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	49
496	Search for high-mass resonances decaying to dilepton final states in pp collisions at $(\sqrt{s}=7)$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5.4	49
495	The silicon microstrip sensors of the ATLAS semiconductor tracker. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , <b>2007</b> , 578, 98-118	1.2	49
494	Search for resonances in diphoton events at $(\sqrt{s}=13)$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	49
493	Search for electroweak production of supersymmetric particles in final states with two or three leptons at with the ATLAS detector. <i>European Physical Journal C</i> , <b>2018</b> , 78, 995	4.2	49
492	Measurements of top-quark pair differential cross-sections in the lepton+jets channel in collisions at $\sqrt{s} = 7$ TeV using the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 538	4.2	48
491	Search for supersymmetry at $\sqrt{s} = 7$ TeV in final states with jets and two same-sign leptons or three leptons with the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 259	4.2	48
490	Measurement of multi-particle azimuthal correlations in pp, p+Pb and low-multiplicity Pb+Pb collisions with the ATLAS detector. <i>European Physical Journal C</i> , <b>2017</b> , 77, 428	4.2	48
489	Hunt for new phenomena using large jet multiplicities and missing transverse momentum with ATLAS in 4.7 fb <sup>-1</sup> of $(\sqrt{s} = 7; \text{TeV})$ proton-proton collisions. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5.4	48
488	Search for a light Higgs boson decaying to long-lived weakly interacting particles in proton-proton collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. <i>Physical Review Letters</i> , <b>2012</b> , 108, 251801	7.4	48
487	Search for long-lived charginos based on a disappearing-track signature in pp collisions at $(\sqrt{s}=13)$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	48
486	Measurement of the prompt $t\bar{t}$ pair production cross-section in collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2017</b> , 77, 76	4.2	47
485	Search for heavy resonances decaying into in the final state in collisions at with the ATLAS detector. <i>European Physical Journal C</i> , <b>2018</b> , 78, 24	4.2	47
484	Search for the neutral Higgs bosons of the minimal supersymmetric standard model in pp collisions at $(\sqrt{s}=7)$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5.4	47

483	Search for a new resonance decaying to a or boson and a Higgs boson in the [Formula: see text] final states with the ATLAS detector. <i>European Physical Journal C</i> , <b>2015</b> , 75, 263	4.2	46
482	Light-quark and gluon jet discrimination in [Formula: see text] collisions at [Formula: see text] with the ATLAS detector. <i>European Physical Journal C</i> , <b>2014</b> , 74, 3023	4.2	46
481	Search for lepton-flavour-violating $H \rightarrow \tau\tau$ decays of the Higgs boson with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	46
480	Measurement of dijet azimuthal decorrelations in pp collisions at $\sqrt{s}=7$ TeV. <i>Physical Review Letters</i> , <b>2011</b> , 106, 172002	7.4	46
479	Search for new phenomena in tt events with large missing transverse momentum in proton-proton collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. <i>Physical Review Letters</i> , <b>2012</b> , 108, 041805	7.4	46
478	Search for anomalous production of prompt same-sign lepton pairs and pair-produced doubly charged Higgs bosons with ( $\sqrt{s}=8$ ) TeV pp collisions using the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	45
477	Search for invisible decays of a Higgs boson using vector-boson fusion in pp collisions at ( $\sqrt{s}=8$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	45
476	Measurement of ZZ production in pp collisions at ( $\sqrt{s}=7$ ) TeV and limits on anomalous ZZZ and ZZ couplings with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5.4	45
475	Muon reconstruction efficiency and momentum resolution of the ATLAS experiment in proton-proton collisions at [Formula: see text] TeV in 2010. <i>European Physical Journal C</i> , <b>2014</b> , 74, 3034	4.2	45
474	Search for pair production of massive particles decaying into three quarks with the ATLAS detector in ( $\sqrt{s}=7$ ;mathrm{TeV}) pp collisions at the LHC. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5.4	45
473	Search for supersymmetry in events containing a same-flavour opposite-sign dilepton pair, jets, and large missing transverse momentum in [Formula: see text] TeV collisions with the ATLAS detector. <i>European Physical Journal C</i> , <b>2015</b> , 75, 318	4.2	44
472	Identification of boosted, hadronically decaying bosons and comparisons with ATLAS data taken at [Formula: see text] TeV. <i>European Physical Journal C</i> , <b>2016</b> , 76, 154	4.2	44
471	Measurement of isolated-photon pair production in pp collisions at ( $\sqrt{s}=7$ ;TeV) with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5.4	44
470	Search for pair-produced massive coloured scalars in four-jet final states with the ATLAS detector in proton-proton collisions at ( $\sqrt{s} = 7$ TeV). <i>European Physical Journal C</i> , <b>2013</b> , 73, 1	4.2	44
469	Measurement of multi-jet cross sections in proton-proton collisions at a 7 TeV center-of-mass energy. <i>European Physical Journal C</i> , <b>2011</b> , 71, 1	4.2	44
468	Measurement of underlying event characteristics using charged particles in pp collisions at $\sqrt{s}=900$ GeV and 7 TeV with the ATLAS detector. <i>Physical Review D</i> , <b>2011</b> , 83,	4.9	44
467	Angular analysis of $B \rightarrow D^* \tau \nu$ decays in pp collisions at ( $\sqrt{s}=8$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	44
466	Performance of jet substructure techniques for large-R jets in proton-proton collisions at ( $\sqrt{s}=7$ ) TeV using the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5.4	43

465	Measurement of the cross section for top-quark pair production in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector using final states with two high-p T leptons. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5.4	43
464	Search for a heavy gauge boson decaying to a charged lepton and a neutrino in 1 fb <sup>-1</sup> of pp collisions at $\sqrt{s} = 7$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2011</b> , 705, 28-46	4.2	43
463	Jet reconstruction and performance using particle flow with the ATLAS Detector. <i>European Physical Journal C</i> , <b>2017</b> , 77, 466	4.2	42
462	Measurement of the differential cross-sections of prompt and non-prompt production of $\tau$ leptons and $W$ bosons in collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 283	4.2	42
461	Measurements of the electron and muon inclusive cross-sections in proton-proton collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2012</b> , 707, 438-458	4.2	42
460	Measurement of the top quark mass with the template method in the $t\bar{t}$ channel using ATLAS data. <i>European Physical Journal C</i> , <b>2012</b> , 72, 2046	4.2	42
459	Summary of the ATLAS experiment's sensitivity to supersymmetry after LHC Run 1 interpreted in the phenomenological MSSM. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	42
458	Measurement of the inclusive isolated prompt photon cross-section in pp collisions at $\sqrt{s} = 7$ TeV using 35 pb <sup>-1</sup> of ATLAS data. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2011</b> , 706, 150-167	4.2	42
457	Further search for supersymmetry at $\sqrt{s} = 7$ TeV in final states with jets, missing transverse momentum, and isolated leptons with the ATLAS detector. <i>Physical Review D</i> , <b>2012</b> , 86,	4.9	42
456	Search for heavy resonances in the $t\bar{t}$ and $t\bar{t} + \text{jet}$ final states using proton-proton collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2018</b> , 78, 293	4.2	41
455	Search for direct top squark pair production in events with a $W$ boson, $t\bar{t}$ -jets and missing transverse momentum in $\sqrt{s} = 7$ TeV collisions with the ATLAS detector. <i>European Physical Journal C</i> , <b>2014</b> , 74, 2883	4.2	41
454	Measurement of the top quark pair production cross section in pp collisions at $\sqrt{s} = 7$ TeV in dilepton final states with ATLAS. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2012</b> , 707, 459-477	4.2	41
453	Single hadron response measurement and calorimeter jet energy scale uncertainty with the ATLAS detector at the LHC. <i>European Physical Journal C</i> , <b>2013</b> , 73, 1	4.2	41
452	Search for supersymmetric particles in events with lepton pairs and large missing transverse momentum in $\sqrt{s} = 7$ TeV proton-proton collisions with the ATLAS experiment. <i>European Physical Journal C</i> , <b>2011</b> , 71, 1	4.2	41
451	Study of jets produced in association with a $W$ boson in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. <i>Physical Review D</i> , <b>2012</b> , 85,	4.9	41
450	Readiness of the ATLAS liquid argon calorimeter for LHC collisions. <i>European Physical Journal C</i> , <b>2010</b> , 70, 723-753	4.2	41
449	Combination of CDF and D0 results on the $W$ boson mass and width. <i>Physical Review D</i> , <b>2004</b> , 70,	4.9	41
448	The CPLEAR detector at CERN. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , <b>1996</b> , 379, 76-100	1.2	41

447	Search for new particles in events with one lepton and missing transverse momentum in pp collisions at $(\sqrt{s}) = 8$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5-4	40
446	Search for first generation scalar leptoquarks in pp collisions at $s=7$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2012</b> , 709, 158-176	4-2	40
445	Search for heavy long-lived charged particles with the ATLAS detector in pp collisions at $s=7$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2011</b> , 703, 428-446	4-2	40
444	Search for neutral MSSM Higgs bosons decaying to $\tau\tau$ . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2011</b> , 705, 174-192	4-2	40
443	Diffusion of chromium, manganese, and iron in MnCr <sub>2</sub> O <sub>4</sub> spinel. <i>Journal of Phase Equilibria and Diffusion</i> , <b>2005</b> , 26, 561-564	1	40
442	Measurement of the centrality dependence of the charged-particle pseudorapidity distribution in proton-lead collisions at $\sqrt{s_{NN}}=2.76$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 199	4-2	39
441	Search for supersymmetry at $(\sqrt{s}) = 8$ TeV in final states with jets and two same-sign leptons or three leptons with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5-4	39
440	A search for $t$ resonances in lepton+jets events with highly boosted top quarks collected in pp collisions at $(\sqrt{s}) = 7$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5-4	39
439	Search for charged Higgs bosons decaying into top and bottom quarks at $(\sqrt{s})=13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5-4	39
438	Performance of algorithms that reconstruct missing transverse momentum in $\sqrt{s}=8$ TeV proton-proton collisions in the ATLAS detector. <i>European Physical Journal C</i> , <b>2017</b> , 77, 241	4-2	38
437	Observation and measurements of the production of prompt and non-prompt $D^0$ mesons in association with a $W$ boson in $\sqrt{s}=7$ TeV collisions with the ATLAS detector. <i>European Physical Journal C</i> , <b>2015</b> , 75, 229	4-2	38
436	Search for long-lived neutral particles decaying into lepton jets in proton-proton collisions at $(\sqrt{s})=8$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5-4	38
435	Measurement of the top quark pair cross section with ATLAS in pp collisions at $\sqrt{s}=7$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2012</b> , 717, 89-108	4-2	38
434	Measurement of the production of a $W$ boson in association with a charm quark in pp collisions at $(\sqrt{s}) = 7$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5-4	37
433	Search for squarks and gluinos in events with isolated leptons, jets and missing transverse momentum at $(\sqrt{s})=8$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5-4	37
432	Search for the Standard Model Higgs boson in the $H \rightarrow \tau\tau$ decay mode in $(\sqrt{s}) = 7$ TeV pp collisions with ATLAS. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5-4	37
431	Limits on the production of the standard model Higgs boson in pp collisions at $(\sqrt{s}) = 7$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2011</b> , 71, 1	4-2	37
430	Search for massive colored scalars in four-jet final states in $(\sqrt{s})=7$ TeV proton-proton collisions with the ATLAS detector. <i>European Physical Journal C</i> , <b>2011</b> , 71, 1	4-2	37



429	Charged-particle distributions at low transverse momentum in [Formula: see text]TeV interactions measured with the ATLAS detector at the LHC. <i>European Physical Journal C</i> , <b>2016</b> , 76, 502	4.2	37
428	Measurement of the Higgs boson coupling properties in the $H \rightarrow ZZ^* \rightarrow 4\ell$ decay channel at ( $\sqrt{s}=13$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	36
427	Search for direct pair production of the top squark in all-hadronic final states in proton-proton collisions at ( $\sqrt{s}$ ) = 8 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	36
426	Measurement of partial widths and search for direct CP violation in $D^0$ meson decays to $K^-K^+$ and $\pi^-\pi^+$ . <i>Physical Review Letters</i> , <b>2005</b> , 94, 122001	7.4	36
425	Measurement of longitudinal flow decorrelations in Pb+Pb collisions at and 5.02 TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2018</b> , 78, 142	4.2	35
424	Measurement of quarkonium production in proton-lead and proton-proton collisions at with the ATLAS detector. <i>European Physical Journal C</i> , <b>2018</b> , 78, 171	4.2	35
423	Measurement of the charged-particle multiplicity inside jets from [Formula: see text][Formula: see text]collisions with the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 322	4.2	35
422	Search for displaced vertices arising from decays of new heavy particles in 7 TeV pp collisions at ATLAS. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2012</b> , 707, 478-496	4.2	35
421	Search for extra dimensions using diphoton events in 7 TeV proton-proton collisions with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2012</b> , 710, 538-556	4.2	35
420	Search for FCNC single top-quark production at $\sqrt{s}=7$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2012</b> , 712, 351-369	4.2	35
419	Measurement of jet fragmentation in Pb+Pb and collisions at TeV with the ATLAS detector at the LHC. <i>European Physical Journal C</i> , <b>2017</b> , 77, 379	4.2	35
418	Measurement of the isolated diphoton cross section in pp collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. <i>Physical Review D</i> , <b>2012</b> , 85,	4.9	35
417	Search for second generation scalar leptoquarks in pp collisions at ( $\sqrt{s}=7\sim\text{TeV}$ ) with the ATLAS detector. <i>European Physical Journal C</i> , <b>2012</b> , 72, 1	4.2	35
416	Measurement of the production cross section for W-bosons in association with jets in pp collisions at . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2011</b> , 698, 325-345	4.2	35
415	Search for gluinos in events with two same-sign leptons, jets, and missing transverse momentum with the ATLAS detector in pp collisions at $\sqrt{s}=7$ TeV. <i>Physical Review Letters</i> , <b>2012</b> , 108, 241802	7.4	35
414	Search for down-type fourth generation quarks with the ATLAS detector in events with one lepton and hadronically decaying W bosons. <i>Physical Review Letters</i> , <b>2012</b> , 109, 032001	7.4	35
413	Measurement of the CP violation parameter $\epsilon'/\epsilon$ using tagged $K^0$ and $\bar{0}$ . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>1995</b> , 363, 243-248	4.2	35
412	Measurement of the cross-section for W boson production in association with b-jets in pp collisions at ( $\sqrt{s}=7$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5.4	34



411	Measurement of the transverse momentum distribution of W bosons in pp collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. <i>Physical Review D</i> , <b>2012</b> , 85,	4.9	34
410	ATLAS search for a heavy gauge boson decaying to a charged lepton and a neutrino in pp collisions at ( $\sqrt{s} = 7 \text{ TeV}$ ). <i>European Physical Journal C</i> , <b>2012</b> , 72, 1	4.2	34
409	Search for same-sign top-quark production and fourth-generation down-type quarks in pp collisions at ( $\sqrt{s} = 7 \text{ TeV}$ ) with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5.4	34
408	Measurement of the cross section for $t\bar{t}$ production in pp collisions using the kinematics of lepton+jets events. <i>Physical Review D</i> , <b>2005</b> , 72,	4.9	34
407	Search for heavy particles decaying into top-quark pairs using lepton-plus-jets events in proton-proton collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2018</b> , 78, 565	4.2	34
406	Measurement of the WW cross section in $pp \rightarrow W^+W^- + \text{jets}$ . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2012</b> , 712, 289-308	4.2	33
405	Performance of the ATLAS track reconstruction algorithms in dense environments in LHC Run 2. <i>European Physical Journal C</i> , <b>2017</b> , 77, 673	4.2	33
404	Measurement of the W charge asymmetry in the $pp \rightarrow W^+ + \text{jets}$ . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2011</b> , 701, 31-49	4.2	33
403	Physics at CPLEAR. <i>Physics Reports</i> , <b>2003</b> , 374, 165-270	27.7	33
402	Measurement of the cross section for prompt diphoton production in pp collisions at square root of $s=1.96$ TeV. <i>Physical Review Letters</i> , <b>2005</b> , 95, 022003	7.4	33
401	Search for charged Higgs bosons in the $H \rightarrow tb$ decay channel in pp collisions at ( $\sqrt{s}=8$ ) TeV using the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	33
400	Search for top-squark pair production in final states with one lepton, jets, and missing transverse momentum using 36 fb <sup>-1</sup> of ( $\sqrt{s}=13$ ) TeV pp collision data with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	33
399	Search for charged Higgs bosons decaying via $H \rightarrow t\bar{b}$ in the $t\bar{t}$ jets and $t\bar{t}$ lepton final states with 36 fb <sup>-1</sup> of pp collision data recorded at ( $\sqrt{s}=13$ ) TeV with the ATLAS experiment. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	33
398	Measurement of the top quark mass in the $t\bar{t} \rightarrow t\bar{t} + \text{jets}$ and $t\bar{t} \rightarrow t\bar{t} + \text{lepton}$ channels using 36.1 fb <sup>-1</sup> ATLAS data. <i>European Physical Journal C</i> , <b>2015</b> , 75, 330	4.2	32
397	Search for dark matter produced in association with bottom or top quarks in $\sqrt{s}=7$ TeV collisions with the ATLAS detector. <i>European Physical Journal C</i> , <b>2018</b> , 78, 18	4.2	32
396	Search for the Higgs boson in the $H \rightarrow WW^* \rightarrow \ell^+ \ell^- \gamma$ decay channel in pp collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. <i>Physical Review Letters</i> , <b>2012</b> , 108, 111802	7.4	32
395	Search for electroweak single-top-quark production in pp collisions at $\sqrt{s}=1.96$ TeV. <i>Physical Review D</i> , <b>2005</b> , 71,	4.9	32
394	Search for pair production of Higgs bosons in the $(\gamma\gamma)$ final state using proton-proton collisions at ( $\sqrt{s}=13$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	31

393	Measurement of the polarisation of W bosons produced with large transverse momentum in pp collisions at ( $\sqrt{s} = 7$ TeV) with the ATLAS experiment. <i>European Physical Journal C</i> , <b>2012</b> , 72, 1	4.2	3 <sup>1</sup>
392	Differential top-antitop cross-section measurements as a function of observables constructed from final-state particles using pp collisions at ( $\sqrt{s}=7$ ) TeV in the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	3 <sup>1</sup>
391	Measurement of the production and lepton charge asymmetry of [Formula: see text] bosons in Pb+Pb collisions at [Formula: see text] with the ATLAS detector. <i>European Physical Journal C</i> , <b>2015</b> , 75, 23	4.2	3 <sup>1</sup>
390	Search for contact interactions and large extra dimensions in the dilepton channel using proton-proton collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2014</b> , 74, 3134	4.2	3 <sup>1</sup>
389	Search for strong production of supersymmetric particles in final states with missing transverse momentum and at least three b-jets at ( $\sqrt{s} = 8$ ) TeV proton-proton collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	3 <sup>1</sup>
388	A search for flavour changing neutral currents in top-quark decays in pp collision data collected with the ATLAS detector at ( $\sqrt{s}=7$ TeV). <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5.4	3 <sup>1</sup>
387	Search for light scalar top-quark pair production in final states with two leptons with the ATLAS detector in ( $\sqrt{s}=7$ TeV) proton-proton collisions. <i>European Physical Journal C</i> , <b>2012</b> , 72, 1	4.2	3 <sup>1</sup>
386	Inclusive search for same-sign dilepton signatures in pp collisions at ( $\sqrt{s} = 7$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2011</b> , 2011, 1	5.4	3 <sup>1</sup>
385	Search for tb resonances in proton-proton collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. <i>Physical Review Letters</i> , <b>2012</b> , 109, 081801	7.4	3 <sup>1</sup>
384	Measurement of the $t\bar{t}$ production cross section in pp collisions at $\sqrt{s}=1.96$ TeV using lepton plus jets events with semileptonic B decays to muons. <i>Physical Review D</i> , <b>2005</b> , 72,	4.9	3 <sup>1</sup>
383	Measurements of b-jet tagging efficiency with the ATLAS detector using ( $\overline{t}$ ) events at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	3 <sup>1</sup>
382	Measurement of the cross section for the production of a W boson in association with b-jets in pp collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2012</b> , 707, 418-437	4.2	3 <sup>0</sup>
381	Search for third generation scalar leptoquarks in pp collisions at ( $\sqrt{s}=7$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5.4	3 <sup>0</sup>
380	Search for a scalar partner of the top quark in the jets plus missing transverse momentum final state at ( $\sqrt{s}=13$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	3 <sup>0</sup>
379	Measurements of fiducial and differential cross sections for Higgs boson production in the diphoton decay channel at ( $\sqrt{s}=8$ ) TeV with ATLAS. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	3 <sup>0</sup>
378	Measurement of the [Formula: see text] production cross section in the tau + jets channel using the ATLAS detector. <i>European Physical Journal C</i> , <b>2013</b> , 73, 2328	4.2	3 <sup>0</sup>
377	Measurements of underlying-event properties using neutral and charged particles in pp collisions at ( $\sqrt{s}=900$ ) GeV and ( $\sqrt{s}=7$ ) TeV with the ATLAS detector at the LHC. <i>European Physical Journal C</i> , <b>2011</b> , 71, 1	4.2	3 <sup>0</sup>
376	Search for high mass dilepton resonances in pp collisions at . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2011</b> , 700, 163-180	4.2	3 <sup>0</sup>

375	Measurement of the production cross section of an isolated photon associated with jets in proton-proton collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. <i>Physical Review D</i> , <b>2012</b> , 85,	4.9	30
374	Search for supersymmetry in events with three leptons and missing transverse momentum in $\sqrt{s}=7$ TeV pp collisions with the ATLAS detector. <i>Physical Review Letters</i> , <b>2012</b> , 108, 261804	7.4	30
373	Beam tests of ATLAS SCT silicon strip detector modules. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , <b>2005</b> , 538, 384-407 <sup>1,2</sup>	1.2	30
372	Measurement of $W$ gamma and $Z$ gamma production in pp collisions at square root $s=1.96$ TeV. <i>Physical Review Letters</i> , <b>2005</b> , 94, 041803	7.4	30
371	Searches for heavy long-lived charged particles with the ATLAS detector in proton-proton collisions at ( $\sqrt{s}=8$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	29
370	Search for the direct production of charginos, neutralinos and staus in final states with at least two hadronically decaying taus and missing transverse momentum in pp collisions at ( $\sqrt{s}=8$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	29
369	Search for heavy vector-like quarks coupling to light quarks in proton-proton collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2012</b> , 712, 22-39	4.2	29
368	Reconstruction of primary vertices at the ATLAS experiment in Run 1 proton-proton collisions at the LHC. <i>European Physical Journal C</i> , <b>2017</b> , 77, 332	4.2	29
367	Search for pair production of heavy vector-like quarks decaying to high- $p_T$ W bosons and b quarks in the lepton-plus-jets final state in pp collisions at ( $\sqrt{s}=13$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	29
366	Search for pair and single production of new heavy quarks that decay to a Z boson and a third-generation quark in pp collisions at ( $\sqrt{s}=8$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	29
365	Search for supersymmetry in pp collisions at $\sqrt{s}=7$ TeV in final states with missing transverse momentum and b-jets with the ATLAS detector. <i>Physical Review D</i> , <b>2012</b> , 85,	4.9	29
364	Measurement of the ZZ production cross section and limits on anomalous neutral triple gauge couplings in proton-proton collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. <i>Physical Review Letters</i> , <b>2012</b> , 108, 041804	7.4	29
363	Two-particle Bose-Einstein correlations in collisions at [Formula: see text] 0.9 and 7 TeV measured with the ATLAS detector. <i>European Physical Journal C</i> , <b>2015</b> , 75, 466	4.2	28
362	A search for pair-produced resonances in four-jet final states at with the ATLAS detector. <i>European Physical Journal C</i> , <b>2018</b> , 78, 250	4.2	28
361	Reconstruction of hadronic decay products of tau leptons with the ATLAS experiment. <i>European Physical Journal C</i> , <b>2016</b> , 76, 295	4.2	28
360	Search for single top-quark production via flavour-changing neutral currents at $\sqrt{s}=8$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 55	4.2	28
359	Measurement of the production cross section for $Z/\gamma$ in association with jets in pp collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. <i>Physical Review D</i> , <b>2012</b> , 85,	4.9	28
358	Search for massive long-lived highly ionising particles with the ATLAS detector at the LHC. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2011</b> , 698, 353-370	4.2	28

357	Measurement of the $t\bar{t}$ production cross section in $pp$ collisions at $\sqrt{s}=1.96$ TeV using kinematic fitting of b-tagged lepton+jet events. <i>Physical Review D</i> , <b>2005</b> , 71,	4.9	28
356	Design and performance of the ABCD chip for the binary readout of silicon strip detectors in the ATLAS semiconductor tracker. <i>IEEE Transactions on Nuclear Science</i> , <b>2000</b> , 47, 1843-1850	1.7	28
355	Measurement of the KL-KS mass difference using semileptonic decays of tagged neutral kaons. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>1995</b> , 363, 237-242	4.2	28
354	Search for minimal supersymmetric standard model Higgs Bosons $\tilde{H}^\pm$ and for a $\tilde{A}$ boson in the $\tilde{H}^\pm \rightarrow \tilde{A} + \text{lepton}$ final state produced in collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 585	4.2	28
353	Search for supersymmetry in final states with missing transverse momentum and multiple b-jets in proton-proton collisions at $(\sqrt{s}=13)$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	28
352	Fiducial, total and differential cross-section measurements of $\gamma$ -channel single top-quark production in collisions at $8\sqrt{\text{TeV}}$ using data collected by the ATLAS detector. <i>European Physical Journal C</i> , <b>2017</b> , 77, 531	4.2	27
351	Measurement of the inclusive jet cross-section in proton-proton collisions at $(\sqrt{s}=7)$ TeV using $4.5\text{ fb}^{-1}$ of data with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	27
350	Search for pair production of vector-like top quarks in events with one lepton, jets, and missing transverse momentum in $(\sqrt{s}=13)$ TeV $pp$ collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	27
349	Search for a standard model Higgs boson in the $H \rightarrow ZZ \rightarrow (\mu^+\mu^-)(\tau^+\tau^-)$ decay channel with the ATLAS detector. <i>Physical Review Letters</i> , <b>2011</b> , 107, 221802	7.4	27
348	Measurement of the moments of the hadronic invariant mass distribution in semileptonic B decays. <i>Physical Review D</i> , <b>2005</b> , 71,	4.9	27
347	Study of the rare decays of $\tilde{H}^\pm$ and $\tilde{A}$ into muon pairs from data collected during the LHC Run 1 with the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 513	4.2	27
346	Measurement of the photon identification efficiencies with the ATLAS detector using LHC Run 2 data collected in 2015 and 2016. <i>European Physical Journal C</i> , <b>2019</b> , 79, 1	4.2	26
345	Search for heavy resonances decaying into a W or Z boson and a Higgs boson in final states with leptons and b-jets in $36\text{ fb}^{-1}$ of $(\sqrt{s}=13)$ TeV $pp$ collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	26
344	Measurement of $\tilde{t}_1$ and $\tilde{t}_2$ production with $(\sqrt{s}) = 7$ TeV $pp$ collisions at ATLAS. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	26
343	Measurements of the production cross section of a $\tilde{H}^\pm$ boson in association with jets in collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2017</b> , 77, 361	4.2	26
342	Analysis of events with b-jets and a pair of leptons of the same charge in $pp$ collisions at $(\sqrt{s}=8)$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	26
341	Measurement of differential production cross-sections for a Z boson in association with b-jets in 7 TeV proton-proton collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	26
340	Search for pair production of a heavy up-type quark decaying to a W boson and a b quark in the lepton + jets channel with the ATLAS detector. <i>Physical Review Letters</i> , <b>2012</b> , 108, 261802	7.4	26

339	Test of CP invariance in vector-boson fusion production of the Higgs boson using the method in the ditau decay channel with the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 658	4.2	26
338	Multi-channel search for squarks and gluinos in [Formula: see text] collisions with the ATLAS detector at the LHC. <i>European Physical Journal C</i> , <b>2013</b> , 73, 2362	4.2	25
337	Measurement of inclusive and differential cross sections in the $H \rightarrow ZZ^* \rightarrow 4\ell$ decay channel in pp collisions at ( $\sqrt{s}=13$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	25
336	Search for [Formula: see text] decays in [Formula: see text] collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2015</b> , 75, 165	4.2	25
335	Measurements of bottom-antibottom azimuthal production correlations in proton-antiproton collisions at $s=1.8$ TeV. <i>Physical Review D</i> , <b>2005</b> , 71,	4.9	25
334	Search for excited and exotic electrons in the egamma decay channel in pp collisions at $\sqrt{s} = 1.96$ TeV. <i>Physical Review Letters</i> , <b>2005</b> , 94, 101802	7.4	25
333	Search for bottom squark pair production in proton-proton collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 547	4.2	25
332	Measurement of the inclusive isolated prompt photon cross section in pp collisions at ( $\sqrt{s}=8$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	25
331	Measurement of the top quark mass in the ( $t\bar{t} \rightarrow$ ) lepton+jets channel from ( $\sqrt{s}=8$ ) TeV ATLAS data and combination with previous results. <i>European Physical Journal C</i> , <b>2019</b> , 79, 1	4.2	24
330	Measurement of the double-differential high-mass Drell-Yan cross section in pp collisions at ( $\sqrt{s}=8$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	24
329	Measurement of the top quark pair production charge asymmetry in proton-proton collisions at ( $\sqrt{s}) = 7$ TeV using the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	24
328	Measurement of the production cross section of prompt $J/\psi$ mesons in association with a $W$ boson in pp collisions at ( $\sqrt{s}) = 7$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	24
327	Measurement of the differential cross-section of $B^+$ meson production in pp collisions at ( $\sqrt{s}=7$ ) TeV at ATLAS. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5.4	24
326	Search for top and bottom squarks from gluino pair production in final states with missing transverse energy and at least three b-jets with the ATLAS detector. <i>European Physical Journal C</i> , <b>2012</b> , 72, 1	4.2	24
325	Properties of jets measured from tracks in proton-proton collisions at center-of-mass energy $s=7$ TeV with the ATLAS detector. <i>Physical Review D</i> , <b>2011</b> , 84,	4.9	24
324	Search for anomalous production of prompt like-sign muon pairs and constraints on physics beyond the standard model with the ATLAS detector. <i>Physical Review D</i> , <b>2012</b> , 85,	4.9	24
323	Search for first-generation scalar leptoquarks in pp collisions at $s=1.96$ TeV. <i>Physical Review D</i> , <b>2005</b> , 72,	4.9	24
322	Search for single production of vector-like quarks decaying into in collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 442	4.2	24



321	Search for the direct production of charginos and neutralinos in final states with tau leptons in collisions with the ATLAS detector. <i>European Physical Journal C</i> , <b>2018</b> , 78, 154	4.2	23
320	Search for pair production of up-type vector-like quarks and for four-top-quark events in final states with multiple b-jets with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	23
319	Measurement of the cross-section for b-jets produced in association with a Z boson at . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2012</b> , 706, 295-313	4.2	23
318	Forward-backward correlations and charged-particle azimuthal distributions in pp interactions using the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5.4	23
317	Measurement of the W <sup>+</sup> W <sup>-</sup> cross section in $\sqrt{s} = 7$ TeV pp collisions with ATLAS. <i>Physical Review Letters</i> , <b>2011</b> , 107, 041802	7.4	23
316	Search for pair production of a new b' quark that decays into a Z boson and a bottom quark with the ATLAS detector. <i>Physical Review Letters</i> , <b>2012</b> , 109, 071801	7.4	23
315	Search for CP violation in the decay of tagged K <sup>0</sup> and K <sup>0</sup> to $\pi\pi\pi$ . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>1998</b> , 425, 391-398	4.2	23
314	K <sup>0</sup> S and $\bar{D}$ production studies in pp collisions at $\sqrt{s}=1800$ and 630 GeV. <i>Physical Review D</i> , <b>2005</b> , 72,	4.9	23
313	Direct photon cross section with conversions at CDF. <i>Physical Review D</i> , <b>2004</b> , 70,	4.9	23
312	Search for a new heavy gauge-boson resonance decaying into a lepton and missing transverse momentum in 36 fb of collisions at $\sqrt{s}=7$ TeV with the ATLAS experiment. <i>European Physical Journal C</i> , <b>2018</b> , 78, 401	4.2	23
311	Search for Higgs boson pair production in the ( $\gamma\gamma b\bar{b}$ ) final state with 13 TeV pp collision data collected by the ATLAS experiment. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	23
310	Prompt and non-prompt and suppression at high transverse momentum in Pb+Pb collisions with the ATLAS experiment. <i>European Physical Journal C</i> , <b>2018</b> , 78, 762	4.2	23
309	A measurement of the calorimeter response to single hadrons and determination of the jet energy scale uncertainty using LHC Run-1 collision data with the ATLAS detector. <i>European Physical Journal C</i> , <b>2017</b> , 77, 26	4.2	22
308	Measurement of the inclusive cross-sections of single top-quark and top-antiquark t-channel production in pp collisions at ( $\sqrt{s}=13$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	22
307	Search for heavy long-lived multi-charged particles in collisions at [Formula: see text] TeV using the ATLAS detector. <i>European Physical Journal C</i> , <b>2015</b> , 75, 362	4.2	22
306	Search for W W/W Z resonance production in $\bar{q}q$ final states in pp collisions at ( $\sqrt{s}=13$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	22
305	A search for prompt lepton-jets in pp collisions at ( $\sqrt{s}=8$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	22
304	Search for supersymmetry in final states with two same-sign or three leptons and jets using 36 fb of ( $\sqrt{s}=13$ ) TeV pp collision data with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	22



303	A search for high-mass resonances decaying to $\mu\mu$ in pp collisions at $(\sqrt{s}=8)$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	22
302	Search for heavy lepton resonances decaying to a Z boson and a lepton in pp collisions at $(\sqrt{s}=8)$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	22
301	. <i>Journal of High Energy Physics</i> , <b>2011</b> , 2011, 1	5.4	22
300	Search for the Higgs boson in the $H \rightarrow WW \rightarrow l\bar{l}$ decay channel in pp collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. <i>Physical Review Letters</i> , <b>2011</b> , 107, 231801	7.4	22
299	Measurement of the W boson polarization in top decay at CDF at $s=1.8$ TeV. <i>Physical Review D</i> , <b>2005</b> , 71,	4.9	22
298	Search for Higgs boson decays to beyond-the-Standard-Model light bosons in four-lepton events with the ATLAS detector at $(\sqrt{s}=13)$ TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	22
297	Search for heavy Majorana or Dirac neutrinos and right-handed W gauge bosons in final states with two charged leptons and two jets at $(\sqrt{s}=13)$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	21
296	Search for invisible particles produced in association with single-top-quarks in proton-proton collisions at [Formula: see text] with the ATLAS detector. <i>European Physical Journal C</i> , <b>2015</b> , 75, 79	4.2	21
295	Measurements of fiducial cross-sections for [Formula: see text] production with one or two additional -jets in collisions at [Formula: see text]=8 TeV using the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 11	4.2	21
294	Measurement of distributions sensitive to the underlying event in inclusive Z-boson production in [Formula: see text] collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2014</b> , 74, 3195	4.2	21
293	Search for pair-produced heavy quarks decaying to $Wq$ in the two-lepton channel at $(s)=7$ TeV with the ATLAS detector. <i>Physical Review D</i> , <b>2012</b> , 86,	4.9	21
292	Search for anomalous production of diphoton events with missing transverse energy at CDF and limits on gauge-mediated supersymmetry-breaking models. <i>Physical Review D</i> , <b>2005</b> , 71,	4.9	21
291	Search for Kaluza-Klein graviton emission in pp collisions at square root[s] = 1.8 TeV using the missing energy signature. <i>Physical Review Letters</i> , <b>2004</b> , 92, 121802	7.4	21
290	Study of hard double-parton scattering in four-jet events in pp collisions at $(\sqrt{s}=7)$ TeV with the ATLAS experiment. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	21
289	Search for Higgs boson pair production in the channel using collision data recorded at TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2018</b> , 78, 1007	4.2	21
288	Search for new phenomena in events with same-charge leptons and b-jets in pp collisions at $(\sqrt{s}=13)$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	21
287	Measurement of the azimuthal anisotropy of charged particles produced in $\sqrt{s}=5.02$ TeV Pb+Pb collisions with the ATLAS detector. <i>European Physical Journal C</i> , <b>2018</b> , 78, 997	4.2	21
286	Search for doubly charged scalar bosons decaying into same-sign boson pairs with the ATLAS detector. <i>European Physical Journal C</i> , <b>2019</b> , 79, 58	4.2	20

285	Measurement of the angular coefficients in Z-boson events using electron and muon pairs from data taken at ( $\sqrt{s}=8$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	20
284	Searches for heavy diboson resonances in pp collisions at ( $\sqrt{s}=13$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	20
283	Measurement of ( $W^{\pm}Z$ ) production cross sections and gauge boson polarisation in pp collisions at ( $\sqrt{s} = 13$ TeV) with the ATLAS detector. <i>European Physical Journal C</i> , <b>2019</b> , 79, 1	4.2	20
282	Searches for the $Z\gamma$ decay mode of the Higgs boson and for new high-mass resonances in pp collisions at ( $\sqrt{s}=13$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	20
281	$K_S^0$ and $\Lambda$ production in pp interactions at $\sqrt{s}=0.9$ and 7 TeV measured with the ATLAS detector at the LHC. <i>Physical Review D</i> , <b>2012</b> , 85,	4.9	20
280	Search for the Standard Model Higgs boson in the two photon decay channel with the ATLAS detector at the LHC. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2011</b> , 705, 452-470	4.2	20
279	Search for high-mass states with one lepton plus missing transverse momentum in proton-proton collisions at . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2011</b> , 701, 50-69	4.2	20
278	ATLAS measurements of the properties of jets for boosted particle searches. <i>Physical Review D</i> , <b>2012</b> , 86,	4.9	20
277	A study of the material in the ATLAS inner detector using secondary hadronic interactions. <i>Journal of Instrumentation</i> , <b>2012</b> , 7, P01013-P01013	1	20
276	Search for gluinos in events with an isolated lepton, jets and missing transverse momentum at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 565	4.2	20
275	Measurement of the boson polarisation in $W^{\pm}Z$ events from collisions at $\sqrt{s} = 8$ TeV in the lepton+jet channel with ATLAS. <i>European Physical Journal C</i> , <b>2017</b> , 77, 264	4.2	19
274	Performance of top-quark and $W$ -boson tagging with ATLAS in Run 2 of the LHC. <i>European Physical Journal C</i> , <b>2019</b> , 79, 1	4.2	19
273	Search for direct top squark pair production in final states with two leptons in TeV collisions with the ATLAS detector. <i>European Physical Journal C</i> , <b>2017</b> , 77, 898	4.2	19
272	Determination of the strong coupling constant from transverse energy-energy correlations in multijet events at using the ATLAS detector. <i>European Physical Journal C</i> , <b>2017</b> , 77, 872	4.2	19
271	Measurement of $D^*_{s1}$ meson production in jets from pp collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. <i>Physical Review D</i> , <b>2012</b> , 85,	4.9	19
270	Charged-particle distributions in interactions at $\sqrt{s}$ measured with the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 403	4.2	19
269	Measurement of three-jet production cross-sections in $W^{\pm}Z$ collisions at $\sqrt{s}$ centre-of-mass energy using the ATLAS detector. <i>European Physical Journal C</i> , <b>2015</b> , 75, 228	4.2	18
268	Measurement of the underlying event in jet events from 7 (TeV) proton-proton collisions with the ATLAS detector. <i>European Physical Journal C</i> , <b>2014</b> , 74, 1	4.2	18

267	Measurement of the centrality and pseudorapidity dependence of the integrated elliptic flow in lead-lead collisions at $\sqrt{s_{NN}}=2.76$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2014</b> , 74, 2982	4.2	18
266	Measurement of the low-mass Drell-Yan differential cross section at $(\sqrt{s}) = 7$ TeV using the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	18
265	Measurement of the $W\#Z$ production cross section and limits on anomalous triple gauge couplings in proton-proton collisions at $s=7$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2012</b> , 709, 341-357	4.2	18
264	Search for diphoton events with large missing transverse momentum in 1 fb $^{-1}$ of 7 TeV proton-proton collision data with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2012</b> , 710, 519-537	4.2	18
263	Measurement of jet shapes in top-quark pair events at $\sqrt{s}=7$ TeV using the ATLAS detector. <i>European Physical Journal C</i> , <b>2013</b> , 73, 2676	4.2	18
262	Measurement of the forward-backward asymmetry of electron and muon pair-production in pp collisions at $(\sqrt{s}=7)$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	18
261	Search for flavour-changing neutral current top quark decays $t \rightarrow Hq$ in pp collisions at $(\sqrt{s}=8)$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1-65	5.4	18
260	Search for metastable heavy charged particles with large ionisation energy loss in collisions at $\sqrt{s}=7$ TeV using the ATLAS experiment. <i>European Physical Journal C</i> , <b>2015</b> , 75, 407	4.2	18
259	Measurement of event shapes at large momentum transfer with the ATLAS detector in pp collisions at $(\sqrt{s}=7)$ TeV. <i>European Physical Journal C</i> , <b>2012</b> , 72, 1	4.2	18
258	Search for the Standard Model Higgs boson in the decay channel $H \rightarrow \tau\tau$ . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2011</b> , 705, 435-451	4.2	18
257	Search for an excess of events with an identical flavour lepton pair and significant missing transverse momentum in $(\sqrt{s}=7)$ TeV proton-proton collisions with the ATLAS detector. <i>European Physical Journal C</i> , <b>2011</b> , 71, 1	4.2	18
256	Measurement of the $Z \rightarrow \tau\tau$ cross section with the ATLAS detector. <i>Physical Review D</i> , <b>2011</b> , 84,	4.9	18
255	Measurement of the charge asymmetry in top-quark pair production in the lepton-plus-jets final state in collision data at $\sqrt{s}=7$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 87	4.2	18
254	Searches for heavy ZZ and ZW resonances in the $\ell\bar{\ell}q$ and $\ell\bar{\ell}q$ final states in pp collisions at $(\sqrt{s}=13)$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	17
253	Measurement of dijet cross-sections in pp collisions at 7 TeV centre-of-mass energy using the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	17
252	Measurement of polarization in $Z \rightarrow \tau\tau$ decays with the ATLAS detector in collisions at $\sqrt{s}=7$ TeV. <i>European Physical Journal C</i> , <b>2012</b> , 72, 2062	4.2	17
251	Measurements of jet vetoes and azimuthal decorrelations in dijet events produced in $\sqrt{s}=7$ TeV collisions at $\sqrt{s}=7$ TeV using the ATLAS detector. <i>European Physical Journal C</i> , <b>2014</b> , 74, 3117	4.2	17
250	Measurement of the b-hadron production cross section using decays to $\tau\tau$ . <i>Nuclear Physics B</i> , <b>2012</b> , 864, 341-381	2.8	17

249	Measurement of the $\sigma(\text{pp} \rightarrow \text{t}\bar{\text{t}})$ . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2011</b> , 705, 9-27	4.2	17
248	Search for diphoton events with large missing transverse energy in 7 TeV proton-proton collisions with the ATLAS detector. <i>Physical Review Letters</i> , <b>2011</b> , 106, 121803	7.4	17
247	Search for a scalar partner of the top quark in the all-hadronic ( $\text{t}\bar{\text{t}}$ ) plus missing transverse momentum final state at ( $\sqrt{s}=13$ ) TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2020</b> , 80, 1	4.2	17
246	Search for supersymmetry in a final state containing two photons and missing transverse momentum in $\sqrt{s}=13$ TeV collisions at the LHC using the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 517	4.2	17
245	In situ calibration of large-radius jet energy and mass in 13 TeV proton-proton collisions with the ATLAS detector. <i>European Physical Journal C</i> , <b>2019</b> , 79, 1	4.2	16
244	Dark matter interpretations of ATLAS searches for the electroweak production of supersymmetric particles in ( $\sqrt{s}=8$ ) TeV proton-proton collisions. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	16
243	Search for the Standard Model Higgs boson decaying into ( $\text{b}\bar{\text{b}}$ ) produced in association with top quarks decaying hadronically in pp collisions at ( $\sqrt{s}=8$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	16
242	Search for strong gravity signatures in same-sign dimuon final states using the ATLAS detector at the LHC. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2012</b> , 709, 322-340	4.2	16
241	Identification and rejection of pile-up jets at high pseudorapidity with the ATLAS detector. <i>European Physical Journal C</i> , <b>2017</b> , 77, 580	4.2	16
240	Measurement of the Drell-Yan triple-differential cross section in pp collisions at ( $\sqrt{s}=8$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	16
239	Search for new phenomena in events with three or more charged leptons in pp collisions at ( $\sqrt{s}=8$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	16
238	Measurement of the ( $\sigma(\text{pp} \rightarrow \text{t}\bar{\text{t}}\text{W})$ ) and ( $\sigma(\text{pp} \rightarrow \text{t}\bar{\text{t}}\text{Z})$ ) production cross sections in pp collisions at ( $\sqrt{s}=8$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	16
237	Measurement of the charge asymmetry in dileptonic decays of top quark pairs in pp collisions at ( $\sqrt{s}=7$ ) TeV using the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	16
236	A measurement of the ratio of the production cross sections for ( $\text{W}^+\text{W}^-$ ) and ( $\text{W}^+\text{Z}$ ) bosons in association with jets with the ATLAS detector. <i>European Physical Journal C</i> , <b>2014</b> , 74, 3168	4.2	16
235	Measurement of the production cross-section of ( $\text{ZS} \rightarrow \text{J}/\psi + \text{S}$ ) in pp collisions at ( $\sqrt{s}=7$ ) TeV at ATLAS. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	16
234	Search for anomalous production of prompt like-sign lepton pairs at ( $\sqrt{s}=7$ ; $\text{TeV}$ ) with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5.4	16
233	Search for scalar top quark pair production in natural gauge mediated supersymmetry models with the ATLAS detector in pp collisions at $\sqrt{s}=7$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2012</b> , 715, 44-60	4.2	16
232	Measurement of $\text{W}$ and $\text{Z}$ production cross sections in pp collisions at $\sqrt{s}=7$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2012</b> , 717, 49-69	4.2	16

231	Studies of the performance of the ATLAS detector using cosmic-ray muons. <i>European Physical Journal C</i> , <b>2011</b> , 71, 1	4.2	16
230	Search for pair production of first or second generation leptoquarks in proton-proton collisions at $\sqrt{s}=7$ TeV using the ATLAS detector at the LHC. <i>Physical Review D</i> , <b>2011</b> , 83,	4.9	16
229	The performance of the jet trigger for the ATLAS detector during 2011 data taking. <i>European Physical Journal C</i> , <b>2016</b> , 76, 526	4.2	16
228	Search for the Higgs boson produced in association with a boson and decaying to four -quarks via two spin-zero particles in collisions at 13 TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 605	4.2	16
227	Search for flavour-changing neutral current top-quark decays to [Formula: see text] in [Formula: see text] collision data collected with the ATLAS detector at [Formula: see text] TeV. <i>European Physical Journal C</i> , <b>2016</b> , 76, 12	4.2	16
226	Search for pair production of heavy vector-like quarks decaying into high-pT W bosons and top quarks in the lepton-plus-jets final state in pp collisions at ( $\sqrt{s}=13$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	16
225	Determination of spin and parity of the Higgs boson in the [Formula: see text] decay channel with the ATLAS detector. <i>European Physical Journal C</i> , <b>2015</b> , 75, 231	4.2	15
224	Search for a heavy Standard Model Higgs boson in the channel $H \rightarrow ZZ \rightarrow \mu\mu q\bar{q}$ using the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2012</b> , 707, 27-45	4.2	15
223	Search for new particles decaying to ZZ using final states with leptons and jets with the ATLAS detector in $\sqrt{s}=7$ TeV proton-proton collisions. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2012</b> , 712, 331-350	4.2	15
222	Measurement of the top quark charge in pp collisions at ( $\sqrt{s}=7$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5.4	15
221	Search for direct chargino production in anomaly-mediated supersymmetry breaking models based on a disappearing-track signature in pp collisions at ( $\sqrt{s}=7$ ; $\text{TeV}$ ) with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5.4	15
220	Measurements of $(\chi_{1,2}^0)$ and $X(3872) \rightarrow J/\psi \chi_{1,2}^0$ production in pp collisions at ( $\sqrt{s}=8$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	15
219	Measurement of production with the hadronically decaying boson reconstructed as one or two jets in collisions at with ATLAS, and constraints on anomalous gauge couplings. <i>European Physical Journal C</i> , <b>2017</b> , 77, 563	4.2	15
218	Determination of the top-quark pole mass using ( $\overline{t}$ ) + 1-jet events collected with the ATLAS experiment in 7 TeV pp collisions. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	15
217	Search for WH production with a light Higgs boson decaying to prompt electron-jets in proton-proton collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. <i>New Journal of Physics</i> , <b>2013</b> , 15, 043009	2.9	15
216	Search for diphoton events with large missing transverse energy with 36 pb $^{-1}$ of 7 TeV proton-proton collision data with the ATLAS detector. <i>European Physical Journal C</i> , <b>2011</b> , 71, 1	4.2	15
215	Heavy flavor properties of jets produced in pp interactions at $\sqrt{s}=1.8$ TeV. <i>Physical Review D</i> , <b>2004</b> , 69,	4.9	15
214	Search for dark matter in events with a hadronically decaying vector boson and missing transverse momentum in pp collisions at ( $\sqrt{s}=13$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	15



213	Search for new phenomena using the invariant mass distribution of same-flavour opposite-sign dilepton pairs in events with missing transverse momentum in $\sqrt{s}$ collisions with the ATLAS detector. <i>European Physical Journal C</i> , <b>2018</b> , 78, 625	4.2	15
212	Measurement of the $\sigma(\text{tt})$ and $\sigma(\text{tt} + \text{bb})$ production cross sections in multilepton final states using 3.2 fb of $\sqrt{s}$ collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2017</b> , 77, 40	4.2	14
211	Measurements of electroweak $\text{tt}$ production and constraints on anomalous gauge couplings with the ATLAS detector. <i>European Physical Journal C</i> , <b>2017</b> , 77, 474	4.2	14
210	Search for single production of vector-like quarks decaying into $Wb$ in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	14
209	Measurement of the $\sigma(\text{tt})$ production cross-section as a function of jet multiplicity and jet transverse momentum in 7 TeV proton-proton collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	14
208	Search for the production of single vector-like and excited quarks in the $Wt$ final state in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	14
207	Measurement of the electroweak production of dijets in association with a Z-boson and distributions sensitive to vector boson fusion in proton-proton collisions at $\sqrt{s} = 8$ TeV using the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	14
206	Search for decays of stopped, long-lived particles from 7 TeV pp collisions with the ATLAS detector. <i>European Physical Journal C</i> , <b>2012</b> , 72, 1	4.2	14
205	Search for charged Higgs bosons through the violation of lepton universality in $\text{tt}$ events using pp collision data at $\sqrt{s} = 7$ TeV with the ATLAS experiment. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5.4	14
204	Study of $(W/Z)H$ production and Higgs boson couplings using $H \rightarrow WW^*$ decays with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	14
203	A search for $\text{tt}$ resonances with the ATLAS detector in 2.05 fb of proton-proton collisions at $\sqrt{s} = 7$ TeV. <i>European Physical Journal C</i> , <b>2012</b> , 72, 2083	4.2	14
202	Search for a heavy particle decaying into an electron and a muon with the ATLAS detector in $\sqrt{s} = 7$ TeV pp collisions at the LHC. <i>Physical Review Letters</i> , <b>2011</b> , 106, 251801	7.4	14
201	Commissioning of the ATLAS Muon Spectrometer with cosmic rays. <i>European Physical Journal C</i> , <b>2010</b> , 70, 875-916	4.2	14
200	Performance of the ATLAS detector using first collision data. <i>Journal of High Energy Physics</i> , <b>2010</b> , 2010, 1	5.4	14
199	A strategy for a general search for new phenomena using data-derived signal regions and its application within the ATLAS experiment. <i>European Physical Journal C</i> , <b>2019</b> , 79, 1	4.2	14
198	Search for the Higgs boson produced in association with a vector boson and decaying into two spin-zero particles in the $H \rightarrow aa \rightarrow 4b$ channel in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	14
197	Measurements of top-quark pair differential cross-sections in the $\text{tt}$ channel in collisions at $\sqrt{s} = 13$ TeV using the ATLAS detector. <i>European Physical Journal C</i> , <b>2017</b> , 77, 292	4.2	13
196	Search for triboson $\text{tt}$ production in collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2017</b> , 77, 141	4.2	13



195	Measurement of fiducial differential cross sections of gluon-fusion production of Higgs bosons decaying to $WW \rightarrow e\bar{e}$ with the ATLAS detector at ( $\sqrt{s}=8$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	13
194	Search for new phenomena in events with a photon and missing transverse momentum in pp collisions at ( $\sqrt{s}=13$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	13
193	Identification of high transverse momentum top quarks in pp collisions at ( $\sqrt{s}=8$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	13
192	Addendum to Measurement of the $(t\bar{t})$ production cross-section using $(e\mu)$ events with b-tagged jets in pp collisions at ( $\sqrt{s}) = 7$ and 8 ( $\text{TeV}$ ) with the ATLAS detector <i>European Physical Journal C</i> , <b>2016</b> , 76, 1	4.2	13
191	Study of the $[Formula: see text]$ and $[Formula: see text]$ decays with the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 4	4.2	13
190	Search for supersymmetry in events with b-tagged jets and missing transverse momentum in pp collisions at ( $\sqrt{s}=13$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	13
189	Search for R-parity-violating supersymmetry in events with four or more leptons in ( $\sqrt{s}=7;\text{TeV}$ ) pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5.4	13
188	Search for excited leptons in proton-proton collisions at $s=7$ TeV with the ATLAS detector. <i>Physical Review D</i> , <b>2012</b> , 85,	4.9	13
187	Search for anomaly-mediated supersymmetry breaking with the ATLAS detector based on a disappearing-track signature in pp collisions at ( $\sqrt{s} = 7\sim\text{TeV}$ ). <i>European Physical Journal C</i> , <b>2012</b> , 72, 1	4.2	13
186	Search for a fermiophobic Higgs boson in the diphoton decay channel with the ATLAS detector. <i>European Physical Journal C</i> , <b>2012</b> , 72, 1	4.2	13
185	Search for a heavy neutral particle decaying into an electron and a muon using 1 $\text{fb}^{-1}$ of ATLAS data. <i>European Physical Journal C</i> , <b>2011</b> , 71, 1	4.2	13
184	Search for direct production of electroweakinos in final states with one lepton, missing transverse momentum and a Higgs boson decaying into two b-jets in (pp) collisions at ( $\sqrt{s}=13$ ) TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2020</b> , 80, 1	4.2	13
183	Muon reconstruction and identification efficiency in ATLAS using the full Run 2 pp collision data set at ( $\sqrt{s}=13$ ) TeV. <i>European Physical Journal C</i> , <b>2021</b> , 81, 1	4.2	13
182	Operation and performance of the ATLAS Tile Calorimeter in Run 1. <i>European Physical Journal C</i> , <b>2018</b> , 78, 987	4.2	13
181	Measurements of W and Z boson production in pp collisions at ( $\sqrt{s}=5.02$ ) TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2019</b> , 79, 1	4.2	12
180	Measurement of the $W W + W Z$ cross section and limits on anomalous triple gauge couplings using final states with one lepton, missing transverse momentum, and two jets with the ATLAS detector at ( $\sqrt{s}=7$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	12
179	Higgs boson production cross-section measurements and their EFT interpretation in the $(4\ell)$ decay channel at ( $\sqrt{s}=13$ ) TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2020</b> , 80, 1	4.2	12
178	Search for new phenomena with photon+jet events in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	12

177	Measurement of the production cross-section of a single top quark in association with a W boson at 8 TeV with the ATLAS experiment. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	12
176	Search for strong gravity in multijet final states produced in pp collisions at ( $\sqrt{s}=13$ ) TeV using the ATLAS detector at the LHC. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	12
175	Probing lepton flavour violation via neutrinoless [Formula: see text] decays with the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 232	4.2	12
174	Search for anomalous couplings in the W tb vertex from the measurement of double differential angular decay rates of single top quarks produced in the t-channel with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1-46	5.4	12
173	Measurement of inclusive jet and dijet cross-sections in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	12
172	Search for Higgs boson pair production in the WW(*)WW(*) decay channel using ATLAS data recorded at ( $\sqrt{\text{mathrm{s}}}$ ) = 13 TeV. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	12
171	The differential production cross section of the [Formula: see text](1020) meson in [Formula: see text] = 7 TeV [Formula: see text] collisions measured with the ATLAS detector. <i>European Physical Journal C</i> , <b>2014</b> , 74, 2895	4.2	12
170	Measurement of the . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2012</b> , 706, 276-294	4.2	12
169	Measurement of the inclusive jet cross-sections in proton-proton collisions at ( $\sqrt{s}=8$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	12
168	Measurements of top-quark pair differential cross-sections in the lepton+jets channel in pp collisions at ( $\sqrt{s}=13$ ) TeV using the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	12
167	Search for top quark decays $t \rightarrow qH$ , with $H \rightarrow \mu\mu$ in ( $\sqrt{s}=13$ ) TeV pp collisions using the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	12
166	Measurements of top quark spin observables in ( $\overline{t}$ ) events using dilepton final states in ( $\sqrt{s}=8$ ) TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	12
165	Search for a standard model Higgs boson in the $H \rightarrow ZZ \rightarrow \mu\mu\mu\mu$ decay channel using 4.7fb of $s=7\text{TeV}$ data with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2012</b> , 717, 29-48	4.2	12
164	Measurement of the flavour composition of dijet events in pp collisions at ( $\sqrt{s}=7$ TeV) with the ATLAS detector. <i>European Physical Journal C</i> , <b>2013</b> , 73, 1	4.2	12
163	Search for resonant WZ production in the $WZ \rightarrow \mu\mu\tau$ channel in ( $s=7$ TeV) pp collisions with the ATLAS detector. <i>Physical Review D</i> , <b>2012</b> , 85,	4.9	12
162	Drift Time Measurement in the ATLAS Liquid Argon Electromagnetic Calorimeter using Cosmic Muons. <i>European Physical Journal C</i> , <b>2010</b> , 70, 755-785	4.2	12
161	Direct top-quark decay width measurement in the lepton+jets channel at with the ATLAS experiment. <i>European Physical Journal C</i> , <b>2018</b> , 78, 129	4.2	11
160	Measurement of lepton differential distributions and the top quark mass in production collisions at TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2017</b> , 77, 804	4.2	11

159	Probing the $Wtb$ vertex structure in $t$ -channel single-top-quark production and decay in $pp$ collisions at $(\sqrt{s}=8)$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	11
158	Study of $W$ and $Z$ production in collisions at $\sqrt{s}=8$ TeV and search for anomalous quartic gauge couplings with the ATLAS experiment. <i>European Physical Journal C</i> , <b>2017</b> , 77, 646	4.2	11
157	Measurements of the pseudorapidity dependence of the total transverse energy in proton-proton collisions at $(\sqrt{s}=7)$ TeV with ATLAS. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5.4	11
156	Search for supersymmetry in events with large missing transverse momentum, jets, and at least one tau lepton in 7 TeV proton-proton collision data with the ATLAS detector. <i>European Physical Journal C</i> , <b>2012</b> , 72, 1	4.2	11
155	Measurement of $W$ and $Z$ production in proton-proton collisions at $(\sqrt{s}=7)$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2011</b> , 2011, 1	5.4	11
154	Underlying event characteristics and their dependence on jet size of charged-particle jet events in $pp$ collisions at $(\sqrt{s}=7)$ TeV with the ATLAS detector. <i>Physical Review D</i> , <b>2012</b> , 86,	4.9	11
153	Search for production of resonant states in the photon-jet mass distribution using $pp$ collisions at $\sqrt{s}=7$ TeV collected by the ATLAS detector. <i>Physical Review Letters</i> , <b>2012</b> , 108, 211802	7.4	11
152	Measurement of the energy dependence of the form factor $F_+$ in $K_0e3$ decay. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2000</b> , 473, 186-192	4.2	11
151	Observation of the CP-conserving $K_s \rightarrow \pi\pi$ decay amplitude. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>1996</b> , 374, 313-318	4.2	11
150	Jet energy scale and resolution measured in proton-proton collisions at $(\sqrt{s}=13)$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2021</b> , 81, 1	4.2	11
149	Measurement of the cross-section for producing a $W$ boson in association with a single top quark in $pp$ collisions at $(\sqrt{s}=13)$ TeV with ATLAS. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	10
148	A search for top squarks with R-parity-violating decays to all-hadronic final states with the ATLAS detector in $(\sqrt{s}=8)$ TeV proton-proton collisions. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	10
147	Measurement of the CP-violating phase $\phi_s$ and the $B_0^s$ meson decay width difference with $B_0^s \rightarrow J/\psi$ decays in ATLAS. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	10
146	Search for lepton flavour violation in the continuum with the ATLAS detector in $pp$ collisions at the LHC. <i>European Physical Journal C</i> , <b>2012</b> , 72, 2040	4.2	10
145	Measurement of detector-corrected observables sensitive to the anomalous production of events with jets and large missing transverse momentum in collisions at $\sqrt{s}=8$ TeV using the ATLAS detector. <i>European Physical Journal C</i> , <b>2017</b> , 77, 765	4.2	10
144	Measurement of inclusive two-particle angular correlations in $pp$ collisions with the ATLAS detector at the LHC. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5.4	10
143	Search for events with large missing transverse momentum, jets, and at least two tau leptons in 7 TeV proton-proton collision data with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2012</b> , 714, 180-196	4.2	10
142	Inclusive double-pomeron exchange at the fermilab tevatron $p\bar{p}$ collider. <i>Physical Review Letters</i> , <b>2004</b> , 93, 141601	7.4	10

141	Measurement of the ZZ production cross section in proton-proton collisions at ( $\sqrt{s}=8$ ) TeV using the $ZZ \rightarrow \mu\mu^+\nu\bar{\nu}$ and ( $ZZ \rightarrow \ell\ell^+\ell\ell^+\nu\bar{\nu}$ ) decay channels with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	9
140	Measurement of charged-particle distributions sensitive to the underlying event in ( $\sqrt{s}=13$ ) TeV proton-proton collisions with the ATLAS detector at the LHC. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	9
139	Search for supersymmetry in events with large missing transverse momentum, jets, and at least one tau lepton in 20 fb <sup>-1</sup> of ( $\sqrt{s}$ ) = 8 TeV proton-proton collision data with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	9
138	Search for a Standard Model Higgs boson in the mass range 200–800 GeV in the $H \rightarrow ZZ \rightarrow \mu\mu^+\nu\bar{\nu}$ decay channel with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2012</b> , 717, 70-88	4.2	9
137	Multivariate analysis methods in physics. <i>Physics of Particles and Nuclei</i> , <b>2007</b> , 38, 255-268	0.7	9
136	Measurement of the polar-angle distribution of leptons from W boson decay as a function of the W transverse momentum in pp collisions at $s=1.8$ TeV. <i>Physical Review D</i> , <b>2004</b> , 70,	4.9	9
135	Inclusive search for anomalous production of high-pT like-sign lepton pairs in pp collisions at square root $s = 1.8$ TeV. <i>Physical Review Letters</i> , <b>2004</b> , 93, 061802	7.4	9
134	$K^0$ mass and decay-width differences: CPLEAR evaluation. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>1999</b> , 471, 332-338	4.2	9
133	Bose-Einstein correlations in ( $\bar{p}p$ ) annihilations at rest. <i>Zeitschrift für Physik C-Particles and Fields</i> , <b>1994</b> , 63, 541-547		9
132	Search for new non-resonant phenomena in high-mass dilepton final states with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5.4	9
131	Measurements of the Higgs boson inclusive and differential fiducial cross sections in the $4(\ell\ell)$ decay channel at ( $\sqrt{s}$ ) = 13 TeV. <i>European Physical Journal C</i> , <b>2020</b> , 80, 1	4.2	9
130	Search for supersymmetry in final states with charm jets and missing transverse momentum in 13 TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	9
129	Search for pairs of scalar leptoquarks decaying into quarks and electrons or muons in ( $\sqrt{s}$ ) = 13 TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5.4	8
128	Beam-induced and cosmic-ray backgrounds observed in the ATLAS detector during the LHC 2012 proton-proton running period. <i>Journal of Instrumentation</i> , <b>2016</b> , 11, P05013-P05013	1	8
127	A measurement of the ratio of the W and Z cross sections with exactly one associated jet in pp collisions at $s=7$ TeV with ATLAS. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2012</b> , 708, 221-240	4.2	8
126	Search for contact interactions in dilepton events from pp collisions at . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2012</b> , 712, 40-58	4.2	8
125	Measurement of splitting scales in $\rightarrow$ events at [Formula: see text] with the ATLAS detector. <i>European Physical Journal C</i> , <b>2013</b> , 73, 2432	4.2	8
124	Search for new phenomena in events containing a same-flavour opposite-sign dilepton pair, jets, and large missing transverse momentum in [Formula: see text][Formula: see text][Formula: see text] collisions with the ATLAS detector. <i>European Physical Journal C</i> , <b>2017</b> , 77, 144	4.2	8

123	Search for new phenomena with large jet multiplicities and missing transverse momentum using large-radius jets and flavour-tagging at ATLAS in 13 TeV pp collisions. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	8
122	Measurement of the top-quark mass in the fully hadronic decay channel from ATLAS data at [Formula: see text]. <i>European Physical Journal C</i> , <b>2015</b> , 75, 158	4.2	8
121	System test of the ATLAS muon spectrometer in the H8 beam at the CERN SPS. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , <b>2008</b> , 593, 232-254	1.2	8
120	Diffusion Rates of <sup>51</sup> Cr, <sup>54</sup> Mn and <sup>59</sup> Fe in MnCr <sub>2</sub> O <sub>4</sub> and FeCr <sub>2</sub> O <sub>4</sub> Spinels. <i>Advances in Science and Technology</i> , <b>2006</b> , 46, 27-31	0.1	8
119	Measurement of the azimuthal angle distribution of leptons from W boson decays as a function of the W transverse momentum in pp collisions at s=1.8 TeV. <i>Physical Review D</i> , <b>2006</b> , 73,	4.9	8
118	Search for supersymmetric Higgs bosons in the di-tau decay mode in pp collisions at s=1.8 TeV. <i>Physical Review D</i> , <b>2005</b> , 72,	4.9	8
117	K <sup>0</sup> K <sup>0</sup> transitions monitored by strong interactions: a new determination of the KL <sub>S</sub> mass difference. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2001</b> , 503, 49-57	4.2	8
116	Evidence for (t $\bar{t}$ ) production in the multilepton final state in proton-proton collisions at (sqrt{s}=13) (text {TeV}) with the ATLAS detector. <i>European Physical Journal C</i> , <b>2020</b> , 80, 1	4.2	8
115	Measurements of top-quark pair spin correlations in the (emu) channel at (sqrt{s} = 13) TeV using pp collisions in the ATLAS detector. <i>European Physical Journal C</i> , <b>2020</b> , 80, 1	4.2	8
114	Search for new phenomena in events with two opposite-charge leptons, jets and missing transverse momentum in pp collisions at ( sqrt{mathrm{s}} ) = 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1	5.4	8
113	Search for heavy resonances decaying into a pair of Z bosons in the (ell <sup>+</sup> ell <sup>-</sup> ell <sup>+</sup> ell <sup>-</sup> ) and (ell <sup>+</sup> ell <sup>-</sup> nu $\bar{\nu}$ ) final states using 139 (mathrm {fb}^{-1}) of proton-proton collisions at (sqrt{s} = 13,)TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2021</b> , 81, 1	4.2	8
112	Search for charged Higgs bosons decaying into a top quark and a bottom quark at ( sqrt{mathrm{s}} ) = 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1	5.4	8
111	Search for the Standard Model Higgs boson produced by vector-boson fusion and decaying to bottom quarks in ( sqrt{s}=8 ) TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	8
110	Search for squarks and gluinos in final states with jets and missing transverse momentum using 139 fb $\bar{1}$ of ( sqrt{s} ) = 13 TeV pp collision data with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1	5.4	8
109	Prompt and non-prompt elliptic flow in Pb+Pb collisions at Tev with the ATLAS detector. <i>European Physical Journal C</i> , <b>2018</b> , 78, 784	4.2	8
108	Search for flavour-changing neutral current top-quark decays t -> qZ in proton-proton collisions at ( sqrt{s}=13 ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	8
107	Search for new phenomena in high-mass final states with a photon and a jet from collisions at = 13 TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2018</b> , 78, 102	4.2	7
106	Search for squarks and gluinos in events with hadronically decaying tau leptons, jets and missing transverse momentum in proton-proton collisions at [Formula: see text] TeV recorded with the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 683	4.2	7



105	Measurement of differential cross sections and $W^+/W^-$ cross-section ratios for W boson production in association with jets at ( $\sqrt{s}=8$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5-4	7
104	Search for large missing transverse momentum in association with one top-quark in proton-proton collisions at ( $\sqrt{s}$ ) = 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5-4	7
103	Measurement of the ( $\overline{t}\gamma$ ) production cross section in proton-proton collisions at ( $\sqrt{s}=8$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5-4	7
102	Measurements of top-quark pair to Z-boson cross-section ratios at ( $\sqrt{s}=13$ ) , 8, 7 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5-4	7
101	Search for direct top squark pair production in events with a Higgs or Z boson, and missing transverse momentum in ( $\sqrt{s}=13$ ) TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5-4	7
100	Search for new phenomena in a lepton plus high jet multiplicity final state with the ATLAS experiment using ( $\sqrt{s}=13$ ) TeV proton-proton collision data. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5-4	7
99	Studies of $Z\bar{t}t$ production in association with a high-mass dijet system in pp collisions at ( $\sqrt{s}=8$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5-4	7
98	Analysis of the $Wtb$ vertex from the measurement of triple-differential angular decay rates of single top quarks produced in the t-channel at ( $\sqrt{s}=8$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5-4	7
97	Search for scalar leptoquark pairs decaying to $lqq$ in pp collisions at $s=1.96$ TeV. <i>Physical Review D</i> , <b>2005</b> , 71,	4-9	7
96	Search for ZZ and ZW production in pp collisions at $s=1.96$ TeV. <i>Physical Review D</i> , <b>2005</b> , 71,	4-9	7
95	Cross section for forward $J/\psi$ production in pp collisions at $s=1.8$ TeV. <i>Physical Review D</i> , <b>2002</b> , 66,	4-9	7
94	Search for type-III seesaw heavy leptons in dilepton final states in pp collisions at ( $\sqrt{s} = 13, \text{TeV}$ ) with the ATLAS detector. <i>European Physical Journal C</i> , <b>2021</b> , 81, 1	4-2	7
93	Search for a heavy Higgs boson decaying into a Z boson and another heavy Higgs boson in the ( $\ell\ell b\bar{b}$ ) and ( $\ell\ell W\bar{W}$ ) final states in pp collisions at ( $\sqrt{s}=13$ ) ( $\text{TeV}$ ) with the ATLAS detector. <i>European Physical Journal C</i> , <b>2021</b> , 81, 1	4-2	7
92	Measurement of the [Formula: see text] dijet cross section in collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 670	4-2	7
91	Search for new phenomena in different-flavour high-mass dilepton final states in collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 541	4-2	7
90	Search for direct top squark pair production in final states with two tau leptons in collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 81	4-2	7
89	Measurements of WH and ZH production in the ( $H \rightarrow b\bar{b}$ ) decay channel in pp collisions at ( $13, \text{TeV}$ ) with the ATLAS detector. <i>European Physical Journal C</i> , <b>2021</b> , 81, 1	4-2	7
88	A new method to distinguish hadronically decaying boosted bosons from bosons using the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 238	4-2	6

87	Search for microscopic black holes and string balls in final states with leptons and jets with the ATLAS detector at ( $\sqrt{s}$ ) = 8 TeV. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	6
86	Measurements of charge and CP asymmetries in b-hadron decays using top-quark events collected by the ATLAS detector in pp collisions at ( $\sqrt{s}$ )=8 TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	6
85	Top-quark mass measurement in the all-hadronic ( $\overline{t}$ ) decay channel at ( $\sqrt{s}$ )=8 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	6
84	Search for supersymmetry with jets, missing transverse momentum and at least one hadronically decaying $\tilde{\nu}$ lepton in proton-proton collisions at $\sqrt{s}$ =7TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2012</b> , 714, 197-214	4.2	6
83	Search for contact interactions in dimuon events from pp collisions at $\sqrt{s}$ =7 TeV with the ATLAS detector. <i>Physical Review D</i> , <b>2011</b> , 84,	4.9	6
82	Study of the ATLAS MDT spectrometer using high energy CERN combined test beam data. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , <b>2009</b> , 598, 400-415	1.2	6
81	Search for ( $\overline{t}$ ) resonances in fully hadronic final states in pp collisions at ( $\sqrt{s}$ ) = 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5.4	6
80	Search for new phenomena with top quark pairs in final states with one lepton, jets, and missing transverse momentum in pp collisions at ( $\sqrt{s}$ ) = 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1	5.4	6
79	Search for new phenomena in final states with b-jets and missing transverse momentum in ( $\sqrt{s}$ ) = 13 TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1	5.4	6
78	Search for pair production of third-generation scalar leptoquarks decaying into a top quark and a lepton in pp collisions at ( $\sqrt{s}$ ) = 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1	5.4	6
77	Measurement of the ( $Z \rightarrow \nu \overline{\nu}$ ) production cross section in pp collisions at ( $\sqrt{s}$ )=13 TeV with the ATLAS detector and limits on anomalous triple gauge-boson couplings. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	6
76	Search for exclusive Higgs and Z boson decays to $\tau\tau$ and $\tau\nu$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	6
75	Measurement of jet activity produced in top-quark events with an electron, a muon and two -tagged jets in the final state in collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2017</b> , 77, 220	4.2	5
74	Measurement of differential cross-sections of a single top quark produced in association with a boson at with ATLAS. <i>European Physical Journal C</i> , <b>2018</b> , 78, 186	4.2	5
73	Measurement of b-hadron pair production with the ATLAS detector in proton-proton collisions at ( $\sqrt{s}$ )=8 TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	5
72	Measurement of four-jet differential cross sections in ( $\sqrt{s}$ )=8 TeV proton-proton collisions using the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1-76	5.4	5
71	Measurement of light-by-light scattering and search for axion-like particles with 2.2 nb of Pb+Pb data with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1	5.4	5
70	Search for pair production of scalar leptoquarks decaying into first- or second-generation leptons and top quarks in proton-proton collisions at ( $\sqrt{s}$ ) = 13 TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2021</b> , 81, 1	4.2	5

69	Measurement of event-shape observables in [Formula: see text] events in collisions at [Formula: see text] with the ATLAS detector at the LHC. <i>European Physical Journal C</i> , <b>2016</b> , 76, 375	4.2	5
68	Measurement of the relative width difference of the $(\overline{B}^0)$ system with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	5
67	Quality assessment of compressed and resized medical images based on pattern recognition using a convolutional neural network. <i>Communications in Nonlinear Science and Numerical Simulation</i> , <b>2021</b> , 95, 105582	3.7	5
66	Differential cross-section measurements for the electroweak production of dijets in association with a Z boson in proton-proton collisions at ATLAS. <i>European Physical Journal C</i> , <b>2021</b> , 81, 1	4.2	5
65	Search for dark matter in association with an energetic photon in pp collisions at $(\sqrt{s}) = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1	5.4	5
64	Measurement of colour flow using jet-pull observables in events with the ATLAS experiment at. <i>European Physical Journal C</i> , <b>2018</b> , 78, 847	4.2	5
63	Measurement of the inclusive and fiducial production cross-sections in the lepton+jets channel in collisions at with the ATLAS detector. <i>European Physical Journal C</i> , <b>2018</b> , 78, 487	4.2	5
62	Measurement of jet activity in top quark events using the e <sup>+</sup> final state with two b-tagged jets in pp collisions at $(\sqrt{s}=8)$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	4
61	The CPLEAR electromagnetic calorimeter. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , <b>1997</b> , 390, 293-320	1.2	4
60	Tracer diffusion of iron in $\beta$ -Mn <sub>1-y</sub> Si <sub>y</sub> polycrystals. <i>Solid State Communications</i> , <b>2001</b> , 117, 719-722	1.6	4
59	Search for heavy diboson resonances in semileptonic final states in pp collisions at $(\sqrt{s}=13)$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2020</b> , 80, 1	4.2	4
58	Alignment of the ATLAS Inner Detector in Run 2. <i>European Physical Journal C</i> , <b>2020</b> , 80, 1	4.2	4
57	Measurements of differential cross sections of top quark pair production in association with jets in pp collisions at $(\sqrt{s}=13)$ TeV using the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	4
56	Search for dark matter produced in association with a single top quark in $(\sqrt{s}=13)$ TeV (pp) collisions with the ATLAS detector. <i>European Physical Journal C</i> , <b>2021</b> , 81, 1	4.2	4
55	Measurement of polarisation in decays in proton-proton collisions at TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2018</b> , 78, 163	4.2	3
54	Measurement of the k <sub>t</sub> splitting scales in Z → l $\bar{l}$ events in pp collisions at $(\sqrt{s}=8)$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	3
53	Engineering for the ATLAS Semiconductor Tracker (SCT) End-cap. <i>Journal of Instrumentation</i> , <b>2008</b> , 3, P05002-P05002	1	3
52	Comparison of three-jet events in pp collisions at $s=1.8$ TeV to predictions from a next-to-leading order QCD calculation. <i>Physical Review D</i> , <b>2005</b> , 71,	4.9	3

51	Search for $B_0 \rightarrow p\bar{p}$ and $B_0 \rightarrow pK$ decays in $pp$ collisions at $\sqrt{s}=1.96$ TeV. <i>Physical Review D</i> , <b>2005</b> , 72,	4-9	3
50	Publisher's Note: Measurement of the $W$ boson polarization in top decay at CDF at $\sqrt{s}=1.8$ TeV [Phys. Rev. D 71, 031101 (2005)]. <i>Physical Review D</i> , <b>2005</b> , 71,	4-9	3
49	Inclusive measurement of $(\bar{p}p)$ annihilation at rest in gaseous hydrogen to final states containing $\bar{p}p$ . <i>Zeitschrift für Physik C-Particles and Fields</i> , <b>1995</b> , 65, 199-205		3
48	Determination of jet calibration and energy resolution in proton-proton collisions at $(\sqrt{s}) = 8\sqrt{2}$ (TeV) using the ATLAS detector. <i>European Physical Journal C</i> , <b>2020</b> , 80, 1	4-2	3
47	Measurement of the inclusive jet cross-section in proton-proton collisions at $(\sqrt{s}=7)$ TeV using 4.5 fb of data with the ATLAS detector <b>2015</b> , 2015, 1		3
46	Reconstruction and identification of boosted di- $\tau$ systems in a search for Higgs boson pairs using 13 TeV proton-proton collision data in ATLAS. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5-4	3
45	Search for doubly and singly charged Higgs bosons decaying into vector bosons in multi-lepton final states with the ATLAS detector using proton-proton collisions at $(\sqrt{\text{mathrm{s}}}) = 13$ TeV. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1	5-4	3
44	Measurement of hadronic event shapes in high- $p_T$ multijet final states at $(\sqrt{s}) = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1	5-4	3
43	Search for low-scale gravity signatures in multi-jet final states with the ATLAS detector at $(\sqrt{s}=8)$ TeV. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5-4	2
42	Measurement of the $(\overline{t}t)$ production cross-section using $(e\mu)$ events with $(b)$ -tagged jets in $(pp)$ collisions at $(\sqrt{s}=7)$ and 8 TeV with the ATLAS detector <b>2014</b> , 74, 1		2
41	Search for new phenomena in final states with an energetic jet and large missing transverse momentum in $pp$ collisions at $(\sqrt{s}=8\sqrt{2})$ TeV with the ATLAS detector <b>2015</b> , 75, 1		2
40	Search for R-parity-violating supersymmetry in a final state containing leptons and many jets with the ATLAS experiment using $(\sqrt{s} = 13\sqrt{2})$ (TeV) proton-proton collision data. <i>European Physical Journal C</i> , <b>2021</b> , 81, 1	4-2	2
39	Search for dark matter in events with missing transverse momentum and a Higgs boson decaying into two photons in $pp$ collisions at $(\sqrt{s}) = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1	5-4	2
38	Optimisation of large-radius jet reconstruction for the ATLAS detector in 13 TeV proton-proton collisions. <i>European Physical Journal C</i> , <b>2021</b> , 81, 1	4-2	2
37	Search for supersymmetry in events with four or more charged leptons in 139 fb of $(\sqrt{s}) = 13$ TeV $pp$ collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1	5-4	2
36	A search for an excited muon decaying to a muon and two jets in $pp$ collisions at $(\sqrt{s}=8)$ (TeV) with the ATLAS detector. <i>New Journal of Physics</i> , <b>2016</b> , 18, 073021	2-9	1
35	Measurement of the azimuthal ordering of charged hadrons with the ATLAS detector. <i>Physical Review D</i> , <b>2012</b> , 86,	4-9	1
34	Search for production of $(WW/WZ)$ resonances decaying to a lepton, neutrino and jets in $(pp)$ collisions at $(\sqrt{s}=8)$ TeV with the ATLAS detector <b>2015</b> , 75, 1		1

33	Measurement of the charge asymmetry in top-quark pair production in the lepton-plus-jets final state in pp collision data at ( $\sqrt{s}=8,\text{TeV}$ ) with the ATLAS detector <b>2016</b> , 76, 1		1
32	Measurement of the W-boson mass in pp collisions at ( $\sqrt{s}=7,\text{TeV}$ ) with the ATLAS detector <b>2018</b> , 78, 1		1
31	Search for doubly charged Higgs boson production in multi-lepton final states with the ATLAS detector using proton-proton collisions at ( $\sqrt{s}=13,\text{TeV}$ ) <b>2018</b> , 78, 1		1
30	Search for top squarks in events with a Higgs or Z boson using 139 fb <sup>-1</sup> of pp collision data at ( $\sqrt{s}=13$ ) TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2020</b> , 80, 1	4.2	1
29	Search for heavy resonances decaying into a W or Z boson and a Higgs boson in final states with leptons and b-jets in 36 fb <sup>-1</sup> of ( $\sqrt{s}=13$ ) TeV pp collisions with the ATLAS detector <b>2018</b> , 2018, 1		1
28	Search for Higgs boson production in association with a high-energy photon via vector-boson fusion with decay into bottom quark pairs at ( $\sqrt{s} = 13$ TeV) with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1	5.4	1
27	Determination of the parton distribution functions of the proton from ATLAS measurements of differential W and Z boson production in association with jets. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1	5.4	1
26	A search for the decays of stopped long-lived particles at ( $\sqrt{s} = 13$ TeV) with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1	5.4	1
25	Measurement of single top-quark production in association with a W boson in the single-lepton channel at ( $\sqrt{s} = 8,\text{TeV}$ ) with the ATLAS detector. <i>European Physical Journal C</i> , <b>2021</b> , 81, 1	4.2	1
24	Measurements of the inclusive and differential production cross sections of a top-quark-antiquark pair in association with a Z boson at ( $\sqrt{s} = 13$ ) TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2021</b> , 81, 1	4.2	1
23	Search for phenomena beyond the Standard Model in events with large b-jet multiplicity using the ATLAS detector at the LHC. <i>European Physical Journal C</i> , <b>2021</b> , 81, 1	4.2	1
22	Search for chargino-neutralino pair production in final states with three leptons and missing transverse momentum in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. <i>European Physical Journal C</i> , <b>2021</b> , 81, 1	4.2	1
21	Configuration and performance of the ATLAS b-jet triggers in Run 2. <i>European Physical Journal C</i> , <b>2021</b> , 81, 1	4.2	1
20	Determination of the parton distribution functions of the proton using diverse ATLAS data from pp collisions at $\sqrt{s} = 7, 8$ and 13 TeV. <i>European Physical Journal C</i> , <b>2022</b> , 82, 1	4.2	1
19	Performance of the ATLAS Level-1 topological trigger in Run 2. <i>European Physical Journal C</i> , <b>2022</b> , 82, 1	4.2	0
18	Search for exotic decays of the Higgs boson into $b\bar{b}$ and missing transverse momentum in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2022</b> , 2022, 1	5.4	0
17	Observation of electroweak production of two jets in association with an isolated photon and missing transverse momentum, and search for a Higgs boson decaying into invisible particles at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2022</b> , 82, 1	4.2	0
16	Measurement of the $t\bar{t}$ production cross section in pp collisions at ( $\sqrt{s} = 13$ TeV) with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1	5.4	0



15	Measurements of $W+W\bar{W}$ jet production cross-sections in pp collisions at $(\sqrt{s}) = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1	5.4	○
14	Measurements of Higgs bosons decaying to bottom quarks from vector boson fusion production with the ATLAS experiment at $(\sqrt{s}=13,\text{TeV})$ . <i>European Physical Journal C</i> , <b>2021</b> , 81, 1	4.2	○
13	Measurements of differential cross-sections in four-lepton events in 13 TeV proton-proton collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1	5.4	○
12	Search for squarks and gluinos in final states with one isolated lepton, jets, and missing transverse momentum at $(\sqrt{s}=13)$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2021</b> , 81, 1	4.2	○
11	Search for Higgs bosons decaying into new spin-0 or spin-1 particles in four-lepton final states with the ATLAS detector with 139 fb of pp collision data at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , <b>2022</b> , 2022, 1	5.4	○
10	AtlFast3: The Next Generation of Fast Simulation in ATLAS. <i>Computing and Software for Big Science</i> , <b>2022</b> , 6, 1	6	○
9	Measurement of the energy response of the ATLAS calorimeter to charged pions from $W^{\pm} \rightarrow \tau^{\pm} \rightarrow \pi^{\pm} \nu_{\tau}$ events in Run 2 data. <i>European Physical Journal C</i> , <b>2022</b> , 82, 1	4.2	○
8	Search for dark matter produced in association with a Standard Model Higgs boson decaying into b-quarks using the full Run 2 dataset from the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1	5.4	○
7	Measurement of the production cross section of pairs of isolated photons in pp collisions at 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1	5.4	○
6	Search for exotic decays of the Higgs boson into long-lived particles in pp collisions at $\sqrt{s} = 13$ TeV using displaced vertices in the ATLAS inner detector. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1	5.4	○
5	Measurement of b-quark fragmentation properties in jets using the decay $B^{\pm} \rightarrow J/\psi K^{\pm}$ in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1	5.4	○
4	Transport Properties of $\mu$ -MnS, Comparison of Different Techniques. <i>Defect and Diffusion Forum</i> , <b>2001</b> , 194-199, 1731-1736	0.7	
3	Recent results of the CPLEAR experiment. <i>Nuclear Physics A</i> , <b>1993</b> , 558, 437-447	1.3	
2	DNN Based Prototype of the Track Reconstruction Algorithm for the MUonE Experiment. <i>Lecture Notes in Networks and Systems</i> , <b>2022</b> , 202-205	0.5	
1	The ATLAS inner detector trigger performance in pp collisions at 13 TeV during LHC Run 2. <i>European Physical Journal C</i> , <b>2022</b> , 82, 1	4.2	