

Rod Bremner

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2004851/publications.pdf>

Version: 2024-02-01

87
papers

4,654
citations

126708

33
h-index

106150

65
g-index

97
all docs

97
docs citations

97
times ranked

5874
citing authors

#	ARTICLE	IF	CITATIONS
1	Cell-specific effects of RB or RB/p107 loss on retinal development implicate an intrinsically death-resistant cell-of-origin in retinoblastoma. <i>Cancer Cell</i> , 2004, 5, 539-551.	7.7	275
2	Genetic changes in skin tumor progression: Correlation between presence of a mutant ras gene and loss of heterozygosity on mouse chromosome 7. <i>Cell</i> , 1990, 61, 407-417.	13.5	263
3	VSX1: A gene for posterior polymorphous dystrophy and keratoconus. <i>Human Molecular Genetics</i> , 2002, 11, 1029-1036.	1.4	249
4	E2f1â€³ switch from activators in progenitor cells to repressors in differentiating cells. <i>Nature</i> , 2009, 462, 930-934.	13.7	208
5	The search for the retinoblastoma cell of origin. <i>Nature Reviews Cancer</i> , 2005, 5, 91-101.	12.8	201
6	Noninvasive, In Vivo Assessment of Mouse Retinal Structure Using Optical Coherence Tomography. <i>PLoS ONE</i> , 2009, 4, e7507.	1.1	183
7	Single-Cell Analysis of Human Retina Identifies Evolutionarily Conserved and Species-Specific Mechanisms Controlling Development. <i>Developmental Cell</i> , 2020, 53, 473-491.e9.	3.1	170
8	Involvement of Retinoblastoma Family Members and E2F/DP Complexes in the Death of Neurons Evoked by DNA Damage. <i>Journal of Neuroscience</i> , 2000, 20, 3104-3114.	1.7	146
9	Division and apoptosis of E2f-deficient retinal progenitors. <i>Nature</i> , 2009, 462, 925-929.	13.7	132
10	Loss of heterozygosity and mutational alterations of the p53 gene in skin tumours of interspecific hybrid mice. <i>Oncogene</i> , 1991, 6, 2363-9.	2.6	127
11	Retinoblastoma: the disease, gene and protein provide critical leads to understand cancer. <i>Seminars in Cancer Biology</i> , 2000, 10, 255-269.	4.3	120
12	Rapid, High Level Protein Production Using DNA-based Semliki Forest Virus Vectors. <i>Journal of Biological Chemistry</i> , 1998, 273, 18060-18066.	1.6	104
13	Interferon-gamma-induced chromatin remodeling at the CIITA locus is BRG1 dependent. <i>EMBO Journal</i> , 2002, 21, 1978-1986.	3.5	99
14	Chx10 is required to block photoreceptor differentiation but is dispensable for progenitor proliferation in the postnatal retina. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006, 103, 4988-4993.	3.3	96
15	The chromatin-remodeling enzyme BRG1 coordinates CIITA induction through many interdependent distal enhancers. <i>Nature Immunology</i> , 2008, 9, 785-793.	7.0	95
16	Deletion of RBExons 24 and 25 Causes Low-Penetrance Retinoblastoma. <i>American Journal of Human Genetics</i> , 1997, 61, 556-570.	2.6	92
17	CpG Island microarray probe sequences derived from a physical library are representative of CpG Islands annotated on the human genome. <i>Nucleic Acids Research</i> , 2005, 33, 2952-2961.	6.5	89
18	Apical role for BRG1 in cytokine-induced promoter assembly. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005, 102, 14611-14616.	3.3	87

#	ARTICLE	IF	CITATIONS
19	Binary pan-cancer classes with distinct vulnerabilities defined by pro- or anti-cancer YAP/TEAD activity. <i>Cancer Cell</i> , 2021, 39, 1115-1134.e12.	7.7	86
20	Retinoic acid receptor-related orphan receptor β regulates a subset of cone genes during mouse retinal development. <i>Journal of Neurochemistry</i> , 2009, 108, 91-101.	2.1	82
21	Unique Requirement for Rb/E2F3 in Neuronal Migration: Evidence for Cell Cycle-Independent Functions. <i>Molecular and Cellular Biology</i> , 2007, 27, 4825-4843.	1.1	80
22	Rb-Mediated Neuronal Differentiation through Cell-Cycle-Independent Regulation of E2f3a. <i>PLoS Biology</i> , 2007, 5, e179.	2.6	79
23	Maximizing Functional Photoreceptor Differentiation From Adult Human Retinal Stem Cells. <i>Stem Cells</i> , 2010, 28, 489-500.	1.4	70
24	Established and new mouse models reveal E2f1 and Cdk2 dependency of retinoblastoma, and expose effective strategies to block tumor initiation. <i>Oncogene</i> , 2012, 31, 5019-5028.	2.6	59
25	Modifying Lipid Rafts Promotes Regeneration and Functional Recovery. <i>Cell Reports</i> , 2014, 8, 1146-1159.	2.9	58
26	A rapid and efficient method to purify proteins at replication forks under native conditions. <i>BioTechniques</i> , 2013, 55, 204-206.	0.8	55
27	A glucose meter interface for point-of-care gene circuit-based diagnostics. <i>Nature Communications</i> , 2021, 12, 724.	5.8	54
28	Transcriptional Activity of the Paired-like Homeodomain Proteins CHX10 and VSX1. <i>Journal of Biological Chemistry</i> , 2005, 280, 10100-10108.	1.6	53
29	CHX10 Targets a Subset of Photoreceptor Genes. <i>Journal of Biological Chemistry</i> , 2006, 281, 744-751.	1.6	51
30	Association of reading disabilities with regions marked by acetylated H3 histones in KIAA0319. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2010, 153B, 447-462.	1.1	50
31	Unraveling the Function of the Retinoblastoma Gene. <i>Advances in Cancer Research</i> , 1993, 61, 115-141.	1.9	49
32	A G ₁ Checkpoint Mediated by the Retinoblastoma Protein That Is Dispensable in Terminal Differentiation but Essential for Senescence. <i>Molecular and Cellular Biology</i> , 2010, 30, 948-960.	1.1	48
33	CDK/cyclin dependencies define extreme cancer cell-cycle heterogeneity and collateral vulnerabilities. <i>Cell Reports</i> , 2022, 38, 110448.	2.9	48
34	Brahma-Related Gene 1-Dependent STAT3 Recruitment at IL-6-Inducible Genes. <i>Journal of Immunology</i> , 2007, 178, 345-351.	0.4	41
35	Properties of STAT1 and IRF1 enhancers and the influence of SNPs. <i>BMC Molecular Biology</i> , 2017, 18, 6.	3.0	36
36	Pou2f1 and Pou2f2 cooperate to control the timing of cone photoreceptor production in the developing mouse retina. <i>Development (Cambridge)</i> , 2020, 147, .	1.2	34

#	ARTICLE	IF	CITATIONS
37	A multiplexed, next generation sequencing platform for high-throughput detection of SARS-CoV-2. Nature Communications, 2021, 12, 1405.	5.8	33
38	Photoreceptor nanotubes mediate the <i>in vivo</i> exchange of intracellular material. EMBO Journal, 2021, 40, e107264.	3.5	33
39	Retinoblastoma Protein Purification and Transduction of Retina and Retinoblastoma Cells Using Improved Alphavirus Vectors. , 2004, 45, 3320.		32
40	Insights from Animal Models on the Origins and Progression of Retinoblastoma. Current Molecular Medicine, 2006, 6, 759-781.	0.6	32
41	Retinal degeneration depends on Bmi1 function and reactivation of cell cycle proteins. Proceedings of the National Academy of Sciences of the United States of America, 2013, 110, E593-601.	3.3	32
42	A CDK2 activity signature predicts outcome in CDK2-low cancers. Oncogene, 2017, 36, 2491-2502.	2.6	32
43	Preclinical studies reveal MLN4924 is a promising new retinoblastoma therapy. Cell Death Discovery, 2020, 6, 2.	2.0	32
44	The origin of human retinoblastoma. Nature, 2014, 514, 313-313.	13.7	30
45	Cancer Cells Hijack PRC2 to Modify Multiple Cytokine Pathways. PLoS ONE, 2015, 10, e0126466.	1.1	29
46	Mapping differentiation kinetics in the mouse retina reveals an extensive period of cell cycle protein expression in postmitotic newborn neurons. Developmental Dynamics, 2012, 241, 1525-1544.	0.8	27
47	FAT4 Fine-Tunes Kidney Development by Regulating RET Signaling. Developmental Cell, 2019, 48, 780-792.e4.	3.1	27
48	Induction of different genetic changes by different classes of chemical carcinogens during progression of mouse skin tumors. Molecular Carcinogenesis, 1994, 11, 90-97.	1.3	26
49	Functional genomics identifies new synergistic therapies for retinoblastoma. Oncogene, 2020, 39, 5338-5357.	2.6	26
50	pRB is required for interferon- β -induction of the MHC class II $A\beta$ gene. Oncogene, 1999, 18, 4940-4947.	2.6	25
51	Direct and indirect effects of hedgehog pathway activation in the mammalian retina. Molecular and Cellular Neurosciences, 2006, 32, 274-282.	1.0	25
52	E2f2 induces cone photoreceptor apoptosis independent of E2f1 and E2f3. Cell Death and Differentiation, 2013, 20, 931-940.	5.0	25
53	The RB Protein Family in Retinal Development and Retinoblastoma: New Insights from New Mouse Models. Developmental Neuroscience, 2004, 26, 417-434.	1.0	24
54	Insights from Animal Models on the Origins and Progression of Retinoblastoma. Current Molecular Medicine, 2006, 6, 759-781.	0.6	23

#	ARTICLE	IF	CITATIONS
55	Extracellular phosphorylation drives the formation of neuronal circuitry. <i>Nature Chemical Biology</i> , 2019, 15, 1035-1042.	3.9	22
56	Comparison of SARS-CoV-2 indirect and direct RT-qPCR detection methods. <i>Virology Journal</i> , 2021, 18, 99.	1.4	22
57	A rapid simple approach to quantify chromosome conformation capture. <i>Nucleic Acids Research</i> , 2009, 37, e35-e35.	6.5	21
58	Murine cytomegalovirus paralyzes macrophages by blocking IFN α -induced promoter assembly. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2003, 100, 14309-14314.	3.3	20
59	Histone Deacetylases and the Nuclear Receptor Corepressor Regulate Lytic-Latent Switch Gene 50 in Murine Gammaherpesvirus 68-Infected Macrophages. <i>Journal of Virology</i> , 2010, 84, 12039-12047.	1.5	19
60	Retinoblastoma, an Inside Job. <i>Cell</i> , 2009, 137, 992-994.	13.5	18
61	Induction of the ganglion cell differentiation program in human retinal progenitors before cell cycle exit. <i>Developmental Dynamics</i> , 2014, 243, 712-729.	0.8	18
62	Polycomb Repressive Complex 2 Confers BRG1 Dependency on the <i>CIITA</i> Locus. <i>Journal of Immunology</i> , 2015, 194, 5007-5013.	0.4	17
63	Multicenter international assessment of a SARS-CoV-2 RT-LAMP test for point of care clinical application. <i>PLoS ONE</i> , 2022, 17, e0268340.	1.1	15
64	Induction of P815 tumor immunity by DNA-based recombinant Semliki Forest virus or replicon DNA expressing the P1A gene. <i>Cancer Detection and Prevention</i> , 2004, 28, 418-425.	2.1	14
65	Neogenin neutralization prevents photoreceptor loss in inherited retinal degeneration. <i>Journal of Clinical Investigation</i> , 2020, 130, 2054-2068.	3.9	14
66	Genetic changes during mouse skin tumorigenesis.. <i>Environmental Health Perspectives</i> , 1991, 93, 41-44.	2.8	13
67	Hypophosphorylated pRb knock-in mice exhibit hallmarks of aging and vitamin C-preventable diabetes. <i>EMBO Journal</i> , 2022, 41, e106825.	3.5	13
68	The double-stranded RNA-binding protein Staufien 2 regulates eye size. <i>Molecular and Cellular Neurosciences</i> , 2012, 51, 101-111.	1.0	11
69	The NEMP family supports metazoan fertility and nuclear envelope stiffness. <i>Science Advances</i> , 2020, 6, eabb4591.	4.7	11
70	Targeting the Ubiquitin-Proteasome System Using the UBA1 Inhibitor TAK-243 is a Potential Therapeutic Strategy for Small-Cell Lung Cancer. <i>Clinical Cancer Research</i> , 2022, 28, 1966-1978.	3.2	11
71	Interferon-Dependent Induction of Clr-b during Mouse Cytomegalovirus Infection Protects Bystander Cells from Natural Killer Cells via NKR-P1B-Mediated Inhibition. <i>Journal of Innate Immunity</i> , 2017, 9, 343-358.	1.8	9
72	Rb1/Rbl1/Vhl loss induces mouse subretinal angiomatous proliferation and hemangioblastoma. <i>JCI Insight</i> , 2019, 4, .	2.3	9

#	ARTICLE	IF	CITATIONS
73	Subretinal gene delivery using helper-dependent adenoviral vectors. <i>Cell and Bioscience</i> , 2011, 1, 15.	2.1	8
74	InVision: An optimized tissue clearing approach for three-dimensional imaging and analysis of intact rodent eyes. <i>iScience</i> , 2021, 24, 102905.	1.9	8
75	CDKN1C (p57KIP2)mRNA expression in human retinoblastomas. <i>Ophthalmic Genetics</i> , 2010, 31, 141-146.	0.5	7
76	Rb is required for retinal angiogenesis and lamination. <i>Cell Death and Disease</i> , 2018, 9, 370.	2.7	7
77	Frequent interferon regulatory factor 1 (IRF1) binding at remote elements without histone modification. <i>Journal of Biological Chemistry</i> , 2018, 293, 10353-10362.	1.6	6
78	A revised map position for the Ha-ras gene on mouse chromosome 7: Implications for analysis of genetic alterations in rodent tumors. <i>Molecular Carcinogenesis</i> , 1993, 7, 147-150.	1.3	5
79	Peptides derived from the dependence receptor ALK are proapoptotic for ALK-positive tumors. <i>Cell Death and Disease</i> , 2015, 6, e1736-e1736.	2.7	5
80	Identification of the SLAM Adapter Molecule EAT-2 as a Lupus-Susceptibility Gene That Acts through Impaired Negative Regulation of Dendritic Cell Signaling. <i>Journal of Immunology</i> , 2015, 195, 4623-4631.	0.4	4
81	Mapping transgene insertion sites reveals the $\hat{\pm}$ -Cre transgene expression in both developing retina and olfactory neurons. <i>Communications Biology</i> , 2022, 5, 411.	2.0	2
82	Correspondence. <i>Retina</i> , 2005, 25, 950-951.	1.0	1
83	Simplifying cancer: binary pan-cancer superclasses stratified by opposite YAP/TEAD effects. <i>Molecular and Cellular Oncology</i> , 2021, 8, 1981111.	0.3	1
84	Lentiviral-mediated ectopic expression of YAP and TAZ in YAPoff cancer cell lines. <i>STAR Protocols</i> , 2021, 2, 100870.	0.5	1
85	Induction of the ganglion cell differentiation program in human retinal progenitors before cell cycle exit. <i>Developmental Dynamics</i> , 2014, 243, C1-C1.	0.8	0
86	Transcriptional regulation of cone photoreceptor development. <i>IBRO Reports</i> , 2019, 6, S20-S21.	0.3	0
87	Abstract 2590: A novel use of E2f and Cdk inhibitors to preventRB-null tumours in genetically engineered models of retinoblastoma. , 2012, , .		0