

Hans Flaatten

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/2005633/hans-flaatten-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

141
papers

4,438
citations

35
h-index

62
g-index

215
ext. papers

5,635
ext. citations

5.5
avg, IF

5.56
L-index

#	Paper	IF	Citations
141	Increased 30-day mortality in very old ICU patients with COVID-19 compared to patients with respiratory failure without COVID-19.. <i>Intensive Care Medicine</i> , 2022 , 48, 435	14.5	1
140	The association of the Activities of Daily Living and the outcome of old intensive care patients suffering from COVID-19.. <i>Annals of Intensive Care</i> , 2022 , 12, 26	8.9	0
139	Time-dependent uncertainty of critical care transitions in very old patients - lessons for time-limited trials. <i>Journal of Critical Care</i> , 2022 , 71, 154067	4	1
138	The relationship between treatment limitations and pressure on intensive care units in elderly patients. <i>Intensive Care Medicine</i> , 2021 , 1	14.5	2
137	Lactate is associated with mortality in very old intensive care patients suffering from COVID-19: results from an international observational study of 2860 patients. <i>Annals of Intensive Care</i> , 2021 , 11, 128	8.9	5
136	Differences in mortality in critically ill elderly patients during the second COVID-19 surge in Europe. <i>Critical Care</i> , 2021 , 25, 344	10.8	3
135	The importance of revealing data on limitation of life sustaining therapy in critical ill elderly Covid-19 patients. <i>Journal of Critical Care</i> , 2021 , 67, 147-148	4	0
134	Association between tracheostomy timing and outcomes for older critically ill COVID-19 patients: prospective observational study in European intensive care units.. <i>British Journal of Anaesthesia</i> , 2021 ,	5.4	5
133	Management and outcomes in critically ill nonagenarian versus octogenarian patients. <i>BMC Geriatrics</i> , 2021 , 21, 576	4.1	1
132	Mortality of Older Patients Admitted to an ICU: A Systematic Review. <i>Critical Care Medicine</i> , 2021 , 49, 324-334	1.4	10
131	Propensity-Adjusted Comparison of Mortality of Elderly Versus Very Elderly Ventilated Patients. <i>Respiratory Care</i> , 2021 , 66, 814-821	2.1	1
130	Frailty is associated with long-term outcome in patients with sepsis who are over 80 years old: results from an observational study in 241 European ICUs. <i>Age and Ageing</i> , 2021 , 50, 1719-1727	3	8
129	The impact of frailty on survival in elderly intensive care patients with COVID-19: the COVIP study. <i>Critical Care</i> , 2021 , 25, 149	10.8	30
128	Frailty and survival in elderly intensive care patients in Norway. <i>Acta Anaesthesiologica Scandinavica</i> , 2021 , 65, 1065-1072	1.9	0
127	Provision of critical care for the elderly in Europe: a retrospective comparison of national healthcare frameworks in intensive care units. <i>BMJ Open</i> , 2021 , 11, e046909	3	2
126	Steroid use in elderly critically ill COVID-19 patients. <i>European Respiratory Journal</i> , 2021 , 58,	13.6	6
125	Relationship between the Clinical Frailty Scale and short-term mortality in patients ≥80 years old acutely admitted to the ICU: a prospective cohort study. <i>Critical Care</i> , 2021 , 25, 231	10.8	4

124	Inhibitors of the renin-angiotensin-aldosterone system and COVID-19 in critically ill elderly patients. <i>European Heart Journal - Cardiovascular Pharmacotherapy</i> , 2021 , 7, 76-77	6.4	12
123	Elderly Patients in the Intensive Care Unit. <i>Seminars in Respiratory and Critical Care Medicine</i> , 2021 , 42, 10-19	3.9	4
122	Comment on: Rethinking ICU readmission and timelimited trial in the contingency capacity. <i>Journal of Critical Care</i> , 2021 ,	4	
121	The impact of end-of-life care on ICU outcome. <i>Intensive Care Medicine</i> , 2021 , 47, 624-625	14.5	5
120	Reliability of the Clinical Frailty Scale in very elderly ICU patients: a prospective European study. <i>Annals of Intensive Care</i> , 2021 , 11, 22	8.9	20
119	ICU-Mortality in Old and Very Old Patients Suffering From Sepsis and Septic Shock. <i>Frontiers in Medicine</i> , 2021 , 8, 697884	4.9	1
118	Multifaceted intervention including Facebook-groups to improve guideline-adherence in ICU: A quasi-experimental interrupted time series study. <i>Acta Anaesthesiologica Scandinavica</i> , 2021 , 65, 1466-1474	1.9	0
117	Early evaluation of organ failure using MELD-XI in critically ill elderly COVID-19 patients. <i>Clinical Hemorheology and Microcirculation</i> , 2021 , 79, 109-120	2.5	0
116	A descriptive study of the surge response and outcomes of ICU patients with COVID-19 during first wave in Nordic countries. <i>Acta Anaesthesiologica Scandinavica</i> , 2021 ,	1.9	2
115	The management of multi-morbidity in elderly patients: Ready yet for precision medicine in intensive care?. <i>Critical Care</i> , 2021 , 25, 330	10.8	2
114	The wave of very old people in the intensive care unit-A challenge in decision-making. <i>Journal of Critical Care</i> , 2020 , 60, 290-293	4	4
113	Frailty assessment in very old intensive care patients: the Hospital Frailty Risk Score answers another question. <i>Intensive Care Medicine</i> , 2020 , 46, 1514-1515	14.5	3
112	Clinical Efficacy of Combined Surgical Patient Safety System and the World Health Organization's Checklists in Surgery: A Nonrandomized Clinical Trial. <i>JAMA Surgery</i> , 2020 , 155, 562-570	5.4	8
111	The good, the bad and the ugly: pandemic priority decisions and triage. <i>Journal of Medical Ethics</i> , 2020 ,	2.5	16
110	Outcomes after percutaneous dilatation tracheostomy: Patients view 6 years after the procedure. <i>Acta Anaesthesiologica Scandinavica</i> , 2020 , 64, 798-802	1.9	2
109	Early diagnosis of sepsis in emergency departments, time to treatment, and association with mortality: An observational study. <i>PLoS ONE</i> , 2020 , 15, e0227652	3.7	28
108	Sepsis at ICU admission does not decrease 30-day survival in very old patients: a post-hoc analysis of the VIP1 multinational cohort study. <i>Annals of Intensive Care</i> , 2020 , 10, 56	8.9	8
107	The Post-ICU Syndrome, History and Definition. <i>Lessons From the ICU</i> , 2020 , 3-12	0.1	1

106	The contribution of frailty, cognition, activity of daily life and comorbidities on outcome in acutely admitted patients over 80 years in European ICUs: the VIP2 study. <i>Intensive Care Medicine</i> , 2020 , 46, 57-69	14.5	101
105	Endotoxin Removal in Septic Shock with the Alteco LPS Adsorber Was Safe But Showed no Benefit Compared to Placebo in the Double-Blind Randomized Controlled Trial-the Asset Study. <i>Shock</i> , 2020 , 54, 224-231	3.4	5
104	Comments to "Frailty is associated with hospital readmission in geriatric patients: a prognostic study" : Assessment of frailty in geriatric patients: let's keep it simple. <i>European Geriatric Medicine</i> , 2020 , 11, 885-886	3	
103	Therapy limitation in octogenarians in German intensive care units is associated with a longer length of stay and increased 30 days mortality: A prospective multicenter study. <i>Journal of Critical Care</i> , 2020 , 60, 58-63	4	2
102	Sex-specific outcome disparities in very old patients admitted to intensive care medicine: a propensity matched analysis. <i>Scientific Reports</i> , 2020 , 10, 18671	4.9	5
101	Less is more in modern ICU: blessings and traps of treatment limitation. <i>Intensive Care Medicine</i> , 2020 , 46, 110-112	14.5	3
100	Huge variation in obtaining ethical permission for a non-interventional observational study in Europe. <i>BMC Medical Ethics</i> , 2019 , 20, 39	2.9	13
99	A comparison of very old patients admitted to intensive care unit after acute versus elective surgery or intervention. <i>Journal of Critical Care</i> , 2019 , 52, 141-148	4	21
98	Cumulative Prognostic Score Predicting Mortality in Patients Older Than 80 Years Admitted to the ICU. <i>Journal of the American Geriatrics Society</i> , 2019 , 67, 1263-1267	5.6	15
97	How Does Frailty Affect ICU Outcome?. <i>Current Anesthesiology Reports</i> , 2019 , 9, 144-150	1	4
96	The hospital frailty risk score is of limited value in intensive care unit patients. <i>Critical Care</i> , 2019 , 23, 239	10.8	21
95	Use of social media for communicating about critical care topics: A Norwegian cross-sectional survey. <i>Acta Anaesthesiologica Scandinavica</i> , 2019 , 63, 1398-1405	1.9	3
94	Validation of the clinical frailty score (CFS) in French language. <i>BMC Geriatrics</i> , 2019 , 19, 322	4.1	17
93	Accuracy of surgical complication rate estimation using ICD-10 codes. <i>British Journal of Surgery</i> , 2019 , 106, 236-244	5.3	11
92	Understanding cardiovascular physiology of ageing. <i>Intensive Care Medicine</i> , 2018 , 44, 932-935	14.5	4
91	Should this elderly patient be admitted to the ICU?. <i>Intensive Care Medicine</i> , 2018 , 44, 1926-1928	14.5	19
90	Attitudes of physicians towards the care of critically ill elderly patients - a European survey. <i>Acta Anaesthesiologica Scandinavica</i> , 2018 , 62, 207-219	1.9	20
89	Frailty is associated with an increased mortality among patients ≥80 years old treated in Polish ICUs. <i>Anesthesiology Intensive Therapy</i> , 2018 , 50, 245-251	1.7	9

88	Caring for the critically ill patients over 80: a narrative review. <i>Annals of Intensive Care</i> , 2018 , 8, 114	8.9	52
87	Withholding or withdrawing of life-sustaining therapy in older adults (≥80years) admitted to the intensive care unit. <i>Intensive Care Medicine</i> , 2018 , 44, 1027-1038	14.5	62
86	An observational study of community-acquired severe sepsis comparing intensive care and non-intensive care patients. <i>Acta Anaesthesiologica Scandinavica</i> , 2017 , 61, 194-204	1.9	4
85	The status of intensive care medicine research and a future agenda for very old patients in the ICU. <i>Intensive Care Medicine</i> , 2017 , 43, 1319-1328	14.5	115
84	Long-Term Outcomes After ICU Admission Triage in Octogenarians. <i>Critical Care Medicine</i> , 2017 , 45, e363-437133	14.5	33
83	Adverse events and in-hospital mortality: an analysis of all deaths in a Norwegian health trust during 2011. <i>BMC Health Services Research</i> , 2017 , 17, 465	2.9	13
82	Costs and expected gain in lifetime health from intensive care versus general ward care of 30,712 individual patients: a distribution-weighted cost-effectiveness analysis. <i>Critical Care</i> , 2017 , 21, 220	10.8	15
81	Effects of external inspection on sepsis detection and treatment: a study protocol for a quasiexperimental study with a stepped-wedge design. <i>BMJ Open</i> , 2017 , 7, e016213	3	7
80	The impact of frailty on ICU and 30-day mortality and the level of care in very elderly patients (≥80years). <i>Intensive Care Medicine</i> , 2017 , 43, 1820-1828	14.5	184
79	Abdominal Septic Shock - Endotoxin Adsorption Treatment (ASSET) - endotoxin removal in abdominal and urogenital septic shock with the Alteco LPS Adsorber: study protocol for a double-blinded, randomized placebo-controlled trial. <i>Trials</i> , 2016 , 17, 587	2.8	11
78	Understanding medical errors and adverse events in ICU patients. <i>Intensive Care Medicine</i> , 2016 , 42, 107-114	14.5	18
77	Great variation between ICU physicians in the approach to making end-of-life decisions. <i>Acta Anaesthesiologica Scandinavica</i> , 2016 , 60, 476-84	1.9	1
76	Long-Term Outcomes After Intensive Care 2016 , 825-835		
75	Hyperemesis gravidarum, nutritional treatment by nasogastric tube feeding: a 10-year retrospective cohort study. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2015 , 94, 359-67	3.8	27
74	Long-term survival and quality of life after intensive care for patients 80 years of age or older. <i>Annals of Intensive Care</i> , 2015 , 5, 53	8.9	41
73	Norwegian PUQE (Pregnancy-Unique Quantification of Emesis and nausea) identifies patients with hyperemesis gravidarum and poor nutritional intake: a prospective cohort validation study. <i>PLoS ONE</i> , 2015 , 10, e0119962	3.7	45
72	Cognitive function and health-related quality of life four years after cardiac arrest. <i>Resuscitation</i> , 2015 , 89, 13-8	4	37
71	Age, risk, and life expectancy in Norwegian intensive care: a registry-based population modelling study. <i>PLoS ONE</i> , 2015 , 10, e0125907	3.7	7

70	A calibration study of SAPS II with Norwegian intensive care registry data. <i>Acta Anaesthesiologica Scandinavica</i> , 2014 , 58, 701-8	1.9	12
69	Cognitive effects of hospital calls in anaesthesiologists. <i>Acta Anaesthesiologica Scandinavica</i> , 2014 , 58, 177-84	1.9	5
68	Metabolic alkalosis is the most common acid-base disorder in ICU patients. <i>Critical Care</i> , 2014 , 18, 420	10.8	14
67	Aetiology, antimicrobial therapy and outcome of patients with community acquired severe sepsis: a prospective study in a Norwegian university hospital. <i>BMC Infectious Diseases</i> , 2014 , 14, 121	4	25
66	Impact of night shifts on laparoscopic skills and cognitive function among gynecologists. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2014 , 93, 1255-61	3.8	12
65	Necrotizing soft tissue infections caused by <i>Streptococcus pyogenes</i> and <i>Streptococcus dysgalactiae</i> subsp. <i>equisimilis</i> of groups C and G in western Norway. <i>Clinical Microbiology and Infection</i> , 2013 , 19, E545-50	9.5	49
64	Answer to Dr Alexey Schamko. <i>Acta Anaesthesiologica Scandinavica</i> , 2013 , 57, 810	1.9	
63	The present use of quality indicators in the intensive care unit. <i>Acta Anaesthesiologica Scandinavica</i> , 2012 , 56, 1078-83	1.9	44
62	The variability of critical care bed numbers in Europe. <i>Intensive Care Medicine</i> , 2012 , 38, 1647-53	14.5	388
61	Prospectively defined indicators to improve the safety and quality of care for critically ill patients: a report from the Task Force on Safety and Quality of the European Society of Intensive Care Medicine (ESICM). <i>Intensive Care Medicine</i> , 2012 , 38, 598-605	14.5	156
60	Clinical Validation of Cambridge Neuropsychological Test Automated Battery in a Norwegian Epilepsy Population. <i>Journal of Behavioral and Brain Science</i> , 2012 , 02, 108-116	0.3	20
59	Cognitive impairments after critical illness. <i>Acta Anaesthesiologica Scandinavica</i> , 2011 , 55, 1044-51	1.9	32
58	Propofol treatment in adult refractory status epilepticus. Mortality risk and outcome. <i>Epilepsy Research</i> , 2011 , 94, 53-60	3	54
57	Time trends in incidence, etiology, and case fatality rate of the first attack of acute pancreatitis. <i>Scandinavian Journal of Gastroenterology</i> , 2011 , 46, 1389-98	2.4	41
56	Impact of the post-World War II generation on intensive care needs in Norway. <i>Acta Anaesthesiologica Scandinavica</i> , 2010 , 54, 479-84	1.9	33
55	Cognitive dysfunction and health-related quality of life after a cardiac arrest and therapeutic hypothermia. <i>Acta Anaesthesiologica Scandinavica</i> , 2010 , 54, 721-8	1.9	65
54	Intensive care diaries reduce new onset post traumatic stress disorder following critical illness: a randomised, controlled trial. <i>Critical Care</i> , 2010 , 14, R168	10.8	300
53	Variations in the length of stay of intensive care unit nonsurvivors in three Scandinavian countries. <i>Critical Care</i> , 2010 , 14, R175	10.8	44

52	Mental and physical disorders after ICU discharge. <i>Current Opinion in Critical Care</i> , 2010 , 16, 510-5	3.5	21
51	The interrater reliability of SAPS II and SAPS 3. <i>Intensive Care Medicine</i> , 2010 , 36, 850-3	14.5	17
50	Reversible dyscognition in patients with a unilateral, middle fossa arachnoid cyst revealed by using a laptop based neuropsychological test battery (CANTAB). <i>Journal of Neurology</i> , 2010 , 257, 1909-16	5.5	26
49	A comparison of SAPS II and SAPS 3 in a Norwegian intensive care unit population. <i>Acta Anaesthesiologica Scandinavica</i> , 2009 , 53, 595-600	1.9	26
48	Quality of life 2-7 years after major trauma. <i>Acta Anaesthesiologica Scandinavica</i> , 2008 , 52, 195-201	1.9	92
47	Severity scoring in the ICU: a review. <i>Acta Anaesthesiologica Scandinavica</i> , 2008 , 52, 467-78	1.9	102
46	Sexual function in ICU survivors more than 3 years after major trauma. <i>Intensive Care Medicine</i> , 2008 , 34, 447-53	14.5	13
45	Trauma patients in the intensive care unit: short- and long-term survival and predictors of 30-day mortality. <i>Acta Anaesthesiologica Scandinavica</i> , 2007 , 51, 171-7	1.9	47
44	Intensive care in the very old: are we prepared?. <i>Acta Anaesthesiologica Scandinavica</i> , 2007 , 51, 519-21	1.9	14
43	Precipitants of post-traumatic stress disorder following intensive care: a hypothesis generating study of diversity in care. <i>Intensive Care Medicine</i> , 2007 , 33, 978-85	14.5	324
42	Precipitants of post-traumatic stress disorder following intensive care: role and need of physical restraints. Reply by authors to Dr. Kapadia. <i>Intensive Care Medicine</i> , 2007 , 33, 2227-2227	14.5	2
41	Multiple organ failure after trauma affects even long-term survival and functional status. <i>Critical Care</i> , 2007 , 11, R95	10.8	70
40	The effect of tracheostomy on outcome in intensive care unit patients. <i>Acta Anaesthesiologica Scandinavica</i> , 2006 , 50, 92-8	1.9	41
39	Quality of life after intensive care in trauma patients. <i>Minerva Anestesiologica</i> , 2006 , 72, 479-81	1.9	1
38	Follow-up after intensive care: another role for the intensivist?. <i>Acta Anaesthesiologica Scandinavica</i> , 2005 , 49, 919-21	1.9	10
37	Effects of a major structural change to the intensive care unit on the quality and outcome after intensive care. <i>Quality and Safety in Health Care</i> , 2005 , 14, 270-2		10
36	Effect of a scoring system and protocol for sedation on duration of patients' need for ventilator support in a surgical intensive care unit. <i>Quality and Safety in Health Care</i> , 2004 , 13, 203-5		36
35	Epidemiology of sepsis in Norway in 1999. <i>Critical Care</i> , 2004 , 8, R180-4	10.8	69

34	Follow-up after intensive care: a single center study. <i>Intensive Care Medicine</i> , 2003 , 29, 2149-2156	14.5	60
33	Changes in health-related quality of life from 6 months to 2 years after discharge from intensive care. <i>Health and Quality of Life Outcomes</i> , 2003 , 1, 2	3	27
32	Outcome after acute respiratory failure is more dependent on dysfunction in other vital organs than on the severity of the respiratory failure. <i>Critical Care</i> , 2003 , 7, R72	10.8	53
31	Cost of intensive care in a Norwegian University hospital 1997-1999. <i>Critical Care</i> , 2003 , 7, 72-8	10.8	16
30	Classification for coding procedures in the intensive care unit. <i>Acta Anaesthesiologica Scandinavica</i> , 2002 , 46, 994-8	1.9	2
29	Changes in intensive care from 1987 to 1997 - has outcome improved? A single centre study. <i>Intensive Care Medicine</i> , 2002 , 28, 1110-6	14.5	31
28	Effect of a scoring system and protocol for sedation on duration of patients' need for ventilator support in a surgical intensive care unit. <i>BMJ, The</i> , 2002 , 324, 1386-9	5.9	169
27	Survival and quality of life 12 years after ICU. A comparison with the general Norwegian population. <i>Intensive Care Medicine</i> , 2001 , 27, 1005-11	14.5	93
26	A randomised study of lidocaine and prilocaine for spinal anaesthesia. <i>Acta Anaesthesiologica Scandinavica</i> , 2000 , 44, 436-40	1.9	47
25	Postural post-dural puncture headache. A prospective randomised study and a meta-analysis comparing two different 0.40 mm O.D. (27 g) spinal needles. <i>Acta Anaesthesiologica Scandinavica</i> , 2000 , 44, 643-7	1.9	25
24	Effect of experience with spinal anaesthesia on the development of post-dural puncture complications. <i>Acta Anaesthesiologica Scandinavica</i> , 1999 , 43, 37-41	1.9	11
23	Errors in the intensive care unit (ICU). Experiences with an anonymous registration. <i>Acta Anaesthesiologica Scandinavica</i> , 1999 , 43, 614-7	1.9	37
22	Improved oxygenation using the prone position in patients with ARDS. <i>Acta Anaesthesiologica Scandinavica</i> , 1998 , 42, 329-34	1.9	26
21	Puncture technique and postural postdural puncture headache. A randomised, double-blind study comparing transverse and parallel puncture. <i>Acta Anaesthesiologica Scandinavica</i> , 1998 , 42, 1209-14	1.9	41
20	Postural post-dural puncture headache after spinal and epidural anaesthesia. A randomised, double-blind study. <i>Acta Anaesthesiologica Scandinavica</i> , 1998 , 42, 759-64	1.9	22
19	Post-dural puncture related complications after diagnostic lumbar puncture, myelography and spinal anaesthesia. <i>Acta Neurologica Scandinavica</i> , 1998 , 98, 445-51	3.8	24
18	Surgery during inhalation with nitric oxide in a patient with severe adult respiratory distress syndrome (ARDS). <i>Acta Anaesthesiologica Scandinavica</i> , 1996 , 40, 376-8	1.9	5
17	Postdural puncture headache. A comparison between 26- and 29-gauge needles in young patients. <i>Anaesthesia</i> , 1989 , 44, 147-9	6.6	102

16	Catheter occlusion, in which way are lipid emulsions responsible?. <i>Journal of Parenteral and Enteral Nutrition</i> , 1988 , 12, 320-1	4.2	4
15	Effects of different rinsing regimen on totally implantable vascular access after 70 days infusion of total parenteral nutrition in vitro. <i>Journal of Parenteral and Enteral Nutrition</i> , 1987 , 11, 566-8	4.2	13
14	Postoperative headache in young patients after spinal anaesthesia. <i>Anaesthesia</i> , 1987 , 42, 202-5	6.6	71
13	Another reply. <i>Anaesthesia</i> , 1986 , 41, 651-651	6.6	
12	Spinal anaesthesia for outpatient surgery. <i>Anaesthesia</i> , 1985 , 40, 1108-11	6.6	69
11	Long-term parenteral nutrition using a mixture of fat, amino acids and carbohydrates in a single three-litre bag. <i>Acta Anaesthesiologica Scandinavica</i> , 1985 , 82, 81-3	1.9	6
10	The clinical frailty scale Does it predict outcome of the very-old in UK ICUs?. <i>Journal of the Intensive Care Society</i> , 175114372110507	1.6	
9	Use of checklists1-8		1
8	Diagnostic pathways53-61		
7	Tools to improve patient safety and adverse events95-102		
6	Severity scoring, improved care?124-133		
5	From polio to hospital-wide care167-173		
4	Follow-up after intensive care180-186		
3	National ICU registries195-203		1
2	Quality indicators204-212		
1	Differences in Mortality in Critically Ill Elderly Patients During the Second COVID-19 Surge in Europe. <i>SSRN Electronic Journal</i> ,	1	1