List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2005907/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Translation, Cross-Cultural Adaptation, and Validation to Brazilian Portuguese of the Cerebellar Cognitive Affective/Schmahmann Syndrome Scale. Cerebellum, 2023, 22, 282-294.	1.4	6
2	An overview of dysphagia rehabilitation for stroke patients. Arquivos De Neuro-Psiquiatria, 2022, , .	0.3	4
3	Normal pressure hydrocephalus associated with COVID-19 infection: a case report. BMC Infectious Diseases, 2022, 22, 216.	1.3	8
4	COVID-19 associated cognitive impairment: A systematic review. Cortex, 2022, 152, 77-97.	1.1	83
5	Autosomal Recessive Cerebellar Ataxias in South America: A Multicenter Study of 1338 Patients. Movement Disorders, 2022, 37, 1773-1774.	2.2	12
6	Feasibility indicators of telemedicine for patients with dementia in a public hospital in Northeast Brazil during the COVID-19 pandemic. PLoS ONE, 2022, 17, e0268647.	1.1	10
7	Intracranial mass lesions and skin discoloration in the armpits as unusual clues to Erdheim-Chester disease: a case report. BMC Neurology, 2021, 21, 81.	0.8	3
8	Clinical characteristics and diagnostic accuracy of the revised Addenbrooke Cognitive Examination (ACE-R) in older adults with a low educational level. Jornal Brasileiro De Psiquiatria, 2021, 70, 45-53.	0.2	1
9	Characterization of Headache in COVID-19: a Retrospective Multicenter Study. Molecular Neurobiology, 2021, 58, 4487-4494.	1.9	5
10	Steroid responsive cavernous sinus syndrome due to Rosai-Dorfman disease: beyond Tolosa-Hunt syndrome – a case report. BMC Neurology, 2021, 21, 264.	0.8	1
11	Stiff-Eye Syndrome—Anti-GAD Ataxia Presenting with Isolated Ophthalmoplegia: A Case Report. Brain Sciences, 2021, 11, 932.	1.1	1
12	Genetics of Parkinson's disease in Brazil: a systematic review of monogenic forms. Arquivos De Neuro-Psiquiatria, 2021, 79, 612-623.	0.3	3
13	Covid-19 post-infectious acute transverse myelitis responsive to corticosteroid therapy: report of two clinical cases. Journal of NeuroVirology, 2021, 27, 791-796.	1.0	5
14	A wide spectrum of neurological manifestations in pediatrics patients with the COVID-19 infection: a case series. Journal of NeuroVirology, 2021, 27, 782-786.	1.0	15
15	Evaluation of dopamine transporter density in healthy Brazilians using Tc-99m TRODAT-1 SPECT. Medicine (United States), 2021, 100, e27192.	0.4	0
16	Nystagmus may be the first neurological sign in early stages of spinocerebellar ataxia type 3. Arquivos De Neuro-Psiquiatria, 2021, 79, 891-894.	0.3	1
17	Effects of a power strength training using elastic resistance exercises on the motor and non-motor symptoms in patients with Parkinson's disease H&Y 1–3: study protocol for a randomised controlled trial (PARK-BAND Study). BMJ Open, 2020, 10, e039941.	0.8	2
18	Natural history and epidemiology of the spinocerebellar ataxias: Insights from the first description to nowadays. Journal of the Neurological Sciences, 2020, 417, 117082.	0.3	13

#	Article	IF	CITATIONS
19	NMDAR Encephalitis Associated With Acute Chikungunya Virus Infection: A New Trigger?. Frontiers in Pediatrics, 2020, 8, 176.	0.9	12
20	Beyond the Typical Syndrome: Understanding Non-motor Features in Niemann-Pick Type C Disease. Cerebellum, 2020, 19, 722-738.	1.4	6
21	Clinical correlates of sarcopenia and falls in Parkinson's disease. PLoS ONE, 2020, 15, e0227238.	1.1	28
22	A Complex Hyperkinetic Movement Disorder Responsive to Immunotherapy in a Patient with Neuromyelitis Optica. Movement Disorders Clinical Practice, 2020, 7, 695-697.	0.8	1
23	Autoimmune Encephalitis in Latin America: A Critical Review. Frontiers in Neurology, 2020, 11, 606350.	1.1	11
24	Clinical correlates of sarcopenia and falls in Parkinson's disease. , 2020, 15, e0227238.		0
25	Clinical correlates of sarcopenia and falls in Parkinson's disease. , 2020, 15, e0227238.		Ο
26	Clinical correlates of sarcopenia and falls in Parkinson's disease. , 2020, 15, e0227238.		0
27	Clinical correlates of sarcopenia and falls in Parkinson's disease. , 2020, 15, e0227238.		Ο
28	Functional capacity as a predictor of postoperative delirium in transurethral resection of prostate patients in Northeast Brazil. Neuropsychiatric Disease and Treatment, 2019, Volume 15, 2395-2401.	1.0	5
29	Clinical Features and Inflammatory Markers in Autoimmune Encephalitis Associated With Antibodies Against Neuronal Surface in Brazilian Patients. Frontiers in Neurology, 2019, 10, 472.	1.1	16
30	Cognitive and Psychiatric Evaluation in SYNE1 Ataxia. Cerebellum, 2019, 18, 731-737.	1.4	6
31	Acute cerebellar ataxia: differential diagnosis and clinical approach. Arquivos De Neuro-Psiquiatria, 2019, 77, 184-193.	0.3	35
32	Sleep disorders in NiemannPick disease type C, beyond cataplexy. Sleep Medicine, 2019, 57, 122-127.	0.8	5
33	Cognitive Assessment Tools for Screening Older Adults With Low Levels of Education: A Critical Review. Frontiers in Psychiatry, 2019, 10, 878.	1.3	22
34	Facial grimacing and clinical correlates in spinocerebellar ataxia type 3. Journal of the Neurological Sciences, 2019, 397, 138-140.	0.3	3
35	A case series of hereditary cerebellar ataxias in a highly consanguineous population from Northeast Brazil. Parkinsonism and Related Disorders, 2019, 61, 193-197.	1.1	8
36	Isolated central nervous system Rosai–Dorfman disease and breast cancer: an unusual presentation. International Journal of Neuroscience, 2019, 129, 393-396.	0.8	2

#	Article	IF	CITATIONS
37	Kinsbourne syndrome associated with cryptococcosis infection. Parkinsonism and Related Disorders, 2018, 47, 86-87.	1.1	2
38	Cross-cultural adaptation and validation of the International Cooperative Ataxia Rating Scale (ICARS) to Brazilian Portuguese. Arquivos De Neuro-Psiquiatria, 2018, 76, 674-684.	0.3	10
39	The cerebellar histiocytosis. Neurology, 2018, 91, 357-359.	1.5	3
40	Non-motor and Extracerebellar Features in Spinocerebellar Ataxia Type 2. Cerebellum, 2017, 16, 34-39.	1.4	27
41	Dentatorubro-Pallidoluysian Atrophy (DRPLA) among 700 Families with Ataxia in Brazil. Cerebellum, 2017, 16, 812-816.	1.4	11
42	lmmunoglobulin-responsive chikungunya encephalitis: two case reports. Journal of NeuroVirology, 2017, 23, 625-631.	1.0	16
43	Encephalitis associated with the chikungunya epidemic outbreak in Brazil: report of 2 cases with neuroimaging findings. Revista Da Sociedade Brasileira De Medicina Tropical, 2017, 50, 413-416.	0.4	11
44	NREMâ€related parasomnias in Machado–Joseph disease: clinical and polysomnographic evaluation. Journal of Sleep Research, 2016, 25, 11-15.	1.7	21
45	Sleep disorders in Machado–Joseph disease. Current Opinion in Psychiatry, 2016, 29, 402-408.	3.1	16
46	Pattern of Peripheral Nerve Involvement in Spinocerebellar Ataxia Type 2: a Neurophysiological Assessment. Cerebellum, 2016, 15, 767-773.	1.4	8
47	Psychosis in Machado–Joseph Disease: Clinical Correlates, Pathophysiological Discussion, and Functional Brain Imaging. Expanding the Cerebellar Cognitive Affective Syndrome. Cerebellum, 2016, 15, 483-490.	1.4	13
48	Milestones in Friedreich ataxia: more than a century and still learning. Neurogenetics, 2015, 16, 151-160.	0.7	40
49	Cognition in SCA21 reflects developmental and adult onset cerebellar cognitive affective syndrome: Table 1. Brain, 2015, 138, e364-e364.	3.7	5
50	SCA1 patients may present as hereditary spastic paraplegia and must be included in spastic-ataxias group. Parkinsonism and Related Disorders, 2015, 21, 1243-1246.	1.1	14
51	ATXN3, ATXN7, CACNA1A, and RAI1 Genes and Mitochondrial Polymorphism A10398G Did Not Modify Age at Onset in Spinocerebellar Ataxia Type 2 Patients from South America. Cerebellum, 2015, 14, 728-730.	1.4	10
52	Cervical and ocular vestibular evoked potentials in Machado–Joseph disease: Functional involvement of otolith pathways. Journal of the Neurological Sciences, 2015, 358, 294-298.	0.3	10
53	When should we test patients with familial ataxias for SCA31? A misdiagnosed condition outside Japan?. Journal of the Neurological Sciences, 2015, 355, 206-208.	0.3	11
54	Adult onset sporadic ataxias: a diagnostic challenge. Arquivos De Neuro-Psiquiatria, 2014, 72, 232-240.	0.3	25

#	Article	IF	CITATIONS
55	Cognitive dysfunction in spinocerebellar ataxia type 3: Variable topographies and patterns. Movement Disorders, 2014, 29, 156-157.	2.2	12
56	Neurophysiological Studies and Non-Motor Symptoms Prior to Ataxia in a Patient with Machado–Joseph Disease: Trying to Understand the Natural History of Brain Degeneration. Cerebellum, 2014, 13, 447-51.	1.4	12
57	Excessive fragmentary myoclonus in Machado–Joseph disease. Sleep Medicine, 2014, 15, 355-358.	0.8	15
58	Substantia nigra echogenicity and imaging of striatal dopamine transporters in Parkinson's disease: A cross-sectional study. Parkinsonism and Related Disorders, 2014, 20, 477-481.	1.1	27
59	Dopamine Transporter Imaging Using 99mTc-TRODAT-1 SPECT in Parkinson's Disease. Medical Science Monitor, 2014, 20, 1413-1418.	0.5	22
60	Substantia nigra echogenicity is correlated with nigrostriatal impairment in Machado-Joseph disease. Parkinsonism and Related Disorders, 2013, 19, 742-745.	1.1	7
61	Inherited manganism. Clinical Neurology and Neurosurgery, 2013, 115, 1536-1538.	0.6	5
62	Early-onset familial Alzheimer's disease related to presenilin 1 mutation resembling autosomal dominant spinocerebellar ataxia. Journal of Neurology, 2013, 260, 1177-1179.	1.8	9
63	Cognitive impairment in Brazilian patients with Behçet's disease occurs independently of neurologic manifestation. Journal of the Neurological Sciences, 2013, 327, 1-5.	0.3	17
64	Nonmotor and extracerebellar features in Machadoâ€Joseph disease: A review. Movement Disorders, 2013, 28, 1200-1208.	2.2	79
65	Unusual movement disorders in spinocerebellar ataxias. Parkinsonism and Related Disorders, 2013, 19, 834-835.	1.1	8
66	Sleep disorders in Machado–Joseph disease: A dopamine transporter imaging study. Journal of the Neurological Sciences, 2013, 324, 90-93.	0.3	22
67	The cerebellum in Parkinson's disease and parkinsonism in cerebellar disorders. Brain, 2013, 136, e248-e248.	3.7	12
68	Pattern of Peripheral Nerve Involvement in Machado-Joseph Disease: Neuronopathy or Distal Axonopathy? A Clinical and Neurophysiological Evaluation. European Neurology, 2013, 69, 129-133.	0.6	9
69	Clinical spectrum of early onset cerebellar ataxia with retained tendon reflexes: an autosomal recessive ataxia not to be missed. Arquivos De Neuro-Psiquiatria, 2013, 71, 345-348.	0.3	4
70	Patients with autosomal dominant spinocerebellar ataxia have more risk of falls, important balance impairment, and decreased ability to function. Arquivos De Neuro-Psiquiatria, 2013, 71, 508-511.	0.3	17
71	Cognitive Deficits in Machado–Joseph Disease Correlate with Hypoperfusion of Visual System Areas. Cerebellum, 2012, 11, 1037-1044.	1.4	30
72	Cognitive and olfactory deficits in Machado–Joseph disease: A dopamine transporter study. Parkinsonism and Related Disorders, 2012, 18, 854-858.	1.1	23

#	Article	IF	CITATIONS
73	Sjogren-Larsson Syndrome. Advances in Experimental Medicine and Biology, 2012, 724, 344-350.	0.8	7
74	Severity of restless legs syndrome is inversely correlated with echogenicity of the substantia nigra in different neurodegenerative movement disorders. A preliminary observation. Journal of the Neurological Sciences, 2012, 319, 59-62.	0.3	24
75	Machado-Joseph disease in Brazil: from the first descriptions to the emergence as the most common spinocerebellar ataxia. Arquivos De Neuro-Psiquiatria, 2012, 70, 630-632.	0.3	14
76	Neurosarcoidosis: guidance for the general neurologist. Arquivos De Neuro-Psiquiatria, 2012, 70, 293-299.	0.3	15
77	Cerebellar Cognitive Affective Syndrome in Machado Joseph Disease: Core Clinical Features. Cerebellum, 2012, 11, 549-556.	1.4	68
78	Atypical manifestations in Brazilian patients with neuro-Behçet's disease. Journal of Neurology, 2012, 259, 1159-1165.	1.8	24
79	Transcranial sonography: Brazilian experience. Arquivos De Neuro-Psiquiatria, 2012, 70, 313-314.	0.3	3
80	Sneddon's syndrome: case report and review of its relationship with antiphospholipid syndrome. Einstein (Sao Paulo, Brazil), 2012, 10, 230-232.	0.3	14
81	Epilepsy and Behçet's disease: Cortical and hippocampal involvement in Brazilian patients. Journal of the Neurological Sciences, 2011, 309, 1-4.	0.3	11
82	Transcranial sonography findings in spinocerebellar ataxia type 3 (Machado–Joseph disease): A cross-sectional study. Neuroscience Letters, 2011, 504, 98-101.	1.0	23
83	Clinical correlates of olfactory dysfunction in spinocerebellar ataxia type 3. Parkinsonism and Related Disorders, 2011, 17, 353-356.	1.1	28
84	Akathisia: An unusual movement disorder in Machado–Joseph disease. Parkinsonism and Related Disorders, 2011, 17, 712-713.	1.1	9
85	Autosomal recessive spastic ataxia of Charlevoix-Saguenay (ARSACS): typical clinical and neuroimaging features in a Brazilian family. Arquivos De Neuro-Psiquiatria, 2011, 69, 288-291.	0.3	14
86	Sleep disorders in cerebellar ataxias. Arquivos De Neuro-Psiquiatria, 2011, 69, 253-257.	0.3	71
87	Sleep Disorders in Machado–Joseph Disease: Frequency, Discriminative Thresholds, Predictive Values, and Correlation with Ataxia-Related Motor and Non-Motor Features. Cerebellum, 2011, 10, 291-295.	1.4	52
88	Movement disorders in spinocerebellar ataxias. Movement Disorders, 2011, 26, 2302-2302.	2.2	4
89	Ginkgo biloba and Cerebral Bleeding. Neurologist, 2011, 17, 89-90.	0.4	25
90	ls Neuropathy Involved with Restless Legs Syndrome in Machado-Joseph Disease?. European Neurology, 2011, 66, 200-203.	0.6	13

#	Article	IF	CITATIONS
91	SCA2 presenting as an ataxia-parkinsonism-motor neuron disease syndrome. Arquivos De Neuro-Psiquiatria, 2011, 69, 405-406.	0.3	8
92	Cerebellar ataxia associated to anti-glutamic acid decarboxylase autoantibody (anti-GAD): partial improvement with intravenous immunoglobulin therapy. Arquivos De Neuro-Psiquiatria, 2011, 69, 993-993.	0.3	21
93	Translation and validation into Brazilian version of the Scale of the Assessment and Rating of Ataxia (SARA). Arquivos De Neuro-Psiquiatria, 2010, 68, 228-230.	0.3	70
94	Hypergonadotropic hypogonadism and cerebellar ataxia: an unusual association. Arquivos De Neuro-Psiquiatria, 2010, 68, 132-134.	0.3	4
95	Alpha-fetoprotein as a biomarker for recessive ataxias. Arquivos De Neuro-Psiquiatria, 2010, 68, 953-955.	0.3	6
96	Hypoglossal nerve palsy as the sole manifestation of spontaneous internal carotid artery dissection. Arquivos De Neuro-Psiquiatria, 2009, 67, 107-108.	0.3	8
97	Dystonia as a first presentation of cryptogenic stroke in a young patient with rightâ€toâ€left shunt. Movement Disorders, 2008, 23, 626-628.	2.2	1
98	Hippocampal sclerosis and status epilepticus: cause or consequence? A MRI study. Arquivos De Neuro-Psiquiatria, 2007, 65, 1101-1104.	0.3	6
99	Swallowing abnormalities and dyskinesia in Parkinson's disease. Movement Disorders, 2005, 20, 457-462.	2.2	100
100	Amantadine reduces the duration of levodopa-induced dyskinesia: A randomized, double-blind, placebo-controlled study. Parkinsonism and Related Disorders, 2005, 11, 449-452.	1.1	68
101	Snoring and excessive daytime sleepiness in Parkinson's disease. Journal of the Neurological Sciences, 2004, 217, 41-45.	0.3	111
102	Erratum to "Snoring and excessive daytime sleepiness in Parkinson's disease―[J. Neurol. Sci. 217 (2004) 41–45]. Journal of the Neurological Sciences, 2004, 219, 171.	0.3	2
103	Falls in Parkinson's disease: the impact of disease progression, treatment, and motor complications. Dementia E Neuropsychologia, 0, , .	0.3	3
104	Post Coronavirus Disease 2019 Vaccine-associated Acute Myeloradiculoneuropathy Responsive to Plasmapheresis. Revista Da Sociedade Brasileira De Medicina Tropical, 0, 55, .	0.4	0