

# Ewa Pietrykowska-Tudruj

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2006172/publications.pdf>

Version: 2024-02-01

27

papers

107

citations

1478505

6

h-index

1588992

8

g-index

27

all docs

27

docs citations

27

times ranked

63

citing authors

#	ARTICLE	IF	CITATIONS
1	Immature stages and phylogenetic importance of <i>Astrapaeus</i> , a rove beetle genus of puzzling systematic position (Coleoptera, Staphylinidae, Staphylinini). Contributions To Zoology, 2014, 83, 41-p4.	0.5	9
2	First Insight into Microbiome Profiles of Myrmecophilous Beetles and Their Host, Red Wood Ant <i>Formica polyctena</i> (Hymenoptera: Formicidae) – A Case Study. Insects, 2020, 11, 134.	2.2	9
3	&lt;p&gt;&lt;strong&gt;The first morphological description of the immature stages of &lt;em&gt; <i>Thiasophila</i> &lt;/em&gt; Kraatz, 1856 (Coleoptera; Staphylinidae) inhabiting ant colonies of the <i>Formica rufa</i> group&lt;/strong&gt;&lt;/p&gt;. Zootaxa, 2014, 3774, 301.	0.5	8
4	Developmental stages of <i>Philonthus rubripennis</i> Stephens, 1832 (Coleoptera, Staphylinidae,) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 627 Tf 50 627	0.8	7
5	Deutsche Entomologische Zeitschrift, 2007, 54, 95-113.		
6	Morphology of the immature stages and notes on biology of <i>Philonthus nigrita</i> (Gravenhorst, 1806) (Coleoptera, Staphylinidae) a stenotopic species inhabiting Sphagnum peatbogs. Mitteilungen Aus Dem Museum Fur Naturkunde in Berlin - Deutsche Entomologische Zeitschrift, 2008, 55, 167-183.	0.8	7
7	Larva of <i> <i>Gyrophaena boleti</i> </i> (Linnaeus, 1758) (Coleoptera: Staphylinidae) – An Obligatory Saproxyllic and Mycophagous Species Associated with <i> <i>Fomitopsis pinicola</i> </i>: Notes on Tergal Gland System and Behaviour. Annales Zoologici, 2016, 66, 83-100.	0.8	6
8	Biology and defensive secretion of myrmecophilous <i> <i>Thiasophila</i> </i> spp. (Coleoptera: Staphylinidae:) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 627 Tf 50 627	0.5	6
9	51, 2759-2777.		
10	Morphology of the developmental stages of <i>Hypnogyra angularis</i> (Ganglbauer, 1895) (Coleoptera,) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 627 Tf 50 627	0.8	5
11	Entomologische Zeitschrift, 2006, 53, 70-85.		
12	Comparative larval morphology of <i>Platydracus</i> and <i>Staphylinus</i> (Staphylinidae: Staphylinini): Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 627 Tf 50 627	0.5	5
13	3580, 24.		
14	Comparative morphology of the eggs of sixteen Central European species of Staphylininae (Coleoptera, Staphylinidae). Mitteilungen Aus Dem Museum Fur Naturkunde in Berlin - Deutsche Entomologische Zeitschrift, 2007, 54, 235-252.	0.8	4
15	Morphology of Immature Stages and Notes on Biology of <i> <i>Ocyphus fulvipennis</i> </i> Erichson, 1840 (Coleoptera: Staphylinidae). Annales Zoologici, 2009, 59, 47-66.	0.8	4
16	Description of the egg and larva of <i>Paederidus Mulsant &amp;amp; Rey, 1878</i> (Coleoptera, Staphylinidae,) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 627 Tf 50 627	0.5	4
17	Discovery of the <i> <i>Quedius antipodum</i> </i> Sharp larva from New Zealand: phylogenetic test of larval morphology for Staphylinini at the intratribal level (Coleoptera: Staphylinidae). Systematic Entomology, 2012, 37, 360-378.	3.9	4
18	Adaptive External Larval Ultrastructure of <i> <i>Lomechusa</i> </i> Gravenhorst, 1806 (Coleoptera:) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 222 Tf 50 222	0.8	4
19	The morphology of the pupae of six species of <i>Philonthina</i> (Coleoptera, Staphylinidae, Staphylinini) with taxonomic remarks. Zootaxa, 2011, 2865, 53.	0.5	4
20	Comparative Morphology of the Larvae of the Rove Beetles of <i>Paederus</i> , <i>Lathrobium</i> , and <i>Tetartopeus</i> , With Notes on its Systematic Position (Coleoptera: Staphylinidae: Paederinae). Journal of Insect Science, 2014, 14, 190.	1.5	3
21	Pupae of the mega-diverse rove beetle tribe Staphylinini (Coleoptera, Staphylinidae): their traits and systematic significance. ZooKeys, 2019, 877, 133-159.	1.1	3
22	Isolation and characterization of 1–3 glucan-degrading bacteria from the gut of <i> <i>Diaperis boleti</i> </i> feeding on <i> <i>Laetiporus sulphureus</i> </i>. Entomological Science, 2019, 22, 36-41.	0.6	2

#	ARTICLE	IF	CITATIONS
19	The microbiota of the <i>&lt; i&gt;Lasius fuliginosus&lt;/i&gt;</i> â€“ <i>&lt; i&gt;Pella laticollis&lt;/i&gt;</i> myrmecophilous interaction., 2020, 87, 754-769.	2	
20	Lasius fuliginosus Nest Carton as a Source of New Promising Bioactive Extracts with Chemopreventive Potential. International Journal of Molecular Sciences, 2021, 22, 4392.	4.1	2
21	Comparative larval ultramorphology of some myrmecophilous Aleocharinae (Coleoptera,) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 haemorhoa (Mannerheim C.G., 1830), associated with the Formica rufa species group. ZooKeys, 2018, 808, 93-114.	1.1	2
22	New insight into the pupal characters of Gabrius Stephens, 1829 (Coleoptera: Staphylinidae) Tj ETQq0 0 0 rgBT /Overlock 10_2 Tf 50 622	0.4	
23	First description of the larva of Dinarea Thomson, 1858, with comments on chaetotaxy, pupa, and life history based on two saproxylic species from Europe (Staphylinidae, Aleocharinae, Athetini). ZooKeys, 2018, 752, 99-123.	1.1	2
24	A description of the mature larva of Philonthus lepidus (Gravenhorst, 1802) - a stenotopic species of rove-beetle. Polish Journal of Entomology, 2011, 80, 33-46.	0.4	1
25	Ultramorphological characteristics of unknown larva of Phloeonomus punctipennis Thomson, 1867 (Coleoptera; Staphylinidae; Omaliinae): an obligate saproxylic species: notes on chaetotaxy and ecological preferences. Zootaxa, 2016, 4171, 475.	0.5	1
26	<p><strong>Re-descriptions of mature larvae of two predatory species of Nudobius and <em>Gabrius</em> associated with bark beetle galleries (Coleoptera: Staphylinidae)</strong></p>. Zootaxa, 2019, 4674, 581-599.	0.5	1
27	<p><strong>Larval morphology of selected <em>Quedius</em> Stephens, 1829 (Coleoptera:) Tj ETQq1 1 0.784314 rgBT /Overlock 10_2 2014, 3827, 493.	0.5	0