

Changwoon Nah

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/2006433/changwoon-nah-publications-by-year.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

41
papers

916
citations

16
h-index

29
g-index

42
ext. papers

1,120
ext. citations

3.7
avg. IF

4.26
L-index

#	Paper	IF	Citations
41	Thermal conductivity of graphene-polymer composites 2022 , 245-273		
40	Amphiphilic block co-polymer and silica reinforced epoxy composite with excellent toughness and delamination resistance for durable electronic packaging application. <i>Polymer</i> , 2022 , 245, 124679	3.9	3
39	Flexible thermoplastic polyurethane-carbon nanotube composites for electromagnetic interference shielding and thermal management. <i>Chemical Engineering Journal</i> , 2021 , 418, 129282	14.7	26
38	Role of Carbon Black for Enhancing the Mechanical Properties of Short Aramid Fiber Reinforced Ethylene-Acrylic Rubber. <i>Fibers and Polymers</i> , 2020 , 21, 127-137	2	2
37	Combination effect of carbon nanofiber and ketjen carbon black hybrid nanofillers on mechanical, electrical, and electromagnetic interference shielding properties of chlorinated polyethylene nanocomposites. <i>Composites Part B: Engineering</i> , 2020 , 197, 108071	10	25
36	Electrical conductivity and electromagnetic interference shielding effectiveness of nano-structured carbon assisted poly(methyl methacrylate) nanocomposites. <i>Polymer Engineering and Science</i> , 2020 , 60, 2414-2427	2.3	8
35	Highly stretchable wrinkled electrode based on silver ink-elastomer nanocomposite with excellent fatigue resistance. <i>Polymer Composites</i> , 2020 , 41, 2210-2223	3	9
34	A comparative study on vulcanization behavior of acrylonitrile-butadiene rubber reinforced with graphene oxide and reduced graphene oxide as fillers. <i>Polymer Testing</i> , 2019 , 76, 127-137	4.5	22
33	Mechanical, morphological and thermal properties of short carbon and aramid fibres-filled bromo-isobutylene-isoprene rubber vulcanised with 4, 4'-bis(maleimido)diphenylmethane. <i>Plastics, Rubber and Composites</i> , 2019 , 48, 115-126	1.5	5
32	Enhancing the dispersion and adhesion of short aramid fibers in bromo-isobutylene-isoprene rubber using maleated polybutadiene resin via co-vulcanization with 4, 4'-bis(maleimido)diphenylmethane. <i>Polymer Composites</i> , 2019 , 40, 2993-3004	3	7
31	Graphene-reinforced elastomeric nanocomposites: A review. <i>Polymer Testing</i> , 2018 , 68, 160-184	4.5	44
30	Enhancing the efficiency of zinc oxide vulcanization in brominated poly (isobutylene-co-isoprene) rubber using structurally different Bismaleimides. <i>Journal of Polymer Research</i> , 2018 , 25, 1	2.7	8
29	Effect of graphene on polar and nonpolar rubber matrices. <i>Mechanics of Advanced Materials and Modern Processes</i> , 2018 , 4,	2.2	16
28	Synergistic effect of 4,4'-bis(maleimido) diphenylmethane and zinc oxide on the vulcanization behavior and thermo-mechanical properties of chlorinated isobutylene-isoprene rubber. <i>Polymers for Advanced Technologies</i> , 2017 , 28, 742-753	3.2	8
27	Cure characteristics and physico-mechanical properties of a conventional sulphur-cured natural rubber with a novel anti-reversion agent. <i>Journal of Polymer Research</i> , 2016 , 23, 1	2.7	9
26	Wrinkled elastomers for the highly stretchable electrodes with excellent fatigue resistances. <i>Polymer Testing</i> , 2016 , 53, 329-337	4.5	13
25	Thermally stable bromobutyl rubber with a high crosslinking density based on a 4,4'-bismaleimidodiphenylmethane curing agent. <i>Journal of Applied Polymer Science</i> , 2016 , 133,	2.9	12

24	Effects of curing systems on the mechanical and chemical ageing resistance properties of gasket compounds based on ethylene-propylene-diene-termonomer rubber in a simulated fuel cell environment. <i>International Journal of Hydrogen Energy</i> , 2015 , 40, 10627-10635	6.7	12
23	Effects of thermal aging on degradation mechanism of flame retardant-filled ethylene-propylene-diene termonomer compounds. <i>Journal of Applied Polymer Science</i> , 2015 , 132, n/a-n/a ^{2.9}		4
22	Preparation and properties of acrylonitrile-butadiene rubber-graphene nanocomposites. <i>Journal of Applied Polymer Science</i> , 2015 , 132, n/a-n/a	2.9	24
21	Carbon nanotube-reinforced elastomeric nanocomposites: a review. <i>International Journal of Smart and Nano Materials</i> , 2015 , 6, 211-238	3.6	50
20	A study of graphene oxide-reinforced rubber nanocomposite. <i>Journal of Applied Polymer Science</i> , 2014 , 131, n/a-n/a	2.9	45
19	Fabrication and performance of a donut-shaped generator based on dielectric elastomer. <i>Journal of Applied Polymer Science</i> , 2014 , 131, n/a-n/a	2.9	9
18	Effect of plasticizer and curing system on freezing resistance of rubbers. <i>Journal of Applied Polymer Science</i> , 2014 , 131,	2.9	16
17	Laser-induced plasma emission spectra of halogens in the helium gas flow and pulsed jet. <i>Analytical Science and Technology</i> , 2013 , 26, 235-244		2
16	Mechanical and thermal properties of rubber composites reinforced by zinc methacrylate and carbon black. <i>Polymer Composites</i> , 2012 , 33, 1141-1153	3	9
15	Properties and degradation of the gasket component of a proton exchange membrane fuel cell--a review. <i>Journal of Nanoscience and Nanotechnology</i> , 2012 , 12, 7641-57	1.3	16
14	Slipping of carbon nanotubes in a rubber matrix. <i>Polymer International</i> , 2011 , 60, 42-44	3.3	19
13	Large-Deformation Behavior of Honeycomb-Structured Polymer Sheets as a Function of Polar Angle. <i>Macromolecular Chemistry and Physics</i> , 2011 , 212, 896-904	2.6	1
12	Poisson's Ratios of Honeycomb-Structured Polymer Sheets Under Large Deformation. <i>Macromolecular Chemistry and Physics</i> , 2011 , 212, 2275-2280	2.6	
11	Effects of particle size and structure of carbon blacks on the abrasion of filled elastomer compounds. <i>Journal of Materials Science</i> , 2007 , 42, 8391-8399	4.3	36
10	Vulcanization kinetics of nitrile rubber/layered clay nanocomposites. <i>Journal of Applied Polymer Science</i> , 2005 , 98, 1688-1696	2.9	73
9	Influence of surface characteristics of carbon blacks on cure and mechanical behaviors of rubber matrix compoundings. <i>Journal of Colloid and Interface Science</i> , 2005 , 291, 229-35	9.3	56
8	Influence of clay on the vulcanization kinetics of fluoroelastomer nanocomposites. <i>Polymer</i> , 2004 , 45, 2237-2247	3.9	86
7	Influences of trans-polyoctylene rubber on the physical properties and phase morphology of natural rubber/acrylonitrile-butadiene rubber blends. <i>Journal of Applied Polymer Science</i> , 2002 , 86, 125-134 ^{2.9}		12

6	Preparation and properties of EPDM/organomontmorillonite hybrid nanocomposites. <i>Polymer International</i> , 2002 , 51, 319-324	3-3	118
5	Effects of trans-polyoctylene rubber on rheological and green tensile properties of natural rubber/acrylonitrileButadiene rubber blends. <i>Polymer International</i> , 2002 , 51, 245-252	3-3	16
4	Plasma surface modification of silica and its effect on properties of styreneButadiene rubber compound. <i>Polymer International</i> , 2002 , 51, 510-518	3-3	34
3	Effects of trans-polyoctylene rubber on rheological and green tensile properties of natural rubber/acrylonitrileButadiene rubber blends 2002 , 51, 245		3
2	Fracture behaviour of acrylonitrileButadiene rubber/clay nanocomposite. <i>Polymer International</i> , 2001 , 50, 1265-1268	3-3	56
1	ENHANCING THE REVERSION RESISTANCE, CROSSLINKING DENSITY AND THERMO-MECHANICAL PROPERTIES OF ACCELERATED SULFUR CURED CHLOROBUTYL RUBBER USING 4,4'-BIS (MALEIMIDO) DIPHENYL METHANE. <i>Rubber Chemistry and Technology</i> ,	1-7	2