

Hydar Ali

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2007433/publications.pdf>

Version: 2024-02-01

56
papers

3,571
citations

126907

33
h-index

168389

53
g-index

56
all docs

56
docs citations

56
times ranked

2868
citing authors

#	ARTICLE	IF	CITATIONS
1	Mas-Related G Protein-Coupled Receptor-X2 and Its Role in Non-immunoglobulin E-Mediated Drug Hypersensitivity. <i>Immunology and Allergy Clinics of North America</i> , 2022, 42, 269-284.	1.9	6
2	Role of MrgprB2 in Rosacea-Like Inflammation in Mice: Modulation by β^2 -Arrestin 2. <i>Journal of Investigative Dermatology</i> , 2022, 142, 2988-2997.e3.	0.7	6
3	MRGPRX2 Is the Codeine Receptor of Human Skin Mast Cells: Desensitization through β^2 -Arrestin and Lack of Correlation with the Fc μ RI Pathway. <i>Journal of Investigative Dermatology</i> , 2021, 141, 1286-1296.e4.	0.7	39
4	MRGPRX2 Activation by Rocuronium: Insights from Studies with Human Skin Mast Cells and Missense Variants. <i>Cells</i> , 2021, 10, 156.	4.1	24
5	Authentic and Ectopically Expressed MRGPRX2 Elicit Similar Mechanisms to Stimulate Degranulation of Mast Cells. <i>Cells</i> , 2021, 10, 376.	4.1	12
6	Substance P Serves as a Balanced Agonist for MRGPRX2 and a Single Tyrosine Residue Is Required for β^2 -Arrestin Recruitment and Receptor Internalization. <i>International Journal of Molecular Sciences</i> , 2021, 22, 5318.	4.1	21
7	Murepavadin, a Small Molecule Host Defense Peptide Mimetic, Activates Mast Cells via MRGPRX2 and MrgprB2. <i>Frontiers in Immunology</i> , 2021, 12, 689410.	4.8	10
8	Expression of MRGPRX2 in skin mast cells of patients with maculopapular cutaneous mastocytosis. <i>Journal of Allergy and Clinical Immunology: in Practice</i> , 2021, 9, 3841-3843.e1.	3.8	16
9	Multifaceted MRGPRX2: New insight into the role of mast cells in health and disease. <i>Journal of Allergy and Clinical Immunology</i> , 2021, 148, 293-308.	2.9	66
10	Revisiting the role of MRGPRX2 on hypersensitivity reactions to neuromuscular blocking drugs. <i>Current Opinion in Immunology</i> , 2021, 72, 65-71.	5.5	8
11	Mast Cell-Specific MRGPRX2: a Key Modulator of Neuro-Immune Interaction in Allergic Diseases. <i>Current Allergy and Asthma Reports</i> , 2021, 21, 3.	5.3	48
12	Inhibition of Orai Channel Function Regulates Mas-Related G Protein-Coupled Receptor-Mediated Responses in Mast Cells. <i>Frontiers in Immunology</i> , 2021, 12, 803335.	4.8	7
13	Roles of a Mast Cell-Specific Receptor MRGPRX2 in Host Defense and Inflammation. <i>Journal of Dental Research</i> , 2020, 99, 882-890.	5.2	18
14	Identification of Gain and Loss of Function Missense Variants in MRGPRX2's Transmembrane and Intracellular Domains for Mast Cell Activation by Substance P. <i>International Journal of Molecular Sciences</i> , 2019, 20, 5247.	4.1	51
15	β^2 -Arrestin2 expressed in mast cells regulates ciprofloxacin-induced pseudoallergy and IgE-mediated anaphylaxis. <i>Journal of Allergy and Clinical Immunology</i> , 2019, 144, 603-606.	2.9	24
16	Small-Molecule Host-Defense Peptide Mimetic Antibacterial and Antifungal Agents Activate Human and Mouse Mast Cells via Mas-Related GPCRs. <i>Cells</i> , 2019, 8, 311.	4.1	21
17	Angiogenic Host Defense Peptide AG-30/5C and Bradykinin B2 Receptor Antagonist Icatibant Are G Protein Biased Agonists for MRGPRX2 in Mast Cells. <i>Journal of Immunology</i> , 2019, 202, 1229-1238.	0.8	38
18	Naturally Occurring Missense MRGPRX2 Variants Display Loss of Function Phenotype for Mast Cell Degranulation in Response to Substance P, Hemokinin-1, Human β^2 -Defensin-3, and Icatibant. <i>Journal of Immunology</i> , 2018, 201, 343-349.	0.8	57

#	ARTICLE	IF	CITATIONS
19	Upregulation of Mas-related G Protein coupled receptor X2 in asthmatic lung mast cells and its activation by the novel neuropeptide hemokinin-1. <i>Respiratory Research</i> , 2018, 19, 1.	3.6	146
20	Differential Regulation of Mas-Related G Protein-Coupled Receptor X2-Mediated Mast Cell Degranulation by Antimicrobial Host Defense Peptides and <i>Porphyromonas gingivalis</i> Lipopolysaccharide. <i>Infection and Immunity</i> , 2017, 85, .	2.2	21
21	Emerging Roles for MAS-Related G Protein-Coupled Receptor-X2 in Host Defense Peptide, Opioid, and Neuropeptide-Mediated Inflammatory Reactions. <i>Advances in Immunology</i> , 2017, 136, 123-162.	2.2	66
22	Mas-Related G Protein Coupled Receptor-X2: A Potential New Target for Modulating Mast Cell-Mediated Allergic and Inflammatory Diseases. <i>Journal of Immunobiology</i> , 2016, 01, .	0.3	28
23	Roles of Mas-related G protein-coupled receptor X2 on mast cell-mediated host defense, pseudoallergic drug reactions, and chronic inflammatory diseases. <i>Journal of Allergy and Clinical Immunology</i> , 2016, 138, 700-710.	2.9	309
24	Modulation of host defense peptide-mediated human mast cell activation by LPS. <i>Innate Immunity</i> , 2016, 22, 21-30.	2.4	39
25	Mas-related G protein coupled receptor-X2: A potential new target for modulating mast cell-mediated allergic and inflammatory diseases. , 2016, 1, .		12
26	Activation of human mast cells by retrocyclin and protegrin highlight their immunomodulatory and antimicrobial properties. <i>Oncotarget</i> , 2015, 6, 28573-28587.	1.8	36
27	Regulation of Fc̳RI Signaling in Mast Cells by G Protein-coupled Receptor Kinase 2 and Its RH Domain. <i>Journal of Biological Chemistry</i> , 2014, 289, 20917-20927.	3.4	16
28	̢-Defensins Activate Human Mast Cells via Mas-Related Gene X2. <i>Journal of Immunology</i> , 2013, 191, 345-352.	0.8	118
29	Roles for NHERF1 and NHERF2 on the Regulation of C3a Receptor Signaling in Human Mast Cells. <i>PLoS ONE</i> , 2012, 7, e51355.	2.5	13
30	Phosphorylation of C3a Receptor at Multiple Sites Mediates Desensitization, ̢-Arrestin-2 Recruitment and Inhibition of NF-̢B Activity in Mast Cells. <i>PLoS ONE</i> , 2012, 7, e46369.	2.5	20
31	G protein coupled receptor specificity for C3a and compound 48/80-induced degranulation in human mast cells: Roles of Mas-related genes MrgX1 and MrgX2. <i>European Journal of Pharmacology</i> , 2011, 668, 299-304.	3.5	98
32	Mas-related Gene X2 (MrgX2) Is a Novel G Protein-coupled Receptor for the Antimicrobial Peptide LL-37 in Human Mast Cells. <i>Journal of Biological Chemistry</i> , 2011, 286, 44739-44749.	3.4	195
33	PMX-53 as a Dual CD88 Antagonist and an Agonist for Mas-Related Gene 2 (MrgX2) in Human Mast Cells. <i>Molecular Pharmacology</i> , 2011, 79, 1005-1013.	2.3	89
34	Distinct and Shared Roles of ̢-Arrestin-1 and ̢-Arrestin-2 on the Regulation of C3a Receptor Signaling in Human Mast Cells. <i>PLoS ONE</i> , 2011, 6, e19585.	2.5	55
35	Regulation of C3a Receptor Signaling in Human Mast Cells by G Protein Coupled Receptor Kinases. <i>PLoS ONE</i> , 2011, 6, e22559.	2.5	45
36	Akt-1 mediates survival of chondrocytes from endoplasmic reticulum-induced stress. <i>Journal of Cellular Physiology</i> , 2010, 222, 502-508.	4.1	41

#	ARTICLE	IF	CITATIONS
37	Regulation of human mast cell and basophil function by anaphylatoxins C3a and C5a. <i>Immunology Letters</i> , 2010, 128, 36-45.	2.5	105
38	C3a Receptors Signaling in Mast Cells. , 2007, 598, 126-140.		3
39	Airway smooth muscle cells enhance C3a-induced mast cell degranulation following cell-cell contact. <i>FASEB Journal</i> , 2005, 19, 1-22.	0.5	48
40	Distinct regulation of C3a-induced MCP-1/CCL2 and RANTES/CCL5 production in human mast cells by extracellular signal regulated kinase and PI3 kinase. <i>Molecular Immunology</i> , 2005, 42, 581-587.	2.2	108
41	Anaphylatoxin C3a receptors in asthma. <i>Respiratory Research</i> , 2005, 6, 19.	3.6	40
42	Platelet-activating Factor-induced Chemokine Gene Expression Requires NF- κ B Activation and Ca ²⁺ /Calcineurin Signaling Pathways. <i>Journal of Biological Chemistry</i> , 2004, 279, 44606-44612.	3.4	35
43	C3a Enhances Nerve Growth Factor-Induced NFAT Activation and Chemokine Production in a Human Mast Cell Line, HMC-1. <i>Journal of Immunology</i> , 2004, 172, 6961-6968.	0.8	47
44	Distinct Roles of Receptor Phosphorylation, G Protein Usage, and Mitogen-activated Protein Kinase Activation on Platelet Activating Factor-induced Leukotriene C4 Generation and Chemokine Production. <i>Journal of Biological Chemistry</i> , 2002, 277, 22685-22691.	3.4	20
45	Cutting Edge: Differential Regulation of Chemoattractant Receptor-Induced Degranulation and Chemokine Production by Receptor Phosphorylation. <i>Journal of Immunology</i> , 2001, 167, 3559-3563.	0.8	34
46	Chemokine Production by G Protein-Coupled Receptor Activation in a Human Mast Cell Line: Roles of Extracellular Signal-Regulated Kinase and NFAT. <i>Journal of Immunology</i> , 2000, 165, 7215-7223.	0.8	61
47	Chemoattractant Receptor Cross-desensitization. <i>Journal of Biological Chemistry</i> , 1999, 274, 6027-6030.	3.4	236
48	Regulation of Human Chemokine Receptors CXCR4. <i>Journal of Biological Chemistry</i> , 1997, 272, 28726-28731.	3.4	260
49	MECHANISMS OF INFLAMMATION AND LEUKOCYTE ACTIVATION. <i>Medical Clinics of North America</i> , 1997, 81, 1-28.	2.5	87
50	Cross-desensitization Among Receptors for Platelet Activating Factor and Peptide Chemoattractants. <i>Journal of Biological Chemistry</i> , 1996, 271, 28717-28724.	3.4	41
51	Regulation of Human Interleukin-8 Receptor A: Identification of a Phosphorylation Site Involved in Modulating Receptor Functions. <i>Biochemistry</i> , 1995, 34, 14193-14201.	2.5	95
52	Regulation of stably transfected platelet activating factor receptor in RBL-2H3 cells. Role of multiple G proteins and receptor phosphorylation.. <i>Journal of Biological Chemistry</i> , 1994, 269, 24557-24563.	3.4	133
53	Regulation of stably transfected platelet activating factor receptor in RBL-2H3 cells. Role of multiple G proteins and receptor phosphorylation. <i>Journal of Biological Chemistry</i> , 1994, 269, 24557-63.	3.4	116
54	Differences in phosphorylation of formylpeptide and C5a chemoattractant receptors correlate with differences in desensitization.. <i>Journal of Biological Chemistry</i> , 1993, 268, 24247-24254.	3.4	148

#	ARTICLE	IF	CITATIONS
55	Differences in phosphorylation of formylpeptide and C5a chemoattractant receptors correlate with differences in desensitization. <i>Journal of Biological Chemistry</i> , 1993, 268, 24247-54.	3.4	130
56	Spatiotemporal Patterns of Substance P-Bound MRGPRX2 Reveal a Novel Connection Between Macropinosome Resolution and Secretory Granule Regeneration in Mast Cells. <i>Frontiers in Immunology</i> , 0, 13, .	4.8	5