Eric R Prossnitz

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/2007732/eric-r-prossnitz-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

68 228 16,997 125 h-index g-index citations papers 18,561 5.8 6.7 239 L-index avg, IF ext. citations ext. papers

| # | Paper | IF | Citations |
|-----|---|------|-----------|
| 228 | Assessing Estrogenic Activity of Classical Estrogen Receptor-Binding Compounds <i>Methods in Molecular Biology</i> , 2022 , 2418, 187-201 | 1.4 | O |
| 227 | Assessment of Metabolic Regulation by Estrogen Receptors <i>Methods in Molecular Biology</i> , 2022 , 2418, 383-404 | 1.4 | |
| 226 | Steroid Hormones and Receptors in Health and Disease: A Research Conference Co-Organized by FASEB and the International Committee on Rapid Responses to Steroid Hormones (RRSH), May 25-27, 2021. <i>FASEB Journal</i> , 2021 , 35, e21858 | 0.9 | |
| 225 | G Protein-Coupled Estrogen Receptor in Cancer and Stromal Cells: Functions and Novel Therapeutic Perspectives. <i>Cells</i> , 2021 , 10, | 7.9 | 11 |
| 224 | Targeted Phage Display-based Pulmonary Vaccination in Mice and Non-human Primates. <i>Med</i> , 2021 , 2, 321-342 | 31.7 | 6 |
| 223 | Targeting the G protein-coupled estrogen receptor (GPER) in obesity and diabetes <i>Endocrine and Metabolic Science</i> , 2021 , 2, | 1 | 4 |
| 222 | Cell-Cell Interaction Chemotactic Peptide/Complement Receptors 2021 , 711-715 | | |
| 221 | THE CONCISE GUIDE TO PHARMACOLOGY 2021/22: G protein-coupled receptors. <i>British Journal of Pharmacology</i> , 2021 , 178 Suppl 1, S27-S156 | 8.6 | 46 |
| 220 | Preclinical efficacy of the GPER-selective agonist G-1 in mouse models of obesity and diabetes. <i>Science Translational Medicine</i> , 2020 , 12, | 17.5 | 27 |
| 219 | Sex differences in murine myocutaneous flap revascularization. <i>Wound Repair and Regeneration</i> , 2020 , 28, 470-479 | 3.6 | 2 |
| 218 | Early life stress determines insulin signalling in adulthood. <i>Journal of Physiology</i> , 2020 , 598, 427-428 | 3.9 | 1 |
| 217 | G-CSF and G-CSFR Induce a Pro-Tumorigenic Macrophage Phenotype to Promote Colon and Pancreas Tumor Growth. <i>Cancers</i> , 2020 , 12, | 6.6 | 8 |
| 216 | Complement Receptor 3 Contributes to the Sexual Dimorphism in Neutrophil Killing of. <i>Journal of Immunology</i> , 2020 , 205, 1593-1600 | 5.3 | 3 |
| 215 | A hypertension patient-derived iPSC model demonstrates a role for G protein-coupled estrogen receptor in hypertension risk and development. <i>American Journal of Physiology - Cell Physiology</i> , 2020 , 319, C825-C838 | 5.4 | 3 |
| 214 | G-CSF and G-CSFR Modulate CD4 and CD8 T Cell Responses to Promote Colon Tumor Growth and Are Potential Therapeutic Targets. <i>Frontiers in Immunology</i> , 2020 , 11, 1885 | 8.4 | 4 |
| 213 | ERELargeted endocrine therapy, resistance and the role of GPER. Steroids, 2019, 152, 108493 | 2.8 | 11 |
| 212 | Nox1 downregulators: A new class of therapeutics. <i>Steroids</i> , 2019 , 152, 108494 | 2.8 | 8 |

| 211 | Obesity and survival among a cohort of breast cancer patients is partially mediated by tumor characteristics. <i>Npj Breast Cancer</i> , 2019 , 5, 33 | 7.8 | 36 | |
|-----|--|------------------|-----|--|
| 210 | Autophagy, Inflammation, and Metabolism (AIM) Center in its second year. <i>Autophagy</i> , 2019 , 15, 1829-1 | 8332 | | |
| 209 | GPER activation protects against epithelial barrier disruption by Staphylococcus aureus £toxin. <i>Scientific Reports</i> , 2019 , 9, 1343 | 4.9 | 14 | |
| 208 | A Selective Ligand for Estrogen Receptor Proteins Discriminates Rapid and Genomic Signaling. <i>Cell Chemical Biology</i> , 2019 , 26, 1692-1702.e5 | 8.2 | 9 | |
| 207 | THE CONCISE GUIDE TO PHARMACOLOGY 2019/20: G protein-coupled receptors. <i>British Journal of Pharmacology</i> , 2019 , 176 Suppl 1, S21-S141 | 8.6 | 391 | |
| 206 | Temporal trends in breast cancer survival by race and ethnicity: A population-based cohort study. <i>PLoS ONE</i> , 2019 , 14, e0224064 | 3.7 | 9 | |
| 205 | G protein-coupled estrogen receptor in colon function, immune regulation and carcinogenesis. <i>World Journal of Gastroenterology</i> , 2019 , 25, 4092-4104 | 5.6 | 22 | |
| 204 | The R-Enantiomer of Ketorolac Delays Mammary Tumor Development in Mouse Mammary Tumor Virus-Polyoma Middle T Antigen (MMTV-PyMT) Mice. <i>American Journal of Pathology</i> , 2018 , 188, 515-524 | , ^{5.8} | 8 | |
| 203 | Female Sex Hormone Receptor Profiling in Uterine Adenosarcomas. <i>International Journal of Gynecological Cancer</i> , 2018 , 28, 500-504 | 3.5 | 4 | |
| 202 | Breast cancer survival, survival disparities, and guideline-based treatment. <i>Breast Cancer Research and Treatment</i> , 2018 , 170, 405-414 | 4.4 | 20 | |
| 201 | Roles of G protein-coupled estrogen receptor GPER in metabolic regulation. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2018 , 176, 31-37 | 5.1 | 69 | |
| 200 | Twenty years of the G protein-coupled estrogen receptor GPER: Historical and personal perspectives. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2018 , 176, 4-15 | 5.1 | 125 | |
| 199 | GPER modulators: Opportunity Nox on the heels of a class Akt. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2018 , 176, 73-81 | 5.1 | 20 | |
| 198 | Role of GPER in estrogen-dependent nitric oxide formation and vasodilation. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2018 , 176, 65-72 | 5.1 | 56 | |
| 197 | Role of G protein-coupled estrogen receptors in pulmonary hypertension. FASEB Journal, 2018, 32, 892. | . 4 0.9 | | |
| 196 | Innate Sex Bias of Skin Infection Is Driven by EHemolysin. <i>Journal of Immunology</i> , 2018 , 200, 657-668 | 5.3 | 14 | |
| 195 | Rapid vasodilation to raloxifene: role of oestrogen receptors and off-target effects. <i>British Journal of Pharmacology</i> , 2017 , 174, 4201-4202 | 8.6 | 1 | |
| 194 | GPER Mediates Functional Endothelial Aging in Renal Arteries. <i>Pharmacology</i> , 2017 , 100, 188-193 | 2.3 | 10 | |
| | | | | |

| 193 | Estrogen receptor quantitative measures and breast cancer survival. <i>Breast Cancer Research and Treatment</i> , 2017 , 166, 855-864 | 4.4 | 11 |
|-----|--|-------------------|-----|
| 192 | G-Protein-Coupled Estrogen Receptor (GPER) and Sex-Specific Metabolic Homeostasis. <i>Advances in Experimental Medicine and Biology</i> , 2017 , 1043, 427-453 | 3.6 | 43 |
| 191 | Towards a transcriptome-based theranostic platform for unfavorable breast cancer phenotypes. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016 , 113, 12780-1278. | 5 ^{11.5} | 27 |
| 190 | Obligatory role for GPER in cardiovascular aging and disease. <i>Science Signaling</i> , 2016 , 9, ra105 | 8.8 | 42 |
| 189 | GPER is required for the age-dependent upregulation of the myocardial endothelin system. <i>Life Sciences</i> , 2016 , 159, 61-65 | 6.8 | 8 |
| 188 | GPER/GPR30 Knockout Mice: Effects of GPER on Metabolism. <i>Methods in Molecular Biology</i> , 2016 , 1366, 489-502 | 1.4 | 32 |
| 187 | Regulation of N-Formyl Peptide Receptor Signaling and Trafficking by Arrestin-Src Kinase Interaction. <i>PLoS ONE</i> , 2016 , 11, e0147442 | 3.7 | 11 |
| 186 | What have we learned about GPER function in physiology and disease from knockout mice?. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2015 , 153, 114-26 | 5.1 | 88 |
| 185 | Effects of atrazine on estrogen receptor <code>Band G</code> protein-coupled receptor 30-mediated signaling and proliferation in cancer cells and cancer-associated fibroblasts. <i>Environmental Health Perspectives</i> , 2015 , 123, 493-9 | 8.4 | 53 |
| 184 | Emerging roles of GPER in diabetes and atherosclerosis. <i>Trends in Endocrinology and Metabolism</i> , 2015 , 26, 185-92 | 8.8 | 73 |
| 183 | Prostanoid-mediated contractions of the carotid artery become Nox2-independent with aging. <i>Age</i> , 2015 , 37, 9806 | | 6 |
| 182 | G protein-coupled estrogen receptor inhibits vascular prostanoid production and activity. <i>Journal of Endocrinology</i> , 2015 , 227, 61-9 | 4.7 | 26 |
| 181 | The Concise Guide to PHARMACOLOGY 2015/16: Overview. <i>British Journal of Pharmacology</i> , 2015 , 172, 5729-43 | 8.6 | 207 |
| 180 | Estrogen-mediated inactivation of FOXO3a by the G protein-coupled estrogen receptor GPER. <i>BMC Cancer</i> , 2015 , 15, 702 | 4.8 | 22 |
| 179 | International Union of Basic and Clinical Pharmacology. XCVII. G Protein-Coupled Estrogen Receptor and Its Pharmacologic Modulators. <i>Pharmacological Reviews</i> , 2015 , 67, 505-40 | 22.5 | 168 |
| 178 | Estrogen biology: new insights into GPER function and clinical opportunities. <i>Molecular and Cellular Endocrinology</i> , 2014 , 389, 71-83 | 4.4 | 256 |
| 177 | Endothelin-1 but not angiotensin II contributes to functional aging in murine carotid arteries. <i>Life Sciences</i> , 2014 , 118, 213-8 | 6.8 | 13 |
| 176 | G protein-coupled estrogen receptor regulates mammary tumorigenesis and metastasis. <i>Molecular Cancer Research</i> , 2014 , 12, 1644-1654 | 6.6 | 62 |

| 175 | GPER-targeted, 99mTc-labeled, nonsteroidal ligands demonstrate selective tumor imaging and in vivo estrogen binding. <i>Molecular Cancer Research</i> , 2014 , 12, 1635-43 | 6.6 | 9 |
|-----|---|-----|-----|
| 174 | GPER mediates estrogen-induced signaling and proliferation in human breast epithelial cells and normal and malignant breast. <i>Hormones and Cancer</i> , 2014 , 5, 146-160 | 5 | 60 |
| 173 | Functional heterogeneity of NADPH oxidase-mediated contractions to endothelin with vascular aging. <i>Life Sciences</i> , 2014 , 118, 226-31 | 6.8 | 12 |
| 172 | G protein-coupled estrogen receptor protects from atherosclerosis. <i>Scientific Reports</i> , 2014 , 4, 7564 | 4.9 | 103 |
| 171 | Endometrial cancer: molecular and cellular basis of tumor development, novel biomarkers and therapeutic agents, and innovative research approaches. <i>Obstetrics and Gynecology International</i> , 2014 , 2014, 710405 | 2 | 4 |
| 170 | Peptidyl arginine deiminase from Porphyromonas gingivalis abolishes anaphylatoxin C5a activity. Journal of Biological Chemistry, 2014 , 289, 32481-7 | 5.4 | 63 |
| 169 | Introduction of D-phenylalanine enhanced the receptor binding affinities of gonadotropin-releasing hormone peptides. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2014 , 24, 725-30 | 2.9 | 2 |
| 168 | Activation of GPER-1 estradiol receptor downregulates production of testosterone in isolated rat Leydig cells and adult human testis. <i>PLoS ONE</i> , 2014 , 9, e92425 | 3.7 | 39 |
| 167 | The G protein-coupled receptor (GPER/GPR30) activates endothelial nitric oxide synthase (1075.5). <i>FASEB Journal</i> , 2014 , 28, 1075.5 | 0.9 | 2 |
| 166 | GPER deficiency in male mice results in insulin resistance, dyslipidemia, and a proinflammatory state. <i>Endocrinology</i> , 2013 , 154, 4136-45 | 4.8 | 118 |
| 165 | The Concise Guide to PHARMACOLOGY 2013/14: overview. <i>British Journal of Pharmacology</i> , 2013 , 170, 1449-58 | 8.6 | 143 |
| 164 | Influences of hydrocarbon linkers on the receptor binding affinities of gonadotropin-releasing hormone peptides. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2013 , 23, 5484-7 | 2.9 | 8 |
| 163 | G protein-coupled estrogen receptor-selective ligands modulate endometrial tumor growth. <i>Obstetrics and Gynecology International</i> , 2013 , 2013, 472720 | 2 | 106 |
| 162 | The G protein-coupled estrogen receptor (GPER) agonist G-1 expands the regulatory T-cell population under TH17-polarizing conditions. <i>Journal of Immunotherapy</i> , 2013 , 36, 190-6 | 5 | 39 |
| 161 | Alike but not the same: anatomic heterogeneity of estrogen receptor-mediated vasodilation. <i>Journal of Cardiovascular Pharmacology</i> , 2013 , 62, 22-5 | 3.1 | 11 |
| 160 | Regulation of vascular smooth muscle tone by adipose-derived contracting factor. <i>PLoS ONE</i> , 2013 , 8, e79245 | 3.7 | 57 |
| 159 | GPER regulates endothelin-dependent vascular tone and intracellular calcium. <i>Life Sciences</i> , 2012 , 91, 623-7 | 6.8 | 49 |
| 158 | Synthesis and characterization of tricarbonyl-Re/Tc(I) chelate probes targeting the G protein-coupled estrogen receptor GPER/GPR30. <i>PLoS ONE</i> , 2012 , 7, e46861 | 3.7 | 18 |

| 157 | Deletion of G protein-coupled estrogen receptor increases endothelial vasoconstriction. <i>Hypertension</i> , 2012 , 59, 507-12 | 8.5 | 48 |
|-----|---|------|-----|
| 156 | Mechanisms of estradiol-induced insulin secretion by the G protein-coupled estrogen receptor GPR30/GPER in pancreatic beta-cells. <i>Endocrinology</i> , 2011 , 152, 3030-9 | 4.8 | 106 |
| 155 | Identification of a GPER/GPR30 antagonist with improved estrogen receptor counterselectivity. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2011 , 127, 358-66 | 5.1 | 205 |
| 154 | The G-protein-coupled estrogen receptor GPER in health and disease. <i>Nature Reviews Endocrinology</i> , 2011 , 7, 715-26 | 15.2 | 562 |
| 153 | Vasodilation in response to the GPR30 agonist G-1 is not different from estradiol in the mRen2.Lewis female rat. <i>Journal of Cardiovascular Pharmacology</i> , 2011 , 57, 598-603 | 3.1 | 84 |
| 152 | Induction of interleukin-10 in the T helper type 17 effector population by the G protein coupled estrogen receptor (GPER) agonist G-1. <i>Immunology</i> , 2011 , 134, 93-106 | 7.8 | 59 |
| 151 | Obesity, insulin resistance and diabetes: sex differences and role of oestrogen receptors. <i>Acta Physiologica</i> , 2011 , 203, 259-69 | 5.6 | 190 |
| 150 | The G protein-coupled estrogen receptor GPER/GPR30 as a regulator of cardiovascular function. <i>Vascular Pharmacology</i> , 2011 , 55, 17-25 | 5.9 | 116 |
| 149 | Synthesis and evaluation of novel gonadotropin-releasing hormone receptor-targeting peptides. <i>Bioconjugate Chemistry</i> , 2011 , 22, 1682-9 | 6.3 | 23 |
| 148 | GPR30 expression is required for the mineralocorticoid receptor-independent rapid vascular effects of aldosterone. <i>Hypertension</i> , 2011 , 57, 442-51 | 8.5 | 185 |
| 147 | Mesothelin and GPR30 staining among a spectrum of pancreatic epithelial neoplasms. <i>International Journal of Surgical Pathology</i> , 2011 , 19, 588-96 | 1.2 | 19 |
| 146 | Full characterization of GPCR monomer-dimer dynamic equilibrium by single molecule imaging. <i>Journal of Cell Biology</i> , 2011 , 192, 463-80 | 7.3 | 268 |
| 145 | Activation of G protein-coupled estrogen receptor induces endothelium-independent relaxation of coronary artery smooth muscle. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2011 , 301, E882-8 | 6 | 68 |
| 144 | GPER/GPR30 and Regulation of Vascular Tone and Blood Pressure. <i>Immunology, Endocrine and Metabolic Agents in Medicinal Chemistry</i> , 2011 , 11, 255-261 | | 17 |
| 143 | The mechanism of activation of G-protein coupled estrogen receptor induced coronary artery smooth muscle relaxation. <i>FASEB Journal</i> , 2011 , 25, 1009.5 | 0.9 | |
| 142 | Insulin-like growth factor 2 expression modulates Taxol resistance and is a candidate biomarker for reduced disease-free survival in ovarian cancer. <i>Clinical Cancer Research</i> , 2010 , 16, 2999-3010 | 12.9 | 76 |
| 141 | Membrane estrogen receptors stimulate intracellular calcium release and progesterone synthesis in hypothalamic astrocytes. <i>Journal of Neuroscience</i> , 2010 , 30, 12950-7 | 6.6 | 146 |
| 140 | Dilation of epicardial coronary arteries by the G protein-coupled estrogen receptor agonists G-1 and ICI 182,780. <i>Pharmacology</i> , 2010 , 86, 58-64 | 2.3 | 93 |

(2009-2010)

| 139 | The G protein-coupled receptor GPR30 inhibits proliferation of estrogen receptor-positive breast cancer cells. <i>Cancer Research</i> , 2010 , 70, 1184-94 | 10.1 | 183 |
|-----|---|-------------------|-----|
| 138 | Lung cancer and hormone replacement therapy. <i>Lancet, The</i> , 2010 , 375, 117-8; author reply 118-9 | 40 | |
| 137 | Synthesis and characterization of iodinated tetrahydroquinolines targeting the G protein-coupled estrogen receptor GPR30. <i>Journal of Medicinal Chemistry</i> , 2010 , 53, 1004-14 | 8.3 | 43 |
| 136 | Influence of charge on cell permeability and tumor imaging of GPR30-targeted 111in-labeled nonsteroidal imaging agents. <i>ACS Chemical Biology</i> , 2010 , 5, 681-90 | 4.9 | 17 |
| 135 | Highly efficient synthesis and characterization of the GPR30-selective agonist G-1 and related tetrahydroquinoline analogs. <i>Organic and Biomolecular Chemistry</i> , 2010 , 8, 2252-9 | 3.9 | 37 |
| 134 | 2P228 Dimer-monomer equilibrium of a GPCR: direct dimer detection by single-molecule bimolecular fluorescence complementation (SM-BiFC)(The 48th Annual Meeting of the Biophysical Society of Japan). <i>Seibutsu Butsuri</i> , 2010 , 50, S122-S123 | Ο | |
| 133 | GPR30 and estrogen receptor expression: new insights into hormone dependence of inflammatory breast cancer. <i>Breast Cancer Research and Treatment</i> , 2010 , 123, 51-8 | 4.4 | 60 |
| 132 | Co-expression of GPR30 and ERbeta and their association with disease progression in uterine carcinosarcoma. <i>American Journal of Obstetrics and Gynecology</i> , 2010 , 203, 242.e1-5 | 6.4 | 27 |
| 131 | Expression of G protein-coupled receptor 30 in the spinal somatosensory system. <i>Brain Research</i> , 2010 , 1310, 17-28 | 3.7 | 31 |
| 130 | Detection of intracellular granularity induction in prostate cancer cell lines by small molecules using the HyperCyt high-throughput flow cytometry system. <i>Journal of Biomolecular Screening</i> , 2009 , 14, 596-609 | | 22 |
| 129 | Regulatory role of G protein-coupled estrogen receptor for vascular function and obesity. <i>Circulation Research</i> , 2009 , 104, 288-91 | 15.7 | 269 |
| 128 | Discovery of selective probes and antagonists for G-protein-coupled receptors FPR/FPRL1 and GPR30. <i>Current Topics in Medicinal Chemistry</i> , 2009 , 9, 1227-36 | 3 | 22 |
| 127 | Localisation of GPR30, a novel G protein-coupled oestrogen receptor, suggests multiple functions in rodent brain and peripheral tissues. <i>Journal of Endocrinology</i> , 2009 , 202, 223-36 | 4.7 | 254 |
| 126 | Signaling, physiological functions and clinical relevance of the G protein-coupled estrogen receptor GPER. <i>Prostaglandins and Other Lipid Mediators</i> , 2009 , 89, 89-97 | 3.7 | 121 |
| 125 | Beneficial role of the GPR30 agonist G-1 in an animal model of multiple sclerosis. <i>Journal of Neuroimmunology</i> , 2009 , 214, 67-77 | 3.5 | 135 |
| 124 | GPR30 predicts poor survival for ovarian cancer. <i>Gynecologic Oncology</i> , 2009 , 114, 465-71 | 4.9 | 159 |
| 123 | Estrogen and progesterone receptor status and outcome in epithelial ovarian cancers and low malignant potential tumors. <i>Gynecologic Oncology</i> , 2009 , 114, 480-5 | 4.9 | 38 |
| 122 | Duplex high-throughput flow cytometry screen identifies two novel formylpeptide receptor family probes. Cytometry Part A: the Journal of the International Society for Analytical Cytology, 2009, 75, 253-0 | 53 ^{4.6} | 27 |

| 121 | A novel fluorescent cross-reactive formylpeptide receptor/formylpeptide receptor-like 1 hexapeptide ligand. <i>Cytometry Part A: the Journal of the International Society for Analytical Cytology</i> , 2009 , 75, 264-70 | 4.6 | 8 |
|-----|--|------|-----|
| 120 | Expression of estrogen receptor GPR30 in the rat spinal cord and in autonomic and sensory ganglia. <i>Journal of Neuroscience Research</i> , 2009 , 87, 1610-9 | 4.4 | 72 |
| 119 | In vivo effects of a GPR30 antagonist. <i>Nature Chemical Biology</i> , 2009 , 5, 421-7 | 11.7 | 402 |
| 118 | Adaptor protein-2 interaction with arrestin regulates GPCR recycling and apoptosis. <i>Traffic</i> , 2009 , 10, 1286-300 | 5.7 | 24 |
| 117 | Effect of DOTA position on melanoma targeting and pharmacokinetic properties of 111In-labeled lactam bridge-cyclized alpha-melanocyte stimulating hormone peptide. <i>Bioconjugate Chemistry</i> , 2009 , 20, 2162-8 | 6.3 | 30 |
| 116 | Extra-nuclear estrogen receptor GPR30 regulates serotonin function in rat hypothalamus. <i>Neuroscience</i> , 2009 , 158, 1599-607 | 3.9 | 81 |
| 115 | Non-genomic regulation of vascular cell function and growth by estrogen. <i>Molecular and Cellular Endocrinology</i> , 2009 , 308, 9-16 | 4.4 | 91 |
| 114 | Mechanisms of estrogen signaling and gene expression via GPR30. <i>Molecular and Cellular Endocrinology</i> , 2009 , 308, 32-8 | 4.4 | 279 |
| 113 | 1TA3-09 First determination of the dimer dissociation constant of GPCR in the living cell membrane by single-molecule imaging(The 47th Annual Meeting of the Biophysical Society of Japan). <i>Seibutsu Butsuri</i> , 2009 , 49, S29 | 0 | |
| 112 | High-content screening: flow cytometry analysis. <i>Methods in Molecular Biology</i> , 2009 , 486, 151-65 | 1.4 | 26 |
| 111 | Estrogen signaling through the transmembrane G protein-coupled receptor GPR30. <i>Annual Review of Physiology</i> , 2008 , 70, 165-90 | 23.1 | 474 |
| 110 | Expression and intracellular distribution of the G protein-coupled receptor 30 in rat hippocampal formation. <i>Neuroscience Letters</i> , 2008 , 441, 94-9 | 3.3 | 100 |
| 109 | Enhancement of somatostatin-receptor-targeted (177)Lu-[DOTA(0)-Tyr(3)]-octreotide therapy by gemcitabine pretreatment-mediated receptor uptake, up-regulation and cell cycle modulation. Nuclear Medicine and Biology, 2008, 35, 673-8 | 2.1 | 21 |
| 108 | GPR30: a novel therapeutic target in estrogen-related disease. <i>Trends in Pharmacological Sciences</i> , 2008 , 29, 116-23 | 13.2 | 110 |
| 107 | The ins and outs of GPR30: a transmembrane estrogen receptor. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2008 , 109, 350-3 | 5.1 | 129 |
| 106 | Preclinical development of a neutral, estrogen receptor-targeted, tridentate 99mTc(I)-estradiol-pyridin-2-yl hydrazine derivative for imaging of breast and endometrial cancers. <i>Journal of Nuclear Medicine</i> , 2008 , 49, 978-86 | 8.9 | 46 |
| 105 | The G protein-coupled receptor GPR30 inhibits human urothelial cell proliferation. <i>Endocrinology</i> , 2008 , 149, 4024-34 | 4.8 | 56 |
| 104 | G protein-coupled receptor 30 expression is required for estrogen stimulation of primordial follicle formation in the hamster ovary. <i>Endocrinology</i> , 2008 , 149, 4452-61 | 4.8 | 80 |

| 103 | G-protein-coupled receptor 30 and estrogen receptor-alpha are involved in the proliferative effects induced by atrazine in ovarian cancer cells. <i>Environmental Health Perspectives</i> , 2008 , 116, 1648-55 | 8.4 | 90 |
|-----|---|--------|-----|
| 102 | A multifunctional androgen receptor screening assay using the high-throughput Hypercyt flow cytometry system. <i>Cytometry Part A: the Journal of the International Society for Analytical Cytology</i> , 2008 , 73, 390-9 | 4.6 | 16 |
| 101 | 1P-191 Dimers of formyl peptide receptor, a GPCR, exist under physiological conditions: a study using single-molecule tracking(The 46th Annual Meeting of the Biophysical Society of Japan). <i>Seibutsu Butsuri</i> , 2008 , 48, S51 | 0 | |
| 100 | Synthetic estrogen derivatives demonstrate the functionality of intracellular GPR30. <i>ACS Chemical Biology</i> , 2007 , 2, 536-44 | 4.9 | 129 |
| 99 | Rapid-mix flow cytometry measurements of subsecond regulation of G protein-coupled receptor ternary complex dynamics by guanine nucleotides. <i>Analytical Biochemistry</i> , 2007 , 371, 10-20 | 3.1 | 9 |
| 98 | GPR30: a novel indicator of poor survival for endometrial carcinoma. <i>American Journal of Obstetrics and Gynecology</i> , 2007 , 196, 386.e1-9; discussion 386.e9-11 | 6.4 | 160 |
| 97 | Expression of G protein-coupled receptor-30, a G protein-coupled membrane estrogen receptor, in oxytocin neurons of the rat paraventricular and supraoptic nuclei. <i>Endocrinology</i> , 2007 , 148, 5842-50 | 4.8 | 120 |
| 96 | High-throughput flow cytometry for drug discovery. <i>Expert Opinion on Drug Discovery</i> , 2007 , 2, 685-96 | 6.2 | 28 |
| 95 | Some mechanistic insights into GPCR activation from detergent-solubilized ternary complexes on beads. <i>Advances in Protein Chemistry</i> , 2007 , 74, 95-135 | | 12 |
| 94 | Expression of G protein-coupled receptor 30 in the hamster ovary: differential regulation by gonadotropins and steroid hormones. <i>Endocrinology</i> , 2007 , 148, 4853-64 | 4.8 | 77 |
| 93 | Activated N-formyl peptide receptor and high-affinity IgE receptor occupy common domains for signaling and internalization. <i>Molecular Biology of the Cell</i> , 2007 , 18, 1410-20 | 3.5 | 17 |
| 92 | Distribution and characterization of estrogen receptor G protein-coupled receptor 30 in the rat central nervous system. <i>Journal of Endocrinology</i> , 2007 , 193, 311-21 | 4.7 | 387 |
| 91 | G protein-coupled receptor 30 (GPR30) mediates gene expression changes and growth response to 17beta-estradiol and selective GPR30 ligand G-1 in ovarian cancer cells. <i>Cancer Research</i> , 2007 , 67, 1859 | 9-56.1 | 340 |
| 90 | 3P206 Single-molecule tracking revealed the complete kinetics of a GPCR monomer-dimer dynamic equilibrium(Cell biological problems-adhesion, mobility, cytoskeleton, signaling, and membrane. Water and hydration. Electrolytes,Oral Presentations). <i>Seibutsu Butsuri</i> , 2007 , 47, S254 | Ο | |
| 89 | S01H1 Direct determination of monomer-dimer dynamic equilibrium of a GPCR by a single fluorescent-molecule tracking(Systems Biology of Intracellular Signaling as Studied by Single-Molecule Imaging). <i>Seibutsu Butsuri</i> , 2007 , 47, S1 | O | |
| 88 | Somatostatin-receptor-targeted alpha-emitting 213Bi is therapeutically more effective than beta(-)-emitting 177Lu in human pancreatic adenocarcinoma cells. <i>Nuclear Medicine and Biology</i> , 2007 , 34, 185-93 | 2.1 | 54 |
| 87 | GPR30: A G protein-coupled receptor for estrogen. <i>Molecular and Cellular Endocrinology</i> , 2007 , 265-266, 138-42 | 4.4 | 218 |
| 86 | Glutathione-S-transferase-green fluorescent protein fusion protein reveals slow dissociation from high site density beads and measures free GSH. <i>Cytometry Part A: the Journal of the International Society for Analytical Cytology</i> , 2006 , 69, 326-34 | 4.6 | 19 |

| 85 | Steroid-binding G-protein-coupled receptors: new drug discovery targets for old ligands. <i>Expert Opinion on Drug Discovery</i> , 2006 , 1, 137-50 | 6.2 | 6 |
|----|---|---------------------|------|
| 84 | G protein-coupled receptors serve as mechanosensors for fluid shear stress in neutrophils. <i>American Journal of Physiology - Cell Physiology</i> , 2006 , 290, C1633-9 | 5.4 | 89 |
| 83 | Regulation of N-formyl peptide receptor signaling and trafficking by individual carboxyl-terminal serine and threonine residues. <i>Journal of Immunology</i> , 2006 , 176, 5418-25 | 5.3 | 22 |
| 82 | Screening for caspase-3 inhibitors: a new class of potent small-molecule inhibitors of caspase-3. Journal of Biomolecular Screening, 2006 , 11, 277-85 | | 14 |
| 81 | Integration of virtual and physical screening. <i>Drug Discovery Today: Technologies</i> , 2006 , 3, 377-385 | 7.1 | 18 |
| 80 | Linkage effects on binding affinity and activation of GPR30 and estrogen receptors ERalpha/beta with tridentate pyridin-2-yl hydrazine tricarbonyl-Re/(99m)Tc(I) chelates. <i>Journal of the American Chemical Society</i> , 2006 , 128, 14476-7 | 16.4 | 36 |
| 79 | Virtual and biomolecular screening converge on a selective agonist for GPR30. <i>Nature Chemical Biology</i> , 2006 , 2, 207-12 | 11.7 | 644 |
| 78 | Biomolecular screening of formylpeptide receptor ligands with a sensitive, quantitative, high-throughput flow cytometry platform. <i>Nature Protocols</i> , 2006 , 1, 59-66 | 18.8 | 28 |
| 77 | G Protein-coupled Receptor as a Mechanosensor for Fluid Shear in Neutrophil. <i>FASEB Journal</i> , 2006 , 20, A281 | 0.9 | |
| 76 | Expression of a Novel Estrogen Receptor, GPR30, During Development and Differentiation. <i>FASEB Journal</i> , 2006 , 20, A882 | 0.9 | |
| 75 | A transmembrane intracellular estrogen receptor mediates rapid cell signaling. <i>Science</i> , 2005 , 307, 1625 | 5 -33 03 | 1779 |
| 74 | Conformational differences between arrestin2 and pre-activated mutants as revealed by hydrogen exchange mass spectrometry. <i>Journal of Molecular Biology</i> , 2005 , 351, 865-78 | 6.5 | 44 |
| 73 | High-Throughput Flow Cytometry 2005 , 185-226 | | |
| 72 | Inhibition of chemoattractant N-formyl peptide receptor trafficking by active arrestins. <i>Traffic</i> , 2005 , 6, 87-99 | 5.7 | 19 |
| 71 | Integration of virtual screening with high-throughput flow cytometry to identify novel small molecule formylpeptide receptor antagonists. <i>Molecular Pharmacology</i> , 2005 , 68, 1301-10 | 4.3 | 86 |
| 70 | High-throughput screening with HyperCyt flow cytometry to detect small molecule formylpeptide receptor ligands. <i>Journal of Biomolecular Screening</i> , 2005 , 10, 374-82 | | 56 |
| 69 | Post-high-throughput screening analysis: an empirical compound prioritization scheme. <i>Journal of Biomolecular Screening</i> , 2005 , 10, 419-26 | | 21 |
| 68 | Chemotactic Peptide/Complement Receptors 2004 , 425-429 | | 1 |

(2003-2004)

| 67 | Conformational regulation of alpha 4 beta 1-integrin affinity by reducing agents. "Inside-out" signaling is independent of and additive to reduction-regulated integrin activation. <i>Journal of Biological Chemistry</i> , 2004 , 279, 32435-43 | 5.4 | 49 |
|----|--|-------|-----|
| 66 | High-throughput microfluidic mixing and multiparametric cell sorting for bioactive compound screening. <i>Journal of Biomolecular Screening</i> , 2004 , 9, 103-11 | | 22 |
| 65 | Real-time analysis of ternary complex on particles: direct evidence for partial agonism at the agonist-receptor-G protein complex assembly step of signal transduction. <i>Journal of Biological Chemistry</i> , 2004 , 279, 13514-21 | 5.4 | 26 |
| 64 | Arrestins block G protein-coupled receptor-mediated apoptosis. <i>Journal of Biological Chemistry</i> , 2004 , 279, 24578-84 | 5.4 | 103 |
| 63 | Chemotaxis inhibitory protein of Staphylococcus aureus binds specifically to the C5a and formylated peptide receptor. <i>Journal of Immunology</i> , 2004 , 172, 6994-7001 | 5.3 | 178 |
| 62 | N-formyl peptide receptors cluster in an active raft-associated state prior to phosphorylation. Journal of Biological Chemistry, 2004 , 279, 45175-84 | 5.4 | 31 |
| 61 | Mechanisms of G protein-coupled receptor-mediated degranulation. <i>FEMS Microbiology Letters</i> , 2004 , 236, 1-6 | 2.9 | 13 |
| 60 | Flow cytometry for high-throughput, high-content screening. <i>Current Opinion in Chemical Biology</i> , 2004 , 8, 392-8 | 9.7 | 180 |
| 59 | Techniques: GPCR assembly, pharmacology and screening by flow cytometry. <i>Trends in Pharmacological Sciences</i> , 2004 , 25, 663-9 | 13.2 | 28 |
| 58 | Novel roles for arrestins in the post-endocytic trafficking of G protein-coupled receptors. <i>Life Sciences</i> , 2004 , 75, 893-9 | 6.8 | 42 |
| 57 | Mechanisms of G protein-coupled receptor-mediated degranulation. <i>FEMS Microbiology Letters</i> , 2004 , 236, 1-6 | 2.9 | 3 |
| 56 | Alpha4beta1 integrin affinity changes govern cell adhesion. <i>Journal of Biological Chemistry</i> , 2003 , 278, 38174-82 | 5.4 | 61 |
| 55 | N-formyl peptide receptors internalize but do not recycle in the absence of arrestins. <i>Journal of Biological Chemistry</i> , 2003 , 278, 41581-4 | 5.4 | 85 |
| 54 | High throughput screening of G-protein coupled receptors via flow cytometry. <i>Combinatorial Chemistry and High Throughput Screening</i> , 2003 , 6, 389-97 | 1.3 | 19 |
| 53 | Ligand-receptor-G-protein molecular assemblies on beads for mechanistic studies and screening by flow cytometry. <i>Molecular Pharmacology</i> , 2003 , 64, 1227-38 | 4.3 | 35 |
| 52 | Functional capabilities of an N-formyl peptide receptor-G(alpha)(i)(2) fusion protein: assemblies with G proteins and arrestins. <i>Biochemistry</i> , 2003 , 42, 7283-93 | 3.2 | 15 |
| 51 | FRET detection of cellular alpha4-integrin conformational activation. <i>Biophysical Journal</i> , 2003 , 85, 3951 | 1-26g | 111 |
| 50 | N-formyl peptide receptor phosphorylation domains differentially regulate arrestin and agonist affinity. <i>Journal of Biological Chemistry</i> , 2003 , 278, 4041-7 | 5.4 | 42 |

| 49 | Performance of in-line microfluidic mixers in laminar flow for high-throughput flow cytometry. <i>BioTechniques</i> , 2002 , 33, 220-6 | 2.5 | 16 |
|----|--|-----|-----|
| 48 | Flow cytometric analysis of ligand-receptor interactions and molecular assemblies. <i>Annual Review of Biophysics and Biomolecular Structure</i> , 2002 , 31, 97-119 | | 73 |
| 47 | Regulation of N-formyl peptide-mediated degranulation by receptor phosphorylation. <i>Journal of Immunology</i> , 2002 , 169, 6760-6 | 5.3 | 16 |
| 46 | Arrestin variants display differential binding characteristics for the phosphorylated N-formyl peptide receptor carboxyl terminus. <i>Journal of Biological Chemistry</i> , 2002 , 277, 8970-8 | 5.4 | 21 |
| 45 | Dexras1/AGS-1 inhibits signal transduction from the Gi-coupled formyl peptide receptor to Erk-1/2 MAP kinases. <i>Journal of Biological Chemistry</i> , 2002 , 277, 10876-82 | 5.4 | 67 |
| 44 | Plug flow cytometry extends analytical capabilities in cell adhesion and receptor pharmacology. <i>Cytometry</i> , 2001 , 43, 211-6 | | 20 |
| 43 | Partial phosphorylation of the N-formyl peptide receptor inhibits G protein association independent of arrestin binding. <i>Journal of Biological Chemistry</i> , 2001 , 276, 49195-203 | 5.4 | 36 |
| 42 | Real time analysis of the affinity regulation of alpha 4-integrin. The physiologically activated receptor is intermediate in affinity between resting and Mn(2+) or antibody activation. <i>Journal of Biological Chemistry</i> , 2001 , 276, 48670-8 | 5.4 | 111 |
| 41 | Regulation of formyl peptide receptor agonist affinity by reconstitution with arrestins and heterotrimeric G proteins. <i>Journal of Biological Chemistry</i> , 2001 , 276, 49204-12 | 5.4 | 37 |
| 40 | Real-time analysis of G protein-coupled receptor reconstitution in a solubilized system. <i>Journal of Biological Chemistry</i> , 2001 , 276, 22453-60 | 5.4 | 30 |
| 39 | Internalization of the human N-formyl peptide and C5a chemoattractant receptors occurs via clathrin-independent mechanisms. <i>Biochemistry</i> , 2001 , 40, 3467-75 | 3.2 | 52 |
| 38 | Deficient homologous desensitization of formyl peptide receptors stably expressed in undifferentiated HL-60 cells. <i>Biochemical Pharmacology</i> , 2000 , 60, 179-87 | 6 | 7 |
| 37 | Solubilization and display of G protein-coupled receptors on beads for real-time fluorescence and flow cytometric analysis. <i>BioTechniques</i> , 2000 , 28, 976-80, 982-5 | 2.5 | 27 |
| 36 | Arrestin binding to the G protein-coupled N-formyl peptide receptor is regulated by the conserved "DRY" sequence. <i>Journal of Biological Chemistry</i> , 2000 , 275, 24590-4 | 5.4 | 62 |
| 35 | Analysis of free intracellular calcium by flow cytometry: multiparameter and pharmacologic applications. <i>Methods</i> , 2000 , 21, 221-30 | 4.6 | 43 |
| 34 | Differential phosphorylation paradigms dictate desensitization and internalization of the N-formyl peptide receptor. <i>Journal of Biological Chemistry</i> , 1999 , 274, 29791-5 | 5.4 | 47 |
| 33 | Flow cytometry: a versatile tool for all phases of drug discovery. <i>Drug Discovery Today</i> , 1999 , 4, 173-180 | 8.8 | 53 |
| 32 | The uncoupled state of the human formyl peptide receptor. <i>Journal of Receptor and Signal Transduction Research</i> , 1999 , 19, 327-40 | 2.6 | 5 |

| 31 | Multiple activation steps of the N-formyl peptide receptor. <i>Biochemistry</i> , 1999 , 38, 2240-7 | 3.2 | 39 |
|----|--|------|-----|
| 30 | Strategies for positioning fluorescent probes and crosslinkers on formyl peptide ligands. <i>Journal of Receptor and Signal Transduction Research</i> , 1998 , 18, 187-221 | 2.6 | 14 |
| 29 | Activation of mitogen-activated protein kinases by formyl peptide receptors is regulated by the cytoplasmic tail. <i>Journal of Biological Chemistry</i> , 1998 , 273, 20916-23 | 5.4 | 12 |
| 28 | Sample handling for kinetics and molecular assembly in flow cytometry 1998, | | 9 |
| 27 | Desensitization of N-formylpeptide receptor-mediated activation is dependent upon receptor phosphorylation. <i>Journal of Biological Chemistry</i> , 1997 , 272, 15213-9 | 5.4 | 59 |
| 26 | Phosphorylation of the N-formyl peptide receptor is required for receptor internalization but not chemotaxis. <i>Journal of Biological Chemistry</i> , 1997 , 272, 29426-9 | 5.4 | 55 |
| 25 | Cell type- and developmental stage-specific activation of NF-kappaB by fMet-Leu-Phe in myeloid cells. <i>Journal of Biological Chemistry</i> , 1997 , 272, 7995-8001 | 5.4 | 57 |
| 24 | Identification of an N-formyl peptide receptor ligand binding domain by a gain-of-function approach. <i>Biochemical and Biophysical Research Communications</i> , 1997 , 238, 377-81 | 3.4 | 28 |
| 23 | Undifferentiated U937 cells transfected with chemoattractant receptors: a model system to investigate chemotactic mechanisms and receptor structure/function relationships. <i>Journal of Leukocyte Biology</i> , 1997 , 61, 329-37 | 6.5 | 60 |
| 22 | The N-formyl peptide receptor: a model for the study of chemoattractant receptor structure and function 1997 , 74, 73-102 | | 219 |
| 21 | Cloning and functional characterization of the mouse C3a anaphylatoxin receptor gene. <i>Immunogenetics</i> , 1997 , 47, 64-72 | 3.2 | 33 |
| 20 | A tyrosine kinase signaling pathway accounts for the majority of phosphatidylinositol 3,4,5-trisphosphate formation in chemoattractant-stimulated human neutrophils. <i>Journal of Biological Chemistry</i> , 1996 , 271, 25204-7 | 5.4 | 98 |
| 19 | cDNA cloning of a novel G protein-coupled receptor with a large extracellular loop structure. <i>Biochimica Et Biophysica Acta Gene Regulatory Mechanisms</i> , 1996 , 1305, 39-43 | | 68 |
| 18 | Bradykinin stimulates NF-kappaB activation and interleukin 1beta gene expression in cultured human fibroblasts. <i>Journal of Clinical Investigation</i> , 1996 , 98, 2042-9 | 15.9 | 120 |
| 17 | Phosphorylation of the N-formyl peptide receptor carboxyl terminus by the G protein-coupled receptor kinase, GRK2. <i>Journal of Biological Chemistry</i> , 1995 , 270, 1130-7 | 5.4 | 91 |
| 16 | Binding of low affinity N-formyl peptide receptors to G protein. Characterization of a novel inactive receptor intermediate. <i>Journal of Biological Chemistry</i> , 1995 , 270, 10686-94 | 5.4 | 37 |
| 15 | Investigation of neutrophil signal transduction using a specific inhibitor of phosphatidylinositol 3-kinase. <i>Journal of Immunology</i> , 1995 , 154, 2413-22 | 5.3 | 115 |
| 14 | Domains of the human neutrophil N-formyl peptide receptor involved in G protein coupling. Mapping with receptor-derived peptides. <i>Journal of Biological Chemistry</i> , 1994 , 269, 326-31 | 5.4 | 58 |

| 13 | Reconstitution of recombinant N-formyl chemotactic peptide receptor with G protein. <i>Journal of Leukocyte Biology</i> , 1993 , 53, 470-4 | 6.5 | 18 |
|----|--|-----|-----|
| 12 | Signal transducing properties of the N-formyl peptide receptor expressed in undifferentiated HL60 cells. <i>Journal of Immunology</i> , 1993 , 151, 5704-15 | 5.3 | 42 |
| 11 | Multiple domains of the N-formyl peptide receptor are required for high-affinity ligand binding. Construction and analysis of chimeric N-formyl peptide receptors. <i>Journal of Biological Chemistry</i> , 1993 , 268, 18167-75 | 5.4 | 88 |
| 10 | The rabbit neutrophil N-formyl peptide receptor. cDNA cloning, expression, and structure/function implications. <i>Journal of Immunology</i> , 1993 , 150, 1383-94 | 5.3 | 33 |
| 9 | Isolation of a cDNA that encodes a novel granulocyte N-formyl peptide receptor. <i>Biochemical and Biophysical Research Communications</i> , 1992 , 184, 582-9 | 3.4 | 154 |
| 8 | Absence of G(i) proteins in the Sf9 insect cell. Characterization of the uncoupled recombinant N-formyl peptide receptor. <i>Journal of Biological Chemistry</i> , 1992 , 267, 19757-60 | 5.4 | 51 |
| 7 | Characterization of a human cDNA that encodes a functional receptor for platelet activating factor. <i>Biochemical and Biophysical Research Communications</i> , 1991 , 180, 105-11 | 3.4 | 167 |
| 6 | Transmembrane signalling by the N-formyl peptide receptor in stably transfected fibroblasts. <i>Biochemical and Biophysical Research Communications</i> , 1991 , 179, 471-6 | 3.4 | 42 |
| 5 | Determination of a region of the HisJ binding protein involved in the recognition of the membrane complex of the histidine transport system of Salmonella typhimurium. <i>Journal of Biological Chemistry</i> , 1991 , 266, 9673-7 | 5.4 | 11 |
| 4 | Reconstitution of the histidine periplasmic transport system in membrane vesicles. Energy coupling and interaction between the binding protein and the membrane complex. <i>Journal of Biological Chemistry</i> , 1989 , 264, 5006-14 | 5.4 | 71 |
| 3 | Role of the intercistronic region in post-transcriptional control of gene expression in the histidine transport operon of Salmonella typhimurium: involvement of REP sequences. <i>Molecular Microbiology</i> , 1988 , 2, 141-52 | 4.1 | 54 |
| 2 | Formaldehyde and photoactivatable cross-linking of the periplasmic binding protein to a membrane component of the histidine transport system of Salmonella typhimurium. <i>Journal of Biological Chemistry</i> . 1988 , 263, 17917-20 | 5.4 | 62 |

1 High-Throughput Flow Cytometry1