

# Einat Seidel

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2008279/publications.pdf>

Version: 2024-02-01

15  
papers

585  
citations

933447

10  
h-index

996975

15  
g-index

16  
all docs

16  
docs citations

16  
times ranked

1123  
citing authors

#	ARTICLE	IF	CITATIONS
1	Mouse <scp>TIGIT</scp> inhibits <scp>NK</scp> cell cytotoxicity upon interaction with <scp>PVR</scp>. <i>European Journal of Immunology</i> , 2013, 43, 2138-2150.	2.9	215
2	Dynamic Co-evolution of Host and Pathogen: HCMV Downregulates the Prevalent Allele MICA <sup>*008</sup> to Escape Elimination by NK Cells. <i>Cell Reports</i> , 2015, 10, 968-982.	6.4	74
3	Virus-mediated inhibition of natural cytotoxicity receptor recognition. <i>Cellular and Molecular Life Sciences</i> , 2012, 69, 3911-3920.	5.4	45
4	IFNG-AS1 Enhances Interferon Gamma Production in Human Natural Killer Cells. <i>IScience</i> , 2019, 11, 466-473.	4.1	38
5	Human cytomegalovirus escapes immune recognition by NK cells through the downregulation of B7-H6 by the viral genes US18 and US20. <i>Scientific Reports</i> , 2017, 7, 8661.	3.3	37
6	MiR-520d-5p directly targets TWIST1 and downregulates the metastamiR miR-10b. <i>Oncotarget</i> , 2014, 5, 12141-12150.	1.8	37
7	Cytokine secretion and NK cell activity in human ADAM17 deficiency. <i>Oncotarget</i> , 2015, 6, 44151-44160.	1.8	33
8	The Human Cytomegalovirus Protein UL148A Downregulates the NK Cell-Activating Ligand MICA To Avoid NK Cell Attack. <i>Journal of Virology</i> , 2018, 92, .	3.4	28
9	Transcription of the NKG2D ligand MICA is suppressed by the IRE1/XBP1 pathway of the unfolded protein response through the regulation of E2F1. <i>FASEB Journal</i> , 2019, 33, 3481-3495.	0.5	23
10	The integrated stress response promotes B7H6 expression. <i>Journal of Molecular Medicine</i> , 2020, 98, 135-148.	3.9	18
11	A slowly cleaved viral signal peptide acts as a protein-integral immune evasion domain. <i>Nature Communications</i> , 2021, 12, 2061.	12.8	11
12	The human cytomegalovirus protein UL147A downregulates the most prevalent MICA allele: MICA <sup>*008</sup> , to evade NK cell-mediated killing. <i>PLoS Pathogens</i> , 2021, 17, e1008807.	4.7	10
13	Decay of the Stress-Induced Ligand MICA Is Controlled by the Expression of an Alternative 3' UTR Untranslated Region. <i>Journal of Immunology</i> , 2018, 200, 2819-2825.	0.8	8
14	Keeping PPE barriers in COVID-19 wards while doing proper auscultation. <i>Antimicrobial Resistance and Infection Control</i> , 2020, 9, 196.	4.1	4
15	Human Metapneumovirus Escapes NK Cell Recognition through the Downregulation of Stress-Induced Ligands for NKG2D. <i>Viruses</i> , 2020, 12, 781.	3.3	3