

Edyta Wyszogrodzka

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2008954/publications.pdf>

Version: 2024-02-01

11
papers

116
citations

1478505

6
h-index

1281871

11
g-index

11
all docs

11
docs citations

11
times ranked

225
citing authors

#	ARTICLE	IF	CITATIONS
1	Active versus passive cocaine administration: Differences in the neuroadaptive changes in the brain dopaminergic system. <i>Brain Research</i> , 2007, 1157, 1-10.	2.2	44
2	Poor sensitization of 50-kHz vocalization response to amphetamine predicts rat susceptibility to self-administration of the drug. <i>Psychopharmacology</i> , 2016, 233, 2827-2840.	3.1	15
3	Neonatal serotonin (5-HT) depletion does not affect spatial learning and memory in rats. <i>Pharmacological Reports</i> , 2012, 64, 266-274.	3.3	12
4	Bioactive compounds determination in the callus and hydroalcoholic extracts from <i>Salvia miltiorrhiza</i> and <i>Salvia przewalskii</i> – Preliminary study on their anti-alcoholic activity effects. <i>Phytochemistry Letters</i> , 2015, 11, 399-403.	1.2	11
5	Using anticipatory and drug-evoked appetitive ultrasonic vocalization for monitoring the rewarding effect of amphetamine in a rat model of drug self-administration. <i>Behavioural Brain Research</i> , 2019, 376, 112187.	2.2	9
6	Ethanol-induced conditioned taste aversion in Warsaw Alcohol High-Preferring (WHP) and Warsaw Alcohol Low-Preferring (WLP) rats. <i>Alcohol</i> , 2016, 51, 63-69.	1.7	8
7	Neonatal serotonin (5-HT) depletion does not disrupt prepulse inhibition of the startle response in rats. <i>Pharmacological Reports</i> , 2011, 63, 1077-1084.	3.3	5
8	Cocaine self-administration in Warsaw alcohol high-preferring (WHP) and Warsaw alcohol low-preferring (WLP) rats. <i>European Journal of Pharmacology</i> , 2012, 674, 275-279.	3.5	4
9	Diverse behavioral, monoaminergic and Fos protein responses to opioids in Warsaw high-alcohol preferring and Warsaw low-alcohol preferring rats. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2011, 35, 588-597.	4.8	3
10	Drinking of flavored solutions by high preferring (WHP) and low preferring (WLP) alcohol-drinking rats. <i>Pharmacological Reports</i> , 2014, 66, 28-33.	3.3	3
11	Higher sensitivity to ethanol's aversive properties in WLP (Warsaw Low Preferring) vs. WHP (Warsaw) rats. <i>Alcohol</i> , 2016, 51, 63-69.	1.7	2