

Kaikobad Irani

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2009614/publications.pdf>

Version: 2024-02-01

98
papers

6,690
citations

53794

45
h-index

60623

81
g-index

100
all docs

100
docs citations

100
times ranked

8939
citing authors

#	ARTICLE	IF	CITATIONS
1	SIRT1 promotes endothelium-dependent vascular relaxation by activating endothelial nitric oxide synthase. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007, 104, 14855-14860.	7.1	775
2	Oxidant Signaling in Vascular Cell Growth, Death, and Survival. <i>Circulation Research</i> , 2000, 87, 179-183.	4.5	707
3	Rac1 inhibits TNF α -induced endothelial cell apoptosis: dual regulation by reactive oxygen species. <i>FASEB Journal</i> , 2000, 14, 1705-1714.	0.5	225
4	Stat3 protects against Fas-induced liver injury by redox-dependent and -independent mechanisms. <i>Journal of Clinical Investigation</i> , 2003, 112, 989-998.	8.2	201
5	Inducible NO Synthase α -Dependent <i>S</i> -Nitrosylation and Activation of Arginase1 Contribute to Age-Related Endothelial Dysfunction. <i>Circulation Research</i> , 2007, 101, 692-702.	4.5	177
6	Vascular endothelial growth factor induces manganese α -superoxide dismutase expression in endothelial cells by a Rac1-regulated NADPH oxidase α -dependent mechanism. <i>FASEB Journal</i> , 2001, 15, 2548-2550.	0.5	159
7	SIRT1 deacetylates APE1 and regulates cellular base excision repair. <i>Nucleic Acids Research</i> , 2010, 38, 832-845.	14.5	156
8	Alterations in the expression of the apurinic/aprimidinic endonuclease-1/redox factor-1 (APE/Ref-1) in human melanoma and identification of the therapeutic potential of resveratrol as an APE/Ref-1 inhibitor. <i>Molecular Cancer Therapeutics</i> , 2005, 4, 1923-1935.	4.1	138
9	Inhibition of the Rac1 GTPase protects against nonlethal ischemia/reperfusion α -induced necrosis and apoptosis <i>in vivo</i> . <i>FASEB Journal</i> , 2000, 14, 418-429.	0.5	130
10	MicroRNA miR-27b Rescues Bone Marrow α -Derived Angiogenic Cell Function and Accelerates Wound Healing in Type 2 Diabetes Mellitus. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2014, 34, 99-109.	2.4	128
11	Wall Stiffness Suppresses Akt/eNOS and Cytoprotection in Pulse-Perfused Endothelium. <i>Hypertension</i> , 2003, 41, 378-381.	2.7	120
12	Roles of reactive oxygen species in angiotensin α 1/tie α 2 receptor signaling. <i>FASEB Journal</i> , 2005, 19, 1728-1730.	0.5	115
13	[Ca $^{2+}$] Oscillation Frequency Regulates Agonist-stimulated NF- κ B Transcriptional Activity. <i>Journal of Biological Chemistry</i> , 1999, 274, 33995-33998.	3.4	114
14	Histone and DNA Methylation α -Mediated Epigenetic Downregulation of Endothelial Kruppel-Like Factor 2 by Low-Density Lipoprotein Cholesterol. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2013, 33, 1936-1942.	2.4	106
15	Elevated Hemostasis Markers after Pneumonia Increases One-Year Risk of All-Cause and Cardiovascular Deaths. <i>PLoS ONE</i> , 2011, 6, e22847.	2.5	93
16	Vascular microRNA-204 is remotely governed by the microbiome and impairs endothelium-dependent vasorelaxation by downregulating Sirtuin1. <i>Nature Communications</i> , 2016, 7, 12565.	12.8	93
17	Sirtuin1-regulated lysine acetylation of p66Shc governs diabetes-induced vascular oxidative stress and endothelial dysfunction. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017, 114, 1714-1719.	7.1	92
18	Rac1 Leads to Phosphorylation-dependent Increase in Stability of the p66shc Adaptor Protein: Role in Rac1-induced Oxidative Stress. <i>Molecular Biology of the Cell</i> , 2006, 17, 122-129.	2.1	90

#	ARTICLE	IF	CITATIONS
19	Homocysteine promotes human endothelial cell dysfunction via site-specific epigenetic regulation of p66shc. <i>Cardiovascular Research</i> , 2011, 92, 466-475.	3.8	90
20	Superoxide-mediated Actin Response in Post-hypoxic Endothelial Cells. <i>Journal of Biological Chemistry</i> , 1996, 271, 26863-26867.	3.4	88
21	Redox factor ϵ 1/APE suppresses oxidative stress by inhibiting activity of the rac1 GTPase. <i>FASEB Journal</i> , 2002, 16, 889-890.	0.5	87
22	Apurinic/Apyrimidinic Endonuclease 1 Regulates Endothelial NO Production and Vascular Tone. <i>Circulation Research</i> , 2004, 95, 902-910.	4.5	87
23	NADPH Oxidase Activation Increases the Sensitivity of Intracellular Ca^{2+} Stores to Inositol 1,4,5-Trisphosphate in Human Endothelial Cells. <i>Journal of Biological Chemistry</i> , 2000, 275, 15749-15757.	3.4	86
24	Histone Deacetylase 3 Antagonizes Aspirin-Stimulated Endothelial Nitric Oxide Production by Reversing Aspirin-Induced Lysine Acetylation of Endothelial Nitric Oxide Synthase. <i>Circulation Research</i> , 2010, 107, 877-887.	4.5	84
25	Sos-mediated activation of rac1 by p66shc. <i>Journal of Cell Biology</i> , 2006, 172, 817-822.	5.2	83
26	The Actin Cytoskeleton Reorganization Induced by Rac1 Requires the Production of Superoxide. <i>Antioxidants and Redox Signaling</i> , 1999, 1, 29-43.	5.4	82
27	Rac1 Regulates Stress-induced, Redox-dependent Heat Shock Factor Activation. <i>Journal of Biological Chemistry</i> , 2000, 275, 35377-35383.	3.4	78
28	Vascular endothelial growth factor regulation of Weibel-Palade body exocytosis. <i>Blood</i> , 2005, 105, 207-214.	1.4	74
29	Rac1 is required for cell proliferation and G2/M progression. <i>Biochemical Journal</i> , 1997, 326, 17-20.	3.7	72
30	P53 Impairs Endothelium-Dependent Vasomotor Function Through Transcriptional Upregulation of P66shc. <i>Circulation Research</i> , 2008, 103, 1441-1450.	4.5	71
31	Stat3 confers resistance against hypoxia/reoxygenation-induced oxidative injury in hepatocytes through upregulation of Mn-SOD. <i>Journal of Hepatology</i> , 2004, 41, 957-965.	3.7	70
32	Critical Role of NADPH Oxidase-derived Reactive Oxygen Species in Generating Ca^{2+} Oscillations in Human Aortic Endothelial Cells Stimulated by Histamine. <i>Journal of Biological Chemistry</i> , 2002, 277, 32546-32551.	3.4	68
33	P66Shc-Induced MicroRNA-34a Causes Diabetic Endothelial Dysfunction by Downregulating Sirtuin1. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2016, 36, 2394-2403.	2.4	67
34	Canonical Wnt Signaling Induces Vascular Endothelial Dysfunction via p66 ^{Shc} -Regulated Reactive Oxygen Species. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2014, 34, 2301-2309.	2.4	64
35	Involvement of phospholipases D1 and D2 in sphingosine 1-phosphate-induced ERK (extracellular-signal-regulated kinase) activation and interleukin-8 secretion in human bronchial epithelial cells. <i>Biochemical Journal</i> , 2002, 367, 751-760.	3.7	62
36	p53 Impairs Endothelial Function by Transcriptionally Repressing Kruppel-Like Factor 2. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2011, 31, 133-141.	2.4	62

#	ARTICLE	IF	CITATIONS
37	Sirtuin 1 regulates cardiac electrical activity by deacetylating the cardiac sodium channel. <i>Nature Medicine</i> , 2017, 23, 361-367.	30.7	62
38	APE1/Ref-1 as a Serological Biomarker for the Detection of Bladder Cancer. <i>Cancer Research and Treatment</i> , 2015, 47, 823-833.	3.0	58
39	Fractalkine Upregulates Intercellular Adhesion Molecule-1 in Endothelial Cells Through CX3CR1 and the Jak-Stat5 Pathway. <i>Circulation Research</i> , 2007, 101, 1001-1008.	4.5	56
40	Expression of Id1 Results in Apoptosis of Cardiac Myocytes through a Redox-dependent Mechanism. <i>Journal of Biological Chemistry</i> , 1998, 273, 25922-25928.	3.4	54
41	Signal Transducer and Activator of Transcription 3 and Specificity Protein 1 Interact to Upregulate Intercellular Adhesion Molecule-1 in Ischemic-Reperfused Myocardium and Vascular Endothelium. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2005, 25, 1395-1400.	2.4	54
42	Preventing hypoxia/reoxygenation damage to hepatocytes by p66shc ablation: Up-regulation of anti-oxidant and anti-apoptotic proteins. <i>Journal of Hepatology</i> , 2008, 48, 422-432.	3.7	54
43	Gene Transfer of Redox Factor-1 Inhibits Neointimal Formation. <i>Circulation Research</i> , 2009, 104, 219-227.	4.5	54
44	P66shc regulates endothelial NO production and endothelium-dependent vasorelaxation: implications for age-associated vascular dysfunction. <i>Journal of Molecular and Cellular Cardiology</i> , 2005, 39, 992-995.	1.9	53
45	Mitochondrial redox plays a critical role in the paradoxical effects of NADPH oxidase-derived ROS on coronary endothelium. <i>Cardiovascular Research</i> , 2017, 113, 234-246.	3.8	50
46	Essential Role of Smooth Muscle STIM1 in Hypertension and Cardiovascular Dysfunction. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2016, 36, 1900-1909.	2.4	48
47	Tie-ing the Antiinflammatory Effect of Angiotensin-1 to Inhibition of NF- κ B. <i>Circulation Research</i> , 2003, 92, 586-588.	4.5	47
48	Constitutive Activation of Rac1 Results in Mitochondrial Oxidative Stress and Induces Premature Endothelial Cell Senescence. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2003, 23, e1-6.	2.4	45
49	Regulation of endothelial cell adhesion by profilin. <i>Current Biology</i> , 1997, 7, 24-30.	3.9	44
50	Epigenetic upregulation of p66shc mediates low-density lipoprotein cholesterol-induced endothelial cell dysfunction. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2012, 303, H189-H196.	3.2	44
51	Redox Regulation of Human Rac1 Stability by the Proteasome in Human Aortic Endothelial Cells. <i>Journal of Biological Chemistry</i> , 2001, 276, 45856-45861.	3.4	42
52	Priming of Platelet α IIb β 3 by Oxidants Is Associated With Tyrosine Phosphorylation of β 3. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 1998, 18, 1698-1706.	2.4	41
53	Apurinic/apyrimidinic endonuclease1/redox factor-1 inhibits monocyte adhesion in endothelial cells. <i>Cardiovascular Research</i> , 2006, 69, 520-526.	3.8	39
54	MicroRNA-204 promotes vascular endoplasmic reticulum stress and endothelial dysfunction by targeting Sirtuin1. <i>Scientific Reports</i> , 2017, 7, 9308.	3.3	39

#	ARTICLE	IF	CITATIONS
55	Hydrogen peroxide regulation of endothelial exocytosis by inhibition of N-ethylmaleimide sensitive factor. <i>Journal of Cell Biology</i> , 2005, 170, 73-79.	5.2	38
56	Adhesion of flowing monocytes to hypoxia-reoxygenation-exposed endothelial cells: role of Rac1, ROS, and VCAM-1. <i>American Journal of Physiology - Cell Physiology</i> , 2002, 283, C93-C102.	4.6	36
57	Histone deacetylases inhibitor trichostatin A modulates the extracellular release of APE1/Ref-1. <i>Biochemical and Biophysical Research Communications</i> , 2013, 435, 403-407.	2.1	35
58	A common variant alters SCN5A-miR-24 interaction and associates with heart failure mortality. <i>Journal of Clinical Investigation</i> , 2018, 128, 1154-1163.	8.2	34
59	A single-nucleotide variation in a p53-binding site affects nutrient-sensitive human SIRT1 expression. <i>Human Molecular Genetics</i> , 2010, 19, 4123-4133.	2.9	33
60	IDH2 deficiency impairs mitochondrial function in endothelial cells and endothelium-dependent vasomotor function. <i>Free Radical Biology and Medicine</i> , 2016, 94, 36-46.	2.9	33
61	p66Shc has a pivotal function in impaired liver regeneration in aged mice by a redox-dependent mechanism. <i>Laboratory Investigation</i> , 2010, 90, 1718-1726.	3.7	32
62	Docosahexaenoic acid improves vascular function via up-regulation of SIRT1 expression in endothelial cells. <i>Biochemical and Biophysical Research Communications</i> , 2013, 437, 114-119.	2.1	32
63	Reduced Wall Compliance Suppresses Akt-Dependent Apoptosis Protection Stimulated by Pulse Perfusion. <i>Circulation Research</i> , 2005, 97, 587-595.	4.5	31
64	Redox Factor-1 Activates Endothelial SIRTUIN1 through Reduction of Conserved Cysteine Sulfhydryls in Its Deacetylase Domain. <i>PLoS ONE</i> , 2013, 8, e65415.	2.5	31
65	Endothelial CaMKII as a regulator of eNOS activity and NO-mediated vasoreactivity. <i>PLoS ONE</i> , 2017, 12, e0186311.	2.5	31
66	Transcriptional repression of Kruppel like factor-2 by the adaptor protein p66shc. <i>FASEB Journal</i> , 2009, 23, 4344-4352.	0.5	28
67	Apurinic/apyrimidinic endonuclease 1 inhibits protein kinase C-mediated p66shc phosphorylation and vasoconstriction. <i>Cardiovascular Research</i> , 2011, 91, 502-509.	3.8	28
68	Improved Hepatic Regeneration With Reduced Injury by Redox Factor-1 in a Rat Small-Sized Liver Transplant Model. <i>American Journal of Transplantation</i> , 2004, 4, 879-887.	4.7	25
69	A requirement for rac1 in the PDGF-stimulated migration of fibroblasts and vascular smooth cells. <i>IUBMB Life</i> , 1998, 45, 279-287.	3.4	24
70	Isocitrate dehydrogenase 2 deficiency induces endothelial inflammation via p66sh-mediated mitochondrial oxidative stress. <i>Biochemical and Biophysical Research Communications</i> , 2018, 503, 1805-1811.	2.1	24
71	Bcl-2 Regulates Nonapoptotic Signal Transduction: Inhibition of c-Jun N-terminal Kinase (JNK) Activation by IL-1 β and Hydrogen Peroxide. <i>Molecular Genetics and Metabolism</i> , 1998, 64, 19-24.	1.1	23
72	CR6-Interacting Factor 1 Deficiency Impairs Vascular Function by Inhibiting the Sirt1-Endothelial Nitric Oxide Synthase Pathway. <i>Antioxidants and Redox Signaling</i> , 2017, 27, 234-249.	5.4	23

#	ARTICLE	IF	CITATIONS
73	Sirtuin1 protects endothelial Caveolin-1 expression and preserves endothelial function via suppressing miR-204 and endoplasmic reticulum stress. <i>Scientific Reports</i> , 2017, 7, 42265.	3.3	21
74	Nitric oxide inhibits exocytosis of cytolytic granules from lymphokine-activated killer cells. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006, 103, 11689-11694.	7.1	19
75	APE1/Ref-1: Versatility in Progress. <i>Antioxidants and Redox Signaling</i> , 2009, 11, 571-574.	5.4	19
76	Activation of Stat3 in endothelial cells following hypoxiaâ€œreoxygenation is mediated by Rac1 and protein kinase C. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2012, 1823, 997-1006.	4.1	18
77	GAPDH is critical for superior efficacy of female bone marrow-derived mesenchymal stem cells on pulmonary hypertension. <i>Cardiovascular Research</i> , 2013, 100, 19-27.	3.8	18
78	CRIF1 Deficiency Induces p66shc-Mediated Oxidative Stress and Endothelial Activation. <i>PLoS ONE</i> , 2014, 9, e98670.	2.5	18
79	P66Shc mediates increased platelet activation and aggregation in hypercholesterolemia. <i>Biochemical and Biophysical Research Communications</i> , 2014, 449, 496-501.	2.1	17
80	SUMO2 regulates vascular endothelial function and oxidative stress in mice. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2019, 317, H1292-H1300.	3.2	15
81	Abnormal CD161 + immune cells and retinoic acid receptorâ€œrelated orphan receptor Î³â€œmediate enhanced IL-17F expression in the setting of genetic hypertension. <i>Journal of Allergy and Clinical Immunology</i> , 2017, 140, 809-821.e3.	2.9	14
82	MiR-204 regulates type 1 IP3R to control vascular smooth muscle cell contractility and blood pressure. <i>Cell Calcium</i> , 2019, 80, 18-24.	2.4	14
83	Microbiota-governed microRNA-204 impairs endothelial function and blood pressure decline during inactivity in db/db mice. <i>Scientific Reports</i> , 2020, 10, 10065.	3.3	14
84	Angiotensin IIâ€œStimulated Vascular Remodeling. <i>Circulation Research</i> , 2001, 88, 858-860.	4.5	13
85	Modulation of the cardiac sodium channel NaV1.5 peak and late currents by NAD+ precursors. <i>Journal of Molecular and Cellular Cardiology</i> , 2020, 141, 70-81.	1.9	11
86	CR6 interacting factor 1 deficiency promotes endothelial inflammation by SIRT1 downregulation. <i>PLoS ONE</i> , 2018, 13, e0192693.	2.5	11
87	Î³ Peptide Nucleic Acid-Based miR-122 Inhibition Rescues Vascular Endothelial Dysfunction in Mice Fed a High-Fat Diet. <i>Journal of Medicinal Chemistry</i> , 2022, 65, 3332-3342.	6.4	8
88	Phosphorylation of p66shc mediates 6-hydroxydopamine cytotoxicity. <i>Free Radical Research</i> , 2011, 45, 342-350.	3.3	7
89	Crippling of KrÄ¼ppel (-Like Factor 2) by Bad Flow Portends a miRky Day for Endothelial Function. <i>Circulation</i> , 2011, 124, 541-543.	1.6	7
90	Genetic deletion of miR-204 improves glycemic control despite obesity in db/db mice. <i>Biochemical and Biophysical Research Communications</i> , 2020, 532, 167-172.	2.1	7

#	ARTICLE	IF	CITATIONS
91	Reduced left ventricular dimension and normalized atrial natriuretic hormone level after repair of aortic coarctation in an adult. <i>Clinical Cardiology</i> , 1999, 22, 233-235.	1.8	5
92	The microRNA miR-204-5p inhibits APJ signalling and confers resistance to cardiac hypertrophy and dysfunction. <i>Clinical and Translational Medicine</i> , 2022, 12, e693.	4.0	5
93	Measurement of In Vivo Oxidative Stress Regulated by the Rac1 GTPase. <i>Methods in Enzymology</i> , 2004, 381, 184-191.	1.0	3
94	Reversible lysine acetylation: Another layer of post-translational regulation of the cardiac sodium channel. <i>Channels</i> , 2017, 11, 360-361.	2.8	3
95	CRIF1 Deficiency Increased Homocysteine Production by Disrupting Dihydrofolate Reductase Expression in Vascular Endothelial Cells. <i>Antioxidants</i> , 2021, 10, 1645.	5.1	3
96	OUP accepted manuscript. <i>Europace</i> , 2021, , .	1.7	1
97	G Protein-Coupled Receptor G2A. <i>Circulation Research</i> , 2007, 100, 450-451.	4.5	0
98	Reactive Oxygen Species. , 2007, , 375-383.		0