

Elisabeth Mw Kooi

List of Publications by Citations

Source: <https://exaly.com/author-pdf/2009930/elisabeth-mw-kooi-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

78
papers

1,123
citations

19
h-index

30
g-index

79
ext. papers

1,547
ext. citations

3.4
avg, IF

4.55
L-index

#	Paper	IF	Citations
78	Effect of Donor Milk on Severe Infections and Mortality in Very Low-Birth-Weight Infants: The Early Nutrition Study Randomized Clinical Trial. <i>JAMA Pediatrics</i> , 2016 , 170, 654-61	8.3	92
77	A Necrotizing Enterocolitis-Associated Gut Microbiota Is Present in the Meconium: Results of a Prospective Study. <i>Clinical Infectious Diseases</i> , 2016 , 62, 863-870	11.6	81
76	Brain Injury and Neurodevelopmental Outcome in Congenital Heart Disease: A Systematic Review. <i>Pediatrics</i> , 2017 , 140,	7.4	69
75	Identification of gaps in the current knowledge on pulmonary hypertension in extremely preterm infants: A systematic review and meta-analysis. <i>Paediatric and Perinatal Epidemiology</i> , 2018 , 32, 258-267	2.7	53
74	Intestinal fatty acid-binding protein as a diagnostic marker for complicated and uncomplicated necrotizing enterocolitis: a prospective cohort study. <i>PLoS ONE</i> , 2015 , 10, e0121336	3.7	52
73	Near-Infrared Spectroscopy to Predict the Course of Necrotizing Enterocolitis. <i>PLoS ONE</i> , 2016 , 11, e0154710	3.7	43
72	Early treatment versus expectative management of patent ductus arteriosus in preterm infants: a multicentre, randomised, non-inferiority trial in Europe (BeNeDuctus trial). <i>BMC Pediatrics</i> , 2018 , 18, 262	2.6	40
71	Measuring cerebrovascular autoregulation in preterm infants using near-infrared spectroscopy: an overview of the literature. <i>Expert Review of Neurotherapeutics</i> , 2017 , 17, 801-818	4.3	39
70	Fluticasone or montelukast for preschool children with asthma-like symptoms: Randomized controlled trial. <i>Pulmonary Pharmacology and Therapeutics</i> , 2008 , 21, 798-804	3.5	38
69	Near-infrared spectroscopy to detect absence of cerebrovascular autoregulation in preterm infants. <i>Clinical Neurophysiology</i> , 2014 , 125, 47-52	4.3	33
68	A Hemodynamically Significant Patent Ductus Arteriosus Does Not Affect Cerebral or Renal Tissue Oxygenation in Preterm Infants. <i>Neonatology</i> , 2016 , 110, 141-7	4	32
67	Intestinal fatty acid-binding protein levels in Necrotizing Enterocolitis correlate with extent of necrotic bowel: results from a multicenter study. <i>Journal of Pediatric Surgery</i> , 2015 , 50, 1115-8	2.6	31
66	Necrotizing Enterocolitis Associated with Congenital Heart Disease: a Different Entity?. <i>Journal of Pediatric Surgery</i> , 2019 , 54, 1755-1760	2.6	25
65	Increased incidence of necrotizing enterocolitis in the Netherlands after implementation of the new Dutch guideline for active treatment in extremely preterm infants: Results from three academic referral centers. <i>Journal of Pediatric Surgery</i> , 2017 , 52, 273-276	2.6	22
64	Paneth cells in the developing gut: when do they arise and when are they immune competent?. <i>Pediatric Research</i> , 2016 , 80, 306-10	3.2	22
63	Inhaled corticosteroids for recurrent respiratory symptoms in preschool children in general practice: randomized controlled trial. <i>Pulmonary Pharmacology and Therapeutics</i> , 2008 , 21, 88-97	3.5	21
62	The relation between splanchnic ischaemia and intestinal damage in necrotising enterocolitis. <i>Archives of Disease in Childhood: Fetal and Neonatal Edition</i> , 2016 , 101, F533-F539	4.7	20

61	Early cerebral and intestinal oxygenation in the risk assessment of necrotizing enterocolitis in preterm infants. <i>Early Human Development</i> , 2019 , 131, 75-80	2.2	19
60	Intestinal fatty acid-binding protein in neonates with imminent necrotizing enterocolitis. <i>Neonatology</i> , 2014 , 106, 49-54	4	19
59	Risk factors associated with postnecrotizing enterocolitis strictures in infants. <i>Journal of Pediatric Surgery</i> , 2016 , 51, 1126-30	2.6	16
58	Children with smoking parents have a higher airway resistance measured by the interruption technique. <i>Pediatric Pulmonology</i> , 2004 , 38, 419-24	3.5	16
57	Abdominal near-infrared spectroscopy in preterm infants: a comparison of splanchnic oxygen saturation measurements at two abdominal locations. <i>Early Human Development</i> , 2014 , 90, 371-5	2.2	15
56	Volume expansion does not alter cerebral tissue oxygen extraction in preterm infants with clinical signs of poor perfusion. <i>Neonatology</i> , 2013 , 103, 308-14	4	15
55	Serial fecal calprotectin in the prediction of necrotizing enterocolitis in preterm neonates. <i>Journal of Pediatric Surgery</i> , 2019 , 54, 455-459	2.6	14
54	Airway resistance measurements in pre-school children with asthmatic symptoms: the interrupter technique. <i>Respiratory Medicine</i> , 2006 , 100, 955-64	4.6	14
53	Cerebral oxygen saturation during the first 72h after birth in infants diagnosed prenatally with congenital heart disease. <i>Early Human Development</i> , 2016 , 103, 199-203	2.2	14
52	Bloodstream infections during the onset of necrotizing enterocolitis and their relation with the pro-inflammatory response, gut wall integrity and severity of disease in NEC. <i>Journal of Pediatric Surgery</i> , 2015 , 50, 1837-41	2.6	13
51	The Effect of Maternal Antihypertensive Drugs on the Cerebral, Renal and Splanchnic Tissue Oxygen Extraction of Preterm Neonates. <i>Neonatology</i> , 2016 , 110, 163-71	4	12
50	Assessing cerebrovascular autoregulation in infants with necrotizing enterocolitis using near-infrared spectroscopy. <i>Pediatric Research</i> , 2016 , 79, 76-80	3.2	12
49	Effect of balloon atrial septostomy on cerebral oxygenation in neonates with transposition of the great arteries. <i>Pediatric Research</i> , 2013 , 73, 62-7	3.2	12
48	Interpretation of Cerebral Oxygenation Changes in the Preterm Infant. <i>Children</i> , 2018 , 5,	2.8	11
47	Maternal antihypertensive drugs may influence cerebral oxygen extraction in preterm infants during the first days after birth. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2013 , 26, 871-6	2	11
46	Preterm infants undergoing laparotomy for necrotizing enterocolitis or spontaneous intestinal perforation display evidence of impaired cerebrovascular autoregulation. <i>Early Human Development</i> , 2018 , 118, 25-31	2.2	10
45	Inotropes for Preterm Infants: 50 Years on Are We Any Wiser?. <i>Frontiers in Pediatrics</i> , 2018 , 6, 88	3.4	10
44	Identification of bacterial invasion in necrotizing enterocolitis specimens using fluorescent in situ hybridization. <i>Journal of Perinatology</i> , 2017 , 37, 67-72	3.1	10

43	The Association between Multisite Near-Infrared Spectroscopy and Routine Hemodynamic Measurements in Relation to Short-Term Outcome in Preterms with Clinical Sepsis. <i>Neonatology</i> , 2015 , 108, 297-304	4	10
42	Red Blood Cell Transfusions Affect Intestinal and Cerebral Oxygenation Differently in Preterm Infants with and without Subsequent Necrotizing Enterocolitis. <i>American Journal of Perinatology</i> , 2018 , 35, 1031-1037	3.3	9
41	Multisite Tissue Oxygenation Monitoring Indicates Organ-Specific Flow Distribution and Oxygen Delivery Related to Low Cardiac Output in Preterm Infants With Clinical Sepsis. <i>Pediatric Critical Care Medicine</i> , 2016 , 17, 764-71	3	9
40	Prenatal tobacco exposure influences cerebral oxygenation in preterm infants. <i>Early Human Development</i> , 2011 , 87, 401-6	2.2	9
39	Fate of pulmonary hypertension associated with bronchopulmonary dysplasia beyond 36 weeks postmenstrual age. <i>Archives of Disease in Childhood: Fetal and Neonatal Edition</i> , 2021 , 106, 45-50	4.7	9
38	Fecal Bile Salts and the Development of Necrotizing Enterocolitis in Preterm Infants. <i>PLoS ONE</i> , 2017 , 12, e0168633	3.7	8
37	Amplitude-integrated electroencephalography during the first 72 h after birth in neonates diagnosed prenatally with congenital heart disease. <i>Pediatric Research</i> , 2018 , 83, 798-803	3.2	8
36	Perinatal Anemia is Associated with Neonatal and Neurodevelopmental Outcomes in Infants with Moderate to Severe Perinatal Asphyxia. <i>Neonatology</i> , 2018 , 114, 315-322	4	7
35	Growth patterns and cerebroplacental hemodynamics in Fetuses with congenital heart disease. <i>Ultrasound in Obstetrics and Gynecology</i> , 2019 , 53, 769-778	5.8	7
34	Hypoxic/ischemic hits predispose to necrotizing enterocolitis in (near) term infants with congenital heart disease: a case control study. <i>BMC Pediatrics</i> , 2020 , 20, 553	2.6	7
33	Cerebral Autoregulation in Sick Infants: Current Insights. <i>Clinics in Perinatology</i> , 2020 , 47, 449-467	2.8	6
32	Clinical importance of a fixed bowel loop in the treatment of necrotizing enterocolitis. <i>Neonatology</i> , 2014 , 105, 33-8	4	6
31	Onset of brain injury in infants with prenatally diagnosed congenital heart disease. <i>PLoS ONE</i> , 2020 , 15, e0230414	3.7	5
30	Near-infrared spectroscopy as a predictor of clinical deterioration: a case report of two infants with duct-dependent congenital heart disease. <i>BMC Pediatrics</i> , 2017 , 17, 79	2.6	5
29	Predicting intestinal recovery after necrotizing enterocolitis in preterm infants. <i>Pediatric Research</i> , 2020 , 87, 903-909	3.2	5
28	DNA Methylation of , and Is Associated With Necrotizing Enterocolitis in Preterm Infants. <i>Frontiers in Pediatrics</i> , 2021 , 9, 630817	3.4	5
27	Thoracotomy Versus Sternotomy for Patent Ductus Arteriosus Closure in Preterm Neonates. <i>Annals of Thoracic Surgery</i> , 2020 , 109, 171-177	2.7	5
26	Anemia and Red Blood Cell Transfusions, Cerebral Oxygenation, Brain Injury and Development, and Neurodevelopmental Outcome in Preterm Infants: A Systematic Review. <i>Frontiers in Pediatrics</i> , 2021 , 9, 644462	3.4	5

25	Migration of Umbilical Venous Catheters. <i>American Journal of Perinatology</i> , 2019 , 36, 1377-1381	3.3	4
24	Maturation of Intestinal Oxygenation: A Review of Mechanisms and Clinical Implications for Preterm Neonates. <i>Frontiers in Pediatrics</i> , 2020 , 8, 354	3.4	4
23	Near-infrared spectroscopy as a diagnostic tool for necrotizing enterocolitis in preterm infants. <i>Pediatric Research</i> , 2021 , 90, 148-155	3.2	4
22	Factors Associated With Benefit of Treatment of Patent Ductus Arteriosus in Preterm Infants: A Systematic Review and Meta-Analysis. <i>Frontiers in Pediatrics</i> , 2021 , 9, 626262	3.4	4
21	The effect of enteral bolus feeding on regional intestinal oxygen saturation in preterm infants is age-dependent: a longitudinal observational study. <i>BMC Pediatrics</i> , 2019 , 19, 404	2.6	3
20	In preterm infants, ascending intrauterine infection is associated with lower cerebral tissue oxygen saturation and higher oxygen extraction. <i>Pediatric Research</i> , 2015 , 77, 688-95	3.2	3
19	Fetal Brain-Sparing, Postnatal Cerebral Oxygenation, and Neurodevelopment at 4 Years of Age Following Fetal Growth Restriction. <i>Frontiers in Pediatrics</i> , 2020 , 8, 225	3.4	3
18	Regional splanchnic oxygen saturation for preterm infants in the first week after birth: reference values. <i>Pediatric Research</i> , 2021 , 90, 882-887	3.2	3
17	Plasma citrulline during the first 48h after onset of necrotizing enterocolitis in preterm infants. <i>Journal of Pediatric Surgery</i> , 2021 , 56, 476-482	2.6	3
16	Time to full enteral feeding after necrotizing enterocolitis in preterm-born children is related to neurodevelopment at 2-3 years of age. <i>Early Human Development</i> , 2020 , 147, 105091	2.2	2
15	Conservative Management of Patent Ductus Arteriosus in Preterm Infants-A Systematic Review and Meta-Analyses Assessing Differences in Outcome Measures Between Randomized Controlled Trials and Cohort Studies. <i>Frontiers in Pediatrics</i> , 2021 , 9, 626261	3.4	2
14	It's All About the Brain-Neuromonitoring During Newborn Transition. <i>Seminars in Pediatric Neurology</i> , 2018 , 28, 48-59	2.9	2
13	Postnatal Cerebral Hyperoxia Is Associated with an Increased Risk of Severe Retinopathy of Prematurity. <i>Neonatology</i> , 2019 , 116, 356-362	4	1
12	Antenatal Magnesium Sulfate and Preeclampsia Differentially Affect Neonatal Cerebral Oxygenation. <i>Neonatology</i> , 2020 , 117, 331-340	4	1
11	Reply to Cassir et al. <i>Clinical Infectious Diseases</i> , 2016 , 62, 1618-20	11.6	1
10	BAIT: A New Medical Decision Support Technology Based on Discrete Choice Theory. <i>Medical Decision Making</i> , 2021 , 41, 614-619	2.5	1
9	Blood group AB is associated with poor outcomes in infants with necrotizing enterocolitis. <i>Journal of Pediatric Surgery</i> , 2021 , 56, 1911-1915	2.6	1
8	Cerebrovascular Autoregulation in Preterm Infants During and After Surgical Ligation of the Ductus Arteriosus, a Comparison Between Two Surgical Approaches. <i>Frontiers in Pediatrics</i> , 2020 , 8, 334	3.4	0

7	Cerebral and Renal Oxygen Saturation Are Not Compromised in the Presence of Retrograde Blood Flow in either the Ascending or Descending Aorta in Term or Near-Term Infants with Left-Sided Obstructive Lesions. <i>Neonatology</i> , 2017 , 112, 217-224	4	○
6	Prenatal Use of Sildenafil in Fetal Growth Restriction and Its Effect on Neonatal Tissue Oxygenation-A Retrospective Analysis of Hemodynamic Data From Participants of the Dutch STRIDER Trial. <i>Frontiers in Pediatrics</i> , 2020 , 8, 595693	3.4	○
5	Pulmonary hypertension in extremely preterm infants: a call to standardize echocardiographic screening and follow-up policy. <i>European Journal of Pediatrics</i> , 2021 , 180, 1855-1865	4.1	○
4	Neonatal Hemoglobin Levels in Preterm Infants Are Associated with Early Neurological Functioning. <i>Neonatology</i> , 2021 , 118, 593-599	4	○
3	Response to d-transposition of the great arteries and ductal dependent pulmonary circulation. <i>Early Human Development</i> , 2017 , 104, 59-60	2.2	
2	MEASURING SPLANCHNIC TISSUE OXYGENATION IN PRETERM NEONATES WITH NECROTIZING ENTEROCOLITIS USING MULTI-SITE NEAR INFRARED SPECTROSCOPY: A PILOT STUDY COMPARING TWO ABDOMINAL LOCATIONS. <i>Pediatric Research</i> , 2011 , 70, 810-810	3.2	
1	Inhalatiecorticosteroïden zijn niet zinvol bij jonge kinderen met luchtwegklachten?. <i>Huisarts En Wetenschap</i> , 2008 , 51, 657-662	0.1	