

# Donald W Schaffner

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2012198/publications.pdf>

Version: 2024-02-01

121  
papers

2,981  
citations

147566

31  
h-index

197535

49  
g-index

126  
all docs

126  
docs citations

126  
times ranked

2554  
citing authors

#	ARTICLE	IF	CITATIONS
1	Transfer of MS2 bacteriophage from surfaces to raspberry and pitanga fruits and virus survival in response to sanitization, frozen storage and preservation technologies.. Food Microbiology, 2022, 104, 103995.	2.1	2
2	Predictive model for growth of Clostridium botulinum from spores at temperatures applicable to cooling of cooked ground pork. Innovative Food Science and Emerging Technologies, 2022, 77, 102960.	2.7	2
3	Survival kinetics, membrane integrity and metabolic activity of Salmonella enterica in conventionally and osmotically dehydrated coconut flakes. International Journal of Food Microbiology, 2022, 370, 109669.	2.1	0
4	Initial and Final Cell Concentrations Significantly Influence the Maximum Growth Rate of Listeria monocytogenes in Published Literature Data for Whole Intact Fresh Produce. Journal of Food Protection, 2022, 85, 987-992.	0.8	1
5	Draft Genome Sequence for Klebsiella michiganensis B199A, Originally Identified as Enterobacter aerogenes. Microbiology Resource Announcements, 2022, , e0031022.	0.3	0
6	Modeling the Growth of Salmonella on Sliced Cucumbers as a Function of Temperature and Relative Humidity. Journal of Food Protection, 2022, 85, 1122-1127.	0.8	2
7	A predictive growth model for Clostridium botulinum during cooling of cooked uncured ground beef. Food Microbiology, 2021, 93, 103618.	2.1	7
8	Microbial Inactivation by Non-equilibrium Short-Pulsed Atmospheric Pressure Dielectric Barrier Discharge (Cold Plasma): Numerical and Experimental Studies. Food Engineering Reviews, 2021, 13, 136-147.	3.1	11
9	Mycotoxins in artisanal beers: An overview of relevant aspects of the raw material, manufacturing steps and regulatory issues involved. Food Research International, 2021, 141, 110114.	2.9	12
10	Wet versus Dry Inoculation Methods Have a Significant Effect of Listeria monocytogenes Growth on Many Types of Whole Intact Fresh Produce. Journal of Food Protection, 2021, 84, 1793-1800.	0.8	4
11	Higher Concentrations of Bacterial Enveloped Virus Phi6 Can Protect the Virus from Environmental Decay. Applied and Environmental Microbiology, 2021, 87, e0137121.	1.4	15
12	Models for factors influencing pathogen survival in low water activity foods from literature data are highly significant but show large unexplained variance. Food Microbiology, 2021, 98, 103783.	2.1	12
13	Predictive model for growth of Clostridium botulinum from spores during cooling of cooked ground chicken. Food Research International, 2021, 149, 110695.	2.9	3
14	Modeling the survival of Salmonella on whole cucumbers as a function of temperature and relative humidity. Food Microbiology, 2021, 100, 103840.	2.1	8
15	ComBase Models Are Valid for Predicting Fate of Listeria monocytogenes on 10 Whole Intact Raw Fruits and Vegetables. Journal of Food Protection, 2021, 84, 597-610.	0.8	8
16	Quantification of Survival and Transfer of Salmonella on Fresh Cucumbers during Waxing. Journal of Food Protection, 2021, 84, 456-462.	0.8	10
17	A worldwide systematic review, meta-analysis, and health risk assessment study of mycotoxins in beers. Comprehensive Reviews in Food Science and Food Safety, 2021, 20, 5742-5764.	5.9	11
18	Modeling inactivation kinetics for Enterococcus faecium on the surface of peanuts during convective dry roasting. Food Research International, 2021, 150, 110766.	2.9	1

#	ARTICLE	IF	CITATIONS
19	Validation of a Simple Two-Point Method To Assess Restaurant Compliance with Food Code Cooling Rates. <i>Journal of Food Protection</i> , 2021, 84, 6-13.	0.8	0
20	Evaluation of glove type on survival and transfer of <i>Escherichia coli</i> in model systems and during hand harvesting of lettuce. <i>JSFA Reports</i> , 2021, 1, 17-25.	0.2	4
21	Scientific Evidence Supports the Use of Alcohol-Based Hand Sanitizers as an Effective Alternative to Hand Washing in Retail Food and Food Service Settings When Heavy Soiling Is Not Present on Hands. <i>Journal of Food Protection</i> , 2021, 84, 781-801.	0.8	5
22	Evaluating the Risk of Salmonellosis from Dry Roasted Sunflower Seeds. <i>Journal of Food Protection</i> , 2020, 83, 17-27.	0.8	5
23	Quantification of <i>Salmonella enterica</i> transfer between tomatoes, soil, and plastic mulch. <i>International Journal of Food Microbiology</i> , 2020, 316, 108480.	2.1	14
24	Growth and Survival of <i>Listeria monocytogenes</i> on Intact Fruit and Vegetable Surfaces During Postharvest Handling: A Systematic Literature Review. <i>Journal of Food Protection</i> , 2020, 83, 108-128.	0.8	43
25	Modeling aflatoxin B1 production by <i>Aspergillus flavus</i> during wheat malting for craft beer as a function of grains steeping degree, temperature and time of germination. <i>International Journal of Food Microbiology</i> , 2020, 333, 108777.	2.1	10
26	Modeling the Inactivation of Viruses from the <i>Coronaviridae</i> Family in Response to Temperature and Relative Humidity in Suspensions or on Surfaces. <i>Applied and Environmental Microbiology</i> , 2020, 86, .	1.4	51
27	Modeling <i>Salmonella enterica</i> fate in fresh-cut pepper ( <i>Capsicum annuum</i> L.) during storage as a function of temperature and relative humidity. <i>LWT - Food Science and Technology</i> , 2020, 133, 109849.	2.5	4
28	Behavior of <i>Listeria monocytogenes</i> in the presence or not of intentionally-added lactic acid bacteria during ripening of artisanal Minas semi-hard cheese. <i>Food Microbiology</i> , 2020, 91, 103545.	2.1	19
29	Modelling Growth and Decline in a Two-Species Model System: Pathogenic <i>Escherichia coli</i> O157:H7 and Psychrotrophic Spoilage Bacteria in Milk. <i>Foods</i> , 2020, 9, 331.	1.9	5
30	Successive exposure to <i>Mentha piperita</i> L. essential oil affects the culturability and induces membrane repair in a persister epidemic <i>Salmonella</i> Typhimurium PT4. <i>Microbial Pathogenesis</i> , 2020, 149, 104264.	1.3	3
31	Modification of a Predictive Model To Include the Influence of Fat Content on <i>Salmonella</i> Inactivation in Low-Water-Activity Foods. <i>Journal of Food Protection</i> , 2020, 83, 801-815.	0.8	11
32	Evaluating the Behavior of <i>Staphylococcus aureus</i> and <i>Bacillus cereus</i> in Dairy- and Non-Dairy-Based Aqueous Slurries during Manufacturing of Table Spreads. <i>Journal of Food Protection</i> , 2020, 83, 1801-1811.	0.8	0
33	Quantifying the Influence of Relative Humidity, Temperature, and Diluent on the Survival and Growth of <i>Enterobacter aerogenes</i> . <i>Journal of Food Protection</i> , 2019, 82, 2135-2147.	0.8	13
34	Modeling the Risk of Salmonellosis from Consumption of Peanuts in the United States. <i>Journal of Food Protection</i> , 2019, 82, 579-588.	0.8	11
35	Virus risk in the food supply chain. <i>Current Opinion in Food Science</i> , 2019, 30, 43-48.	4.1	50
36	A comparison of dynamic tertiary and competition models for describing the fate of <i>Listeria monocytogenes</i> in Minas fresh cheese during refrigerated storage. <i>Food Microbiology</i> , 2019, 79, 48-60.	2.1	25

#	ARTICLE	IF	CITATIONS
37	Bootstrap parametric GB2 and bootstrap nonparametric distributions for studying shiga toxin-producing <i>Escherichia coli</i> strains growth rate variability. <i>Food Research International</i> , 2019, 120, 829-838.	2.9	6
38	Selection of indigenous lactic acid bacteria presenting anti-listerial activity, and their role in reducing the maturation period and assuring the safety of traditional Brazilian cheeses. <i>Food Microbiology</i> , 2018, 73, 288-297.	2.1	68
39	Bayesian modeling of two- and three-species bacterial competition in milk. <i>Food Research International</i> , 2018, 105, 952-961.	2.9	11
40	Characterization of Microbial Inactivation Using Plasma-Activated Water and Plasma-Activated Acidified Buffer. <i>Journal of Food Protection</i> , 2018, 81, 1472-1480.	0.8	51
41	Intrinsic Parameters and Bacterial Growth Prediction in a Brazilian Minimally Ripened Cheese (Coalho) during Refrigerated Storage. <i>Journal of Food Protection</i> , 2018, 81, 1800-1809.	0.8	5
42	Changes of Antibiotic Resistance Phenotype in Outbreak-Linked <i>Salmonella enterica</i> Strains after Exposure to Human Simulated Gastrointestinal Conditions in Chicken Meat. <i>Journal of Food Protection</i> , 2018, 81, 1844-1850.	0.8	9
43	Farm to fork quantitative microbial risk assessment for norovirus on frozen strawberries. <i>Microbial Risk Analysis</i> , 2018, 10, 44-53.	1.3	15
44	Influence of Soap Characteristics and Food Service Facility Type on the Degree of Bacterial Contamination of Open, Refillable Bulk Soaps. <i>Journal of Food Protection</i> , 2018, 81, 218-225.	0.8	7
45	Development of growth and survival models for <i>Salmonella</i> and <i>Listeria monocytogenes</i> during non-isothermal time-temperature profiles in leafy greens. <i>Food Control</i> , 2017, 71, 32-41.	2.8	37
46	Quantitative assessment of the impact of cross-contamination during the washing step of ready-to-eat leafy greens on the risk of illness caused by <i>Salmonella</i> . <i>Food Research International</i> , 2017, 92, 106-112.	2.9	40
47	Changes in thermo-tolerance and survival under simulated gastrointestinal conditions of <i>Salmonella</i> Enteritidis PT4 and <i>Salmonella</i> Typhimurium PT4 in chicken breast meat after exposure to sequential stresses. <i>International Journal of Food Microbiology</i> , 2017, 251, 15-23.	2.1	28
48	Modeling the risk of salmonellosis from consumption of pistachios produced and consumed in the United States. <i>Food Microbiology</i> , 2017, 67, 85-96.	2.1	17
49	A System Model for Understanding the Role of Animal Feces as a Route of Contamination of Leafy Greens before Harvest. <i>Applied and Environmental Microbiology</i> , 2017, 83, .	1.4	15
50	Quantification of Transfer of <i>Salmonella</i> from Citrus Fruits to Peel, Edible Portion, and Gloved Hands during Hand Peeling. <i>Journal of Food Protection</i> , 2017, 80, 933-939.	0.8	8
51	Quantifying the Effects of Water Temperature, Soap Volume, Lather Time, and Antimicrobial Soap as Variables in the Removal of <i>Escherichia coli</i> ATCC 11229 from Hands. <i>Journal of Food Protection</i> , 2017, 80, 1022-1031.	0.8	19
52	Prediction of <i>Escherichia coli</i> O157:H7, <i>Salmonella</i> , and <i>Listeria monocytogenes</i> Growth in Leafy Greens without Temperature Control. <i>Journal of Food Protection</i> , 2017, 80, 68-73.	0.8	9
53	Quantitative Microbial Risk Assessment for <i>Escherichia coli</i> O157:H7 in Fresh-Cut Lettuce. <i>Journal of Food Protection</i> , 2017, 80, 302-311.	0.8	63
54	Predicting and Modelling the Growth of Potentially Pathogenic Bacteria in Coalho Cheese. <i>Journal of Food Protection</i> , 2017, 80, 1172-1181.	0.8	11

#	ARTICLE	IF	CITATIONS
55	Effect of Surface Roughness in Model and Fresh Fruit Systems on Microbial Inactivation Efficacy of Cold Atmospheric Pressure Plasma. <i>Journal of Food Protection</i> , 2017, 80, 1337-1346.	0.8	19
56	Quantifying Bacterial Cross-Contamination Rates between Fresh-Cut Produce and Hands. <i>Journal of Food Protection</i> , 2017, 80, 213-219.	0.8	25
57	Microbiology of organic and conventionally grown fresh produce. <i>Brazilian Journal of Microbiology</i> , 2016, 47, 99-105.	0.8	56
58	Longer Contact Times Increase Cross-Contamination of <i>Enterobacter aerogenes</i> from Surfaces to Food. <i>Applied and Environmental Microbiology</i> , 2016, 82, 6490-6496.	1.4	44
59	Cost, quality, and safety: A nonlinear programming approach to optimize the temperature during supply chain of leafy greens. <i>LWT - Food Science and Technology</i> , 2016, 73, 412-418.	2.5	14
60	Effects of the Essential Oil from <i>Origanum vulgare</i> L. on Survival of Pathogenic Bacteria and Starter Lactic Acid Bacteria in Semihard Cheese Broth and Slurry. <i>Journal of Food Protection</i> , 2016, 79, 246-252.	0.8	33
61	Effect of the competitive growth of <i>Lactobacillus sakei</i> MN on the growth kinetics of <i>Listeria monocytogenes</i> Scott A in model meat gravy. <i>Food Control</i> , 2016, 63, 34-45.	2.8	25
62	<i>In situ</i> studies of microbial inactivation during high pressure processing. <i>High Pressure Research</i> , 2016, 36, 79-89.	0.4	9
63	Risk assessment of <i>Salmonella</i> in Danish meatballs produced in the catering sector. <i>International Journal of Food Microbiology</i> , 2015, 196, 109-125.	2.1	23
64	Norovirus cross-contamination during preparation of fresh produce. <i>International Journal of Food Microbiology</i> , 2015, 198, 43-49.	2.1	49
65	Effect of temperature abuse on frozen army rations. <i>Food Research International</i> , 2015, 76, 587-594.	2.9	2
66	Survival or Growth of Inoculated <i>Escherichia coli</i> O157:H7 and <i>Salmonella</i> on Yellow Onions ( <i>Allium</i> ) Tj ETQqO O O rgBT /Overlock 10 Tf 5 <i>Journal of Food Protection</i> , 2015, 78, 42-50.	0.8	9
67	Quantifying the Effect of Hand Wash Duration, Soap Use, Ground Beef Debris, and Drying Methods on the Removal of <i>Enterobacter aerogenes</i> on Hands. <i>Journal of Food Protection</i> , 2015, 78, 685-690.	0.8	39
68	Quantitative Data Analysis To Determine Best Food Cooling Practices in U.S. Restaurants. <i>Journal of Food Protection</i> , 2015, 78, 778-783.	0.8	12
69	Preface. <i>Food Microbiology</i> , 2015, 45, 159.	2.1	2
70	Cross contamination of <i>Escherichia coli</i> O157:H7 between lettuce and wash water during home-scale washing. <i>Food Microbiology</i> , 2015, 46, 428-433.	2.1	56
71	Integrating Concepts: a Case Study Using <i>Enterobacter sakazakii</i> in Infant Formula. , 2014, , 177-204.		2
72	Qualitative Risk Assessment. , 2014, , 1-28.		10

#	ARTICLE	IF	CITATIONS
73	Effect of High Hydrostatic Pressure on Salmonella Inoculated into Creamy Peanut Butter with Modified Composition. <i>Journal of Food Protection</i> , 2014, 77, 1664-1668.	0.8	7
74	Validation of Mathematical Models for Salmonella Growth in Raw Ground Beef under Dynamic Temperature Conditions Representing Loss of Refrigeration. <i>Journal of Food Protection</i> , 2014, 77, 1110-1115.	0.8	4
75	Predicting Survival of Salmonella in Low Water Activity Foods: An Analysis of Literature Data. <i>Journal of Food Protection</i> , 2014, 77, 1448-1461.	0.8	56
76	Prediction of the Growth Behavior of <i>Acetivibrio</i> <i>eromonas hydrophila</i> Using a Novel Modeling Approach: Support Vector Machine. <i>Journal of Food Safety</i> , 2014, 34, 292-299.	1.1	0
77	Quantitative Microbial Risk Assessment of Antibacterial Hand Hygiene Products on Risk of Shigellosis. <i>Journal of Food Protection</i> , 2014, 77, 574-582.	0.8	11
78	Botulinum Neurotoxin Subtype A4 Originating from Nontoxigenic <i>Clostridium botulinum</i> . <i>Applied and Environmental Microbiology</i> , 2014, 80, 7131-7132.	1.4	2
79	Modeling the growth of <i>Listeria monocytogenes</i> on cut cantaloupe, honeydew and watermelon. <i>Food Microbiology</i> , 2014, 38, 52-55.	2.1	60
80	Tracking and modeling norovirus transmission during mechanical slicing of globe tomatoes. <i>International Journal of Food Microbiology</i> , 2014, 180, 13-18.	2.1	18
81	Risk of infection with Salmonella and <i>Listeria monocytogenes</i> due to consumption of ready-to-eat leafy vegetables in Brazil. <i>Food Control</i> , 2014, 42, 1-8.	2.8	51
82	In Vitro Control of <i>Enterococcus faecalis</i> by <i>Zataria multiflora</i> <i>boiss</i> , <i>Origanum vulgare</i> <i>L</i> and <i>Mentha pulegium</i> Essential Oils. <i>Journal of Food Safety</i> , 2013, 33, 327-332.	1.1	16
83	Comparative effect of different test methodologies on <i>Bacillus coagulans</i> spores inactivation kinetics in tomato pulp under isothermal conditions. <i>International Journal of Food Science and Technology</i> , 2013, 48, 1722-1728.	1.3	8
84	Fate of <i>Escherichia coli</i> O157:H7, <i>Listeria monocytogenes</i> , and <i>Salmonella</i> on fresh-cut celery. <i>Food Microbiology</i> , 2013, 34, 151-157.	2.1	43
85	Modeling the inactivation kinetics of <i>Bacillus coagulans</i> spores in tomato pulp from the combined effect of high pressure and moderate temperature. <i>LWT - Food Science and Technology</i> , 2013, 53, 107-112.	2.5	34
86	Inactivation of <i>Vibrio parahaemolyticus</i> in Hard Clams ( <i>Mercanaria mercanaria</i> ) by High Hydrostatic Pressure (HHP) and the Effect of HHP on the Physical Characteristics of Hard Clam Meat. <i>Journal of Food Science</i> , 2013, 78, E251-7.	1.5	21
87	Utilization of Mathematical Models To Manage Risk of Holding Cold Food without Temperature Control. <i>Journal of Food Protection</i> , 2013, 76, 1085-1094.	0.8	5
88	Quantifying Transfer Rates of Salmonella and <i>Escherichia coli</i> O157:H7 between Fresh-Cut Produce and Common Kitchen Surfaces. <i>Journal of Food Protection</i> , 2013, 76, 1530-1538.	0.8	55
89	Issues To Consider When Setting Intervention Targets with Limited Data for Low-Moisture Food Commodities: A Peanut Case Study. <i>Journal of Food Protection</i> , 2013, 76, 360-369.	0.8	11
90	Effect of High Hydrostatic Pressure and Pressure Cycling on a Pathogenic <i>Salmonella enterica</i> Serovar Cocktail Inoculated into Creamy Peanut Butter. <i>Journal of Food Protection</i> , 2012, 75, 169-173.	0.8	16

#	ARTICLE	IF	CITATIONS
91	Modeling the Growth of <i>Escherichia coli</i> under the Effects of <i>Caryophyllol</i> Essential Oil, pH, Temperature and NaCl Using Response Surface Methodology. <i>Journal of Food Safety</i> , 2012, 32, 415-425.	1.1	2
92	Risk of salmonellosis from consumption of almonds in the North American market. <i>Food Research International</i> , 2012, 45, 1166-1174.	2.9	62
93	An expert panel report of a proposed scientific model demonstrating the effectiveness of antibacterial handwash products. <i>American Journal of Infection Control</i> , 2012, 40, 742-749.	1.1	7
94	Modeling the growth rate and lag time of different strains of <i>Salmonella enterica</i> and <i>Listeria monocytogenes</i> in ready-to-eat lettuce. <i>Food Microbiology</i> , 2012, 30, 267-273.	2.1	104
95	A Meta-Analysis of the Published Literature on the Effectiveness of Antimicrobial Soaps. <i>Journal of Food Protection</i> , 2011, 74, 1875-1882.	0.8	36
96	Quantitative Assessment of the Microbial Risk of Leafy Greens from Farm to Consumption: Preliminary Framework, Data, and Risk Estimates. <i>Journal of Food Protection</i> , 2011, 74, 700-708.	0.8	110
97	Modeling the Growth of <i>Salmonella</i> in Raw Poultry Stored under Aerobic Conditions. <i>Journal of Food Protection</i> , 2008, 71, 2429-2435.	0.8	20
98	Management of Risk of Microbial Cross-Contamination from Uncooked Frozen Hamburgers by Alcohol-Based Hand Sanitizer. <i>Journal of Food Protection</i> , 2007, 70, 109-113.	0.8	20
99	Estimating microbial growth parameters from non-isothermal data: A case study with <i>Clostridium perfringens</i> . <i>International Journal of Food Microbiology</i> , 2007, 118, 294-303.	2.1	17
100	Development and validation of a mathematical model to describe the growth of <i>Pseudomonas</i> spp. in raw poultry stored under aerobic conditions. <i>International Journal of Food Microbiology</i> , 2007, 120, 287-295.	2.1	52
101	Monte Carlo Simulations Assessing the Risk of Salmonellosis from Consumption of Almonds. <i>Journal of Food Protection</i> , 2006, 69, 1594-1599.	0.8	51
102	Development of a Model To Predict Growth of <i>Clostridium perfringens</i> in Cooked Beef during Cooling. <i>Journal of Food Protection</i> , 2005, 68, 336-341.	0.8	23
103	Efficacy of a Commercial Produce Wash on Bacterial Contamination of Lettuce in a Food Service Setting. <i>Journal of Food Protection</i> , 2003, 66, 2359-2361.	0.8	19
104	Risk assessment of hand washing efficacy using literature and experimental data. <i>International Journal of Food Microbiology</i> , 2002, 73, 305-313.	2.1	89
105	Time-to-detection, percent-growth-positive and maximum growth rate models for <i>Clostridium botulinum</i> 56A at multiple temperatures. <i>International Journal of Food Microbiology</i> , 2002, 77, 187-197.	2.1	25
106	Monte Carlo simulation of the risk of contamination of apples with <i>Escherichia coli</i> O157:H7. <i>International Journal of Food Microbiology</i> , 2002, 78, 245-255.	2.1	22
107	Quantitative risk assessment of microbial sampling effectiveness. <i>Clinical Microbiology Newsletter</i> , 2002, 24, 44-47.	0.4	3
108	Expansion and Validation of a Predictive Model for the Growth of <i>Bacillus Stearothermophilus</i> in Military Rations. <i>Journal of Food Science</i> , 2002, 67, 1872-1878.	1.5	3

#	ARTICLE	IF	CITATIONS
109	Glove Barriers to Bacterial Cross-Contamination between Hands to Food. <i>Journal of Food Protection</i> , 2001, 64, 845-849.	0.8	145
110	Quantification and Variability Analysis of Bacterial Cross-Contamination Rates in Common Food Service Tasks. <i>Journal of Food Protection</i> , 2001, 64, 72-80.	0.8	265
111	Germination, Growth, and Toxin Production of Nonproteolytic <i>Clostridium botulinum</i> as Affected by Multiple Barriers. <i>Journal of Food Science</i> , 2001, 66, 575-579.	1.5	5
112	Modeling the Germination Kinetics of <i>Clostridium botulinum</i> 56A Spores as Affected by Temperature, pH, and Sodium Chloride. <i>Journal of Food Protection</i> , 2000, 63, 1071-1079.	0.8	29
113	Analysis and Modeling of the Variability Associated with UV Inactivation of <i>Escherichia coli</i> in Apple Cider. <i>Journal of Food Protection</i> , 2000, 63, 1587-1590.	0.8	62
114	Analysis of the Influence of Environmental Parameters on <i>Clostridium botulinum</i> Time-to-Toxicity by Using Three Modeling Approaches. <i>Applied and Environmental Microbiology</i> , 1998, 64, 4416-4422.	1.4	16
115	Prediction of Most Probable Number of <i>Listeria monocytogenes</i> Using a Generalized Linear Model and a Modified FDA <i>Listeria</i> Isolation Method. <i>Journal of Food Protection</i> , 1994, 57, 1052-1056.	0.8	8
116	Modeling the Effect of Temperature on the Growth Rate and Lag Time of <i>Listeria innocua</i> and <i>Listeria monocytogenes</i> . <i>Journal of Food Protection</i> , 1993, 56, 205-210.	0.8	92
117	Using Risk Assessment Principles in an Emerging Paradigm for Controlling the Microbial Safety of Foods. , 0, , 29-50.		4
118	Microbial Ecology in Food Safety Risk Assessment. , 0, , 51-97.		4
119	The Modular Process Risk Model (MPRM): a Structured Approach to Food Chain Exposure Assessment. , 0, , 99-136.		26
120	Communicating about Microbial Risks in Foods. , 0, , 205-262.		5
121	Using Risk Analysis for Microbial Food Safety Regulatory Decision Making. , 0, , 137-175.		5