

Jeong-Taek Woo

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2012681/publications.pdf>

Version: 2024-02-01

124
papers

3,992
citations

136885

32
h-index

138417

58
g-index

124
all docs

124
docs citations

124
times ranked

6594
citing authors

#	ARTICLE	IF	CITATIONS
1	Atrasentan and renal events in patients with type 2 diabetes and chronic kidney disease (SONAR): a double-blind, randomised, placebo-controlled trial. <i>Lancet, The</i> , 2019, 393, 1937-1947.	6.3	408
2	Multiallelic Disruption of the rictor Gene in Mice Reveals that mTOR Complex 2 Is Essential for Fetal Growth and Viability. <i>Developmental Cell</i> , 2006, 11, 583-589.	3.1	357
3	2014 Clinical Practice Guidelines for Overweight and Obesity in Korea. <i>Endocrinology and Metabolism</i> , 2014, 29, 405.	1.3	267
4	Sarcopenia Is Independently Associated with Cardiovascular Disease in Older Korean Adults: The Korea National Health and Nutrition Examination Survey (KNHANES) from 2009. <i>PLoS ONE</i> , 2013, 8, e60119.	1.1	200
5	Successful weight reduction and maintenance by using a smartphone application in those with overweight and obesity. <i>Scientific Reports</i> , 2016, 6, 34563.	1.6	107
6	Mitochondria-targeted Antioxidants Protect Pancreatic β -cells against Oxidative Stress and Improve Insulin Secretion in Glucotoxicity and Glucolipotoxicity. <i>Cellular Physiology and Biochemistry</i> , 2011, 28, 873-886.	1.1	101
7	Characteristics of gsp-positive growth hormone-secreting pituitary tumors in Korean acromegalic patients. <i>European Journal of Endocrinology</i> , 1996, 134, 720-726.	1.9	88
8	C1q/TNF-Related Protein-3 (CTRP-3) and Pigment Epithelium-Derived Factor (PEDF) Concentrations in Patients With Type 2 Diabetes and Metabolic Syndrome. <i>Diabetes</i> , 2012, 61, 2932-2936.	0.3	81
9	Gestational diabetes is associated with high energy and saturated fat intakes and with low plasma visfatin and adiponectin levels independent of prepregnancy BMI. <i>European Journal of Clinical Nutrition</i> , 2013, 67, 196-201.	1.3	79
10	Kaempferol protects HIT-15 pancreatic beta cells from deoxyribose-induced oxidative damage. <i>Phytotherapy Research</i> , 2010, 24, 419-423.	2.8	77
11	Plasma glutamine and glutamic acid are potential biomarkers for predicting diabetic retinopathy. <i>Metabolomics</i> , 2018, 14, 89.	1.4	77
12	Blood lead is significantly associated with metabolic syndrome in Korean adults: an analysis based on the Korea National Health and Nutrition Examination Survey (KNHANES), 2008. <i>Cardiovascular Diabetology</i> , 2013, 12, 9.	2.7	70
13	Prooxidative effects of green tea polyphenol (γ -epigallocatechin-3-gallate) on the HIT-T15 pancreatic beta cell line. <i>Cell Biology and Toxicology</i> , 2010, 26, 189-199.	2.4	67
14	Improvement of Nonalcoholic Fatty Liver Disease With Carnitine-Orotate Complex in Type 2 Diabetes (CORONA): A Randomized Controlled Trial. <i>Diabetes Care</i> , 2015, 38, 1245-1252.	4.3	63
15	The Prediabetic Period: Review of Clinical Aspects. <i>Diabetes and Metabolism Journal</i> , 2011, 35, 107.	1.8	62
16	A Smartphone Application Significantly Improved Diabetes Self-Care Activities with High User Satisfaction. <i>Diabetes and Metabolism Journal</i> , 2015, 39, 207.	1.8	62
17	Somatostatin (SRIF) Receptor Subtype 2 and 5 Gene Expression in Growth Hormone-secreting Pituitary Adenomas: The Relationship with Endogenous SRIF Activity and Response to Octreotide. <i>Endocrine Journal</i> , 2004, 51, 227-236.	0.7	56
18	Prevalence of Chronic Complications in Korean Patients with Type 2 Diabetes Mellitus Based on the Korean National Diabetes Program. <i>Diabetes and Metabolism Journal</i> , 2011, 35, 504.	1.8	56

#	ARTICLE	IF	CITATIONS
19	Efficacy and Safety of Lofeglitazone Monotherapy in Patients with Type 2 Diabetes Mellitus over 24-Weeks: A Multicenter, Randomized, Double-Blind, Parallel-Group, Placebo Controlled Trial. PLoS ONE, 2014, 9, e92843.	1.1	55
20	Apigenin Attenuates 2-Deoxy-D-ribose-Induced Oxidative Cell Damage in HIT-T15 Pancreatic .BETA.-Cells. Biological and Pharmaceutical Bulletin, 2012, 35, 121-126.	0.6	54
21	Soybean isoflavones inhibit tumor necrosis factor- α -induced apoptosis and the production of interleukin-6 and prostaglandin E2 in osteoblastic cells. Phytochemistry, 2003, 63, 209-215.	1.4	49
22	Arsenic Exposure and Prevalence of Diabetes Mellitus in Korean Adults. Journal of Korean Medical Science, 2013, 28, 861.	1.1	48
23	Metformin reduces the risk of cancer in patients with type 2 diabetes. Medicine (United States), 2018, 97, e0036.	0.4	45
24	Elevated cAMP level attenuates 2-deoxy-d-ribose-induced oxidative damage in pancreatic β -cells. Archives of Biochemistry and Biophysics, 2005, 438, 70-79.	1.4	43
25	Vitamin D and diabetes in Koreans: analyses based on the Fourth Korea National Health and Nutrition Examination Survey (KNHANES), 2008-2009. Diabetic Medicine, 2012, 29, 1003-1010.	1.2	42
26	Clinical features of familial hypercholesterolemia in Korea: Predictors of pathogenic mutations and coronary artery disease - A study supported by the Korean Society of Lipidology and Atherosclerosis. Atherosclerosis, 2015, 243, 53-58.	0.4	42
27	Hypoglycemia is associated with dementia in elderly patients with type 2 diabetes mellitus: An analysis based on the Korea National Diabetes Program Cohort. Diabetes Research and Clinical Practice, 2016, 122, 54-61.	1.1	42
28	Direct Medical Costs for Patients with Type 2 Diabetes and Related Complications: A Prospective Cohort Study Based on the Korean National Diabetes Program. Journal of Korean Medical Science, 2012, 27, 876.	1.1	41
29	Gender disparity in the secular trends for obesity prevalence in Korea: analyses based on the KNHANES 1998-2009. Korean Journal of Internal Medicine, 2013, 28, 29.	0.7	41
30	Hemoglobin A1c May Be an Inadequate Diagnostic Tool for Diabetes Mellitus in Anemic Subjects. Diabetes and Metabolism Journal, 2013, 37, 343.	1.8	39
31	Evaluation of Glycemic Variability in Well-Controlled Type 2 Diabetes Mellitus. Diabetes Technology and Therapeutics, 2013, 15, 455-460.	2.4	36
32	LADA prevalence estimation and insulin dependency during follow-up. Diabetes/Metabolism Research and Reviews, 2011, 27, 975-979.	1.7	35
33	Comparison of the Efficacy of Climepiride, Metformin, and Rosiglitazone Monotherapy in Korean Drug-Naïve Type 2 Diabetic Patients: The Practical Evidence of Antidiabetic Monotherapy Study. Diabetes and Metabolism Journal, 2011, 35, 26.	1.8	32
34	Kaempferol Attenuates 2-Deoxy-D-ribose-Induced Oxidative Cell Damage in MC3T3-E1 Osteoblastic Cells. Biological and Pharmaceutical Bulletin, 2009, 32, 746-749.	0.6	31
35	Insulin secretion and insulin resistance in newly diagnosed, drug naive prediabetes and type 2 diabetes patients with/without metabolic syndrome. Diabetes Research and Clinical Practice, 2007, 76, 397-403.	1.1	28
36	RAPGEF1 gene variants associated with type 2 diabetes in the Korean population. Diabetes Research and Clinical Practice, 2009, 84, 117-122.	1.1	28

#	ARTICLE	IF	CITATIONS
37	Optimal glycated albumin cutoff value to diagnose diabetes in Korean adults: A retrospective study based on the oral glucose tolerance test. <i>Clinica Chimica Acta</i> , 2014, 437, 1-5.	0.5	27
38	The Effect of Early Insulin Therapy on Pancreatic β -Cell Function and Long-Term Glycemic Control in Newly Diagnosed Type 2 Diabetic Patients. <i>Korean Journal of Internal Medicine</i> , 2010, 25, 273.	0.7	27
39	Serum Magnesium Level Is Associated with Type 2 Diabetes in Women with a History of Gestational Diabetes Mellitus: The Korea National Diabetes Program Study. <i>Journal of Korean Medical Science</i> , 2014, 29, 84.	1.1	26
40	Oncogenic Osteomalacia Caused by a Phosphaturic Mesenchymal Tumor of the Oral Cavity. <i>Korean Journal of Internal Medicine</i> , 1997, 12, 89-95.	0.7	26
41	Safety and efficacy of lobeglitazone monotherapy in patients with type 2 diabetes mellitus over 52 weeks: An open-label extension study. <i>Diabetes Research and Clinical Practice</i> , 2015, 110, e27-e30.	1.1	25
42	2-Deoxy-d-ribose induces cellular damage by increasing oxidative stress and protein glycation in a pancreatic β -cell line. <i>Metabolism: Clinical and Experimental</i> , 2010, 59, 325-332.	1.5	24
43	Genetic Testing of Korean Familial Hypercholesterolemia Using Whole-Exome Sequencing. <i>PLoS ONE</i> , 2015, 10, e0126706.	1.1	24
44	Characteristics of acromegalic patients with a good response to octreotide, a somatostatin analogue. <i>Clinical Endocrinology</i> , 1995, 42, 295-301.	1.2	22
45	Characteristics of insulin resistance and insulin secretory capacity in Korean subjects with IFG and IGT. <i>Diabetes Research and Clinical Practice</i> , 2010, 89, 250-255.	1.1	22
46	Autoimmune Hypoglycemia in a Patient with Characterization of Insulin Receptor Autoantibodies. <i>Diabetes and Metabolism Journal</i> , 2011, 35, 80.	1.8	22
47	The anti-obesity effect of <i>Lethariella cladonioides</i> in 3T3-L1 cells and obese mice. <i>Nutrition Research and Practice</i> , 2011, 5, 503.	0.7	22
48	Effects of Lobeglitazone, a Novel Thiazolidinedione, on Bone Mineral Density in Patients with Type 2 Diabetes Mellitus over 52 Weeks. <i>Diabetes and Metabolism Journal</i> , 2017, 41, 377.	1.8	21
49	Familial Clustering of Type 2 Diabetes in Korean Women with Gestational Diabetes Mellitus. <i>Korean Journal of Internal Medicine</i> , 2010, 25, 269.	0.7	21
50	Clinical Experience of an Iontophoresis Based Glucose Measuring System. <i>Journal of Korean Medical Science</i> , 2007, 22, 70.	1.1	20
51	Cardio-Ankle Vascular Index as a Surrogate Marker of Early Atherosclerotic Cardiovascular Disease in Koreans with Type 2 Diabetes Mellitus. <i>Diabetes and Metabolism Journal</i> , 2018, 42, 285.	1.8	20
52	Perfluorooctanoic acid induces mitochondrial dysfunction in MC3T3-E1 osteoblast cells. <i>Journal of Environmental Science and Health - Part A Toxic/Hazardous Substances and Environmental Engineering</i> , 2017, 52, 281-289.	0.9	18
53	Hypoglycemia and Medical Expenses in Patients with Type 2 Diabetes Mellitus: An Analysis Based on the Korea National Diabetes Program Cohort. <i>PLoS ONE</i> , 2016, 11, e0148630.	1.1	18
54	Differences in Insulin Sensitivity and Secretory Capacity Based on OGTT in Subjects with Impaired Glucose Regulation. <i>Korean Journal of Internal Medicine</i> , 2007, 22, 270.	0.7	18

#	ARTICLE	IF	CITATIONS
55	Association between apolipoprotein E genetic polymorphism and the development of diabetic nephropathy in type 2 diabetic patients. <i>Diabetes Research and Clinical Practice</i> , 2007, 77, S228-S232.	1.1	17
56	Presence of Carotid Plaque Is Associated with Rapid Renal Function Decline in Patients with Type 2 Diabetes Mellitus and Normal Renal Function. <i>Diabetes and Metabolism Journal</i> , 2019, 43, 840.	1.8	17
57	The Changes in Early Phase Insulin Secretion in Newly Diagnosed, Drug Naive Korean Prediabetes Subjects. <i>Korean Diabetes Journal</i> , 2010, 34, 157.	0.8	16
58	Short-term intensive insulin therapy at diagnosis in type 2 diabetes: plan for filling the gaps. <i>Diabetes/Metabolism Research and Reviews</i> , 2015, 31, 537-544.	1.7	16
59	Features of Long-Standing Korean Type 2 Diabetes Mellitus Patients with Diabetic Retinopathy: A Study Based on Standardized Clinical Data. <i>Diabetes and Metabolism Journal</i> , 2017, 41, 393.	1.8	16
60	Impact of Socioeconomic Status on Health Behaviors, Metabolic Control, and Chronic Complications in Type 2 Diabetes Mellitus. <i>Diabetes and Metabolism Journal</i> , 2018, 42, 380.	1.8	16
61	Framingham Risk Scores by Occupational Group: Based on the 3rd Korean National Health and Nutrition Examination Survey. <i>Korean Journal of Occupational and Environmental Medicine</i> , 2009, 21, 63.	0.4	15
62	Effect of Scutellariae Radix Extract on the High Glucose-Induced Apoptosis in Cultured Vascular Endothelial Cells. <i>Biological and Pharmaceutical Bulletin</i> , 2003, 26, 1629-1632.	0.6	14
63	Insufficient Experience in Thyroid Fine-Needle Aspiration Leads to Misdiagnosis of Thyroid Cancer. <i>Endocrinology and Metabolism</i> , 2014, 29, 293.	1.3	14
64	Plasma amino acids and oxylipins as potential multi-biomarkers for predicting diabetic macular edema. <i>Scientific Reports</i> , 2021, 11, 9727.	1.6	14
65	Apolipoprotein E genotypes of normal and hyperlipidemic subjects. <i>Journal of Korean Medical Science</i> , 1993, 8, 262.	1.1	13
66	A Comparative Study of Diet in Good and Poor Glycemic Control Groups in Elderly Patients with Type 2 Diabetes Mellitus. <i>Korean Diabetes Journal</i> , 2010, 34, 303.	0.8	13
67	Utilization patterns and cost of complementary and alternative medicine compared to conventional medicine in patients with type 2 diabetes mellitus. <i>Diabetes Research and Clinical Practice</i> , 2011, 93, 115-122.	1.1	13
68	Association between Nutrient Intake and Obesity in Type 2 Diabetic Patients from the Korean National Diabetes Program: A Cross-Sectional Study. <i>Journal of Korean Medical Science</i> , 2012, 27, 1188.	1.1	13
69	Long-term effects on glycaemic control and β -cell preservation of early intensive treatment in patients with newly diagnosed type 2 diabetes: A multicentre randomized trial. <i>Diabetes, Obesity and Metabolism</i> , 2018, 20, 1121-1130.	2.2	13
70	Hospital-Based Korean Diabetes Prevention Study: A Prospective, Multi-Center, Randomized, Open-Label Controlled Study. <i>Diabetes and Metabolism Journal</i> , 2019, 43, 49.	1.8	13
71	Determination of cholesterol in human hair using gas chromatography-mass spectrometry. <i>Biomedical Chromatography</i> , 2006, 20, 999-1003.	0.8	12
72	The relationship between circulating fibroblast growth factor 23 and bone metabolism factors in Korean hemodialysis patients. <i>Clinical and Experimental Nephrology</i> , 2010, 14, 239-243.	0.7	12

#	ARTICLE	IF	CITATIONS
73	Elevated A1C is associated with impaired early-phase insulin secretion rather than insulin resistance in Koreans at high risk for developing diabetes. <i>Endocrine</i> , 2012, 42, 584-591.	1.1	12
74	Treatment Guidelines for Dyslipidemia: Summary of the Expanded Second Version. <i>Journal of Lipid and Atherosclerosis</i> , 2012, 1, 45.	1.1	12
75	Clinical characteristics and risk factors for retinal diabetic neurodegeneration in type 2 diabetes. <i>Acta Diabetologica</i> , 2017, 54, 993-999.	1.2	12
76	Characteristics of frequent emergency department users with type 2 diabetes mellitus in Korea. <i>Journal of Diabetes Investigation</i> , 2018, 9, 430-437.	1.1	12
77	Effect of Dipeptidyl Peptidase-4 Inhibitors on the Risk of Bone Fractures in a Korean Population. <i>Journal of Korean Medical Science</i> , 2019, 34, e224.	1.1	12
78	Acute hyperglycemia and activation of the beta-adrenergic system exhibit synergistic inhibitory actions on growth hormone (GH) releasing hormone-induced GH release. <i>European Journal of Endocrinology</i> , 2003, 148, 635-640.	1.9	11
79	Fulminant Type 1 diabetes mellitus associated with acute hepatitis A. <i>Diabetic Medicine</i> , 2010, 27, 366-367.	1.2	11
80	The changes of individual carotid artery wall layer by aging and carotid intima-media thickness value for high risk. <i>Cardiovascular Therapeutics</i> , 2016, 34, 397-403.	1.1	11
81	Genome-wide association study identifies new susceptibility loci for diabetic nephropathy in Korean patients with type 2 diabetes mellitus. <i>Clinical Genetics</i> , 2019, 96, 35-42.	1.0	11
82	Effects of climatic variables on weight loss: a global analysis. <i>Scientific Reports</i> , 2017, 7, 40708.	1.6	11
83	Suppression of TRH-Stimulated TSH Secretion by Glucose-Induced Hypothalamic Somatostatin Release. <i>Hormone and Metabolic Research</i> , 1996, 28, 553-557.	0.7	10
84	Evaluation of polygenic cause in Korean patients with familial hypercholesterolemia – A study supported by Korean Society of Lipidology and Atherosclerosis. <i>Atherosclerosis</i> , 2015, 242, 8-12.	0.4	10
85	Target achievement with maximal statin-based lipid-lowering therapy in Korean patients with familial hypercholesterolemia: A study supported by the Korean Society of Lipid and Atherosclerosis. <i>Clinical Cardiology</i> , 2017, 40, 1291-1296.	0.7	10
86	Failure of monotherapy in clinical practice in patients with type 2 diabetes: The Korean National Diabetes Program. <i>Journal of Diabetes Investigation</i> , 2018, 9, 1144-1152.	1.1	10
87	Effects of insulin glulisine as mono- or add-on therapy in patients with type 2 diabetes mellitus. <i>Diabetes, Obesity and Metabolism</i> , 2009, 11, 900-909.	2.2	9
88	Efficacy and safety of glimepiride/metformin sustained release once daily vs. glimepiride/metformin twice daily in patients with type 2 diabetes. <i>International Journal of Clinical Practice</i> , 2013, 67, 236-243.	0.8	9
89	Metabolic syndrome as an indicator of high cardiovascular risk in patients with diabetes: Analyses based on Korea National Health and Nutrition Examination Survey (KNHANES) 2008. <i>Diabetology and Metabolic Syndrome</i> , 2014, 6, 98.	1.2	9
90	Importance of family history of diabetes in computing a diabetes risk score in Korean prediabetic population. <i>Scientific Reports</i> , 2018, 8, 15958.	1.6	9

#	ARTICLE	IF	CITATIONS
91	Air Pollution Has a Significant Negative Impact on Intentional Efforts to Lose Weight: A Global Scale Analysis. <i>Diabetes and Metabolism Journal</i> , 2018, 42, 320.	1.8	9
92	GENetic characteristics and REsponse to lipid-lowering therapy in familial hypercholesterolemia: GENRE-FH study. <i>Scientific Reports</i> , 2020, 10, 19336.	1.6	9
93	Dietary glutamic acid and aspartic acid as biomarkers for predicting diabetic retinopathy. <i>Scientific Reports</i> , 2021, 11, 7244.	1.6	9
94	Identification of Glucocorticoid Response Element of the Rat TRH gene. <i>Korean Journal of Internal Medicine</i> , 1996, 11, 138-144.	0.7	9
95	Combined pyridostigmine and thyrotrophin-releasing hormone test for the evaluation of hypothalamic somatostatinergic activity in healthy normal men. <i>European Journal of Endocrinology</i> , 1995, 133, 457-462.	1.9	8
96	Risk Factors for the Progression of Intima-Media Thickness of Carotid Arteries: A 2-Year Follow-Up Study in Patients with Newly Diagnosed Type 2 Diabetes. <i>Diabetes and Metabolism Journal</i> , 2013, 37, 365.	1.8	8
97	Effects of Rebamipide on Gastrointestinal Symptoms in Patients with Type 2 Diabetes Mellitus. <i>Diabetes and Metabolism Journal</i> , 2016, 40, 240.	1.8	8
98	Development of an HbA1c-Based Conversion Equation for Estimating Glycated Albumin in a Korean Population with a Wide Range of Glucose Intolerance. <i>PLoS ONE</i> , 2014, 9, e95729.	1.1	7
99	Effect of Cilostazol on the Neuropathies of Streptozotocin - induced Diabetic Rats. <i>Korean Journal of Internal Medicine</i> , 1999, 14, 34-40.	0.7	7
100	Long-term effects of cilostazol on the prevention of macrovascular disease in patients with type 2 diabetes mellitus. <i>Diabetes Research and Clinical Practice</i> , 2011, 91, e11-e14.	1.1	6
101	Efficacy and Tolerability of Pitavastatin Versus Pitavastatin/Fenofibrate in High-risk Korean Patients with Mixed Dyslipidemia: A Multicenter, Randomized, Double-blinded, Parallel, Therapeutic Confirmatory Clinical Trial. <i>Clinical Therapeutics</i> , 2020, 42, 2021-2035.e3.	1.1	6
102	Analysis of diabetes quality assessment findings and future directions for the appropriate management of diabetes in Korea. <i>Korean Journal of Internal Medicine</i> , 2019, 34, 125-136.	0.7	6
103	Clinical Characteristics and Prevalence of Comorbidities according to Metformin Use in Korean Patients with Type 2 Diabetes. <i>International Journal of Endocrinology</i> , 2020, 2020, 1-7.	0.6	5
104	Impaired fasting glucose levels in overweight or obese subjects for screening of type 2 diabetes in Korea. <i>Korean Journal of Internal Medicine</i> , 2021, 36, 382-391.	0.7	5
105	Acute Hyperglycemia and Activation of the β -Adrenergic System do not Exhibit Synergistic Inhibitory Actions on Thyrotrophin-releasing Hormone (TRH)-induced Thyroid Stimulating Hormone (TSH) Secretion. <i>Endocrine Journal</i> , 2005, 52, 69-74.	0.7	4
106	A prospective, randomized, multicenter trial comparing the efficacy and safety of the concurrent use of long-acting insulin with mitiglinide or voglibose in patients with type 2 diabetes. <i>Endocrine Journal</i> , 2015, 62, 1049-1057.	0.7	4
107	Celiac Disease in a Predisposed Subject (HLA-DQ2.5) with Coexisting Graves' Disease. <i>Endocrinology and Metabolism</i> , 2015, 30, 105.	1.3	4
108	Incidence of Diabetes Mellitus in Male Moderate Alcohol Drinkers: A Community-Based Prospective Cohort Study. <i>Archives of Medical Research</i> , 2019, 50, 315-323.	1.5	4

#	ARTICLE	IF	CITATIONS
109	Effects of foot complications in patients with Type 2 diabetes mellitus on public healthcare: An analysis based on the Korea National Diabetes Program Cohort. <i>Journal of Diabetes and Its Complications</i> , 2017, 31, 375-380.	1.2	3
110	Insulin Secretion and Insulin Resistance in Newly Diagnosed, Drug Naïve Prediabetes and Type 2 Diabetes Patients With/Without Metabolic Syndrome. <i>The Journal of Korean Diabetes Association</i> , 2006, 30, 198.	0.1	2
111	Artificial Pancreas: A Concise Review. <i>Journal of Korean Diabetes</i> , 2017, 18, 141.	0.1	2
112	Mechanism of 2-Deoxy-D-ribose-induced Damage in Pancreatic β -cells. <i>The Journal of Korean Diabetes Association</i> , 2007, 31, 105.	0.1	2
113	Association analysis of v-AKT murine thymoma viral oncogene homolog 1 (AKT1) polymorphisms and type 2 diabetes mellitus in the Korean population. <i>Genes and Genomics</i> , 2009, 31, 73-83.	0.5	1
114	Response: Features of Long-Standing Korean Type 2 Diabetes Mellitus Patients with Diabetic Retinopathy: A Study Based on Standardized Clinical Data (<i>Diabetes Metab J</i> 2017;41:393-404). <i>Diabetes and Metabolism Journal</i> , 2017, 41, 494.	1.8	1
115	A Nutrition Intervention Focused on Weight Management Through Lifestyle Improvements in Prediabetic Subjects. <i>Clinical Nutrition Research</i> , 2018, 7, 69.	0.5	1
116	Randomized, Open Label, Multicenter Clinical Trial about the Effect of Cilazapril on Vascular Endothelial Function in Patients with Type 2 Diabetes Combined with Hypertension. <i>The Journal of Korean Diabetes Association</i> , 2006, 30, 450.	0.1	1
117	Clinical Usefulness of Glucose Testing from the Forearm in Diabetic Patients. <i>Journal of Korean Endocrine Society</i> , 2006, 21, 281.	0.1	1
118	The Combined Pyridostigmine-TRH Test for the Evaluation of Hypothalamic Somatostatinergic Activity in Healthy, Normal Men. <i>Annals of the New York Academy of Sciences</i> , 1994, 739, 334-336.	1.8	0
119	Mutational Analysis of Gs α Protein in Fibrous dysplasia of the Bone. <i>Journal of Korean Endocrine Society</i> , 2005, 20, 142.	0.1	0
120	Glucose Regulated Production of Human Insulin in Genetically Modified Myoblast Cell Line (C2C12). <i>Journal of Korean Endocrine Society</i> , 2006, 21, 526.	0.1	0
121	A Case of Type Ia Glycogen Storage Disease Diagnosed in the Military Hospital. <i>Endocrinology and Metabolism</i> , 2011, 26, 84.	1.3	0
122	Response: Insufficient Experience in Thyroid Fine-Needle Aspiration Leads to Misdiagnosis of Thyroid Cancer (<i>Endocrinol Metab</i> 2014;29:293-9, Jung Il Son et al.). <i>Endocrinology and Metabolism</i> , 2014, 29, 592.	1.3	0
123	Optimal fasting plasma glucose and haemoglobin A1c levels for screening of prediabetes and diabetes according to 2-hour plasma glucose in a high-risk population: The Korean Diabetes Prevention Study. <i>Diabetes/Metabolism Research and Reviews</i> , 2020, 36, e3324.	1.7	0
124	A Case of Type 2 Diabetes Mellitus with Severe Insulin Resistance and Dumping Syndrome after Bariatric Surgery. <i>The Korean Journal of Obesity</i> , 2015, 24, 219-224.	0.2	0