

# Jeong-Taek Woo

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2012681/publications.pdf>

Version: 2024-02-01

124  
papers

3,992  
citations

136885

32  
h-index

138417

58  
g-index

124  
all docs

124  
docs citations

124  
times ranked

6594  
citing authors

#	ARTICLE	IF	CITATIONS
1	Impaired fasting glucose levels in overweight or obese subjects for screening of type 2 diabetes in Korea. <i>Korean Journal of Internal Medicine</i> , 2021, 36, 382-391.	0.7	5
2	Dietary glutamic acid and aspartic acid as biomarkers for predicting diabetic retinopathy. <i>Scientific Reports</i> , 2021, 11, 7244.	1.6	9
3	Plasma amino acids and oxylipins as potential multi-biomarkers for predicting diabetic macular edema. <i>Scientific Reports</i> , 2021, 11, 9727.	1.6	14
4	GENetic characteristics and REsponse to lipid-lowering therapy in familial hypercholesterolemia: GENRE-FH study. <i>Scientific Reports</i> , 2020, 10, 19336.	1.6	9
5	Clinical Characteristics and Prevalence of Comorbidities according to Metformin Use in Korean Patients with Type 2 Diabetes. <i>International Journal of Endocrinology</i> , 2020, 2020, 1-7.	0.6	5
6	Efficacy and Tolerability of Pitavastatin Versus Pitavastatin/Fenofibrate in High-risk Korean Patients with Mixed Dyslipidemia: A Multicenter, Randomized, Double-blinded, Parallel, Therapeutic Confirmatory Clinical Trial. <i>Clinical Therapeutics</i> , 2020, 42, 2021-2035.e3.	1.1	6
7	Optimal fasting plasma glucose and haemoglobin A1c levels for screening of prediabetes and diabetes according to 2-hour plasma glucose in a high-risk population: The Korean Diabetes Prevention Study. <i>Diabetes/Metabolism Research and Reviews</i> , 2020, 36, e3324.	1.7	0
8	Incidence of Diabetes Mellitus in Male Moderate Alcohol Drinkers: A Community-Based Prospective Cohort Study. <i>Archives of Medical Research</i> , 2019, 50, 315-323.	1.5	4
9	Genome-wide association study identifies new susceptibility loci for diabetic nephropathy in Korean patients with type 2 diabetes mellitus. <i>Clinical Genetics</i> , 2019, 96, 35-42.	1.0	11
10	Atrasentan and renal events in patients with type 2 diabetes and chronic kidney disease (SONAR): a double-blind, randomised, placebo-controlled trial. <i>Lancet</i> , The, 2019, 393, 1937-1947.	6.3	408
11	Hospital-Based Korean Diabetes Prevention Study: A Prospective, Multi-Center, Randomized, Open-Label Controlled Study. <i>Diabetes and Metabolism Journal</i> , 2019, 43, 49.	1.8	13
12	Effect of Dipeptidyl Peptidase-4 Inhibitors on the Risk of Bone Fractures in a Korean Population. <i>Journal of Korean Medical Science</i> , 2019, 34, e224.	1.1	12
13	Analysis of diabetes quality assessment findings and future directions for the appropriate management of diabetes in Korea. <i>Korean Journal of Internal Medicine</i> , 2019, 34, 125-136.	0.7	6
14	Presence of Carotid Plaque Is Associated with Rapid Renal Function Decline in Patients with Type 2 Diabetes Mellitus and Normal Renal Function. <i>Diabetes and Metabolism Journal</i> , 2019, 43, 840.	1.8	17
15	Metformin reduces the risk of cancer in patients with type 2 diabetes. <i>Medicine (United States)</i> , 2018, 97, e0036.	0.4	45
16	Failure of monotherapy in clinical practice in patients with type 2 diabetes: The Korean National Diabetes Program. <i>Journal of Diabetes Investigation</i> , 2018, 9, 1144-1152.	1.1	10
17	Long-term effects on glycaemic control and $\beta$ -cell preservation of early intensive treatment in patients with newly diagnosed type 2 diabetes: A multicentre randomized trial. <i>Diabetes, Obesity and Metabolism</i> , 2018, 20, 1121-1130.	2.2	13
18	Characteristics of frequent emergency department users with type 2 diabetes mellitus in Korea. <i>Journal of Diabetes Investigation</i> , 2018, 9, 430-437.	1.1	12

#	ARTICLE	IF	CITATIONS
19	Impact of Socioeconomic Status on Health Behaviors, Metabolic Control, and Chronic Complications in Type 2 Diabetes Mellitus. <i>Diabetes and Metabolism Journal</i> , 2018, 42, 380.	1.8	16
20	Importance of family history of diabetes in computing a diabetes risk score in Korean prediabetic population. <i>Scientific Reports</i> , 2018, 8, 15958.	1.6	9
21	A Nutrition Intervention Focused on Weight Management Through Lifestyle Improvements in Prediabetic Subjects. <i>Clinical Nutrition Research</i> , 2018, 7, 69.	0.5	1
22	Air Pollution Has a Significant Negative Impact on Intentional Efforts to Lose Weight: A Global Scale Analysis. <i>Diabetes and Metabolism Journal</i> , 2018, 42, 320.	1.8	9
23	Cardio-Ankle Vascular Index as a Surrogate Marker of Early Atherosclerotic Cardiovascular Disease in Koreans with Type 2 Diabetes Mellitus. <i>Diabetes and Metabolism Journal</i> , 2018, 42, 285.	1.8	20
24	Plasma glutamine and glutamic acid are potential biomarkers for predicting diabetic retinopathy. <i>Metabolomics</i> , 2018, 14, 89.	1.4	77
25	Perfluorooctanoic acid induces mitochondrial dysfunction in MC3T3-E1 osteoblast cells. <i>Journal of Environmental Science and Health - Part A Toxic/Hazardous Substances and Environmental Engineering</i> , 2017, 52, 281-289.	0.9	18
26	Clinical characteristics and risk factors for retinal diabetic neurodegeneration in type 2 diabetes. <i>Acta Diabetologica</i> , 2017, 54, 993-999.	1.2	12
27	Target achievement with maximal statin-based lipid-lowering therapy in Korean patients with familial hypercholesterolemia: A study supported by the Korean Society of Lipid and Atherosclerosis. <i>Clinical Cardiology</i> , 2017, 40, 1291-1296.	0.7	10
28	Effects of foot complications in patients with Type 2 diabetes mellitus on public healthcare: An analysis based on the Korea National Diabetes Program Cohort. <i>Journal of Diabetes and Its Complications</i> , 2017, 31, 375-380.	1.2	3
29	Features of Long-Standing Korean Type 2 Diabetes Mellitus Patients with Diabetic Retinopathy: A Study Based on Standardized Clinical Data. <i>Diabetes and Metabolism Journal</i> , 2017, 41, 393.	1.8	16
30	Effects of Lofeglitazone, a Novel Thiazolidinedione, on Bone Mineral Density in Patients with Type 2 Diabetes Mellitus over 52 Weeks. <i>Diabetes and Metabolism Journal</i> , 2017, 41, 377.	1.8	21
31	Artificial Pancreas: A Concise Review. <i>Journal of Korean Diabetes</i> , 2017, 18, 141.	0.1	2
32	Response: Features of Long-Standing Korean Type 2 Diabetes Mellitus Patients with Diabetic Retinopathy: A Study Based on Standardized Clinical Data ( <i>Diabetes Metab J</i> 2017;41:393-404). <i>Diabetes and Metabolism Journal</i> , 2017, 41, 494.	1.8	1
33	Effects of climatic variables on weight loss: a global analysis. <i>Scientific Reports</i> , 2017, 7, 40708.	1.6	11
34	Effects of Rebamipide on Gastrointestinal Symptoms in Patients with Type 2 Diabetes Mellitus. <i>Diabetes and Metabolism Journal</i> , 2016, 40, 240.	1.8	8
35	Hypoglycemia is associated with dementia in elderly patients with type 2 diabetes mellitus: An analysis based on the Korea National Diabetes Program Cohort. <i>Diabetes Research and Clinical Practice</i> , 2016, 122, 54-61.	1.1	42
36	The changes of individual carotid artery wall layer by aging and carotid intima-media thickness value for high risk. <i>Cardiovascular Therapeutics</i> , 2016, 34, 397-403.	1.1	11

#	ARTICLE	IF	CITATIONS
37	Successful weight reduction and maintenance by using a smartphone application in those with overweight and obesity. <i>Scientific Reports</i> , 2016, 6, 34563.	1.6	107
38	Hypoglycemia and Medical Expenses in Patients with Type 2 Diabetes Mellitus: An Analysis Based on the Korea National Diabetes Program Cohort. <i>PLoS ONE</i> , 2016, 11, e0148630.	1.1	18
39	Safety and efficacy of lobeglitazone monotherapy in patients with type 2 diabetes mellitus over 52 weeks: An open-label extension study. <i>Diabetes Research and Clinical Practice</i> , 2015, 110, e27-e30.	1.1	25
40	Short-term intensive insulin therapy at diagnosis in type 2 diabetes: plan for filling the gaps. <i>Diabetes/Metabolism Research and Reviews</i> , 2015, 31, 537-544.	1.7	16
41	A prospective, randomized, multicenter trial comparing the efficacy and safety of the concurrent use of long-acting insulin with mitiglinide or voglibose in patients with type 2 diabetes. <i>Endocrine Journal</i> , 2015, 62, 1049-1057.	0.7	4
42	Celiac Disease in a Predisposed Subject (HLA-DQ2.5) with Coexisting Graves' Disease. <i>Endocrinology and Metabolism</i> , 2015, 30, 105.	1.3	4
43	A Smartphone Application Significantly Improved Diabetes Self-Care Activities with High User Satisfaction. <i>Diabetes and Metabolism Journal</i> , 2015, 39, 207.	1.8	62
44	Genetic Testing of Korean Familial Hypercholesterolemia Using Whole-Exome Sequencing. <i>PLoS ONE</i> , 2015, 10, e0126706.	1.1	24
45	Evaluation of polygenic cause in Korean patients with familial hypercholesterolemia – A study supported by Korean Society of Lipidology and Atherosclerosis. <i>Atherosclerosis</i> , 2015, 242, 8-12.	0.4	10
46	Improvement of Nonalcoholic Fatty Liver Disease With Carnitine-Orotate Complex in Type 2 Diabetes (CORONA): A Randomized Controlled Trial. <i>Diabetes Care</i> , 2015, 38, 1245-1252.	4.3	63
47	Clinical features of familial hypercholesterolemia in Korea: Predictors of pathogenic mutations and coronary artery disease – A study supported by the Korean Society of Lipidology and Atherosclerosis. <i>Atherosclerosis</i> , 2015, 243, 53-58.	0.4	42
48	A Case of Type 2 Diabetes Mellitus with Severe Insulin Resistance and Dumping Syndrome after Bariatric Surgery. <i>The Korean Journal of Obesity</i> , 2015, 24, 219-224.	0.2	0
49	Serum Magnesium Level Is Associated with Type 2 Diabetes in Women with a History of Gestational Diabetes Mellitus: The Korea National Diabetes Program Study. <i>Journal of Korean Medical Science</i> , 2014, 29, 84.	1.1	26
50	Response: Insufficient Experience in Thyroid Fine-Needle Aspiration Leads to Misdiagnosis of Thyroid Cancer ( <i>Endocrinol Metab</i> 2014;29:293-9, Jung Il Son et al.). <i>Endocrinology and Metabolism</i> , 2014, 29, 592.	1.3	0
51	Insufficient Experience in Thyroid Fine-Needle Aspiration Leads to Misdiagnosis of Thyroid Cancer. <i>Endocrinology and Metabolism</i> , 2014, 29, 293.	1.3	14
52	Metabolic syndrome as an indicator of high cardiovascular risk in patients with diabetes: Analyses based on Korea National Health and Nutrition Examination Survey (KNHANES) 2008. <i>Diabetology and Metabolic Syndrome</i> , 2014, 6, 98.	1.2	9
53	Optimal glycated albumin cutoff value to diagnose diabetes in Korean adults: A retrospective study based on the oral glucose tolerance test. <i>Clinica Chimica Acta</i> , 2014, 437, 1-5.	0.5	27
54	Efficacy and Safety of Lobeglitazone Monotherapy in Patients with Type 2 Diabetes Mellitus over 24-Weeks: A Multicenter, Randomized, Double-Blind, Parallel-Group, Placebo Controlled Trial. <i>PLoS ONE</i> , 2014, 9, e92843.	1.1	55

#	ARTICLE	IF	CITATIONS
55	Development of an HbA1c-Based Conversion Equation for Estimating Glycated Albumin in a Korean Population with a Wide Range of Glucose Intolerance. <i>PLoS ONE</i> , 2014, 9, e95729.	1.1	7
56	2014 Clinical Practice Guidelines for Overweight and Obesity in Korea. <i>Endocrinology and Metabolism</i> , 2014, 29, 405.	1.3	267
57	Gestational diabetes is associated with high energy and saturated fat intakes and with low plasma visfatin and adiponectin levels independent of prepregnancy BMI. <i>European Journal of Clinical Nutrition</i> , 2013, 67, 196-201.	1.3	79
58	Blood lead is significantly associated with metabolic syndrome in Korean adults: an analysis based on the Korea National Health and Nutrition Examination Survey (KNHANES), 2008. <i>Cardiovascular Diabetology</i> , 2013, 12, 9.	2.7	70
59	Efficacy and safety of glimepiride/metformin sustained release once daily vs. glimepiride/metformin twice daily in patients with type 2 diabetes. <i>International Journal of Clinical Practice</i> , 2013, 67, 236-243.	0.8	9
60	Evaluation of Glycemic Variability in Well-Controlled Type 2 Diabetes Mellitus. <i>Diabetes Technology and Therapeutics</i> , 2013, 15, 455-460.	2.4	36
61	Risk Factors for the Progression of Intima-Media Thickness of Carotid Arteries: A 2-Year Follow-Up Study in Patients with Newly Diagnosed Type 2 Diabetes. <i>Diabetes and Metabolism Journal</i> , 2013, 37, 365.	1.8	8
62	Hemoglobin A1c May Be an Inadequate Diagnostic Tool for Diabetes Mellitus in Anemic Subjects. <i>Diabetes and Metabolism Journal</i> , 2013, 37, 343.	1.8	39
63	Arsenic Exposure and Prevalence of Diabetes Mellitus in Korean Adults. <i>Journal of Korean Medical Science</i> , 2013, 28, 861.	1.1	48
64	Sarcopenia Is Independently Associated with Cardiovascular Disease in Older Korean Adults: The Korea National Health and Nutrition Examination Survey (KNHANES) from 2009. <i>PLoS ONE</i> , 2013, 8, e60119.	1.1	200
65	Gender disparity in the secular trends for obesity prevalence in Korea: analyses based on the KNHANES 1998-2009. <i>Korean Journal of Internal Medicine</i> , 2013, 28, 29.	0.7	41
66	Clq/TNF-Related Protein-3 (CTRP-3) and Pigment Epithelium-Derived Factor (PEDF) Concentrations in Patients With Type 2 Diabetes and Metabolic Syndrome. <i>Diabetes</i> , 2012, 61, 2932-2936.	0.3	81
67	Apigenin Attenuates 2-Deoxy-D-ribose-Induced Oxidative Cell Damage in HIT-T15 Pancreatic .BETA.-Cells. <i>Biological and Pharmaceutical Bulletin</i> , 2012, 35, 121-126.	0.6	54
68	Elevated A1C is associated with impaired early-phase insulin secretion rather than insulin resistance in Koreans at high risk for developing diabetes. <i>Endocrine</i> , 2012, 42, 584-591.	1.1	12
69	Treatment Guidelines for Dyslipidemia: Summary of the Expanded Second Version. <i>Journal of Lipid and Atherosclerosis</i> , 2012, 1, 45.	1.1	12
70	Direct Medical Costs for Patients with Type 2 Diabetes and Related Complications: A Prospective Cohort Study Based on the Korean National Diabetes Program. <i>Journal of Korean Medical Science</i> , 2012, 27, 876.	1.1	41
71	Association between Nutrient Intake and Obesity in Type 2 Diabetic Patients from the Korean National Diabetes Program: A Cross-Sectional Study. <i>Journal of Korean Medical Science</i> , 2012, 27, 1188.	1.1	13
72	Vitamin D and diabetes in Koreans: analyses based on the Fourth Korea National Health and Nutrition Examination Survey (KNHANES), 2008-2009. <i>Diabetic Medicine</i> , 2012, 29, 1003-1010.	1.2	42

#	ARTICLE	IF	CITATIONS
73	Mitochondria-targeted Antioxidants Protect Pancreatic $\beta$ -cells against Oxidative Stress and Improve Insulin Secretion in Glucotoxicity and Glucolipotoxicity. <i>Cellular Physiology and Biochemistry</i> , 2011, 28, 873-886.	1.1	101
74	Long-term effects of cilostazol on the prevention of macrovascular disease in patients with type 2 diabetes mellitus. <i>Diabetes Research and Clinical Practice</i> , 2011, 91, e11-e14.	1.1	6
75	Utilization patterns and cost of complementary and alternative medicine compared to conventional medicine in patients with type 2 diabetes mellitus. <i>Diabetes Research and Clinical Practice</i> , 2011, 93, 115-122.	1.1	13
76	Autoimmune Hypoglycemia in a Patient with Characterization of Insulin Receptor Autoantibodies. <i>Diabetes and Metabolism Journal</i> , 2011, 35, 80.	1.8	22
77	Prevalence of Chronic Complications in Korean Patients with Type 2 Diabetes Mellitus Based on the Korean National Diabetes Program. <i>Diabetes and Metabolism Journal</i> , 2011, 35, 504.	1.8	56
78	The Prediabetic Period: Review of Clinical Aspects. <i>Diabetes and Metabolism Journal</i> , 2011, 35, 107.	1.8	62
79	The anti-obesity effect of <i>Lethariella cladonioides</i> in 3T3-L1 cells and obese mice. <i>Nutrition Research and Practice</i> , 2011, 5, 503.	0.7	22
80	A Case of Type Ia Glycogen Storage Disease Diagnosed in the Military Hospital. <i>Endocrinology and Metabolism</i> , 2011, 26, 84.	1.3	0
81	Comparison of the Efficacy of Glimepiride, Metformin, and Rosiglitazone Monotherapy in Korean Drug-Naïve Type 2 Diabetic Patients: The Practical Evidence of Antidiabetic Monotherapy Study. <i>Diabetes and Metabolism Journal</i> , 2011, 35, 26.	1.8	32
82	LADA prevalence estimation and insulin dependency during follow-up. <i>Diabetes/Metabolism Research and Reviews</i> , 2011, 27, 975-979.	1.7	35
83	The relationship between circulating fibroblast growth factor 23 and bone metabolism factors in Korean hemodialysis patients. <i>Clinical and Experimental Nephrology</i> , 2010, 14, 239-243.	0.7	12
84	Prooxidative effects of green tea polyphenol ( $\beta$ -epigallocatechin-3-gallate) on the HIT-T15 pancreatic beta cell line. <i>Cell Biology and Toxicology</i> , 2010, 26, 189-199.	2.4	67
85	2-Deoxy-d-ribose induces cellular damage by increasing oxidative stress and protein glycation in a pancreatic $\beta$ -cell line. <i>Metabolism: Clinical and Experimental</i> , 2010, 59, 325-332.	1.5	24
86	Kaempferol protects HIT-T15 pancreatic beta cells from 2-deoxyribose-induced oxidative damage. <i>Phytotherapy Research</i> , 2010, 24, 419-423.	2.8	77
87	Fulminant Type 1 diabetes mellitus associated with acute hepatitis A. <i>Diabetic Medicine</i> , 2010, 27, 366-367.	1.2	11
88	A Comparative Study of Diet in Good and Poor Glycemic Control Groups in Elderly Patients with Type 2 Diabetes Mellitus. <i>Korean Diabetes Journal</i> , 2010, 34, 303.	0.8	13
89	The Changes in Early Phase Insulin Secretion in Newly Diagnosed, Drug Naïve Korean Prediabetes Subjects. <i>Korean Diabetes Journal</i> , 2010, 34, 157.	0.8	16
90	Characteristics of insulin resistance and insulin secretory capacity in Korean subjects with IFG and IGT. <i>Diabetes Research and Clinical Practice</i> , 2010, 89, 250-255.	1.1	22

#	ARTICLE	IF	CITATIONS
91	Familial Clustering of Type 2 Diabetes in Korean Women with Gestational Diabetes Mellitus. Korean Journal of Internal Medicine, 2010, 25, 269.	0.7	21
92	The Effect of Early Insulin Therapy on Pancreatic $\beta$ -Cell Function and Long-Term Glycemic Control in Newly Diagnosed Type 2 Diabetic Patients. Korean Journal of Internal Medicine, 2010, 25, 273.	0.7	27
93	Association analysis of v-AKT murine thymoma viral oncogene homolog 1 (AKT1) polymorphisms and type 2 diabetes mellitus in the Korean population. Genes and Genomics, 2009, 31, 73-83.	0.5	1
94	Effects of insulin glulisine as mono- or add-on therapy in patients with type 2 diabetes mellitus. Diabetes, Obesity and Metabolism, 2009, 11, 900-909.	2.2	9
95	RAPGEF1 gene variants associated with type 2 diabetes in the Korean population. Diabetes Research and Clinical Practice, 2009, 84, 117-122.	1.1	28
96	Kaempferol Attenuates 2-Deoxy-D-ribose-Induced Oxidative Cell Damage in MC3T3-E1 Osteoblastic Cells. Biological and Pharmaceutical Bulletin, 2009, 32, 746-749.	0.6	31
97	Framingham Risk Scores by Occupational Group: Based on the 3rd Korean National Health and Nutrition Examination Survey. Korean Journal of Occupational and Environmental Medicine, 2009, 21, 63.	0.4	15
98	Insulin secretion and insulin resistance in newly diagnosed, drug naive prediabetes and type 2 diabetes patients with/without metabolic syndrome. Diabetes Research and Clinical Practice, 2007, 76, 397-403.	1.1	28
99	Association between apolipoprotein E genetic polymorphism and the development of diabetic nephropathy in type 2 diabetic patients. Diabetes Research and Clinical Practice, 2007, 77, S228-S232.	1.1	17
100	Clinical Experience of an Iontophoresis Based Glucose Measuring System. Journal of Korean Medical Science, 2007, 22, 70.	1.1	20
101	Differences in Insulin Sensitivity and Secretory Capacity Based on OGTT in Subjects with Impaired Glucose Regulation. Korean Journal of Internal Medicine, 2007, 22, 270.	0.7	18
102	Mechanism of 2-Deoxy-D-ribose-induced Damage in Pancreatic $\beta$ -cells. The Journal of Korean Diabetes Association, 2007, 31, 105.	0.1	2
103	Multiallelic Disruption of the rictor Gene in Mice Reveals that mTOR Complex 2 Is Essential for Fetal Growth and Viability. Developmental Cell, 2006, 11, 583-589.	3.1	357
104	Insulin Secretion and Insulin Resistance in Newly Diagnosed, Drug Naïve Prediabetes and Type 2 Diabetes Patients With/Without Metabolic Syndrome. The Journal of Korean Diabetes Association, 2006, 30, 198.	0.1	2
105	Glucose Regulated Production of Human Insulin in Genetically Modified Myoblast Cell Line (C2C12). Journal of Korean Endocrine Society, 2006, 21, 526.	0.1	0
106	Determination of cholesterol in human hair using gas chromatography-mass spectrometry. Biomedical Chromatography, 2006, 20, 999-1003.	0.8	12
107	Randomized, Open Label, Multicenter Clinical Trial about the Effect of Cilazapril on Vascular Endothelial Function in Patients with Type 2 Diabetes Combined with Hypertension. The Journal of Korean Diabetes Association, 2006, 30, 450.	0.1	1
108	Clinical Usefulness of Glucose Testing from the Forearm in Diabetic Patients. Journal of Korean Endocrine Society, 2006, 21, 281.	0.1	1

#	ARTICLE	IF	CITATIONS
109	Acute Hyperglycemia and Activation of the $\beta$ -Adrenergic System do not Exhibit Synergistic Inhibitory Actions on Thyrotropin-releasing Hormone (TRH)-induced Thyroid Stimulating Hormone (TSH) Secretion. <i>Endocrine Journal</i> , 2005, 52, 69-74.	0.7	4
110	Mutational Analysis of Gs $\alpha$ Protein in Fibrous dysplasia of the Bone. <i>Journal of Korean Endocrine Society</i> , 2005, 20, 142.	0.1	0
111	Elevated cAMP level attenuates 2-deoxy-d-ribose-induced oxidative damage in pancreatic $\beta$ -cells. <i>Archives of Biochemistry and Biophysics</i> , 2005, 438, 70-79.	1.4	43
112	Somatostatin (SRIF) Receptor Subtype 2 and 5 Gene Expression in Growth Hormone-secreting Pituitary Adenomas: The Relationship with Endogenous SRIF Activity and Response to Octreotide. <i>Endocrine Journal</i> , 2004, 51, 227-236.	0.7	56
113	Soybean isoflavones inhibit tumor necrosis factor- $\alpha$ -induced apoptosis and the production of interleukin-6 and prostaglandin E2 in osteoblastic cells. <i>Phytochemistry</i> , 2003, 63, 209-215.	1.4	49
114	Acute hyperglycemia and activation of the beta-adrenergic system exhibit synergistic inhibitory actions on growth hormone (GH) releasing hormone-induced GH release. <i>European Journal of Endocrinology</i> , 2003, 148, 635-640.	1.9	11
115	Effect of <i>Scutellariae Radix</i> Extract on the High Glucose-Induced Apoptosis in Cultured Vascular Endothelial Cells. <i>Biological and Pharmaceutical Bulletin</i> , 2003, 26, 1629-1632.	0.6	14
116	Effect of Cilostazol on the Neuropathies of Streptozotocin - induced Diabetic Rats. <i>Korean Journal of Internal Medicine</i> , 1999, 14, 34-40.	0.7	7
117	Oncogenic Osteomalacia Caused by a Phosphaturic Mesenchymal Tumor of the Oral Cavity. <i>Korean Journal of Internal Medicine</i> , 1997, 12, 89-95.	0.7	26
118	Characteristics of gsp-positive growth hormone-secreting pituitary tumors in Korean acromegalic patients. <i>European Journal of Endocrinology</i> , 1996, 134, 720-726.	1.9	88
119	Suppression of TRH-Stimulated TSH Secretion by Glucose-Induced Hypothalamic Somatostatin Release. <i>Hormone and Metabolic Research</i> , 1996, 28, 553-557.	0.7	10
120	Identification of Glucocorticoid Response Element of the Rat TRH gene. <i>Korean Journal of Internal Medicine</i> , 1996, 11, 138-144.	0.7	9
121	Characteristics of acromegalic patients with a good response to octreotide, a somatostatin analogue. <i>Clinical Endocrinology</i> , 1995, 42, 295-301.	1.2	22
122	Combined pyridostigmine- $\alpha$ -thyrotrophin-releasing hormone test for the evaluation of hypothalamic somatostatinergetic activity in healthy normal men. <i>European Journal of Endocrinology</i> , 1995, 133, 457-462.	1.9	8
123	The Combined Pyridostigmine-TRH Test for the Evaluation of Hypothalamic Somatostatinergetic Activity in Healthy, Normal Men. <i>Annals of the New York Academy of Sciences</i> , 1994, 739, 334-336.	1.8	0
124	Apolipoprotein E genotypes of normal and hyperlipidemic subjects. <i>Journal of Korean Medical Science</i> , 1993, 8, 262.	1.1	13