

# Chao Liu

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2013151/publications.pdf>

Version: 2024-02-01

46  
papers

690  
citations

623734

14  
h-index

580821

25  
g-index

46  
all docs

46  
docs citations

46  
times ranked

368  
citing authors

#	ARTICLE	IF	CITATIONS
1	Non-aqueous organic solution based on a large-aperture spherical electrowetting liquid lens with a wide tunable focal length range. <i>Journal of Materials Chemistry C</i> , 2022, 10, 6778-6793.	5.5	13
2	Multi-View 2D/3D Switchable Display with Cylindrical Liquid Crystal Lens Array. <i>Crystals</i> , 2021, 11, 715.	2.2	20
3	Continuous optical zoom microscopy imaging system based on liquid lenses. <i>Optics Express</i> , 2021, 29, 20322.	3.4	22
4	High stability liquid lens with optical path modulation function. <i>Optics Express</i> , 2021, 29, 27104.	3.4	10
5	Optofluidic lenticular lens array for a 2D/3D switchable display. <i>Optics Express</i> , 2021, 29, 37418.	3.4	8
6	Continuous zoom compound eye imaging system based on liquid lenses. <i>Optics Express</i> , 2021, 29, 37565.	3.4	4
7	Holographic display technology based on liquid crystal device. <i>Journal of the Society for Information Display</i> , 2020, 28, 136-147.	2.1	7
8	Holographic Zoom System With Large Focal Depth Based on Adjustable Lens. <i>IEEE Access</i> , 2020, 8, 85784-85792.	4.2	2
9	Method of Speckle Noise Suppression for Holographic Zoom Display Based on Layered-Pixel-Scanning Algorithm. <i>IEEE Access</i> , 2020, 8, 102128-102137.	4.2	2
10	Holographic capture and projection system of real object based on tunable zoom lens. <i>PhotonIX</i> , 2020, 1, .	13.5	115
11	Multifunctional optofluidic lens with beam steering. <i>Optics Express</i> , 2020, 28, 7734.	3.4	17
12	1550 nm infrared/visible light switchable liquid optical switch. <i>Optics Express</i> , 2020, 28, 8974.	3.4	5
13	Large-size holographic display method based on effective utilization of two spatial light modulators. <i>Optics Communications</i> , 2019, 453, 124311.	2.1	0
14	Liquid Refractive Index Measurement System Based on Electrowetting Lens. <i>Micromachines</i> , 2019, 10, 515.	2.9	6
15	Holographic Display System Based on Effective Area Expansion of SLM. <i>IEEE Photonics Journal</i> , 2019, 11, 1-12.	2.0	2
16	Optofluidic variable optical path modulator. <i>Scientific Reports</i> , 2019, 9, 7082.	3.3	10
17	Color holographic display system based on utilization of effective viewing area. <i>Journal of the Society for Information Display</i> , 2019, 27, 646-653.	2.1	0
18	A multidirectional beam steering reflector actuated by hydraulic control. <i>Scientific Reports</i> , 2019, 9, 5086.	3.3	4

#	ARTICLE	IF	CITATIONS
19	Holographic zoom micro-projection system based on three spatial light modulators. Optics Express, 2019, 27, 8048.	3.4	13
20	Method of chromatic aberration elimination in holographic display based on zoomable liquid lens. Optics Express, 2019, 27, 10058.	3.4	10
21	Holographic display method to suppress speckle noise based on effective utilization of two spatial light modulators. Optics Express, 2019, 27, 11617.	3.4	25
22	Electrowetting-actuated multifunctional optofluidic lens to improve the quality of computer-generated holography. Optics Express, 2019, 27, 12963.	3.4	21
23	Variable aperture with graded attenuation combined with adjustable focal length lens. Optics Express, 2019, 27, 14075.	3.4	15
24	Full color holographic display system based on intensity matching of reconstructed image. Optics Express, 2019, 27, 16599.	3.4	9
25	Holographic display system with adjustable viewing angle based on multi-focus optofluidic lens. Optics Express, 2019, 27, 18210.	3.4	7
26	Multifunction reflector controlled by liquid piston for optical switch and beam steering. Optics Express, 2019, 27, 33233.	3.4	1
27	Light intensity and FOV-controlled adaptive fluidic iris. Applied Optics, 2018, 57, D27.	1.8	14
28	Adjustable liquid aperture to eliminate undesirable light in holographic projection. Optics Express, 2016, 24, 2098.	3.4	30
29	Optical Switchable Electrowetting Lens. IEEE Photonics Technology Letters, 2016, 28, 1505-1508.	2.5	11
30	Zoom microscope objective using electrowetting lenses. Optics Express, 2016, 24, 2931.	3.4	60
31	Adjustable Aperture Based on the Phase Modulation of Spatial Light Modulator. Journal of Display Technology, 2016, 12, 447-450.	1.2	5
32	€122: Liquid Optical Switch Based on Total Reflection. Digest of Technical Papers SID International Symposium, 2015, 46, 1624-1626.	0.3	0
33	€12: A Wavelength Converter Based on Electrowetting. Digest of Technical Papers SID International Symposium, 2015, 46, 1588-1591.	0.3	0
34	RGB converter based on liquid prism. Journal of the Society for Information Display, 2015, 23, 36-40.	2.1	0
35	Electrowetting-actuated optical switch based on total internal reflection. Applied Optics, 2015, 54, 2672.	1.8	12
36	Annular folded electrowetting liquid lens. Optics Letters, 2015, 40, 1968.	3.3	36

#	ARTICLE	IF	CITATIONS
37	Liquid Optical Switch Based on Total Internal Reflection. IEEE Photonics Technology Letters, 2015, 27, 2091-2094.	2.5	10
38	Optical switch matrix based on a liquid-actuated mirror reflector. Optical Engineering, 2014, 53, 1.	1.0	2
39	Mirror Reflector Actuated by Liquid Droplet. IEEE Photonics Technology Letters, 2014, 26, 1077-1080.	2.5	7
40	Bidirectional optical switch based on electrowetting. Journal of Applied Physics, 2013, 113, .	2.5	16
41	Adjustable Optical Slit Based on Electrowetting. IEEE Photonics Technology Letters, 2013, 25, 2423-2426.	2.5	8
42	Fluidic Optical Switch by Pneumatic Actuation. IEEE Photonics Technology Letters, 2013, 25, 338-340.	2.5	11
43	Electrowetting-Based Liquid Iris. IEEE Photonics Technology Letters, 2013, 25, 989-991.	2.5	14
44	Liquid prism for beam tracking and steering. Optical Engineering, 2012, 51, 1.	1.0	32
45	Optical switch based on tunable aperture. Optics Letters, 2012, 37, 3306.	3.3	55
46	Optical switch based on electrowetting liquid lens. Journal of Applied Physics, 2012, 111, .	2.5	19