

Manoharan Muruganathan

List of Publications by Citations

Source: <https://exaly.com/author-pdf/201423/manoharan-muruganathan-publications-by-citations.pdf>

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

69
papers

739
citations

14
h-index

24
g-index

80
ext. papers

919
ext. citations

5.3
avg, IF

4.49
L-index

#	Paper	IF	Citations
69	Room temperature detection of individual molecular physisorption using suspended bilayer graphene. <i>Science Advances</i> , 2016 , 2, e1501518	14.3	111
68	Highly Reproducible and Regulated Conductance Quantization in a Polymer-Based Atomic Switch. <i>Advanced Functional Materials</i> , 2017 , 27, 1605104	15.6	48
67	Electrically Tunable van der Waals Interaction in Graphene-Molecule Complex. <i>Nano Letters</i> , 2015 , 15, 8176-80	11.5	43
66	Large-scale nanoelectromechanical switches based on directly deposited nanocrystalline graphene on insulating substrates. <i>Nanoscale</i> , 2016 , 8, 6659-65	7.7	42
65	Low pull-in voltage graphene electromechanical switch fabricated with a polymer sacrificial spacer. <i>Applied Physics Letters</i> , 2014 , 105, 033103	3.4	37
64	Lateral plasma etching enhanced on/off ratio in graphene nanoribbon field-effect transistor. <i>Applied Physics Letters</i> , 2015 , 106, 033509	3.4	35
63	Enhanced Sodium Ion Storage in Interlayer Expanded Multiwall Carbon Nanotubes. <i>Nano Letters</i> , 2018 , 18, 5688-5696	11.5	34
62	Sub-10nm graphene nano-ribbon tunnel field-effect transistor. <i>Carbon</i> , 2018 , 126, 588-593	10.4	32
61	Structurally Controlled Large-Area 10 nm Pitch Graphene Nanomesh by Focused Helium Ion Beam Milling. <i>ACS Applied Materials & Interfaces</i> , 2018 , 10, 10362-10368	9.5	25
60	Point defect-induced transport bandgap widening in the downscaled armchair graphene nanoribbon device. <i>Carbon</i> , 2013 , 64, 416-423	10.4	19
59	Locally-Actuated Graphene-Based Nano-Electro-Mechanical Switch. <i>Micromachines</i> , 2016 , 7,	3.3	17
58	Silicon-on-insulator-based radio frequency single-electron transistors operating at temperatures above 4.2 K. <i>Nano Letters</i> , 2008 , 8, 4648-52	11.5	16
57	Sharp switching behaviour in graphene nanoribbon p-n junction. <i>Carbon</i> , 2017 , 121, 399-407	10.4	14
56	Partial hydrogenation induced interaction in a graphene-SiO interface: irreversible modulation of device characteristics. <i>Nanoscale</i> , 2017 , 9, 1662-1669	7.7	14
55	Fabrication of a three-terminal graphene nanoelectromechanical switch using two-dimensional materials. <i>Nanoscale</i> , 2018 , 10, 12349-12355	7.7	14
54	3D Finite Element Simulation of Graphene Nano-Electro-Mechanical Switches. <i>Micromachines</i> , 2016 , 7,	3.3	14
53	Hydrogen intercalation: An approach to eliminate silicon dioxide substrate doping to graphene. <i>Applied Physics Express</i> , 2015 , 8, 015101	2.4	13

52	Precise milling of nano-gap chains in graphene with a focused helium ion beam. <i>Nanotechnology</i> , 2016 , 27, 325302	3.4	12
51	Single-electron quantization at room temperature in a-few-donor quantum dot in silicon nano-transistors. <i>Applied Physics Letters</i> , 2017 , 110, 093107	3.4	11
50	Quantized conductance operation near a single-atom point contact in a polymer-based atomic switch. <i>Japanese Journal of Applied Physics</i> , 2017 , 56, 06GF02	1.4	11
49	Three-Dimensional Finite Element Method Simulation of Perforated Graphene Nano-Electro-Mechanical (NEM) Switches. <i>Micromachines</i> , 2017 , 8,	3.3	11
48	Study of dynamic contacts for graphene nano-electromechanical switches. <i>Japanese Journal of Applied Physics</i> , 2017 , 56, 04CK05	1.4	10
47	Comparison of piezoelectric energy harvesting performance using silicon and graphene cantilever beam. <i>Microsystem Technologies</i> , 2018 , 24, 3783-3789	1.7	9
46	Chemical Simultaneous Synthesis Strategy of Two Nitrogen-Rich Carbon Nanomaterials for All-Solid-State Symmetric Supercapacitor. <i>ACS Omega</i> , 2018 , 3, 17276-17286	3.9	9
45	Dielectric-Screening Reduction-Induced Large Transport Gap in Suspended Sub-10 nm Graphene Nanoribbon Functional Devices. <i>Small</i> , 2019 , 15, e1903025	11	8
44	Tunneling in Systems of Coupled Dopant-Atoms in Silicon Nano-devices. <i>Nanoscale Research Letters</i> , 2015 , 10, 372	5	8
43	Theoretical Insights into the Experimental Observation of Stable p-Type Conductivity and Ferromagnetic Ordering in Vacuum-Hydrogenated TiO ₂ . <i>Journal of Physical Chemistry C</i> , 2017 , 121, 14359-14366	3.8	7
42	Quantum Dot Formation in Controllably Doped Graphene Nanoribbon. <i>ACS Nano</i> , 2019 , 13, 7502-7507	16.7	7
41	Modulation of twisted bilayer CVD graphene interlayer resistivity by an order of magnitude based on in-situ annealing. <i>Carbon</i> , 2019 , 153, 355-363	10.4	7
40	Impact of channel constrictions on the formation of multiple tunnel junctions in heavily doped silicon single electron transistors. <i>Applied Physics Letters</i> , 2008 , 93, 112107	3.4	7
39	Atomistic nature in band-to-band tunneling in two-dimensional silicon pn tunnel diodes. <i>Applied Physics Letters</i> , 2016 , 108, 093502	3.4	7
38	Stress analysis of perforated graphene nano-electro-mechanical (NEM) contact switches by 3D finite element simulation. <i>Microsystem Technologies</i> , 2018 , 24, 1179-1187	1.7	6
37	Impact of Key Circuit Parameters on Signal-to-Noise Ratio Characteristics for the Radio Frequency Single-Electron Transistors. <i>IEEE Nanotechnology Magazine</i> , 2008 , 7, 266-272	2.6	6
36	Origin of nonlinear current-voltage curves for suspended zigzag edge graphene nanoribbons. <i>Carbon</i> , 2020 , 165, 476-483	10.4	6
35	Adsorbed Molecules as Interchangeable Dopants and Scatterers with a Van der Waals Bonding Memory in Graphene Sensors. <i>ACS Sensors</i> , 2020 , 5, 2003-2009	9.2	5

34	Controlled fabrication of electrically contacted carbon nanoscrolls. <i>Nanotechnology</i> , 2018 , 29, 235605	3.4	5
33	Graphene Nanomechanical Resonator Mass Sensing of Mixed H ₂ /Ar Gas. <i>International Journal of Automation Technology</i> , 2018 , 12, 24-28	0.8	5
32	Manipulating Berry curvature in hBN/bilayer graphene commensurate heterostructures. <i>Physical Review B</i> , 2020 , 101,	3.3	4
31	Recent progress of graphene-based nanoelectronic devices and NEMS for challenging applications 2016 ,		4
30	Electrically controlled valley states in bilayer graphene. <i>Nanoscale</i> , 2019 , 11, 14707-14711	7.7	4
29	Stacking of nanocrystalline graphene for nano-electro-mechanical (NEM) actuator applications. <i>Microsystem Technologies</i> , 2019 , 25, 3083-3089	1.7	4
28	Defect induced magnetism in monolayer HfSe ₂ : An ab initio study. <i>Applied Surface Science</i> , 2019 , 491, 517-525	6.7	3
27	Piezoelectric energy harvester enhancement with graphene base layer. <i>Materials Today: Proceedings</i> , 2019 , 7, 792-797	1.4	3
26	Design of Graphene Phononic Crystals for Heat Phonon Engineering. <i>Micromachines</i> , 2020 , 11,	3.3	3
25	Room-temperature negative magnetoresistance of helium-ion-irradiated defective graphene in the strong Anderson localization regime. <i>Carbon</i> , 2021 , 175, 87-92	10.4	3
24	Electrically tunable localized states in sub-band of bilayer graphene nanoribbon. <i>Applied Physics Letters</i> , 2018 , 113, 133101	3.4	3
23	First-principles calculation of a negatively charged boron-vacancy center in diamond. <i>Japanese Journal of Applied Physics</i> , 2017 , 56, 04CK02	1.4	2
22	Interaction study of nitrogen ion beam with silicon. <i>Journal of Vacuum Science and Technology B: Nanotechnology and Microelectronics</i> , 2017 , 35, 03D101	1.3	2
21	Single-charge band-to-band tunneling via multiple-dopant clusters in nanoscale Si Esaki diodes. <i>Applied Physics Letters</i> , 2019 , 114, 243502	3.4	2
20	Conductance Tunable Suspended Graphene Nanomesh by Helium Ion Beam Milling. <i>Micromachines</i> , 2020 , 11,	3.3	2
19	Interfacial Ammonia Selectivity, Atmospheric Passivation, and Molecular Identification in Graphene-Nanopored Activated Carbon Molecular-Sieve Gas Sensors.. <i>ACS Applied Materials & Interfaces</i> , 2021 , 13, 61770-61779	9.5	2
18	Thermoelectric properties of half Heusler topological semi-metal LiAuTe. <i>Europhysics Letters</i> , 2020 , 132, 67003	1.6	2
17	Zeptogram Level Mass Sensing of Light Weight Gas Molecules Using Graphene Nanomechanical (GNEM) Resonator 2018 ,		2

16	Novel suspended graphene devices for extreme sensing 2016 ,		1
15	Thermoelectric Properties and Carrier Localization in Ultrathin Layer of Nb-Doped MoS ₂ . <i>Physica Status Solidi (B): Basic Research</i> , 2018 , 255, 1800125	1.3	1
14	A Statistical Study on the formation of a-few-dopant quantum dots in highly-doped Si nanowire transistors 2017 ,		1
13	In-situ electrical conductance measurement of suspended ultra-narrow graphene nanoribbons observed via transmission electron microscopy. <i>Nanotechnology</i> , 2021 , 32, 025710	3.4	1
12	Revisiting the Mechanism of Electric Field Sensing in Graphene Devices.. <i>ACS Omega</i> , 2021 , 6, 34086-34094	3.9	1
11	Inter-band Current Enhancement by Dopant-Atoms in Low-Dimensional pn Tunnel Diodes. <i>Advances in Intelligent Systems and Computing</i> , 2017 , 95-101	0.4	1
10	Strain effect on topological and thermoelectric properties of half Heusler compoundsPtS (Sr, Ba). <i>Journal of Physics Condensed Matter</i> , 2021 , 33,	1.8	1
9	Sub-thermal switching of ultra-narrow graphene nanoribbon tunnel field effect transistors. <i>Superlattices and Microstructures</i> , 2019 , 128, 76-82	2.8	1
8	Double quantum dot-like transport in controllably doped graphene nanoribbon. <i>Applied Physics Letters</i> , 2021 , 118, 083105	3.4	1
7	Carbon molecular sieve-functionalized graphene sensors for highly sensitive detection of ethanol. <i>Carbon</i> , 2022 , 190, 359-365	10.4	0
6	Boron vacancy color center in diamond: Ab initio study. <i>Diamond and Related Materials</i> , 2021 , 114, 1083415	4.5	0
5	RF Sputtered Nb-Doped MoS Thin Film for Effective Detection of NO Gas Molecules: Theoretical and Experimental Studies.. <i>ACS Omega</i> , 2022 , 7, 10492-10501	3.9	0
4	Development of Morphologically engineered Flower-like Hafnium-Doped ZnO with Experimental and DFT Validation for Low-Temperature and Ultrasensitive Detection of NO Gas.. <i>Industrial & Engineering Chemistry Research</i> , 2022 , 61, 5885-5897	3.9	0
3	Formation of quantum dot in graphene single nanoconstriction. <i>Applied Physics Express</i> , 2019 , 12, 025004	4.4	0
2	Current effect on suspended graphene nanoribbon studied using in-situ transmission electron microscopy. <i>Applied Surface Science</i> , 2022 , 573, 151563	6.7	0
1	Nanoscale Graphene-Based Environmental Gas Sensing 2019 , 167-185		