
Zhan-Wen Han

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2014482/publications.pdf Version: 2024-02-01



ΖΗΛΝ-ΜΕΝ ΗΛΝ

#	Article	lF	CITATIONS
1	Formation of the Double White Dwarf Binary PTF J0533+0209 through Stable Mass Transfer?. Astrophysical Journal, 2022, 925, 89.	4.5	7
2	Overview of the LAMOST survey in the first decade. Innovation(China), 2022, 3, 100224.	9.1	24
3	TYCÂ2990-127-1: An Algol-type SB2 binary system of subgiant and red giant with a probable ongoing mass-transfer. Monthly Notices of the Royal Astronomical Society, 2022, 513, 4295-4307.	4.4	9
4	Investigating the Stability of Mass Transfer in Neutron Star–helium White Dwarf Binaries. Astrophysical Journal, 2022, 930, 134.	4.5	7
5	On the Rotation Properties of a Post-explosion Helium-star Companion in Type Iax Supernovae. Research in Astronomy and Astrophysics, 2022, 22, 075004.	1.7	2
6	Type Ia supernova ejecta–donor interaction: explosion model comparison. Monthly Notices of the Royal Astronomical Society, 2022, 514, 4078-4086.	4.4	3
7	Identification of New Classical Be Stars from the LAMOST Medium Resolution Survey. Astrophysical Journal, Supplement Series, 2022, 260, 35.	7.7	8
8	Mass-ratio Distribution of Binaries from the LAMOST-MRS Survey. Astrophysical Journal, 2022, 933, 119.	4.5	7
9	Long-term Evolution of Postexplosion Helium-star Companions of Type Iax Supernovae. Astrophysical Journal, 2022, 933, 65.	4.5	4
10	A Roche lobe-filling hot subdwarf and white dwarf binary: possible detection of an ejected common envelope. Monthly Notices of the Royal Astronomical Society, 2022, 515, 3370-3382.	4.4	8
11	The Common Envelope Evolution Outcome—A Case Study on Hot Subdwarf B Stars. Astrophysical Journal, 2022, 933, 137.	4.5	14
12	LAMOST's view on the Gaia-Sausage-Enceladus merger event. Science China: Physics, Mechanics and Astronomy, 2021, 64, 1.	5.1	0
13	Formation of millisecond pulsars with helium white dwarfs, ultra-compact X-ray binaries, and gravitational wave sources. Monthly Notices of the Royal Astronomical Society, 2021, 503, 3540-3551.	4.4	30
14	WD mass and orbital period relation of sdBÂ+ÂHe WD binaries. Monthly Notices of the Royal Astronomical Society, 2021, 505, 3514-3519.	4.4	4
15	Ultracompact X-ray binaries with He star companions. Monthly Notices of the Royal Astronomical Society, 2021, 506, 4654-4666.	4.4	21
16	Hot Subdwarf Atmospheric Parameters, Kinematics, and Origins Based on 1587 Hot Subdwarf Stars Observed in Gaia DR2 and LAMOST DR7. Astrophysical Journal, Supplement Series, 2021, 256, 28.	7.7	18
17	Impact of mass transfer schemes on mass–orbital period relation. Monthly Notices of the Royal Astronomical Society, 2021, 502, 383-389.	4.4	3
18	The Maximum Accreted Mass of Recycled Pulsars. Astrophysical Journal, 2021, 922, 158.	4.5	6

#	Article	IF	CITATIONS
19	The Early-type Stars from the LAMOST Survey: Atmospheric Parameters. Astrophysical Journal, Supplement Series, 2021, 257, 54.	7.7	14
20	Simulating kilonovae in the bCDM universe. Monthly Notices of the Royal Astronomical Society, 2020, 498, 926-939.	4.4	4
21	Hot subdwarf B stars with neutron star components. Astronomy and Astrophysics, 2020, 634, A126.	5.1	10
22	The C/O ratio of He-accreting carbon-oxygen white dwarfs and type Ia supernovae. Research in Astronomy and Astrophysics, 2020, 20, 003.	1.7	3
23	Binary Population Synthesis. Research in Astronomy and Astrophysics, 2020, 20, 161.	1.7	50
24	Gravitational-wave Radiation of Double Degenerates with Extremely Low-mass White Dwarf Companions. Astrophysical Journal, 2020, 893, 2.	4.5	25
25	The Interaction of Type Iax Supernova Ejecta with a Helium Companion Star. Astrophysical Journal, 2020, 898, 12.	4.5	19
26	Adiabatic Mass Loss in Binary Stars. III. From the Base of the Red Giant Branch to the Tip of the Asymptotic Giant Branch. Astrophysical Journal, 2020, 899, 132.	4.5	35
27	Blue Large-amplitude Pulsators: The Possible Surviving Companions of Type Ia Supernovae. Astrophysical Journal, 2020, 903, 100.	4.5	12
28	The Thermal Equilibrium Mass-loss Model and Its Applications in Binary Evolution. Astrophysical Journal, Supplement Series, 2020, 249, 9.	7.7	25
29	Hot Subdwarf Stars Observed in Gaia DR2 and LAMOST DR5. Astrophysical Journal, 2019, 881, 7.	4.5	27
30	Comprehensive models of novae at metallicity ZÂ= 0.02 and ZÂ= 10â^'4. Monthly Notices of the Royal Astronomical Society, 2019, 490, 1678-1692.	4.4	24
31	Formation of Extremely Low-mass White Dwarfs in Double Degenerates. Astrophysical Journal, 2019, 871, 148.	4.5	57
32	The Relation between Outburst Rate and Orbital Period in Low-mass X-Ray Binary Transients. Astrophysical Journal, 2019, 870, 126.	4.5	9
33	Bayesian discrimination of the panchromatic spectral energy distribution modelings of galaxies. Proceedings of the International Astronomical Union, 2019, 15, 143-146.	0.0	Ο
34	A wide star–black-hole binary system from radial-velocity measurements. Nature, 2019, 575, 618-621.	27.8	142
35	A Comprehensive Bayesian Discrimination of the Simple Stellar Population Model, Star Formation History, and Dust Attenuation Law in the Spectral Energy Distribution Modeling of Galaxies. Astrophysical Journal, Supplement Series, 2019, 240, 3.	7.7	24
36	The orbital period–mass ratio relation of wide sdB+MS binaries and its application to the stability of RLOF. Monthly Notices of the Royal Astronomical Society, 2019, 482, 4592-4605.	4.4	33

#	Article	IF	CITATIONS
37	Carbon Stars Identified from LAMOST DR4 Using Machine Learning. Astrophysical Journal, Supplement Series, 2018, 234, 31.	7.7	37
38	Why Are Peculiar Type Ia Supernovae More Likely to Show the Signature of a Single-degenerate Model?. Astrophysical Journal Letters, 2018, 855, L18.	8.3	5
39	Formation of hot subdwarf B stars with neutron star components. Astronomy and Astrophysics, 2018, 618, A14.	5.1	25
40	Hydrogen and helium shell burning during white dwarf accretion. Research in Astronomy and Astrophysics, 2018, 18, 058.	1.7	1
41	A New Hyper-runaway Star Discovered from LAMOST and Gaia: Ejected Almost in the Galactic Rotation Direction. Astronomical Journal, 2018, 156, 87.	4.7	24
42	KIC 8262223: A Post-mass Transfer Eclipsing Binary Consisting of a Delta Scuti Pulsator and a Helium White Dwarf Precursor. Astrophysical Journal, 2017, 837, 114.	4.5	30
43	He-accreting carbon–oxygen white dwarfs and Type Ia supernovae. Monthly Notices of the Royal Astronomical Society, 2017, 472, 1593-1599.	4.4	49
44	Contribution of Primordial Binary Evolution to the Two Blue-straggler Sequences in Globular Cluster M30. Astrophysical Journal, 2017, 849, 100.	4.5	13
45	The surviving companions in type Ia supernova remnants. Research in Astronomy and Astrophysics, 2017, 17, 083.	1.7	0
46	The X-ray/radio and UV luminosity expected from symbiotic systems as the progenitor of SNe Ia. Astronomy and Astrophysics, 2016, 588, A88.	5.1	15
47	Modelling nova populations in galaxies. Monthly Notices of the Royal Astronomical Society, 2016, 458, 2916-2927.	4.4	22
48	HOT SUBDWARF STARS OBSERVED IN LAMOST DR1—ATMOSPHERIC PARAMETERS FROM SINGLE-LINED SPECTRA. Astrophysical Journal, 2016, 818, 202.	4.5	38
49	ADIABATIC MASS LOSS IN BINARY STARS. II. FROM ZERO-AGE MAIN SEQUENCE TO THE BASE OF THE GIANT BRANCH. Astrophysical Journal, 2015, 812, 40.	4.5	73
50	A possible formation channel for blue hook stars in globular clusters. Monthly Notices of the Royal Astronomical Society, 2015, 449, 2741-2749.	4.4	22
51	SNe Ia as a cosmological probe. International Journal of Modern Physics D, 2015, 24, 1530029.	2.1	12
52	The first symbiotic stars from the LAMOST survey. Research in Astronomy and Astrophysics, 2015, 15, 1332-1341.	1.7	6
53	The first data release (DR1) of the LAMOST regular survey. Research in Astronomy and Astrophysics, 2015, 15, 1095-1124.	1.7	565
54	BayeSED: A GENERAL APPROACH TO FITTING THE SPECTRAL ENERGY DISTRIBUTION OF GALAXIES. Astrophysical Journal, Supplement Series, 2014, 215, 2.	7.7	47

#	Article	IF	CITATIONS
55	The detached-binary channel for the formation of contact binaries. Monthly Notices of the Royal Astronomical Society, 2014, 438, 859-868.	4.4	19
56	BINARY INTERACTIONS AS A POSSIBLE SCENARIO FOR THE FORMATION OF MULTIPLE STELLAR POPULATIONS IN GLOBULAR CLUSTERS. Astrophysical Journal, 2014, 789, 88.	4.5	15
57	The orbital periods of subdwarf B binaries produced by the first stable Roche Lobe overflow channel. Monthly Notices of the Royal Astronomical Society, 2013, 434, 186-193.	4.4	52
58	A SUPER-EDDINGTON WIND SCENARIO FOR THE PROGENITORS OF TYPE Ia SUPERNOVAE. Astrophysical Journal Letters, 2013, 778, L32.	8.3	16
59	FORMATION OF BLACK WIDOWS AND REDBACKS—TWO DISTINCT POPULATIONS OF ECLIPSING BINARY MILLISECOND PULSARS. Astrophysical Journal, 2013, 775, 27.	4.5	124
60	Far-UV radiation from hot subdwarf stars in early-type galaxies. Proceedings of the International Astronomical Union, 2012, 10, 124-124.	0.0	0
61	LAMOST Experiment for Galactic Understanding and Exploration (LEGUE) — The survey's science plan. Research in Astronomy and Astrophysics, 2012, 12, 735-754.	1.7	404
62	Progenitors of type la supernovae. New Astronomy Reviews, 2012, 56, 122-141.	12.8	300
63	DECODING SPECTRAL ENERGY DISTRIBUTIONS OF DUST-OBSCURED STARBURST-ACTIVE GALACTIC NUCLEUS. Astrophysical Journal, 2012, 749, 123.	4.5	30
64	Helium Star Donor Channel to Type Ia Supernovae and Their Surviving Companion Stars. Proceedings of the International Astronomical Union, 2011, 7, 205-208.	0.0	0
65	On the formation of single and binary helium-rich subdwarf O stars. Monthly Notices of the Royal Astronomical Society, 2011, 410, 984-993.	4.4	43
66	Stellar adiabatic mass loss model and applications. Astrophysics and Space Science, 2010, 329, 243-248.	1.4	12
67	Editorial: special issue on hot subdwarf stars. Astrophysics and Space Science, 2010, 329, 1-2.	1.4	3
68	Birthrates and delay times of Type Ia supernovae. Science China: Physics, Mechanics and Astronomy, 2010, 53, 586-590.	5.1	17
69	The progenitors of Type Ia supernovae with long delay times. Monthly Notices of the Royal Astronomical Society, 2010, 401, 2729-2738.	4.4	88
70	OBSERVATIONS OF DOPPLER BOOSTING IN KEPLER LIGHT CURVES. Astrophysical Journal, 2010, 715, 51-58.	4.5	130
71	ADIABATIC MASS LOSS IN BINARY STARS. I. COMPUTATIONAL METHOD. Astrophysical Journal, 2010, 717, 724-738.	4.5	89
72	A likely candidate of type Ia supernova progenitors: the X-ray pulsating companion of the hot subdwarf HD 49798. Research in Astronomy and Astrophysics, 2010, 10, 681-688.	1.7	22

#	Article	IF	CITATIONS
73	WD+RG systems as the progenitors of type Ia supernovae. Research in Astronomy and Astrophysics, 2010, 10, 235-243.	1.7	16
74	EVOLVING TO TYPE Ia SUPERNOVAE WITH SHORT DELAY TIMES. Astrophysical Journal, 2009, 701, 1540-1546.	4.5	86
75	Primordial binary evolution and blue stragglers. Monthly Notices of the Royal Astronomical Society, 2009, 395, 1822-1836.	4.4	49
76	Energy transfer and its effects on the secondaries in W Ursae Majoris type contact binaries. Monthly Notices of the Royal Astronomical Society, 2009, 396, 2176-2182.	4.4	15
77	Binary coalescence from case A evolution: mergers and blue stragglers. Monthly Notices of the Royal Astronomical Society, 2008, 384, 1263-1276.	4.4	33
78	The evolutionary status of W Ursae Majoris-type systems. Monthly Notices of the Royal Astronomical Society, 2008, 387, 97-104.	4.4	52
79	Mass transfer from a giant star to a main-sequence companion and its contribution to long-orbital-period blue stragglers. Monthly Notices of the Royal Astronomical Society, 2008, 387, 1416-1430.	4.4	85
80	Distribution of ⁵⁶ Ni Yields of Type Ia Supernovae and its Implication for Progenitors. Research in Astronomy and Astrophysics, 2008, 8, 71-80.	1.1	22
81	The Impact of Type Ia Supernova Explosions on the Companion in a Binary System. Publication of the Astronomical Society of Japan, 2007, 59, 835-840.	2.5	49
82	Inclusion of binaries in evolutionary population synthesis. Monthly Notices of the Royal Astronomical Society, 2005, 357, 1088-1103.	4.4	57
83	Evolutionary population synthesis for binary stellar population at high spectral resolution: integrated spectral energy distributions and absorption-feature indices. Monthly Notices of the Royal Astronomical Society, 2005, 364, 503-514.	4.4	34
84	Effects of chemical composition and thermohaline mixing on the accreting components for low-mass close binaries: application to blue stragglers. Monthly Notices of the Royal Astronomical Society, 2004, 355, 1182-1195.	4.4	32
85	Low- and intermediate-mass close binary evolution and the initial-final mass relation - III. Conservative case with convective overshooting and non-conservative case without overshooting. Monthly Notices of the Royal Astronomical Society, 2003, 341, 662-668.	4.4	36
86	Low- and intermediate-mass close binary evolution and the initial-final mass relation. Monthly Notices of the Royal Astronomical Society, 2002, 319, 215-222.	4.4	130
87	The formation of double degenerates and related objects. Monthly Notices of the Royal Astronomical Society, 1998, 296, 1019-1040.	4.4	180
88	Zero-age main-sequence radii and luminosities as analytic functions of mass and metallicity. Monthly Notices of the Royal Astronomical Society, 1996, 281, 257-262.	4.4	196
89	A possible criterion for envelope ejection in asymptotic giant branch or first giant branch stars. Monthly Notices of the Royal Astronomical Society, 1994, 270, 121-130.	4.4	263
90	The formation of bipolar planetary nebulae and close white dwarf binaries. Monthly Notices of the Royal Astronomical Society, 0, , .	4.4	44

Zhan-Wen Han

#	Article	IF	CITATIONS
91	The Formation of EL CVn-type Binaries. Monthly Notices of the Royal Astronomical Society, 0, , stx115.	4.4	21