

# Chris T Mcallister

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2014912/publications.pdf>

Version: 2024-02-01

132

papers

658

citations

687363

13

h-index

888059

17

g-index

133

all docs

133

docs citations

133

times ranked

307

citing authors

#	ARTICLE	IF	CITATIONS
1	Cross-Transmission Studies with <i>Eimeria arizonensis</i> -like Oocysts (Apicomplexa) in New World Rodents of the Genera <i>baiomys</i> , <i>Neotoma</i> , <i>Onychomys</i> , <i>Peromyscus</i> , and <i>Reithrodontomys</i> (Muridae). <i>Journal of Parasitology</i> , 1992, 78, 406.	0.7	32
2	Seven new species of coccidia (Apicomplexa: Eimeriorina) from reptiles in Madagascar. <i>Canadian Journal of Zoology</i> , 1990, 68, 2368-2375.	1.0	21
3	Occurrence of Tetrathyridia of <i>Mesocestoides</i> sp. (Cestoidea: Cyclophyllidea) in North American Anurans (Amphibia). <i>Journal of Wildlife Diseases</i> , 1990, 26, 540-543.	0.8	20
4	The <i>Eimeria</i> (Apicomplexa: Eimeriidae) of Serpentes, with descriptions of three new species from colubrid snakes. <i>Canadian Journal of Zoology</i> , 1990, 68, 855-864.	1.0	20
5	Description of Two New Species of Coccidia (Apicomplexa: Eimeriorina) from Flat-Headed Snakes, <i>Tantilla gracilis</i> (Serpentes: Colubridae) and Reclassification of Misnomer Species within the Genera <i>Isospora</i> and <i>Sarcocystis</i> from Snakes. <i>Transactions of the American Microscopical Society</i> , 1992, 111, 50.	0.3	18
6	Coccidian Parasites (Apicomplexa) from Snakes in the Southcentral and Southwestern United States: New Host and Geographic Records. <i>Journal of Parasitology</i> , 1995, 81, 63.	0.7	17
7	A New Species of <i>Eimeria</i> (Apicomplexa: Eimeriidae) from the Northern Myotis, <i>Myotis septentrionalis</i> (Chiroptera: Vespertilionidae), in Oklahoma. <i>Journal of Parasitology</i> , 2012, 98, 1003-1005.	0.7	15
8	Morphological and Molecular Characterization of Post-Larval Pre-Tetrathyridia of <i>Mesocestoides</i> sp. (Cestoda: Cyclophyllidea) from Ground Skink, <i>Scincella lateralis</i> (SAURIA: SCINCIDAE), FROM SOUTHEASTERN OKLAHOMA. <i>Journal of Parasitology</i> , 2018, 104, 246-253.	0.7	15
9	<i>Mesocestoides</i> sp. Tetrathyridia (Cestoidea: Cyclophyllidea) in the Iguanid Lizards, <i>Cophosaurus texanus texanus</i> and <i>Sceloporus olivaceus</i> , from Texas. <i>Journal of Wildlife Diseases</i> , 1988, 24, 160-163.	0.8	14
10	<i>Raillietiella teagueselfi</i> n. sp. (Pentastomida: Cephalobaenida) from the Mediterranean Gecko, <i>Hemidactylus turcicus</i> (Sauria: Gekkonidae), in Texas. <i>Journal of Parasitology</i> , 1988, 74, 481.	0.7	14
11	Two New Species of <i>Eimeria</i> (Apicomplexa: Eimeriidae) from Eastern Red Bats, <i>Lasiurus borealis</i> (Chiroptera: Vespertilionidae), in Arkansas and North Carolina. <i>Journal of Parasitology</i> , 2009, 95, 991-993.	0.7	14
12	Three new coccidians (Cyclospora, <i>Eimeria</i> ) from eastern moles, <i>Scalopus aquaticus</i> (Linnaeus) (Mammalia: Soricomorpha: Talpidae) from Arkansas, USA. <i>Systematic Parasitology</i> , 2018, 95, 271-279.	1.1	14
13	Two new species of coccidia (Apicomplexa: Eimeriidae) from <i>Eumeces fasciatus</i> (Sauria: Tropiduridae). <i>Journal of Parasitology</i> , 2010, 96, 1078-1084.	1.0	13
14	Description of <i>Isospora schlegeli</i> sp.nov. (Apicomplexa: Eimeriidae) from gekkonid lizards in the South Pacific. <i>Canadian Journal of Zoology</i> , 1991, 69, 3108-3110.	1.0	13
15	Helminth Parasites of Herpetofauna from the Rupunini District, Southwestern Guyana. <i>Comparative Parasitology</i> , 2010, 77, 184-201.	0.4	12
16	<i>Eimeria turcicus</i> N. Sp. (Apicomplexa: Eimeriidae) from the Mediterranean Gecko, <i>Hemidactylus turcicus</i> (Sauria: Gekkonidae). <i>Journal of Protozoology</i> , 1988, 35, 24-25.	0.8	11
17	The Coccidia (Apicomplexa: Eimeriidae) of Anura, with descriptions of four new species. <i>Canadian Journal of Zoology</i> , 1988, 66, 1822-1830.	1.0	11
18	A New Species of <i>Eimeria</i> (Apicomplexa: Eimeriidae) from the Eastern Pipistrelle, <i>Perimyotis subflavus</i> (Chiroptera: Vespertilionidae), in Arkansas. <i>Journal of Parasitology</i> , 2011, 97, 896-898.	0.7	11

#	ARTICLE	IF	CITATIONS
19	A New Species of Caryospora (Apicomplexa: Eimeriidae) from the Sharp-Shinned Hawk, <i>Accipiter striatus</i> (Aves: Accipitriformes). <i>Journal of Parasitology</i> , 2013, 99, 490-492.	0.7	11
20	Three new species of <i>Plagioporus</i> Stafford, 1904 from darters (Perciformes: Percidae), with a redescription of <i>Plagioporus boleosomi</i> (Pearse, 1924) Peters, 1957. <i>Systematic Parasitology</i> , 2017, 94, 159-182.	1.1	11
21	A New Species of Caryospora (Apicomplexa: Eimeriidae) from the Bald Eagle, <i>Haliaeetus leucocephalus</i> (Accipitriformes: Accipitridae), from Kansas. <i>Journal of Parasitology</i> , 2013, 99, 287-289.	0.7	10
22	A new species of <i>Choleoeimeria</i> (Apicomplexa: Eimeriidae) from Oustalet's chameleon, <i>Furcifer oustaleti</i> (Sauria: Chamaeleonidae). <i>Folia Parasitologica</i> , 2012, 59, 12-14.	1.3	10
23	Sporocysts Isolated from the Southern Copperhead ( <i>Agkistrodon contortrix contortrix</i> ) Produce Sarcocystis montanaensis-like Sarcocysts in Prairie Voles ( <i>Microtus ochrogaster</i> ). <i>Journal of Wildlife Diseases</i> , 1991, 27, 148-152.	0.8	9
24	The coccidia (Apicomplexa: Eimeriidae) of Caudata (Amphibia), with descriptions of two new species from North America. <i>Canadian Journal of Zoology</i> , 1993, 71, 2410-2418.	1.0	9
25	New Host and Geographic Records for Coccidia (Apicomplexa: Eimeriidae) from North American Turtles. <i>Journal of Parasitology</i> , 1994, 80, 1045.	0.7	9
26	Three New Species of <i>Eimeria</i> (Apicomplexa: Eimeriidae) from <i>Nerodia rhombifera</i> (Serpentes: Colubridae) from Texas. <i>Journal of Protozoology</i> , 1988, 35, 511-513.	0.8	8
27	Helminth Parasites of Unisexual and Bisexual Whiptail Lizards (Teiidae) in North America. II. The New Mexico Whiptail ( <i>Cnemidophorus neomexicanus</i> ). <i>Journal of Wildlife Diseases</i> , 1990, 26, 403-406.	0.8	8
28	Helminth Parasites of Unisexual and Bisexual Whiptail Lizards (Teiidae) in North America. I. The Colorado Checkered Whiptail ( <i>Cnemidophorus tesselatus</i> ). <i>Journal of Wildlife Diseases</i> , 1990, 26, 139-142.	0.8	8
29	Gastrointestinal Helminths of Rafinesque's Big-Eared Bat, <i>Corynorhinus rafinesquii</i> (Chiroptera: Tadarida). <i>Journal of Wildlife Diseases</i> , 1990, 26, 407-414.	0.4	10
30	Helminth and Arthropod Parasites of the Ground Skink, <i>Scincella lateralis</i> (Sauria: Scincidae), from Arkansas and Oklahoma, U.S.A. <i>Comparative Parasitology</i> , 2014, 81, 210-219.	0.4	8
31	A new species of <i>Eimeria</i> (Apicomplexa: Eimeriidae) from tri-colored bats, <i>Perimyotis subflavus</i> (Chiroptera: Vespertilionidae), from the Ouachitas of Arkansas. <i>Acta Parasitologica</i> , 2014, 59, 690-3.	1.1	8
32	Helminth Parasites of Unisexual and Bisexual Whiptail Lizards (Teiidae) in North America. III. The Chihuahuan Spotted Whiptail ( <i>Cnemidophorus exsanguis</i> ). <i>Journal of Wildlife Diseases</i> , 1990, 26, 544-546.	0.8	7
33	Helminth Parasites of Unisexual and Bisexual Whiptail Lizards (Teiidae) in North America. V. Mesocestoides sp. Tetrathyridia (Cestoidea: Cyclophyllidae) from Four Species of <i>Cnemidophorus</i> . <i>Journal of Wildlife Diseases</i> , 1991, 27, 494-497.	0.8	7
34	A new species of <i>Eimeria Schneider</i> , 1875 (Apicomplexa: Eimeriidae) from <i>Carlia</i> spp. (Sauria: Scincidae) from Papua New Guinea. <i>Systematic Parasitology</i> , 2013, 86, 53-57.	1.1	7
35	Helminth (Cestoda, Nematoda) and coccidian (Apicomplexa: Eimeriidae) parasites of the eastern small-footed myotis, <i>Myotis leibii</i> (Chiroptera: Vespertilionidae) from Arkansas, with a description of a new species of <i>Eimeria</i> . <i>Acta Parasitologica</i> , 2017, 62, 377-381.	1.1	7
36	Morphological and Molecular Characterisation of <i>Myxidium kudoi</i> Meglitsch, 1937 from the Blue Catfish <i>Ictalurus furcatus</i> , Valenciennes in Oklahoma, USA. <i>Acta Parasitologica</i> , 2020, 65, 388-395.	1.1	7

#	ARTICLE	IF	CITATIONS
37	Phylogenetic relationships of <i>Ochoterenatrema</i> Caballero, 1943 (Digenea: Lecithodendriidae) with descriptions of two new species. <i>Parasitology International</i> , 2022, 89, 102575.	1.3	7
38	Coccidian Parasites (Apicomplexa: Eimeriidae) of <i>Nerodia</i> spp. (Serpentes: Colubridae), with a Description of a New Species of <i>Eimeria</i> . <i>Journal of Protozoology</i> , 1989, 36, 271-274.	0.8	6
39	Redescription of <i>Eimeria boveroi</i> (Apicomplexa: Eimeriidae) from <i>Hemidactylus mabouia</i> (Sauria:) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Microscopical Society, 1989, 108, 92.	0.3	6
40	<i>Eimeria lancasterensis</i> (Apicomplexa: Eimeriidae) from the Eastern Fox Squirrel, <i>Sciurus niger</i> (Rodentia: Sciuridae), in North-Central Texas. <i>Journal of Parasitology</i> , 1989, 75, 642.	0.7	6
41	A New Species of <i>Eimeria</i> (Apicomplexa: Eimeriidae) from the Green Water Snake, <i>Nerodia cyclopion</i> (Reptilia: Serpentes), in Arkansas, U.S.A. <i>Transactions of the American Microscopical Society</i> , 1990, 109, 69.	0.3	6
42	<i>Caryospora masticophis</i> n. sp. (Apicomplexa) from <i>Masticophis flagellum</i> and <i>Coluber constrictor</i> (Serpentes) in Arkansas, U.S.A.. <i>Transactions of the American Microscopical Society</i> , 1994, 113, 395.	0.3	6
43	A New Host and Three New Geographic Distribution Records for Trematodes (Digenea:) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 Arkansas, U.S.A.. <i>Comparative Parasitology</i> , 2011, 78, 193-199.	0.4	6
44	Three New Species of Coccidia (Apicomplexa: Eimeriidae) from Skinks, <i>Lipinia</i>spp. (Sauria:) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50	0.7	6
45	A new species of Oochoristica (Cyclophyllidea: Linstowiidae) from non-native Mediterranean geckos, <i>Hemidactylus turcicus</i> (Sauria: Gekkonidae), from Texas, USA. <i>Acta Parasitologica</i> , 2017, 62, 296-305.	1.1	6
46	Tapeworms (Cestoda) of Ictalurid Catfishes (Siluriformes) in North America: Redescription of Type Species of Two Genera and Proposal of Essexiellinae N. Subfam.. <i>Journal of Parasitology</i> , 2020, 106, 444.	0.7	6
47	New Host and Locality Records of Coccidia (Apicomplexa: Eimeriidae) from Rodents in the Southwestern and Western United States. <i>Journal of Parasitology</i> , 1991, 77, 1016.	0.7	5
48	A New Species of <i>Caryospora</i> (Apicomplexa: Eimeriidae) from the Flathead Snake, <i>Tantilla gracilis</i> (Ophidia: Colubridae), In Southeastern Oklahoma. <i>Journal of Parasitology</i> , 2012, 98, 640-642.	0.7	5
49	Two New Species of <i>Isospora</i> (Apicomplexa: Eimeriidae) from Skinks, <i>Emoia</i>spp. (Sauria:) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50	0.7	5
50	A New Caryosporan and Eimerian (Apicomplexa: Eimeriidae) from Green Anoles, <i>Anolis carolinensis</i> (Sauria: Dactyloidae), from Arkansas and Louisiana, with a Summary of the Coccidia of Dactyloidae. <i>Journal of Parasitology</i> , 2014, 100, 480-484.	0.7	5
51	Evolutionary consequence of a change in life cycle complexity: A link between precocious development and evolution toward female-biased sex allocation in a hermaphroditic parasite. <i>Evolution; International Journal of Organic Evolution</i> , 2015, 69, 3156-3170.	2.3	5
52	A New Host for <i>Caryospora lampropeltis</i> (Apicomplexa: Eimeriidae) from the Eastern Hognose Snake, <i>Heterodon platirhinos</i> (Ophidia: Colubroidea: Dipsadinae), from Arkansas, U.S.A., with a Summary of Hosts of this Coccidian. <i>Comparative Parasitology</i> , 2015, 82, 151-154.	0.4	5
53	Helminth Parasites of the Blackstripe Topminnow, <i>Fundulus notatus</i> (Cyprinodontiformes: Fundulidae), from Arkansas and Oklahoma, U.S.A.. <i>Comparative Parasitology</i> , 2016, 83, 227-236.	0.4	5
54	Helminth Parasites of the Northern Stuffish, <i>Fundulus catenatus</i> (Cypriniformes: Fundulidae) from the Ouachita and Ozark Mountains of Arkansas, U.S.A.. <i>Comparative Parasitology</i> , 2016, 83, 78-87.	0.4	5

#	ARTICLE	IF	CITATIONS
55	The Coccidia (Apicomplexa) of the Archosauria (Crocodylia: Eusuchia) of the World. <i>Journal of Parasitology</i> , 2020, 106, 90.	0.7	5
56	Molecular phylogeny supports invalidation of <i>&lt; i&gt;Didelphodiplostomum&lt;/i&gt;</i> and <i>&lt; i&gt;Pharyngostomoides&lt;/i&gt;</i> (Digenea: Diplostomidae) and reveals a <i>&lt; i&gt;Tylodelphys&lt;/i&gt;</i> from mammals. <i>Zoological Journal of the Linnean Society</i> , 2022, 196, 124-136.	2.3	5
57	<i>Caryospora duszynskii</i> (Apicomplexa: Eimeriidae) from the Speckled Kingsnake, <i>Lampropeltis holbrooki</i> (Reptilia: Ophididae), in Arkansas, with a Summary of Previous Reports. <i>Journal of the Arkansas Academy of Science</i> , 0, 65, .	0.0	5
58	<i>Eimeria ornata</i> N. Sp. (Apicomplexa: Eimeriidae) from the Ornate Box Turtle, <i>Terrapene ornata</i> ornata(Reptilia: Testudines), in Texas. <i>Journal of Protozoology</i> , 1989, 36, 131-133.	0.8	4
59	<i>Eimeria sternfeldi</i> n. sp. (Apicomplexa: Eimeriidae) from the Australian Blue-Tongued Skink, <i>Tiliqua multifasciata</i> (Sauria: Scincidae). <i>Journal of Parasitology</i> , 1993, 79, 681.	0.7	4
60	A New Species of <i>Choleoeimeria</i> (Apicomplexa: Eimeriidae) from Meller's Chameleon, <i>Trioceros melleri</i> (Sauria: Chamaeleonidae). <i>Journal of Parasitology</i> , 2012, 98, 1001-1002.	0.7	4
61	Symbiotic Protozoa and Helminth Parasites of the Cajun Chorus Frog, <i>Pseudacris fouquettei</i> (Anura:) Tj ETQq1 1 0.784314 rgBT /Overlock 196-104.	0.4	4
62	Two new species of <i>Eimeria Schneider, 1875</i> (Apicomplexa: Eimeriidae) from emerald tree skinks, <i>Lamprolepis smaragdina</i> (Lesson) (Sauria: Scincidae) from Papua New Guinea and the Philippines. <i>Systematic Parasitology</i> , 2013, 86, 165-171.	1.1	4
63	A new species of <i>Eimeria Schneider, 1875</i> (Apicomplexa: Eimeriidae) from the Solomon ground skink, <i>Sphenomorphus solomonis</i> (Boulenger) (Sauria: Scincidae) from Papua New Guinea. <i>Systematic Parasitology</i> , 2014, 87, 83-86.	1.1	4
64	A New Coccidian (Apicomplexa: Eimeriidae) from GalÃ¡pagos Tortoise, <i>&lt; i&gt;Chelonoidis&lt;/i&gt;</i> sp. (Testudines:) Tj ETQq0 0.0 rgBT /Overlock 1	0.7	4
65	Helminth parasites of the Mediterranean gecko, <i>Hemidactylus turcicus</i> (Sauria: Gekkonidae), from Texas, United States with a summary of helminths of this host. <i>Acta Parasitologica</i> , 2016, 61, 576-84.	1.1	4
66	A new eimerian (Apicomplexa: Eimeriidae) from southern short-tailed shrews, <i>Blarina carolinensis</i> (Bachman) (Soricimorpha: Soricidae: Soricinae) from southeastern Oklahoma, USA. <i>Systematic Parasitology</i> , 2017, 94, 711-716.	1.1	4
67	A New Species of <i>Myxobolus</i> (Cnidaria: Myxosporea: Myxobolidae) from the Blue Sucker, <i>Cycloleptus elongatus</i> (Lesueur) (Cypriniformes: Catostomidae: Cycloleptinae), from Arkansas. <i>Journal of Parasitology</i> , 2021, 107, 582-592.	0.7	4
68	A New Eimerian (Apicomplexa: Eimeriidae) from the Barn Swallow, <i>Hirundo rustica</i> (Aves:) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 227 Td (World Passeriformes. <i>Journal of Parasitology</i> , 2019, 105, 693.	0.7	4
69	Nematode Parasites of Some Reptiles (Sauria: Testudines: Ophidia) From the Northern and Western Cape Provinces, South Africa. <i>Journal of Parasitology</i> , 2010, 96, 1021-1026.	0.7	3
70	Two new species of <i>Eimeria</i> (Apicomplexa, Eimeriidae) from tree skinks, <i>Prasinohaema</i> spp. (Sauria:) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5	1.1	3
71	<i>Eimeria</i> spp. (Apicomplexa: Eimeriidae) from great horned owls, <i>Bubo virginianus</i> (Gmelin) (Aves:) Tj ETQq1 1 0.784314 rgBT /Overlock 1 bubonis Cawthon & Stockdale, 1981. <i>Systematic Parasitology</i> , 2019, 96, 695-702.	1.1	3
72	<i>Euschoengastia pipistrelli</i> (Acar: Trombiculidae) from American Perimyotis, <i>Perimyotis subflavus</i> (Chiroptera: Vespertilionidae): Novel Stereoscopic and Scanning Electron Microscopy. <i>Journal of Parasitology</i> , 2021, 107, 125-128.	0.7	3

#	ARTICLE	IF	CITATIONS
73	Parasites of Western Creek Chubsucker <i>Erimyzon claviformis</i> (Cypriniformes: Catostomidae) from Arkansas and Oklahoma, U.S.A.. Comparative Parasitology, 2021, 88, .	0.4	3
74	Eimeria cryptotis n. sp. (Apicomplexa: Eimeriidae) from the Least Shrew, <i>Cryptotis parva</i> (Insectivora:) Tj ETQq0 0 0 rgBT /Overlock 10 Tf <sub>2</sub>	0.7	
75	Description of the o <sub>1/2</sub> cysts of <i>Eimeria whitakeri</i> n. sp. (Apicomplexa: Eimeriidae) from least shrews, <i>Cryptotis parva</i> (Insectivora: Soricidae). Systematic Parasitology, 1991, 20, 59-61.	1.1	2
76	Two new species of Isospora Schneider, 1881 (Apicomplexa: Eimeriidae) from the flap-necked chameleon <i>Chamaeleo dilepis</i> (Sauria: Chamaeleonidae) in the Republic of Namibia. Systematic Parasitology, 2012, 83, 15-20.	1.1	2
77	New Host and Distributional Records for <i>Cryptosporidium</i> sp. (Apicomplexa: Cryptosporidiidae) from Lizards (Sauria: Gekkonidae, Scincidae) from the Cook Islands and Vanuatu, South Pacific. Comparative Parasitology, 2013, 80, 297-300.	0.4	2
78	Two new species of coccidia (Apicomplexa: Eimeriidae) from ground skinks, <i>Scincella lateralis</i> (Sauria:) Tj ETQq0 0 0 rgBT /Overlock 10 Tf <sub>2</sub>	1.5	
79	A new species of Isospora (Apicomplexa: Eimeriidae) from eastern coachwhip, <i>Coluber flagellum</i> flagellum (Reptilia: Ophidia) from Oklahoma. Acta Parasitologica, 2015, 60, 466-70.	1.1	2
80	<i>Aethycteron robisoni</i> n. sp. (Monogenea: Ancyrocephalidae) from the sunburst darter, <i>Etheostoma mihileze</i> Mayden (Perciformes: Percidae), in Arkansas, USA. Systematic Parasitology, 2017, 94, 145-150.	1.1	2
81	First Report of a Helminth Parasite, <i>Clinostomum marginatum</i> (Digenea: Clinostomidae) from the Federally Threatened Jollyville Plateau Salamander, <i>Eurycea tonkawae</i> (Caudata:) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf <sub>2</sub>		
82	Monogenoidea (Dactylogyridae, Gyrodactylidae) from Red River Pupfish, <i>Cyprinodon rubrofluviatilis</i> (Cyprinodontiformes: Cyprinodontidae), from Kansas and Texas, USA. Acta Parasitologica, 2019, 64, 603-611.	1.1	2
83	A New Species of <i>Eimeria</i> (Apicomplexa: Eimeriidae) from Eastern Woodrat, <i>Neotoma floridana</i> (Rodentia: Cricetidae), from Arkansas, USA, and a Summation of Eimerians from North American Woodrats. Acta Parasitologica, 2020, 65, 335-340.	1.1	2
84	Dactylogyrus pisolabreae n. sp. (Monogenoidea: Dactylogyridae) Parasitizing the Pealip Redhorse, <i>Moxostoma pisolabrum</i> (Teleostei: Catostomidae), from Oklahoma, U.S.A.. Journal of Parasitology, 2020, 106, 53.	0.7	2
85	Four new species of coccidia (Apicomplexa: Eimeriidae) from Owen Stanley skinks, <i>Papuascincus stanleyanus</i> (Sauria: Scincidae), from Papua New Guinea. Folia Parasitologica, 2014, 61, 195-200.	1.3	2
86	The Coccidia (Apicomplexa: Eimeriidae) of Legless Lizards (Squamata: Lacertoidea: Amphisbaenia) of the World. Journal of Parasitology, 2019, 105, 113.	0.7	2
87	Revision of monogeneans parasitising <i>Lythrurus</i> (Cypriniformes: Leuciscidae) in eastern U.S.A., with description of <i>Dactylogyrus lythruri</i> sp. n. and new records of <i>Dactylogyrus crucis</i> Rogers, 1967 (Monogenoidea: Dactylogyridae). Folia Parasitologica, 2020, 67, .	1.3	2
88	Molecular phylogenetic analysis of <i>Neodiplostomum</i> and <i>Fribicola</i> (Digenea,) Tj ETQq0 0 0 rgBT /Overlock 10 Tf <sub>2</sub> 50 142 Td	1.5	
89	A New Eimerian (Apicomplexa: Eimeriidae) from the Barn Swallow, (Aves: Passeriformes: Hirundinidae), in Southeastern Oklahoma: The Fourth Eimerian Species from New World Passeriformes. Journal of Parasitology, 2019, 105, 693-696.	0.7	2
90	A New Species of <i>Eimeria</i> (Apicomplexa: Eimeriidae) from the Marbled Salamander, <i>Ambystoma opacum</i> (Caudata: Ambystomatidae), from Northern Louisiana. Journal of Parasitology, 2008, 94, 727-730.	0.7	1

#	ARTICLE	IF	CITATIONS
91	Second Report of <i>Isospora jaracimrmani</i> (Apicomplexa: Eimeriidae) from the Yemen Chameleon, <i>Chamaeleo calyptratus</i> (Sauria: Chamaeleonidae), in Texas, U.S.A. Comparative Parasitology, 2012, 79, 153-154.	0.4	1
92	Two new species of coccidia (Apicomplexa: Eimeriidae) from leaf-tailed geckos, <i>Uroplatus</i> spp. (Sauria: Tropiduridae) from the island of Madagascar. Systematic Parasitology, 2016, 93, 815-823.	1.1	1
93	A new coccidian (Apicomplexa: Eimeriidae), from midland brown snake, <i>Storeria dekayi wrightorum</i> (Colubridae) from Arkansas, USA. Systematic Parasitology, 2016, 93, 77-82.	1.1	1
94	Gill Flukes (Monogenoidea) from the Rainbow Darter, <i>Etheostoma caeruleum</i> (Perciformes: Percidae): New Distributional Records for Arkansas, U.S.A.. Comparative Parasitology, 2017, 84, 189-193.	0.4	1
95	Four New Species of <i>Eimeria</i> (Apicomplexa: Eimeriidae) from Emoia spp. Skinks (Sauria: Scincidae), from Papua New Guinea and the Insular Pacific. Journal of Parasitology, 2017, 103, 103-110.	0.7	1
96	A new species of <i>Eimeria Schneider, 1885</i> (Apicomplexa: Eimeriidae) from the eastern gray squirrel, <i>Sciurus carolinensis</i> (Rodentia: Sciuridae: Sciurinae: Sciurini) from Oklahoma, USA. Systematic Parasitology, 2019, 96, 417-421.	1.1	1
97	A new acroeimerian (Apicomplexa: Eimeriidae) in spotted house gecko, <i>Gekko monarchus</i> (Schlegel) (Sauria: Gekkonidae) from Peninsular Malaysia. Systematic Parasitology, 2020, 97, 529-534.	1.1	1
98	Parasites of Southern Short-Tailed Shrews, <i>Blarina carolinensis</i> (Mammalia: Eulipotyphla: Soricidae) from Arkansas and Oklahoma, U.S.A.. Comparative Parasitology, 2021, 88, .	0.4	1
99	A New <i>Isospora</i> (Apicomplexa: Eimeriidae) from the Summer Tanager, <i>Piranga rubra</i> (Aves: Thraupidae). Systematic Parasitology, 2021, 88, 1-10.	0.7	1
100	INTRODUCED MILLIPEDES (ARTHROPODA: DIPLOPODA) OF ARKANSAS, LOUISIANA, OKLAHOMA, AND TEXAS. Southwestern Naturalist, 2019, 63, 284.	0.1	1
101	Parasites of the Golden Topminnow, <i>Fundulus chrysotus</i> (Cyprinodontiformes: Fundulidae), from Arkansas, U.S.A.. Comparative Parasitology, 2019, 87, 19.	0.4	1
102	Genetic Diversity of <i>Cystodiscus</i> Species in Amphibians in the Southern United States. Journal of Parasitology, 2021, 107, 912-922.	0.7	1
103	A young parasite in an old fish host: A new genus for proteocephalic tapeworms (Cestoda) of bowfin ( <i>Amia calva</i> ) (Holostei: Amiiformes), and a revised list of its cestodes. International Journal for Parasitology: Parasites and Wildlife, 2022, 18, 101-111.	1.5	1
104	<i>Isospora peromysci</i> Davis, 1967 (Apicomplexa: Eimeriidae) in <i>Peromyscus leucopus</i> and <i>P. maniculatus</i> (Rodentia: Cricetidae) from Texas. Journal of Protozoology, 1989, 36, 175-176.	0.8	0
105	Two New Species of <i>Eimeria</i> (Apicomplexa: Eimeriidae) from the Mountain Beaver, <i>Aplodontia rufa</i> (Rodentia: Aplodontiidae), from Oregon. Journal of Parasitology, 2013, 99, 493-495.	0.7	0
106	A new species of coccidia (Apicomplexa: Eimeriidae) from Cordillera striped shrew-rat, <i>Chrotomys whiteheadi</i> (Rodentia: Muridae), from the Philippines. Acta Parasitologica, 2014, 59, 686-9.	1.1	0
107	A New Species of <i>Eimeria</i> (Apicomplexa: Eimeriidae) from the Green Frog, <i>Lithobates clamitans</i> (Anura: Ranidae), from Arkansas, U.S.A. Comparative Parasitology, 2014, 81, 175-178.	0.4	0
108	A new species of <i>Eimeria Schneider, 1875</i> (Apicomplexa: Eimeriidae) from the brown anole <i>Anolis sagrei</i> Duméril & Bibron (Sauria: Dactyloidae) in Florida, USA. Systematic Parasitology, 2015, 91, 185-189.	1.1	0

#	ARTICLE	IF	CITATIONS
109	A new eimerian (Apicomplexa: Eimeriidae), from ornate box turtle, <i>Terrapene ornata</i> (Agassiz) (Testudines: Emydidae) from northwest Arkansas, USA. <i>Systematic Parasitology</i> , 2017, 94, 293-298.	1.1	0
110	First Report of the True Bug <i>Pseudopachybrachius vinctus</i> (Hemiptera: Rhyparochromidae) for Arkansas and Oklahoma, U.S.A.. <i>Entomological News</i> , 2017, 127, 269-272.	0.2	0
111	A new coccidian parasite (Apicomplexa: Eimeriidae: Eimeria) from the southern black racer, <i>Coluber constrictor priapus</i> (Reptilia: Ophidia: Colubridae) from Arkansas, USA. <i>Acta Parasitologica</i> , 2018, 63, 558-562.	1.1	0
112	New Host and Distributional Records for <i>Nyctotherus cordiformis</i> (Protista: Ciliophora) and <i>Atractis africana</i> (Nematoda: Atractidae) from Home's Hingeback Tortoise, <i>Kinixys homeana</i> (Testudines: Testudinidae), from the Republic of Benin, West Africa. <i>Comparative Parasitology</i> , 2018, 85, 109-111.	0.4	0
113	A new species of <i>Acroeimeria Paperna &amp; Landsberg</i> , 1989 (Apicomplexa: Eimeriidae) in Wiegmann's torquate lizard <i>Sceloporus torquatus torquatus</i> Weigmann (Sauria: Phrynosomatidae) from Toluca Valley, MÁ©xico. <i>Systematic Parasitology</i> , 2020, 97, 217-222.	1.1	0
114	Eimeria longirostris (Apicomplexa: Eimeriidae) from Vagrant Shrew, <i>Sorex vagrans</i> (Mammalia: Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 54.	1.1	0
115	Eimeria varia Upton, Campbell, Weigel & McKown, 1990 is a Junior Synonym of <i>Eimeria megabubonis</i> Upton, Campbell, Weigel & McKown, 1990. <i>Acta Parasitologica</i> , 2021, 66, 699-705.	1.1	0
116	Urocleidus sayani n. sp. (Monogenea: Dactylogyridae) from Gills of Pirate Perch ( <i>Aphredoderus</i> ) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 46.	0.7	0
117	Parasites (Monogenoidea, Cestoda, Nematoda) of the Banded Pygmy Sunfish, <i>Elassoma zonatum</i> Jordan (Perciformes: Elassomatidae), from Arkansas and Oklahoma, U.S.A.. <i>Comparative Parasitology</i> , 2021, 88, .	0.4	0
118	A New Species of <i>Eimeria</i> (Apicomplexa: Eimeriidae) from the Olive-Backed Pocket Mouse, <i>Perognathus fasciatus</i> (Rodentia: Heteromyidae: Perognathinae), from Wyoming. <i>Journal of Parasitology</i> , 2021, 107, 575-581.	0.7	0
119	A new species of <i>Isospora</i> (Apicomplexa: Eimeriidae) from Carolina chickadee (Passeriformes: Paridae), from Oklahoma, USA. <i>Systematic Parasitology</i> , 2021, 98, 589-594.	1.1	0
120	Pfeifferinella gugleri (Apicomplexa: Pfeifferinellidae) in Half-Lidded Ovals, <i>Patera binneyana</i> (Gastropoda: Stylommatophora: Polygyridae), from Oklahoma, U.S.A.. <i>Comparative Parasitology</i> , 2021, 88, .	0.4	0
121	THE STRIPED MULLET, <i>MUGIL CEPHALUS</i> (MUGILIFORMES: MUGILIDAE), FROM THE UPPER WHITE RIVER, ARKANSAS. <i>Southwestern Naturalist</i> , 2018, 63, 194.	0.1	0
122	Coccidian Parasites of Flying Squirrels, <i>Glaucomys Spp.</i> (Rodentia: Sciuridae), from Alaska and Arkansas, with a Description of a New Species of <i>Eimeria</i> (Apicomplexa: Eimeriidae). <i>Journal of Parasitology</i> , 2020, 106, 406.	0.7	0
123	A New Isosporan (Apicomplexa: Eimeriidae) from Wood Thrush, <i>Hylocichla mustelina</i> (Aves:) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 46.	0.7	0
124	(Apicomplexa: Eimeriidae) from Five-Lined Skinks, (Sauria: Scincidae): Additional Records from Arkansas and First Report from Oklahoma. <i>Proceedings of the Oklahoma Academy of Science</i> , 2014, 94, 73-75.	0.0	0
125	The Coccidia (Apicomplexa: Eimeriidae) of Legless Lizards (Squamata: Lacertoidea: Amphisbaenia) of the World. <i>Journal of Parasitology</i> , 2019, 105, 113-123.	0.7	0
126	n. sp. (Monogenoidea: Dactylogyridae) Parasitizing the Pealip Redhorse, (Teleostei: Catostomidae), from Oklahoma, U.S.A. <i>Journal of Parasitology</i> , 2020, 106, 53-55.	0.7	0

#	ARTICLE	IF	CITATIONS
127	The Coccidia (Apicomplexa) of the Archosauria (Crocodylia: Eusuchia) of the World. <i>Journal of Parasitology</i> , 2020, 106, 90-122.	0.7	0
128	A New Coccidian (Apicomplexa: Eimeriidae) in the Critically Endangered Central American River Turtle ( <i>Dermatemys mawii</i> ) in Belize. <i>Journal of Parasitology</i> , 2022, 108, 93-99.	0.7	0
129	A new caryosporan (Apicomplexa: Eimeriidae) from flat-headed snake, <i>Tantilla gracilis</i> (Reptilia: Tropidophiidae). <i>Acta Parasitologica</i> , 2022, 1, 1-14.	0.7843	0
130	A New Isospora (Apicomplexa: Eimeriidae) from the Carolina Wren, <i>Thryothorus ludovicianus ludovicianus</i> (Passeriformes: Certhioidea: Troglodytidae), in Southeastern Oklahoma, USA. <i>Acta Parasitologica</i> , 2022, 1, 1-11.	1.1	0
131	A new species of Isospora (Apicomplexa: Eimeriidae) from the yellow warbler, <i>Setophaga petechia</i> (L.) (Passeriformes: Parulidae: Parulinae), in Oklahoma, USA. <i>Current Research in Parasitology and Vector-borne Diseases</i> , 2022, 1, 100096.	1.9	0
132	A new species of Myxidium (Cnidaria: Myxosporea: Myxidiidae) from the gallbladder of pickerels, <i>Esox</i> spp. (Esociformes: Esocidae), from southwestern Arkansas, USA. <i>Systematic Parasitology</i> , 2022, 1, 1-11.	1.1	0