

Tina Thorslund

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2015532/publications.pdf>

Version: 2024-02-01

9
papers

1,148
citations

1040056

9
h-index

1474206

9
g-index

9
all docs

9
docs citations

9
times ranked

1758
citing authors

#	ARTICLE	IF	CITATIONS
1	Histone H1 couples initiation and amplification of ubiquitin signalling after DNA damage. <i>Nature</i> , 2015, 527, 389-393.	27.8	317
2	DVC1 (C1orf124) is a DNA damage-targeting p97 adaptor that promotes ubiquitin-dependent responses to replication blocks. <i>Nature Structural and Molecular Biology</i> , 2012, 19, 1084-1092.	8.2	153
3	The breast cancer tumor suppressor BRCA2 promotes the specific targeting of RAD51 to single-stranded DNA. <i>Nature Structural and Molecular Biology</i> , 2010, 17, 1263-1265.	8.2	217
4	Interactions between human BRCA2 protein and the meiosis-specific recombinase DMC1. <i>EMBO Journal</i> , 2007, 26, 2915-2922.	7.8	104
5	The Cockayne syndrome group B protein is a functional dimer. <i>FEBS Journal</i> , 2005, 272, 4306-4314.	4.7	13
6	Cooperation of the Cockayne Syndrome Group B Protein and Poly(ADP-Ribose) Polymerase 1 in the Response to Oxidative Stress. <i>Molecular and Cellular Biology</i> , 2005, 25, 7625-7636.	2.3	104
7	Repair of 8-oxoG is slower in endogenous nuclear genes than in mitochondrial DNA and is without strand bias. <i>DNA Repair</i> , 2002, 1, 261-273.	2.8	78
8	Mitochondrial repair of 8-oxoguanine and changes with aging. <i>Experimental Gerontology</i> , 2002, 37, 1189-1196.	2.8	63
9	Mitochondrial repair of 8-oxoguanine is deficient in Cockayne syndrome group B. <i>Oncogene</i> , 2002, 21, 8675-8682.	5.9	99