

Muhd Zaimi Abd Majid

List of Publications by Citations

Source: <https://exaly.com/author-pdf/2015609/muhd-zaimi-abd-majid-publications-by-citations.pdf>

Version: 2024-04-16

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

64
papers

2,492
citations

23
h-index

49
g-index

78
ext. papers

2,989
ext. citations

3
avg, IF

5.24
L-index

#	Paper	IF	Citations
64	A global review of energy consumption, CO 2 emissions and policy in the residential sector (with an overview of the top ten CO 2 emitting countries). <i>Renewable and Sustainable Energy Reviews</i> , 2015 , 43, 843-862	16.2	880
63	Tests and methods of evaluating the self-healing efficiency of concrete: A review. <i>Construction and Building Materials</i> , 2016 , 112, 1123-1132	6.7	127
62	Application of PSO to develop a powerful equation for prediction of flyrock due to blasting. <i>Neural Computing and Applications</i> , 2017 , 28, 1043-1050	4.8	118
61	Airblast prediction through a hybrid genetic algorithm-ANN model. <i>Neural Computing and Applications</i> , 2018 , 29, 619-629	4.8	108
60	A hybrid artificial bee colony algorithm-artificial neural network for forecasting the blast-produced ground vibration. <i>Engineering With Computers</i> , 2017 , 33, 689-700	4.5	99
59	Green Bambusa Arundinacea leaves extract as a sustainable corrosion inhibitor in steel reinforced concrete. <i>Journal of Cleaner Production</i> , 2014 , 67, 139-146	10.3	87
58	Factors of Non-Excusable Delays That Influence Contractors' Performance. <i>Journal of Management in Engineering - ASCE</i> , 1998 , 14, 42-49	5.3	85
57	Waterproof performance of concrete: A critical review on implemented approaches. <i>Construction and Building Materials</i> , 2015 , 101, 80-90	6.7	80
56	Efficiency of Microalgae Chlamydomonas on the Removal of Pollutants from Palm Oil Mill Effluent (POME). <i>Energy Procedia</i> , 2015 , 75, 2400-2408	2.3	69
55	An optimized ANN model based on genetic algorithm for predicting ripping production. <i>Neural Computing and Applications</i> , 2017 , 28, 393-406	4.8	63
54	A knowledge-based expert system for assessing the performance level of green buildings. <i>Knowledge-Based Systems</i> , 2015 , 86, 194-209	7.3	57
53	Classification and regression tree technique in estimating peak particle velocity caused by blasting. <i>Engineering With Computers</i> , 2017 , 33, 45-53	4.5	50
52	User satisfaction adaptive behaviors for assessing energy efficient building indoor cooling and lighting environment. <i>Renewable and Sustainable Energy Reviews</i> , 2014 , 39, 277-295	16.2	49
51	A Monte Carlo technique in safety assessment of slope under seismic condition. <i>Engineering With Computers</i> , 2017 , 33, 807-817	4.5	48
50	Iran's achievements in renewable energy during fourth development program in comparison with global trend. <i>Renewable and Sustainable Energy Reviews</i> , 2013 , 22, 561-570	16.2	47
49	Intelligent modelling of sandstone deformation behaviour using fuzzy logic and neural network systems. <i>Bulletin of Engineering Geology and the Environment</i> , 2018 , 77, 345-361	4	45
48	Efficiency of barium removal from radioactive waste water using the combination of maghemite and titania nanoparticles in PVA and alginate beads. <i>Applied Radiation and Isotopes</i> , 2015 , 105, 105-113	1.7	28

47	Contractor management performance evaluation model at prequalification stage. <i>Expert Systems With Applications</i> , 2015 , 42, 5087-5101	7.8	27
46	MCPCM: A DEMATEL-ANP-Based Multi-criteria Decision-Making Approach to Evaluate the Critical Success Factors in Construction Projects. <i>Arabian Journal for Science and Engineering</i> , 2015 , 40, 343-361		27
45	Optimum lipid production using agro-industrial wastewater treated microalgae as biofuel substrate. <i>Clean Technologies and Environmental Policy</i> , 2016 , 18, 2513-2523	4.3	27
44	Isolation and screening of microalgae from agro-industrial wastewater (POME) for biomass and biodiesel sources. <i>Desalination and Water Treatment</i> , 2016 , 57, 29118-29125		26
43	Building Energy Consumption in Malaysia: An Overview. <i>Jurnal Teknologi (Sciences and Engineering)</i> , 2014 , 70,	1.2	26
42	Critical Criteria on Client and Customer Satisfaction for the Issue of Performance Measurement. <i>Journal of Management in Engineering - ASCE</i> , 2014 , 30, 10-18	5.3	25
41	Biofiltration process as an ideal approach to remove pollutants from polluted air. <i>Desalination and Water Treatment</i> , 2014 , 52, 3600-3615		22
40	A multi-criteria analysis for bridge sustainability assessment: a case study of Penang Second Bridge, Malaysia. <i>Structure and Infrastructure Engineering</i> , 2015 , 11, 638-654	2.9	19
39	Lipid production by microalgae <i>Chlorella pyrenoidosa</i> cultivated in palm oil mill effluent (POME) using hybrid photo bioreactor (HPBR). <i>Desalination and Water Treatment</i> , 2015 , 55, 3737-3749		18
38	Application of <i>Proteus mirabilis</i> and <i>Proteus vulgaris</i> mixture to design self-healing concrete. <i>Desalination and Water Treatment</i> , 2014 , 52, 3623-3630		18
37	Removal of formaldehyde from polluted air in a biotrickling filter reactor. <i>Desalination and Water Treatment</i> , 2014 , 52, 3663-3671		13
36	An Automatic Project Progress Monitoring Model by Integrating Auto CAD and Digital Photos 2005 , 1		13
35	Automated tool for predicting duration of construction activities in tropical countries. <i>KSCE Journal of Civil Engineering</i> , 2016 , 20, 12-22	1.9	12
34	Formaldehyde removal mechanisms in a biotrickling filter reactor. <i>Ecological Engineering</i> , 2016 , 90, 77-81	3.9	12
33	Evaluation of gas retention time effects on the bio-trickling filter reactor performance for treating air contaminated with formaldehyde. <i>RSC Advances</i> , 2013 , 3, 17462	3.7	12
32	Ripping Production Prediction in Different Weathering Zones According to Field Data. <i>Geotechnical and Geological Engineering</i> , 2017 , 35, 2381-2399	1.5	11
31	Post-Pareto optimality approach to enhance budget allocation process for bridge rehabilitation management. <i>Structure and Infrastructure Engineering</i> , 2015 , 11, 1565-1582	2.9	11
30	An Integrated Carbon Accounting and Mitigation Framework for Greening the Industry. <i>Energy Procedia</i> , 2015 , 75, 2993-2998	2.3	11

29	Grounded Group Decision Making (GGDM) Model. <i>Advanced Science Letters</i> , 2013 , 19, 3077-3080	0.1	11
28	Methods for adaptive behaviors satisfaction assessment with energy efficient building design. <i>Renewable and Sustainable Energy Reviews</i> , 2016 , 57, 250-259	16.2	10
27	Durability improvement assessment in different high strength bacterial structural concrete grades against different types of acids. <i>Sadhana - Academy Proceedings in Engineering Sciences</i> , 2014 , 39, 1509-1522	1.2	8
26	Constructability improvement in seawater intake structure. <i>Engineering, Construction and Architectural Management</i> , 2011 , 18, 595-608	3.1	8
25	Bio-composite materials potential in enhancing sustainable construction. <i>Desalination and Water Treatment</i> , 2014 , 52, 3631-3636		7
24	Correlation Study on User Satisfaction from Adaptive Behavior and Energy Consumption in Office Buildings. <i>Jurnal Teknologi (Sciences and Engineering)</i> , 2014 , 70,	1.2	7
23	Open Plan Office Design Features Affecting Staff's Health and Well-being Status. <i>Jurnal Teknologi (Sciences and Engineering)</i> , 2014 , 70,	1.2	7
22	LONG TERM STUDIES ON COMPRESSIVE STRENGTH OF HIGH VOLUME NANO PALM OIL FUEL ASH MORTAR MIXES. <i>Jurnal Teknologi (Sciences and Engineering)</i> , 2015 , 77,	1.2	6
21	Application of a grounded group decision-making (GGDM) model: a case of micro-organism optimal inoculation method in biological self-healing concrete. <i>Desalination and Water Treatment</i> , 2014 , 52, 3594-3599		6
20	A systematic procedure for developing the 3D model to evaluate the construction project progress. <i>Construction Innovation</i> , 2007 , 7, 187-199	4.1	6
19	The Path Walkability Index (PAWDEX) Model: To Measure Built Environment Variables Influencing Residents' Walking Behavior. <i>Advanced Science Letters</i> , 2013 , 19, 3017-3020	0.1	6
18	Lab-scale optimization of propylene glycol removal from synthetic wastewater using activated sludge reactor. <i>Desalination and Water Treatment</i> , 2014 , 52, 3585-3593		5
17	CAUSES OF VARIATION ORDER IN BUILDING AND CIVIL ENGINEERING PROJECTS IN NIGERIA. <i>Jurnal Teknologi (Sciences and Engineering)</i> , 2015 , 77,	1.2	4
16	ASSESSMENT INDEX TOOL FOR GREEN HIGHWAY IN MALAYSIA. <i>Jurnal Teknologi (Sciences and Engineering)</i> , 2015 , 77,	1.2	3
15	Pavement Material and Technology Elements in Green Highway Rating Systems-A Conspectus. <i>Jurnal Teknologi (Sciences and Engineering)</i> , 2014 , 70,	1.2	3
14	Daylight Factor for Energy Saving in Retrofitting Institutional Building. <i>Advanced Materials Research</i> , 2013 , 724-725, 1630-1635	0.5	3
13	Buildability problems in the Malaysian building construction 2011 ,		3
12	Energy Efficiency Criteria for Green Highways in Malaysia. <i>Jurnal Teknologi (Sciences and Engineering)</i> , 2013 , 65,	1.2	3

11	Construction Information Systems for Executive Management in Monitoring Work Progress. <i>Advanced Science Letters</i> , 2012 , 15, 169-171	0.1	3
10	Application of the Path Walkability Index (Pawdex) Model: A Case Study of Retail Walking Pattern Recognition in Taman University Skudai, Johor, Malaysia. <i>Advanced Science Letters</i> , 2013 , 19, 3021-3024	0.1	3
9	Assessment of Cost Escalation factors for Building and Civil Engineering Projects in Nigerian Construction Industry: a Multiple Regression Approach. <i>Jurnal Teknologi (Sciences and Engineering)</i> , 2015 , 74,	1.2	2
8	CONTRACTOR SELECTION AT PREQUALIFICATION STAGE: CURRENT EVALUATION AND SHORTCOMINGS. <i>Jurnal Teknologi (Sciences and Engineering)</i> , 2015 , 77,	1.2	2
7	PERFORMANCE OF EPOXY RESIN AS SELF-HEALING AGENT. <i>Jurnal Teknologi (Sciences and Engineering)</i> , 2015 , 77,	1.2	1
6	Modeling the Potential Risk of Building Vulnerability towards Tsunami Hazard in Ulak Karang and Pasir Jambak Sub-District, Padang. <i>Jurnal Teknologi (Sciences and Engineering)</i> , 2015 , 72,	1.2	1
5	Embodied Energy in Building Construction. <i>Jurnal Teknologi (Sciences and Engineering)</i> , 2014 , 70,	1.2	1
4	Fundamental Elements of Malaysia Green Highway. <i>Applied Mechanics and Materials</i> , 2013 , 284-287, 1194-1197	1.2	1
3	Potential of Solar Farm Development at UTM Campus for Generating Green Energy. <i>Applied Mechanics and Materials</i> , 2013 , 479-480, 553-558	0.3	0
2	Adapted Grounded Group Decision Making Model. <i>Proceedings of the National Academy of Sciences India Section A - Physical Sciences</i> , 2015 , 85, 319-327	0.9	
1	Developing an Executive Information Site Monitoring System. <i>Advanced Materials Research</i> , 2012 , 446-449, 1002-1005	0.5	