

# Fuxing Pei

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2015624/publications.pdf>

Version: 2024-02-01

130  
papers

3,377  
citations

159358

30  
h-index

197535

49  
g-index

150  
all docs

150  
docs citations

150  
times ranked

2984  
citing authors

#	ARTICLE	IF	CITATIONS
1	Multiple Boluses of Intravenous Tranexamic Acid to Reduce Hidden Blood Loss After Primary Total Knee Arthroplasty Without Tourniquet: A Randomized Clinical Trial. <i>Journal of Arthroplasty</i> , 2016, 31, 2458-2464.	1.5	152
2	Topical Application of Tranexamic Acid in Primary Total Hip Arthroplasty: A Randomized Double-Blind Controlled Trial. <i>Journal of Arthroplasty</i> , 2014, 29, 2452-2456.	1.5	133
3	Combination of Intravenous and Topical Application of Tranexamic Acid in Primary Total Knee Arthroplasty: A Prospective Randomized Controlled Trial. <i>Journal of Arthroplasty</i> , 2014, 29, 2342-2346.	1.5	124
4	Intravenous and Topical Tranexamic Acid Alone Are Superior to Tourniquet Use for Primary Total Knee Arthroplasty. <i>Journal of Bone and Joint Surgery - Series A</i> , 2017, 99, 2053-2061.	1.4	121
5	Multicentric epidemiologic study on six thousand three hundred and ninety five cases of femoral head osteonecrosis in China. <i>International Orthopaedics</i> , 2016, 40, 267-276.	0.9	118
6	The effectiveness of low-level laser therapy for nonspecific chronic low back pain: a systematic review and meta-analysis. <i>Arthritis Research and Therapy</i> , 2015, 17, 360.	1.6	98
7	Clinical implications of macrophage dysfunction in the development of osteoarthritis of the knee. <i>Cytokine and Growth Factor Reviews</i> , 2019, 46, 36-44.	3.2	82
8	The efficacy and safety of multiple-dose intravenous tranexamic acid on blood loss following total knee arthroplasty: a randomized controlled trial. <i>International Orthopaedics</i> , 2017, 41, 2053-2059.	0.9	77
9	Are the results of multiple drilling and alendronate for osteonecrosis of the femoral head better than those of multiple drilling? A pilot study. <i>Joint Bone Spine</i> , 2012, 79, 67-72.	0.8	76
10	Analyzing the behavior of a porous nano-hydroxyapatite/polyamide 66 (n-HA/PA66) composite for healing of bone defects. <i>International Journal of Nanomedicine</i> , 2014, 9, 485.	3.3	75
11	Plasma Fibrin Degradation Product and D-Dimer Are of Limited Value for Diagnosing Periprosthetic Joint Infection. <i>Journal of Arthroplasty</i> , 2019, 34, 2454-2460.	1.5	71
12	Effects of multi-site infiltration analgesia on pain management and early rehabilitation compared with femoral nerve or adductor canal block for patients undergoing total knee arthroplasty: a prospective randomized controlled trial. <i>International Orthopaedics</i> , 2017, 41, 75-83.	0.9	67
13	Comparison of intravenous versus topical tranexamic acid in primary total hip and knee arthroplasty: An updated meta-analysis. <i>Thrombosis Research</i> , 2017, 153, 28-36.	0.8	63
14	Cellular senescence in knee osteoarthritis: molecular mechanisms and therapeutic implications. <i>Ageing Research Reviews</i> , 2021, 70, 101413.	5.0	62
15	No difference in implant survivorship and clinical outcomes between full-cementless and full-cemented fixation in primary total knee arthroplasty: A systematic review and meta-analysis. <i>International Journal of Surgery</i> , 2018, 53, 312-319.	1.1	58
16	Faecal microbiota transplantation from metabolically compromised human donors accelerates osteoarthritis in mice. <i>Annals of the Rheumatic Diseases</i> , 2020, 79, 646-656.	0.5	55
17	Combined use of Intravenous and Topical Tranexamic Acid following Cementless Total Hip Arthroplasty: A Randomised Clinical Trial. <i>HIP International</i> , 2016, 26, 36-42.	0.9	54
18	Multiple Doses of Perioperative Dexamethasone Further Improve Clinical Outcomes After Total Knee Arthroplasty: A Prospective, Randomized, Controlled Study. <i>Journal of Arthroplasty</i> , 2018, 33, 3448-3454.	1.5	53

#	ARTICLE	IF	CITATIONS
19	Influence of tourniquet use in primary total knee arthroplasty with drainage: a prospective randomised controlled trial. <i>Journal of Orthopaedic Surgery and Research</i> , 2017, 12, 172.	0.9	51
20	Multiple-Dose Intravenous Tranexamic Acid Further Reduces Hidden Blood Loss After Total Hip Arthroplasty: A Randomized Controlled Trial. <i>Journal of Arthroplasty</i> , 2018, 33, 2940-2945.	1.5	49
21	Single-dose tranexamic acid for reducing bleeding and transfusions in total hip arthroplasty: A double-blind, randomized controlled trial of different doses. <i>Thrombosis Research</i> , 2016, 141, 119-123.	0.8	45
22	Does tranexamic acid alter the risk of thromboembolism following primary total knee arthroplasty with sequential earlier anticoagulation? A large, single center, prospective cohort study of consecutive cases. <i>Thrombosis Research</i> , 2015, 136, 234-238.	0.8	43
23	Analysis of a large data set to identify predictors of blood transfusion in primary total hip and knee arthroplasty. <i>Transfusion</i> , 2018, 58, 1855-1862.	0.8	42
24	Multiple Low-Dose Dexamethasone Further Improves Clinical Outcomes Following Total Hip Arthroplasty. <i>Journal of Arthroplasty</i> , 2018, 33, 1426-1431.	1.5	41
25	Plasma Fibrinogen and Platelet Count Are Referable Tools for Diagnosing Periprosthetic Joint Infection: A Single-Center Retrospective Cohort Study. <i>Journal of Arthroplasty</i> , 2020, 35, 1361-1367.	1.5	41
26	Incidence and Risk Factors for Blood Transfusion in Simultaneous Bilateral Total Joint Arthroplasty: A Multicenter Retrospective Study. <i>Journal of Arthroplasty</i> , 2018, 33, 2087-2091.	1.5	39
27	Factors influencing postoperative length of stay in an enhanced recovery after surgery program for primary total knee arthroplasty. <i>Journal of Orthopaedic Surgery and Research</i> , 2018, 13, 29.	0.9	38
28	General Anesthesia: To catheterize or Not? A Prospective Randomized Controlled Study of Patients Undergoing Total Knee Arthroplasty. <i>Journal of Arthroplasty</i> , 2015, 30, 502-506.	1.5	36
29	The Effects of Controlled Release of Neurotrophin-3 from PCLA Scaffolds on the Survival and Neuronal Differentiation of Transplanted Neural Stem Cells in a Rat Spinal Cord Injury Model. <i>PLoS ONE</i> , 2014, 9, e107517.	1.1	35
30	Similar results with kinematic and mechanical alignment applied in total knee arthroplasty. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2020, 28, 1720-1735.	2.3	34
31	Closed suction drainage following routine primary total joint arthroplasty is associated with a higher transfusion rate and longer postoperative length of stay: a retrospective cohort study. <i>Journal of Orthopaedic Surgery and Research</i> , 2019, 14, 163.	0.9	33
32	Efficacy and safety of tranexamic acid in geriatric hip fracture with hemiarthroplasty: a retrospective cohort study. <i>BMC Musculoskeletal Disorders</i> , 2019, 20, 304.	0.8	31
33	The effect of oral versus intravenous tranexamic acid in reducing blood loss after primary total hip arthroplasty: A randomized clinical trial. <i>Thrombosis Research</i> , 2018, 164, 48-53.	0.8	30
34	Does patellar denervation reduce post-operative anterior knee pain after total knee arthroplasty?. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2015, 23, 1808-1815.	2.3	29
35	Six-Dose Intravenous Tranexamic Acid Regimen Further Inhibits Postoperative Fibrinolysis and Reduces Hidden Blood Loss following Total Knee Arthroplasty. <i>Journal of Knee Surgery</i> , 2021, 34, 224-232.	0.9	29
36	Icariiin: A promising osteoinductive compound for repairing bone defect and osteonecrosis. <i>Journal of Biomaterials Applications</i> , 2015, 30, 290-299.	1.2	28

#	ARTICLE	IF	CITATIONS
37	Multimodal Nutritional Management in Primary Total Knee Arthroplasty: A Randomized Controlled Trial. <i>Journal of Arthroplasty</i> , 2017, 32, 3390-3395.	1.5	28
38	In vitro and 48 weeks in vivo performances of 3D printed porous Fe-30Mn biodegradable scaffolds. <i>Acta Biomaterialia</i> , 2021, 121, 724-740.	4.1	28
39	The efficacy and safety of multiple-dose oral tranexamic acid on blood loss following total hip arthroplasty: a randomized controlled trial. <i>International Orthopaedics</i> , 2019, 43, 299-305.	0.9	27
40	Mini-midvastus Versus Medial Parapatellar Approach in TKA: Muscle Damage and Inflammation Markers. <i>Orthopedics</i> , 2012, 35, e1038-45.	0.5	27
41	Total Hip Arthroplasty Using Non-Modular Cementless Long-Stem Distal Fixation for Salvage of Failed Internal Fixation of Intertrochanteric Fracture. <i>Journal of Arthroplasty</i> , 2015, 30, 1999-2003.	1.5	26
42	Blood management of staged bilateral total knee arthroplasty in a single hospitalization period. <i>Journal of Orthopaedic Surgery and Research</i> , 2014, 9, 116.	0.9	24
43	Gait Analysis of Leg Length Discrepancyâ€”Differentiated Hip Replacement Patients With Developmental Dysplasia: A Midtermâ€”Follow-Up. <i>Journal of Arthroplasty</i> , 2018, 33, 1437-1441.	1.5	24
44	Additional benefits of multiple-dose tranexamic acid to anti-fibrinolysis and anti-inflammation in total knee arthroplasty: a randomized controlled trial. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2020, 140, 1087-1095.	1.3	24
45	Efficacy and safety of multiple boluses of oral versus intravenous tranexamic acid at reducing blood loss after primary total knee arthroplasty without a tourniquet: A prospective randomized clinical trial. <i>Thrombosis Research</i> , 2018, 171, 68-73.	0.8	23
46	Effectiveness and safety of an optimized blood management program in total hip and knee arthroplasty. <i>Medicine (United States)</i> , 2018, 97, e9429.	0.4	22
47	Upper partial fibulectomy improves knee biomechanics and function and decreases knee pain of osteoarthritis: A pilot and biomechanical study. <i>Journal of Biomechanics</i> , 2018, 71, 22-29.	0.9	22
48	MicroRNA-140 Suppresses Human Chondrocytes Hypertrophy by Targeting SMAD1 and Controlling the Bone Morphogenetic Protein Pathway in Osteoarthritis. <i>American Journal of the Medical Sciences</i> , 2018, 355, 477-487.	0.4	22
49	Comparison of Postoperative Alignment Using Fixed vs Individual Valgus Correction Angle in Primary Total Knee Arthroplasty With Lateral Bowing Femur. <i>Journal of Arthroplasty</i> , 2016, 31, 976-983.	1.5	21
50	Efficacy and safety of intrawound vancomycin in primary hip and knee arthroplasty. <i>Bone and Joint Research</i> , 2020, 9, 778-788.	1.3	21
51	Total knee arthroplasty treatment of rheumatoid arthritis with severe versus moderate flexion contracture. <i>Journal of Orthopaedic Surgery and Research</i> , 2013, 8, 41.	0.9	20
52	Expression of miRNA-140 in Chondrocytes and Synovial Fluid of Knee Joints in Patients with Osteoarthritis. <i>Chinese Medical Sciences Journal</i> , 2016, 31, 207-212.	0.2	20
53	Multiple Low Doses of Intravenous Corticosteroids to Improve Early Rehabilitation in Total Knee Arthroplasty: A Randomized Clinical Trial. <i>Journal of Knee Surgery</i> , 2019, 32, 171-179.	0.9	20
54	Nonâ€”drainage versus drainage in tourniquetâ€”free knee arthroplasty: a prospective trial. <i>ANZ Journal of Surgery</i> , 2017, 87, 1048-1052.	0.3	19

#	ARTICLE	IF	CITATIONS
55	Meta-analysis of pain and function placebo responses in pharmacological osteoarthritis trials. <i>Arthritis Research and Therapy</i> , 2019, 21, 173.	1.6	19
56	A nested case-control study on the risk factors of deep vein thrombosis for Chinese after total joint arthroplasty. <i>Journal of Orthopaedic Surgery and Research</i> , 2019, 14, 188.	0.9	19
57	The incidence of symptomatic in-hospital VTEs in Asian patients undergoing joint arthroplasty was low: a prospective, multicenter, 17,660-patient-enrolled cohort study. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2019, 27, 1075-1082.	2.3	19
58	Timing of Tourniquet Release in Total Knee Arthroplasty. <i>Orthopedics</i> , 2015, 38, 445-451.	0.5	18
59	Tranexamic acid may benefit patients undergoing total hip/knee arthroplasty because of haemophilia. <i>BMC Musculoskeletal Disorders</i> , 2019, 20, 402.	0.8	18
60	The Relationship between Knee Adduction Moment and Knee Osteoarthritis Symptoms according to Static Alignment and Pelvic Drop. <i>BioMed Research International</i> , 2019, 2019, 1-8.	0.9	18
61	Postoperative intravenous parecoxib sodium followed by oral celecoxib post total knee arthroplasty in osteoarthritis patients (PIPFORCE): a multicentre, double-blind, randomised, placebo-controlled trial. <i>BMJ Open</i> , 2020, 10, e030501.	0.8	18
62	Individual valgus correction angle improves accuracy of postoperative limb alignment restoration after total knee arthroplasty. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2017, 25, 277-283.	2.3	17
63	Reconstructed the bone stock after femoral bone loss in Vancouver B3 periprosthetic femoral fractures using cortical strut allograft and impacted cancellous allograft. <i>International Orthopaedics</i> , 2018, 42, 2787-2795.	0.9	17
64	Comparison of three routes of administration of tranexamic acid in primary unilateral total knee arthroplasty: Analysis of a national database. <i>Thrombosis Research</i> , 2019, 173, 96-101.	0.8	17
65	Tranexamic acid attenuates inflammatory effect and modulates immune response in primary total knee arthroplasty: a randomized, placebo-controlled, pilot trial. <i>Inflammopharmacology</i> , 2020, 28, 839-849.	1.9	17
66	Repairing Defect and Preventing Collapse of Canine Femoral Head Using Titanium Implant Enhanced by Autogenous Bone Graft and rhBMP-2. <i>Connective Tissue Research</i> , 2007, 48, 171-179.	1.1	16
67	Disordered glycometabolism involved in pathogenesis of Kashinâ€œBeck disease, an endemic osteoarthritis in China. <i>Experimental Cell Research</i> , 2014, 326, 240-250.	1.2	16
68	The efficacy and safety of tranexamic acid for reducing blood loss following simultaneous bilateral total knee arthroplasty: a multicenter retrospective study. <i>BMC Musculoskeletal Disorders</i> , 2019, 20, 325.	0.8	16
69	Optimal route for administering tranexamic acid in primary unilateral total hip arthroplasty: Results from a multicenter cohort study. <i>British Journal of Clinical Pharmacology</i> , 2019, 85, 2089-2097.	1.1	16
70	Is postoperative cell salvage necessary in total hip or knee replacement? A meta-analysis of randomized controlled trials. <i>International Journal of Surgery</i> , 2015, 21, 135-144.	1.1	15
71	Comparison of Enoxaparin and Rivaroxaban in Balance of Anti-Fibrinolysis and Anticoagulation Following Primary Total Knee Replacement: A Pilot Study. <i>Medical Science Monitor</i> , 2017, 23, 704-711.	0.5	15
72	Long-term results of total knee arthroplasty with single-radius versus multi-radius posterior-stabilized prostheses. <i>Journal of Orthopaedic Surgery and Research</i> , 2019, 14, 139.	0.9	15

#	ARTICLE	IF	CITATIONS
73	Use of a Bipolar Blood-Sealing System During Total Joint Arthroplasty. <i>Orthopedics</i> , 2015, 38, 757-763.	0.5	15
74	Single cell transcriptomics in human osteoarthritis synovium and in silico deconvoluted bulk RNA sequencing. <i>Osteoarthritis and Cartilage</i> , 2022, 30, 475-480.	0.6	15
75	The Use of Extended Trochanteric Osteotomy in 2-Stage Reconstruction of the Hip for Infection. <i>Journal of Arthroplasty</i> , 2019, 34, 1470-1475.	1.5	14
76	Hemostatic and Anti-Inflammatory Effects of Carbazochrome Sodium Sulfonate in Patients Undergoing Total Knee Arthroplasty: A Randomized Controlled Trial. <i>Journal of Arthroplasty</i> , 2020, 35, 61-68.	1.5	14
77	Preoperative Comorbidities as Potential Risk Factors for Venous Thromboembolism after Joint Arthroplasty: A Systematic Review and Meta-Analysis of Cohort and Case-Control Studies. <i>Journal of Arthroplasty</i> , 2014, 29, 2430-2438.	1.5	13
78	Efficacy and safety of Postoperative Intravenous Parecoxib sodium Followed by Oral Celecoxib (PIPFORCE) post-total knee arthroplasty in patients with osteoarthritis: a study protocol for a multicentre, double-blind, parallel-group trial. <i>BMJ Open</i> , 2016, 6, e011732.	0.8	12
79	Evidence and mechanism by which upper partial fibulectomy improves knee biomechanics and decreases knee pain of osteoarthritis. <i>Journal of Orthopaedic Research</i> , 2018, 36, 2099-2108.	1.2	12
80	Tourniquet use in routine primary total knee arthroplasty is associated with a higher transfusion rate and longer postoperative length of stay: a real-world study. <i>BMC Musculoskeletal Disorders</i> , 2020, 21, 620.	0.8	12
81	Predicting postoperative transfusion in elective total HIP and knee arthroplasty: Comparison of different machine learning models of a case-control study. <i>International Journal of Surgery</i> , 2021, 96, 106183.	1.1	12
82	Cervical tuberculosis associated with cervical pain and neurologic deficit: a case report and literature review. <i>Spine Journal</i> , 2014, 14, e13-e18.	0.6	11
83	Do Patients Really Gain Outcome Benefits When Using the High-Flex Knee Prostheses in Total Knee Arthroplasty? A Meta-Analysis of Randomized Controlled Trials. <i>Journal of Arthroplasty</i> , 2015, 30, 580-586.	1.5	11
84	Percutaneously drilling through femoral head and neck fenestration combining with compacted autograft for early femoral head necrosis: A retrospective study. <i>Journal of Orthopaedic Science</i> , 2017, 22, 1060-1065.	0.5	11
85	Effect of individualized distal femoral valgus resection angle in primary total knee arthroplasty: A systematic review and meta-analysis involving 1300 subjects. <i>International Journal of Surgery</i> , 2018, 50, 87-93.	1.1	11
86	<i>Candida glabrata</i> infection following total hip arthroplasty: A case report. <i>Experimental and Therapeutic Medicine</i> , 2014, 7, 352-354.	0.8	10
87	Repeat Doses of Dexamethasone up to 48 Hours Further Reduce Pain and Inflammation After Total Hip Arthroplasty: A Randomized Controlled Trial. <i>Journal of Arthroplasty</i> , 2020, 35, 3223-3229.	1.5	10
88	Inhibition of syndecan-4 reduces cartilage degradation in murine models of osteoarthritis through the downregulation of HIF-2 $\alpha$ by miR-96-5p. <i>Laboratory Investigation</i> , 2021, 101, 1060-1070.	1.7	10
89	Implication of Acetabular Width on the Anteroposterior Pelvic Radiograph of Patients With Developmental Dysplasia of the Hip. <i>Journal of Arthroplasty</i> , 2015, 30, 489-494.	1.5	9
90	Variations in morphological characteristics of prostheses for total knee arthroplasty leading to kinematic differences. <i>Knee</i> , 2015, 22, 18-23.	0.8	9

#	ARTICLE	IF	CITATIONS
91	In vitro stress effect on degradation and drug release behaviors of basic fibroblast growth factor &ndash; poly(lactic-co-glycolic-acid) microsphere. <i>Drug Design, Development and Therapy</i> , 2016, 10, 431.	2.0	9
92	Genetic association between NFKB1 $\hat{\sim}$ 94 ins/del ATTG Promoter Polymorphism and cancer risk: a meta-analysis of 42 case-control studies. <i>Scientific Reports</i> , 2016, 6, 30220.	1.6	9
93	TLR9 polymorphisms and systemic lupus erythematosus risk: an update meta-analysis study. <i>Rheumatology International</i> , 2016, 36, 585-595.	1.5	9
94	Is a split-dose intravenous dexamethasone regimen superior to a single high dose in reducing pain and improving function after total hip arthroplasty? A randomized blinded placebo-controlled trial. <i>Bone and Joint Journal</i> , 2020, 102-B, 1497-1504.	1.9	9
95	Obesity does not increase blood loss or incidence of immediate postoperative complications during simultaneous total knee arthroplasty: A multicenter study. <i>Knee</i> , 2020, 27, 963-969.	0.8	9
96	Normal trajectory of Interleukin-6 and C-reactive protein in the perioperative period of total knee arthroplasty under an enhanced recovery after surgery scenario. <i>BMC Musculoskeletal Disorders</i> , 2020, 21, 264.	0.8	9
97	Association between preoperative hemoglobin and postoperative moderate and severe anemia among patients undergoing primary total knee arthroplasty: a single-center retrospective study. <i>Journal of Orthopaedic Surgery and Research</i> , 2021, 16, 572.	0.9	9
98	Effect of individual distal femoral valgus resection in total knee arthroplasty for patients with valgus knee: A retrospective cohort study. <i>International Journal of Surgery</i> , 2018, 52, 309-313.	1.1	8
99	Modified Robert Jones bandage can not reduce postoperative swelling in enhanced-recovery after primary total knee arthroplasty without intraoperative tourniquet: a randomized controlled trial. <i>BMC Musculoskeletal Disorders</i> , 2018, 19, 357.	0.8	8
100	The effect of post-operative limb positioning on blood loss and early outcomes after primary total knee arthroplasty: a randomized controlled trial. <i>International Orthopaedics</i> , 2019, 43, 2083-2091.	0.9	8
101	The effect of body mass index on blood loss and complications in simultaneous bilateral total hip arthroplasty: A multicenter retrospective study. <i>Journal of Orthopaedic Surgery</i> , 2021, 29, 230949902110612.	0.4	8
102	Total hip replacement in adult patients with severe Kashin-Beck disease of the hip. <i>BMC Musculoskeletal Disorders</i> , 2016, 17, 289.	0.8	7
103	Plasma D-dimer and FDP are promising biomarkers to predict perioperative fibrinolysis and bleeding following primary total joint arthroplasty. <i>Medicine (United States)</i> , 2021, 100, e26058.	0.4	7
104	Early Removal of Drainage Tube after Fast-Track Primary Total Knee Arthroplasty. <i>Journal of Knee Surgery</i> , 2017, 30, 571-576.	0.9	6
105	The mid-long term results of reconstructive cage and morselized allografts combined application for the Paprosky type III acetabular bone defects in revision hip arthroplasty. <i>BMC Musculoskeletal Disorders</i> , 2019, 20, 517.	0.8	6
106	Medial femoral epicondyle upsliding osteotomy with posterior stabilized arthroplasty provided good clinical outcomes such as constrained arthroplasty in primary total knee arthroplasty with severe valgus deformity. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2019, 27, 2266-2275.	2.3	6
107	Long-term results of combined porous tantalum augments and titanium-coated cups for Paprosky type III bone defects in acetabular revision. <i>International Orthopaedics</i> , 2021, 45, 1699-1706.	0.9	6
108	Comparison of Clinical and Biomechanical Outcomes between Partial Fibulectomy and Drug Conservative Treatment for Medial Knee Osteoarthritis. <i>BioMed Research International</i> , 2019, 2019, 1-10.	0.9	5

#	ARTICLE	IF	CITATIONS
109	Dose optimization of intravenous dexamethasone for total knee arthroplasty: when two is not better than one. Archives of Orthopaedic and Trauma Surgery, 2022, 142, 665-672.	1.3	5
110	The association between DVWA polymorphisms and osteoarthritis susceptibility: a genetic meta-analysis. International Journal of Clinical and Experimental Medicine, 2015, 8, 12566-74.	1.3	5
111	X-ray image characteristics and related measurements in the ankles of 118 adult patients with Kashin-Beck disease. Chinese Medical Journal, 2014, 127, 2479-83.	0.9	5
112	Partial implant retention in two-stage exchange for chronic infected total hip arthroplasty. International Orthopaedics, 2020, 44, 461-469.	0.9	4
113	Analgesic effect of single-shot ropivacaine at different layers of the surgical site in primary total hip arthroplasty: a randomised, controlled, observer-blinded study. Journal of Orthopaedic Surgery and Research, 2021, 16, 81.	0.9	4
114	Radiologic restoration inaccuracy increases postoperative dislocation in primary total hip arthroplasty: a retrospective study with propensity score matching. Archives of Orthopaedic and Trauma Surgery, 2022, 142, 3995-4005.	1.3	4
115	Risk factors of opioid use associated with an enhanced-recovery programme after total knee arthroplasty. BMC Musculoskeletal Disorders, 2021, 22, 1046.	0.8	4
116	Importance of maintaining the basic stress pathway above the acetabular dome during acetabular reconstruction. Computer Methods in Biomechanics and Biomedical Engineering, 2016, 19, 977-984.	0.9	3
117	Effectiveness of preemptive antifibrinolysis with tranexamic acid in rheumatoid arthritis patients undergoing total knee arthroplasty: a study protocol for a randomized controlled trial. BMC Musculoskeletal Disorders, 2020, 21, 465.	0.8	3
118	Is there a role of tranexamic acid in rheumatoid arthritis with total knee arthroplasty? Findings from a multicenter prospective cohort study in China. Archives of Orthopaedic and Trauma Surgery, 2021, 141, 489-496.	1.3	3
119	Dexamethasone Attenuates the Perioperative Acute Phase Response for Simultaneous Bilateral Total Hip Arthroplasty. Journal of Arthroplasty, 2022, 37, 888-891.	1.5	3
120	Magnetic resonance imaging in the tibial epiphyseal growth plate development of Wistar rat. Journal of Orthopaedic Surgery and Research, 2014, 9, 39.	0.9	2
121	Synergistic Effect of a Prolonged Combination Course of Tranexamic Acid and Dexamethasone Involving High Initial Doses in Total Knee Arthroplasty: A Randomized Controlled Trial. Journal of Knee Surgery, 2023, 36, 515-523.	0.9	2
122	Oral mosapride can provide additional anti-emetic efficacy following total joint arthroplasty under general anesthesia: a randomized, double-blinded clinical trial. BMC Anesthesiology, 2020, 20, 297.	0.7	1
123	Preoperative bacteriuria positivity on urinalysis increases wound complications in primary total hip arthroplasty regardless of the urine culture result. BMC Musculoskeletal Disorders, 2021, 22, 834.	0.8	1
124	Incidence and risk factors associated with human albumin administration following total joint arthroplasty: a multicenter retrospective study. Journal of Orthopaedic Surgery and Research, 2021, 16, 643.	0.9	1
125	Tranexamic acid combined with compression dressing reduces blood loss in gluteal muscle contracture surgery. BMC Surgery, 2022, 22, 46.	0.6	1
126	Letter to the Editor concerning "Efficacy and safety of tranexamic acid in reducing blood loss in scoliosis surgery: a systematic review and meta-analysis." by Yuan, QM. et al. (Eur Spine J; 2017.) Tj ETQq0 10 rgBT /Overlock 10		



#	ARTICLE	IF	CITATIONS
127	Reply to Letter to the Editor on "Gait Analysis of Leg Length Discrepancy-Differentiated Hip Replacement Patients With Developmental Dysplasia: A Midterm Follow-Up" Journal of Arthroplasty, 2019, 34, 1854-1856.	1.5	0
128	Letter to the Editor on "Postoperative Serum Cytokine Levels Are Associated With Early Stiffness After Total Knee Arthroplasty: A Prospective Cohort Study" Journal of Arthroplasty, 2021, 36, e1-e2.	1.5	0
129	Letter to the editor regarding "Outcomes of patients with unexpected diagnosis of infection at total hip or total knee arthroplasty revisions" International Orthopaedics, 2021, 45, 2757.	0.9	0
130	Stress fracture of proximal tibia after proximal fibula osteotomy: A case report. International Journal of Surgery Case Reports, 2021, 87, 106423.	0.2	0