Carolin Haug

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/2016209/carolin-haug-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

89
papers
1,163
citations
19
papers
4.95
ext. papers
20
g-index
21
Avg, IF
L-index

#	Paper	IF	Citations
89	EXPANDING THE RECORD OF LARVAE OF FALSE FLOWER BEETLES WITH PROMINENT TERMINAL ENDS 2022 , 128,		2
88	The first fossil immature of Elmidae: an unusual riffle beetle larva preserved in Baltic amber <i>PeerJ</i> , 2022 , 10, e13025	3.1	1
87	An owlfly larva preserved in Mexican amber and the Miocene record of lacewing larvae. <i>Boletin De La Sociedad Geologica Mexicana</i> , 2021 , 73, A271220	1.7	3
86	Texas beetle larvae (Brachypsectridae) Ithe last 100 million years reviewed. <i>Palaeodiversity</i> , 2021 , 14,	1.1	2
85	New extreme morphologies as exemplified by 100 million-year-old lacewing larvae. <i>Scientific Reports</i> , 2021 , 11, 20432	4.9	6
84	The fossil record of whip spiders: the past of Amblypygi. <i>Palaontologische Zeitschrift</i> , 2021 , 95, 387-412	1.2	2
83	A new fossil mantis shrimp and the convergent evolution of a lobster-like morphotype. <i>PeerJ</i> , 2021 , 9, e11124	3.1	
82	Morphological changes during the post-embryonic ontogeny of mesothelan spiders and aspects of character evolution in early spiders. <i>Development Genes and Evolution</i> , 2021 , 231, 47-56	1.8	1
81	A 100 million-year-old armoured caterpillar supports the early diversification of moths and butterflies. <i>Gondwana Research</i> , 2021 , 93, 101-105	5.1	5
80	New species of Thylacocephala, Eodollocaris keithflinti n. gen., n. sp., from the Mazon Creek LagerstEte, Illinois, United States (c. 307 Ma) and redescription of other Mazon Creek thylacocephalans. <i>Geodiversitas</i> , 2021 , 43,	1.2	2
79	Intraspecific variation in the Cambrian: new observations on the morphology of the Chengjiang euarthropod Sinoburius lunaris. <i>Bmc Ecology and Evolution</i> , 2021 , 21, 127	21	O
78	After 100 Jears: a detailed view of an eumalacostracan crustacean from the Upper Jurassic Solnhofen Lagerst Ete with raptorial appendages unique to Euarthropoda. <i>Lethaia</i> , 2021 , 54, 55-72	1.3	3
77	Morphology and anatomy of the Late Jurassic Mayrocaris bucculata (Eucrustacea?, Thylacocephala) with comments on the tagmosis of Thylacocephala. <i>Journal of Systematic Palaeontology</i> , 2021 , 19, 289-3	3 2 0	1
76	The morphological diversity of spoon-winged lacewing larvae and the first possible fossils from 99 million-year-old Kachin amber, Myanmar. <i>Palaeodiversity</i> , 2021 , 14,	1.1	4
75	The earliest record of fossil solid-wood-borer larvaeImmature beetles in 99 million-year-old Myanmar amber 2021 , 4,		4
74	Changes in the Morphological Diversity of Larvae of Lance Lacewings, Mantis Lacewings and Their Closer Relatives over 100 Million Years. <i>Insects</i> , 2021 , 12,	2.8	5
73	Fossil dragonfly-type larva with lateral abdominal protrusions and implications on the early evolution of Pterygota. <i>IScience</i> , 2021 , 24, 103162	6.1	

Methods and Practices in Paleo-Evo-Devo **2021**, 1151-1164

71	First African thylacocephalans from the Famennian of Morocco and their role in Late Devonian food webs. <i>Scientific Reports</i> , 2020 , 10, 5129	4.9	6
70	Untangling the Gordian knot-further resolving the super-species complex of 300-million-year-old xiphosurids by reconstructing their ontogeny. <i>Development Genes and Evolution</i> , 2020 , 230, 13-26	1.8	10
69	Challenges for understanding lacewings: how to deal with the incomplete data from extant and fossil larvae of Nevrorthidae? (Neuroptera). <i>Fragmenta Entomologica</i> , 2020 , 52, 137-168	0.4	7
68	An unusual 100-million-year old holometabolan larva with a piercing mouth cone. <i>PeerJ</i> , 2020 , 8, e8661	3.1	6
67	Comment on the letter of the Society of Vertebrate Paleontology (SVP) dated April 21, 2020 regarding Hossils from conflict zones and reproducibility of fossil-based scientific datalithe importance of private collections. <i>Palaontologische Zeitschrift</i> , 2020 , 94, 413-429	1.2	6
66	Giant planktic larvae of anomalan crustaceans and their unusual compound eyes. <i>Helgoland Marine Research</i> , 2020 , 74,	1.8	4
65	Comment on the letter of the Society of Vertebrate Paleontology (SVP) dated April 21, 2020 regarding Bossils from conflict zones and reproducibility of fossil-based scientific data[IMyanmar amber. <i>Palaontologische Zeitschrift</i> , 2020 , 94, 431-437	1.2	11
64	A 100-million-year old predator: a fossil neuropteran larva with unusually elongated mouthparts. <i>Zoological Letters</i> , 2019 , 5, 29	3	15
63	A new calmanostracan crustacean species from the Cretaceous Yixian Formation and a simple approach for differentiating fossil tadpole shrimps and their relatives. <i>Zoological Letters</i> , 2019 , 5, 20	3	3
62	Cretaceous chimera Ian unusual 100-million-year old neuropteran larva from the Experimental phaseIbf insect evolution. <i>Palaeodiversity</i> , 2019 , 12, 1	1.1	21
61	A new thylacocephalan crustacean from the Upper Jurassic lithographic limestones of southern Germany and the diversity of Thylacocephala. <i>Palaeodiversity</i> , 2019 , 12, 69	1.1	13
60	Beetle larvae with unusually large terminal ends and a fossil that beats them all (Scraptiidae, Coleoptera). <i>PeerJ</i> , 2019 , 7, e7871	3.1	9
59	The ontogeny of Limulus polyphemus (Xiphosura s. str., Euchelicerata) revised: looking "under the skin". <i>Development Genes and Evolution</i> , 2018 , 228, 49-61	1.8	11
58	The ontogeny of the 300 million year old xiphosuran Euproops danae (Euchelicerata) and implications for resolving the Euproops species complex. <i>Development Genes and Evolution</i> , 2018 , 228, 63-74	1.8	23
57	Feeding strategies in arthropods from the Rhynie and Windyfield cherts: ecological diversification in an early non-marine biota. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2018 , 373,	5.8	5
56	The ride of the parasite: a 100-million-year old mantis lacewing larva captured while mounting its spider host. <i>Zoological Letters</i> , 2018 , 4, 31	3	23
55	A new 🛮 xtremeltype of mantis shrimp larva. <i>Nauplius</i> , 2018 , 26,	1.3	2

54	Central nervous system and muscular bundles preserved in a 240 million year old giant bristletail (Archaeognatha: Machilidae). <i>Scientific Reports</i> , 2017 , 7, 46016	4.9	6
53	An exceptionally preserved 110 million years old praying mantis provides new insights into the predatory behaviour of early mantodeans. <i>PeerJ</i> , 2017 , 5, e3605	3.1	12
52	Ontogenetic sequence comparison of extant and fossil tadpole shrimps: no support for the living fossilltoncept. <i>Palaontologische Zeitschrift</i> , 2017 , 91, 463-472	1.2	5
51	New thylacocephalans from the Cretaceous LagerstEten of Lebanon. <i>Bulletin - Societie Geologique De France</i> , 2017 , 188, 19	2.3	13
50	A possible 150 million years old cirripede crustacean nauplius and the phenomenon of giant larvae. <i>Contributions To Zoology</i> , 2017 , 86, 213-227	1.6	7
49	A new glimpse on Mesozoic zooplankton-150 million-year-old lobster larvae. <i>PeerJ</i> , 2017 , 5, e2966	3.1	4
48	The presumed oldest flying insect: more likely a myriapod?. <i>PeerJ</i> , 2017 , 5, e3402	3.1	17
47	Methods and Practices in Paleo-Evo-Devo 2017 , 1-14		
46	The evolution of a key character, or how to evolve a slipper lobster. <i>Arthropod Structure and Development</i> , 2016 , 45, 97-107	1.8	11
45	Evolution of insect wings and development - new details from Palaeozoic nymphs. <i>Biological Reviews</i> , 2016 , 91, 53-69	13.5	29
44	Functional morphology of giant mole crab larvae: a possible case of defensive enrollment. <i>Zoological Letters</i> , 2016 , 2, 17	3	7
43	"Intermetamorphic" developmental stages in 150 million-year-old achelatan lobstersThe case of the species tenera Oppel, 1862. <i>Arthropod Structure and Development</i> , 2016 , 45, 108-121	1.8	16
42	Mesoprosopon triasinum from the Triassic of Austria revisited: The oldest eumalacostracan larva known to date and its significance for interpreting fossil cycloids. <i>Gondwana Research</i> , 2016 , 37, 86-97	5.1	7
41	The first fossil record of larval stages of parasitic isopods: cryptoniscus larvae preserved in Miocene amber. <i>Neues Jahrbuch Fur Geologie Und Palaontologie - Abhandlungen</i> , 2016 , 279,	1.1	16
40	An Intermetamorphic Larval Stage of a Mantis Shrimp and Its Contribution to the 'Missing-Element Problem' of Stomatopod Raptorial Appendages. <i>Annual Research & Review in Biology</i> , 2016 , 10, 1-19	0.8	4
39	Extreme morphologies of mantis shrimp larvae. <i>Nauplius</i> , 2016 , 24,	1.3	8
38	Three-dimensionally preserved minute larva of a great-appendage arthropod from the early Cambrian Chengjiang biota. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016 , 113, 5542-6	11.5	27
37	Enalikter aphson is more likely an annelid than an arthropod: a comment to Siveter et al. (2014). <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2015 , 282, 20140946; discussion 20142663	4.4	1

(2012-2015)

36	A possible hatchling of a jumping bristletail in 50 million years old amber. <i>Neues Jahrbuch Fur Geologie Und Palaontologie - Abhandlungen</i> , 2015 , 278, 191-199	1.1	6
35	TrustaceallComparative Aspects of Larval Development 2015 , 1-37		4
34	Unique occurrence of polychelidan lobster larvae in the fossil record and its evolutionary implications. <i>Gondwana Research</i> , 2015 , 28, 869-874	5.1	21
33	Life habits, hox genes, and affinities of a 311 million-year-old holometabolan larva. <i>BMC Evolutionary Biology</i> , 2015 , 15, 208	3	28
32	A 150-million-year-old crab larva and its implications for the early rise of brachyuran crabs. <i>Nature Communications</i> , 2015 , 6, 6417	17.4	12
31	Diversity and palaeoecology of the enigmatic genus Knebelia (Eucrustacea, Decapoda, Eryonidae) from Upper Jurassic plattenkalks in southern Germany. <i>Palaeontology</i> , 2014 , 57, 397-416	2.9	16
30	The implications of a Silurian and other thylacocephalan crustaceans for the functional morphology and systematic affinities of the group. <i>BMC Evolutionary Biology</i> , 2014 , 14, 159	3	32
29	A 520 million-year-old chelicerate larva. <i>Nature Communications</i> , 2014 , 5, 4440	17.4	19
28	The evolution of centipede venom claws - open questions and possible answers. <i>Arthropod Structure and Development</i> , 2014 , 43, 5-16	1.8	10
27	Defensive enrolment in mantis shrimp larvae (Malacostraca: Stomatopoda). <i>Contributions To Zoology</i> , 2014 , 83, 185-194	1.6	16
26	A eucrustacean from the Cambrian Drstenlof Sweden with epipods and a maxillary excretory opening. <i>Palaeontology</i> , 2014 , 57, 909-930	2.9	2
25	Diversity of developmental patterns in achelate lobsters-today and in the Mesozoic. <i>Development Genes and Evolution</i> , 2013 , 223, 363-73	1.8	19
24	An exceptionally preserved upogebiid (Decapoda: Reptantia) from the Eocene of California. <i>Boletin De La Sociedad Geologica Mexicana</i> , 2013 , 65, 235-248	1.7	8
23	Isolated mantis shrimp dactyli from the Pliocene of North Carolina and their bearing on the history of Stomatopoda. <i>Boletin De La Sociedad Geologica Mexicana</i> , 2013 , 65, 273-284	1.7	21
22	Evolution of Crustacean Appendages 2013 , 34-73		12
21	A Carboniferous non-onychophoran lobopodian reveals long-term survival of a Cambrian morphotype. <i>Current Biology</i> , 2012 , 22, 1673-5	6.3	33
20	A holomorph approach to xiphosuran evolutiona case study on the ontogeny of Euproops. <i>Development Genes and Evolution</i> , 2012 , 222, 253-68	1.8	54
19	Functional morphology, ontogeny and evolution of mantis shrimp-like predators in the Cambrian. <i>Palaeontology</i> , 2012 , 55, 369-399	2.9	90

18	Morphology and function in the Cambrian Burgess Shale megacheiran arthropod Leanchoilia superlata and the application of a descriptive matrix. <i>BMC Evolutionary Biology</i> , 2012 , 12, 162	3	70
17	Tagmatization in Stomatopoda - reconsidering functional units of modern-day mantis shrimps (Verunipeltata, Hoplocarida) and implications for the interpretation of fossils. <i>Frontiers in Zoology</i> , 2012 , 9, 31	2.8	10
16	Re-study of larval stages of Amphionides reynaudii (Malacostraca: Eucarida) with modern imaging techniques. <i>Journal of Crustacean Biology</i> , 2012 , 32, 916-930	0.8	12
15	Autofluorescence imaging, an excellent tool for comparative morphology. <i>Journal of Microscopy</i> , 2011 , 244, 259-72	1.9	71
14	The importance of lithographic limestones for revealing ontogenies in fossil crustaceans. <i>Swiss Journal of Geosciences</i> , 2011 , 104, 85-98	2.1	22
13	Imaging and Documenting Gammarideans. International Journal of Zoology, 2011, 2011, 1-9	1.1	39
12	Evolution of mantis shrimps (Stomatopoda, Malacostraca) in the light of new Mesozoic fossils. <i>BMC Evolutionary Biology</i> , 2010 , 10, 290	3	29
11	High-level phylogenetic analysis using developmental sequences: the Cambrian +Martinssonia elongata, +Musacaris gerdgeyeri gen. et sp. nov. and their position in early crustacean evolution. <i>Arthropod Structure and Development</i> , 2010 , 39, 154-73	1.8	51
10	A fossil aphidlion preserved together with its prey in 40 million-year-old Baltic amber. <i>Palaeobiodiversity and Palaeoenvironments</i> ,1	0.9	0
9	Detailed description of some mantis shrimp larvae and their implication for the character evolution within Stomatopoda. <i>Nauplius</i> ,28,	1.3	3
8	The decline of silky lacewings and morphological diversity of long-nosed antlion larvae through time. <i>Palaeontologia Electronica</i> ,	1.3	4
7	Evolution of reproductive strategies in dictyopteran insects Elues from ovipositor morphology of extinct roachoids. <i>Acta Palaeontologica Polonica</i> ,63,		12
6	Identifying the oldest larva of a myrmeleontiformian lacewing ha morphometric approach. <i>Acta Palaeontologica Polonica</i> ,65,		6
5	A new glimpse on trophic interactions of 100-million-year old lacewing larvae. <i>Acta Palaeontologica Polonica</i> ,65,		3
4	The evolution of feeding within Euchelicerata: data from the fossil groups Eurypterida and Trigonotarbida illustrate possible evolutionary pathways. <i>PeerJ</i> ,8, e9696	3.1	5
3	Split-footed lacewings declined over time: indications from the morphological diversity of their antlion-like larvae. <i>Palaontologische Zeitschrift</i> ,1	1.2	5
2	First fossil tumbling flower beetle-type larva from 99 million-year-old amber. <i>Palaontologische Zeitschrift</i> ,1	1.2	1
1	Declining morphological diversity in snakefly larvae during last 100 million years. <i>Palaontologische Zeitschrift</i> ,1	1.2	1