

Sylvain BernÅ's

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2016859/publications.pdf>

Version: 2024-02-01

308
papers

2,422
citations

257357

24
h-index

360920

35
g-index

318
all docs

318
docs citations

318
times ranked

2593
citing authors

#	ARTICLE	IF	CITATIONS
1	Molecular architecture of copper(I) thiometallate complexes. Example of a cubane with an extra face,	1.2	90
2	Coordination compounds of thiabendazole with main group and transition metal ions. <i>Inorganica Chimica Acta</i> , 2002, 339, 532-542.	1.2	73
3	Structural and spectroscopic characterisation of tris(2-benzimidazolylmethyl)amine coordination compounds of Zn(II), Cd(II) and Hg(II). <i>Polyhedron</i> , 2000, 19, 1479-1484.	1.0	63
4	A dicopper complex with distant metal centers. Structure, magnetic properties, electrochemistry and catecholase activity. <i>Journal of Inorganic Biochemistry</i> , 2008, 102, 1227-1235.	1.5	54
5	Heterobimetallic aggregates of copper(I) with thio-tungstate and -molybdate. Cation effect in aggregation of $M_5Cu_4Cl_4$ units, a crystallographic study. <i>Journal of the Chemical Society Dalton Transactions</i> , 1991, , 2875-2881.	1.1	51
6	Ring Opening of Methylbenzothiophenes and Methyl dibenzothiophenes by Tris(triethylphosphine)platinum(0). <i>Organometallics</i> , 1999, 18, 1680-1685.	1.1	48
7	Synthesis, X-ray and spectroscopic characterisation of chromium(III) coordination compounds with benzimidazolic ligands. <i>Polyhedron</i> , 2000, 19, 1821-1827.	1.0	47
8	Supramolecular structures of metronidazole and its copper(II), cobalt(II) and zinc(II) coordination compounds. <i>Journal of Inorganic Biochemistry</i> , 2002, 91, 339-348.	1.5	45
9	Synthesis, crystal structure and magnetic properties of the triangulo-tricopper(ii) complex $[Cu_3(cpse)_3(H_2O)_3] \cdot 8.5H_2O$. <i>Dalton Transactions RSC</i> , 2002, , 2648-2653.	2.3	43
10	UnyLinker: An Efficient and Scaleable Synthesis of Oligonucleotides Utilizing a Universal Linker Molecule: A Novel Approach To Enhance the Purity of Drugs. <i>Organic Process Research and Development</i> , 2008, 12, 399-410.	1.3	43
11	Synthesis and characterisation of $(NMe_4)_5[MoS_4(CuCl)_6Cl_3]$: the ultimate step of the addition of CuCl to thiomolybdate. <i>Inorganica Chimica Acta</i> , 1992, 191, 11-13.	1.2	40
12	Reactivity of Substituted Thiophenes toward Tris(triethylphosphine)platinum(0), -palladium(0), and -nickel(0). <i>Organometallics</i> , 2001, 20, 4061-4071.	1.1	37
13	Reactivity of $[Ru_3(CO)_{12}]$ with Dibenzothiophene, Methylbenzothiophene, and Methyl dibenzothiophene. <i>Organometallics</i> , 2003, 22, 1585-1587.	1.1	36
14	(S)-4-Isopropyl-5,5-dimethyl-1,3-oxazolidinethione as chiral auxiliary for the intramolecular sulfur transfer in α,β -unsaturated N-acylimides, promoted by $NbCl_5$. <i>Tetrahedron Letters</i> , 2003, 44, 1129-1132.	0.7	34
15	Synthesis of an aspidosperma alkaloid precursor: synthesis of (+)-aspidospermidine. <i>Arkivoc</i> , 2006, 2003, 185-192.	0.3	32
16	Abnormal Beckmann rearrangement in 23-hydroxyiminodiosgenin acetate. <i>Tetrahedron Letters</i> , 2004, 45, 4921-4926.	0.7	31
17	Interaction between Glyglu and Ca^{2+} , Pb^{2+} , Cd^{2+} and Zn^{2+} in solid state and aqueous solution.. <i>Inorganica Chimica Acta</i> , 2002, 339, 193-201.	1.2	29
18	A ferrimagnetic cyclic tetranuclear copper(ii) complex: cyclo-[tetrakis(1,4- λ^3 -hydroxyethanoato-1 λ^5 -O:2 λ^6 -O:2 λ^6 -O:2 λ^6 -O) tetrakis(1,10-phenanthroline)tetracopper] tetranitrat2.3 dihydrate. Structural and magnetic properties. <i>Dalton Transactions RSC</i> , 2002, , 2553.		27

#	ARTICLE	IF	CITATIONS
19	Electronic and steric effects of triarylphosphines on the synthesis, structure and spectroscopic properties of mononuclear rhodium(I) chloride complexes. <i>Polyhedron</i> , 2006, 25, 1549-1554.	1.0	27
20	Synthesis of Metforminium(2+) Decavanadates - Crystal Structures and Solid-State Characterization. <i>European Journal of Inorganic Chemistry</i> , 2014, 2014, 4581-4588.	1.0	26
21	Clarivate Analytics: Continued Omnia vanitas Impact Factor Culture. <i>Science and Engineering Ethics</i> , 2018, 24, 291-297.	1.7	26
22	Diastereoselective carbonyl phosphonylation using chiral N,N-bis-[(S)-1-phenylethyl]-bicyclic phosphorous acid diamides. <i>Tetrahedron Letters</i> , 2004, 45, 4245-4248.	0.7	25
23	Conversion of [Pt(SRf) ₂ (PPh ₂) _n (C ₆ F ₅) _{n+1}] ₂ (n = 0 or 1, Rf = C ₆ H ₄ -4) through carbon-fluorine bond activation to [Pt(SRf) ₂ (1,2-C ₆ F ₄ (SRf)-(PPh ₂))] and chiral [Pt(SRf) ₂ (1,2-C ₆ F ₄ (SRf)(PPh(C ₆ F ₅)))]]. <i>Chemical Communications</i> , 2004, , 1942-1943.	2.2	25
24	Synthesis and structural analyses of Co(III) coordination compounds of 2-(2-pyridyl)benzimidazole and 2-(2-hydroxyphenyl)-1H-benzimidazole. <i>Inorganica Chimica Acta</i> , 2008, 361, 2759-2767.	1.2	25
25	Title is missing!. <i>Transition Metal Chemistry</i> , 2000, 25, 161-165.	0.7	23
26	Novel iron(ii) complexes with hexadentate nitrogen ligands obtained via intramolecular redox reactions. <i>Dalton Transactions RSC</i> , 2001, , 3099.	2.3	23
27	Dynamic Study of Homoleptic Bimetallic Platinum(II) Complexes Bridged by Fluorinated Benzenethiolates. <i>Inorganic Chemistry</i> , 2001, 40, 5575-5580.	1.9	23
28	Synthesis and Structure of cis-Palladium(II) Carbene Complexes Containing the 1,3-Diallylimidazolidin-2-ylidene Ligand: A trans to cis Rearrangement. <i>Organometallics</i> , 2002, 21, 5428-5432.	1.1	23
29	Synthesis, X-ray and NMR characterisation of cobalt(III) coordination compounds with 2-guanidinobenzimidazole. <i>Inorganica Chimica Acta</i> , 2000, 304, 230-236.	1.2	22
30	Allyl palladium compounds with fluorinated benzenethiolate ligands. X-ray crystal structure of [(η -3-C ₃ H ₅)Pd(η -4-SC ₆ H ₄ -4)2Pd(η -3-C ₃ H ₅)]. <i>Polyhedron</i> , 2001, 20, 3119-3125.	1.0	22
31	Synthesis and magnetostructural properties of two crystalline phases of [CuBr ₂ (sp)] (sp = η -sparteine). <i>Journal of Molecular Structure</i> , 2004, 693, 125-131.	1.8	22
32	Coumarin Derivative Directly Coordinated to Lanthanides Acts as an Excellent Antenna for UV-Vis and Near-IR Emission. <i>Inorganic Chemistry</i> , 2018, 57, 908-911.	1.9	22
33	Co-ordination behaviour of N-carboxymethylpseudoephedrine: crystal structures of seven-co-ordinated cadmium(II) and fac-RS-octahedral copper(II) complexes. <i>Journal of the Chemical Society Dalton Transactions</i> , 1997, , 3415-3420.	1.1	21
34	Novel rearrangement of N-enoyl oxazolidinethiones to N-substituted 1,3-thiazine-2,4-diones promoted by NbCl ₅ . <i>Tetrahedron Letters</i> , 2006, 47, 1153-1156.	0.7	21
35	Synthesis and structural characterization of incomplete cubanes derived from [MS ₄ Cu ₄ Cl ₄] ₂ ²⁻ (M = Mo, Tj) <i>ETQ</i> 1, 1.0784314 rgB / 20	1.2	20
36	Formation and X-ray structure of the η -4-alkylidene complex Fe ₂ (CO) ₆ (η -3, η -3-C(CH = CHPh) ₂) upon deoxygenation of Fe ₂ (CO) ₈ (η -4- η -2, η -2-C(O)(CH = CHPh) ₂) with methyl lithium. <i>Journal of Organometallic Chemistry</i> , 1995, 498, 15-24.	0.8	20

#	ARTICLE	IF	CITATIONS
37	Structure, spectra and redox studies of nickel(II) bis(benzimidazole-2-ylmethyl)amines with coenzyme M reductase. <i>Polyhedron</i> , 1997, 16, 2819-2826.	1.0	20
38	Complexation of lead(II) by l-aspartate: crystal structure of polymeric Pb(aspH)(NO ₃). <i>Polyhedron</i> , 2000, 19, 649-653.	1.0	20
39	The supramolecular structure of pyridine-2,6-dicarboxylic acid. <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 2002, 58, o228-o230.	0.4	20
40	Magnetic Properties and Crystal Structure of a One-Dimensional Phase of Tetrakis(1/42-benzoato-O,O ²⁻)-bis(dimethyl sulfoxide)dicopper(II). <i>Journal of the American Chemical Society</i> , 2005, 127, 16312-16317.	6.6	20
41	Ci—F bond activation in polyfluorobenzothiolate compounds of Os(III). X-ray structures of <i>Journal of Organometallic Chemistry</i> , 2000, 599, 170-177.	0.8	19
42	22-Oxocholestane oximes as potential anti-inflammatory drug candidates. <i>European Journal of Medicinal Chemistry</i> , 2019, 168, 78-86.	2.6	19
43	Fluorinated N-heterocyclic carbenes rhodium (I) complexes and their activity in hydrosilylation of propargylic alcohols. <i>Journal of Organometallic Chemistry</i> , 2012, 699, 82-86.	0.8	18
44	Synthesis and 3D Network Architecture of 1- and 16-Hydrated Salts of 4-Dimethylaminopyridinium Decavanadate, (DMAPH) ₆ [V ₁₀ O ₂₈]·nH ₂ O. <i>Crystals</i> , 2016, 6, 65.	1.0	18
45	Intramolecular Hydrogen Bonding (PO—H) Stabilizes the Chair Conformation of Six-Membered Ring Phosphates. <i>Journal of Organic Chemistry</i> , 2005, 70, 7107-7113.	1.7	17
46	Mono- and bimetallic platinum(II) and palladium(II) complexes containing fluorinated benzothiolates. <i>Polyhedron</i> , 2007, 26, 4276-4286.	1.0	17
47	DFT and Experimental Studies of Perchlorate Ion Coordination in <i>cis</i> / <i>trans</i> -Copper(II) Complexes of Tetradentate Pyridyl Ligands. <i>European Journal of Inorganic Chemistry</i> , 2008, 2008, 3274-3285.	1.0	17
48	Mechanochemical synthesis of an Eu(III) complex. Preparation and Luminescence Properties of PMMA:[C ₄₂ H ₃₈ N ₅ O ₁₉ Eu] Hybrid Films. <i>Polyhedron</i> , 2015, 85, 10-14.	1.0	17
49	Synthesis, crystal structure, weak antiferromagnetic behavior and electronic studies of novel [(⁺)-sparteine)(PhCO ₂)(Cl)]Cu(II) complex. <i>Journal of Molecular Structure</i> , 2003, 657, 137-143.	1.8	15
50	Thiaplatinacycles Derived from Dibenzothiophene-Containing Phosphites as Auxiliary Ligands and Their Role in Homogeneous Desulfurization Reactions. <i>Organometallics</i> , 2003, 22, 4734-4738.	1.1	15
51	Synthesis of chiral ligands containing the N-(S)-1±-phenylethyl group and their evaluation as activators in the enantioselective addition of Et ₂ Zn to benzaldehyde. <i>Tetrahedron: Asymmetry</i> , 2006, 17, 1663-1670.	1.8	15
52	Coumarin-lanthanide based compounds with SMM behavior and high quantum yield luminescence. <i>Dalton Transactions</i> , 2020, 49, 13671-13684.	1.6	15
53	Azasteroids from diosgenin: Synthesis and evaluation of their antiproliferative activity. <i>Steroids</i> , 2021, 166, 108777.	0.8	15
54	Cadmium complexation by aspartate. NMR studies and crystal structure of polymeric Cd(AspH)NO ₃ . <i>Polyhedron</i> , 2002, 21, 935-941.	1.0	14

#	ARTICLE	IF	CITATIONS
55	Efficient preparation of (1 <i>R</i>)-(2 <i>S</i>)-1-(2-hydroxy-1-phenylethyl)piperidin-2-one: synthesis of (2 <i>S</i> ,3 <i>R</i>)-(+)-stenusine. <i>Tetrahedron: Asymmetry</i> , 2005, 16, 949-952.	1.8	14
56	Redetermination of Co ₄ Nb ₂ O ₉ by single-crystal X-ray methods. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2006, 62, i117-i119.	0.2	14
57	Synthesis, characterization and anticancer activity of new palladacycles derived from chiral \pm -diimines. <i>Applied Organometallic Chemistry</i> , 2010, 24, 8-11.	1.7	14
58	X-ray crystal structure of two different phases (triclinic and orthorhombic) of p-methacryloylaminophenylarsonic acid monomer. <i>Journal of Molecular Structure</i> , 2001, 562, 45-53.	1.8	13
59	Syntheses of pyridin-4-ylidene chiral ylions: applications in a synthesis of (+)-coniine. <i>Tetrahedron: Asymmetry</i> , 2004, 15, 847-850.	1.8	13
60	Mercaptoethanesulfonic acid (CoM imitator) interaction studies with nickel(II) complexes of pyridyl groups containing tetradentate ligands: Synthesis, structure, spectra and redox properties. <i>Inorganica Chimica Acta</i> , 2006, 359, 1-12.	1.2	13
61	Carbon-Fluorine Bond Cleavage in the Preparation of Osmium(III) and Osmium(IV) Fluorothiolate Complexes. Fluorine by Fluorine NMR-Assignment and Fluxional Processes. <i>Inorganic Chemistry</i> , 2007, 46, 4857-4867.	1.9	13
62	The Added Value of Solid-State Pb NMR Spectroscopy to Understand the 3D Structures of Pb Amino Acid Complexes. <i>European Journal of Inorganic Chemistry</i> , 2008, 2008, 4395-4403.	1.0	13
63	Carbon-Fluorine Bond Activation in Thermolysis Reactions of the Osmium(IV) Perfluorothiolate Compounds [Os(SC ₆ F ₅) ₄ (P(C ₆ H ₄ X-4) ₃)] (X = CF ₃ , Cl, F, H, CH ₃ , and OCH ₃). <i>Organometallics</i> , 2010, 29, 2646-2659.	1.1	13
64	¹ H and ¹³ C NMR of synthetic steroid sapogenins. Part II. C-23 Substituted derivatives of (2 <i>S</i>)-spirostanes. <i>Arkivoc</i> , 2006, 2003, 163-171.	0.3	13
65	Magnetic behavior of PrNi ₂ B ₂ C single crystals. <i>Physical Review B</i> , 2002, 66, .	1.1	12
66	structure, spectra and redox behavior of pink-[Co(bbes) ₂](ClO ₄) ₂ and blue-[Co(bbes) ₂](ClO ₄) ₂ . <i>Inorganica Chimica Acta</i> , 2004, 357, 2570-2578.	1.2	12
67	Synthesis, Electronic, Magnetic and Structural Characterization of New Trinuclear Mixed-Valence Co ^{III} -Co ^{II} -Co ^{III} Complex.. <i>ChemistrySelect</i> , 2016, 1, 6866-6871.	0.7	12
68	RNi ₂ B ₂ C (R = Ho, Dy, Tb and Pr) single crystals grown by the cold copper crucible method. <i>Journal of Physics Condensed Matter</i> , 2000, 12, 7595-7608.	0.7	11
69	New methodology for the synthesis of enantiopure (3 <i>R</i> ,2 <i>aR</i>)-(1 <i>R</i>)-3-phenyl-hexahydro-oxazolo[3,2- <i>a</i>]-pyridin-5-one: a synthesis of (S)-(+)-coniine. <i>Tetrahedron: Asymmetry</i> , 2001, 12, 357-360.	1.8	11
70	Synthesis and characterization of a new (phthalocyaninato)bis(carboxylate) silicon(IV) compound with increased solubility. <i>Journal of Porphyrins and Phthalocyanines</i> , 2002, 06, 198-202.	0.4	11
71	Insertion Reactions of [M(SR) ₃ (PMe ₂ Ph) ₂] with CS ₂ (M = Ru, Os; R = C ₆ F ₄ H-4, C ₆ F ₅). X-ray Structures of [Ru(S ₂ CSC ₆ F ₄ H-4) ₂ (PMe ₂ Ph) ₂], trans-Thiolates [M(SR) ₂ (S ₂ CSR)(PMe ₂ Ph) ₂] (M = Ru; R = C ₆ F ₅ and M = Os; R) <i>Tetrahedron</i> , 2001, 57, 986-992.	1.9	11
72	Synthesis of N-substituted 2,4-thiazolidinediones from oxazolidinethiones. <i>Tetrahedron Letters</i> , 2005, 46, 7867-7870.	0.7	11

#	ARTICLE	IF	CITATIONS
73	Synthesis, Characterization, and Biological Activity Studies of Copper(II) Mixed Compound with Histamine and Nalidixic Acid. <i>Bioinorganic Chemistry and Applications</i> , 2009, 2009, 1-8.	1.8	11
74	Synthesis, characterization and anticancer activity of new chiral Pd(II)-complexes derived from unsymmetrical $\hat{\pm}$ -diimine ligands. <i>Polyhedron</i> , 2011, 30, 2514-2522.	1.0	11
75	Ci—F bond activation in perfluorobenzothiolate compounds of Os(III). X-ray structures of , [Os(SC6F5)2(o-S2C6F4)(PMe2Ph)] and [Os(C6F5)2(o-S2C6F4)(PMe2Ph)2]. <i>Inorganic Chemistry Communication</i> , 1998, 1, 273-276.	1.8	10
76	A novel nucleophilic attack to N-enoyl oxazolidinethiones. <i>Tetrahedron Letters</i> , 2003, 44, 5053-5055.	0.7	10
77	Structure and degree of charge transfer of two polymorphs of a 1:1 molecular complex: [2,2- $\hat{\pm}$ -bis-1,3-dithiole][9-dicyanomethylene-4,5,7-trinitrofluorene-2-carboxylic acid methyl ester] (TTF-MeDC2TNF). <i>Acta Crystallographica Section B: Structural Science</i> , 2003, 59, 505-511.	1.8	10
78	Weak ferromagnetic behavior, crystal structure, and electronic studies of novel [Cu(II)(Br)(PhCO2)(Sp)] (Sp=($\hat{\pm}$)-sparteine) complex. <i>Journal of Molecular Structure</i> , 2006, 788, 145-151.	1.8	10
79	Rearrangement of oxazolidinethiones to thiazolidinediones or thiazinanediones and their application for the synthesis of chiral allylic ureas and $\hat{\pm}$ -methyl- $\hat{1}^2$ -amino acids. <i>Tetrahedron</i> , 2010, 66, 111-120.	1.0	10
80	Trimesic acid dimethyl sulfoxide solvate: space group revision. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2008, 64, o1366-o1366.	0.2	10
81	Coenzyme M studies with nickel(II) compounds. <i>Polyhedron</i> , 1999, 18, 3383-3390.	1.0	9
82	Polymeric bis(glycolato)cobalt(II). <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 2000, 56, 637-638.	0.4	9
83	Heterobimetallic platinum(II)–palladium(II) complexes bridged by fluorobenzenethiolates. Structure and equilibria. <i>Inorganica Chimica Acta</i> , 2009, 362, 5122-5125.	1.2	9
84	Rearrangement of 5-phenylthiazolidine-2,4-diones to chiral $\hat{\pm}$ -ketoamides via $\hat{\pm}$ -elimination. <i>Tetrahedron Letters</i> , 2010, 51, 6041-6044.	0.7	9
85	At last! The single-crystal X-ray structure of a naturally occurring sample of the ilmenite-type oxide FeCrO ₃ . <i>Acta Crystallographica Section B: Structural Science, Crystal Engineering and Materials</i> , 2015, 71, 555-561.	0.5	9
86	New chiral $\hat{\pm}$ -ketoimine-Pd(II) complexes and their anticancer activity. <i>Journal of Coordination Chemistry</i> , 2015, 68, 3805-3813.	0.8	9
87	Crystal structures of three mercury(II) complexes [HgCl ₂ (L)] where L is a bidentate chiral imine ligand. <i>Acta Crystallographica Section E: Crystallographic Communications</i> , 2015, 71, 1462-1466.	0.2	9
88	Validating the use of CarboPack C for chromatographic studies: morphological, crystallographic, spectroscopic and adsorption characterization. <i>Materials Chemistry and Physics</i> , 2004, 85, 347-352.	2.0	8
89	Endo-Selective Quenching of Hexahydropyrrolo[2,3-b]indole-Based N-Acyliminium Ions. <i>Journal of Organic Chemistry</i> , 2004, 69, 3976-3978.	1.7	8
90	Asymmetric synthesis of 3-methylthio alcohols by intramolecular Michael addition reactions. <i>Tetrahedron Letters</i> , 2005, 46, 2243-2246.	0.7	8

#	ARTICLE	IF	CITATIONS
91	Specific heat studies of pure Nb ₃ Sn single crystals at low temperature. <i>Journal of Physics Condensed Matter</i> , 2009, 21, 325701.	0.7	8
92	Hemidirected one-dimensional lead(II) coordination polymers containing NSAIDs as ligands: Spectroscopic and structural characterization of [Pb(C ₉ H ₇ O ₄) ₂ (H ₂ O)] , [Pb(C ₁₃ H ₁₇ O ₂) ₂ (H ₂ O)] and [Pb(C ₁₄ H ₁₀ Cl ₂ NO) ₂]. <i>Polyhedron</i> , 2013, 52, 848-855.	1.0	8
93	Reaction of η^4 -ketene complexes of iron with a phosphorus-sulfur ylide (Davy reagent): Insertion of sulfur into a carbon-iron bond with formation of ferrathiolactones. <i>Journal of Organometallic Chemistry</i> , 1995, 496, 153-157.	0.8	7
94	Synthesis of a new iron tricarbonyl (η^4)- η^5 -pyrone complex by reaction of iron vinyl diketone complexes with methyllithium under a CO atmosphere. <i>Journal of Organometallic Chemistry</i> , 1997, 549, 49-54.	0.8	7
95	Synthesis of (S)--(1S,4S,8aR)- and (+)-(1S,4R,8aS)-4a-ethyl-1-(1-phenylethyl)-octahydroquinolin-7-ones. <i>Tetrahedron: Asymmetry</i> , 2001, 12, 2099-2102.	1.8	7
96	Unexpected retro-Michael reaction of (S)--(1S,4S,8aR)- and (+)-(1S,4R,8aS)-4a-ethyl-1-(1-phenylethyl)octahydroquinolin-7-ones. <i>Tetrahedron: Asymmetry</i> , 2001, 12, 3209-3211.	1.8	7
97	Asymmetric Michael addition using N-cinnamoyl- and N-crotonyl-trans-hexahydrobenzoxazolidin-2-ones. <i>Tetrahedron Letters</i> , 2005, 46, 8649-8652.	0.7	7
98	Five-coordinate pentafluorobenzothiolate osmium(IV) complexes [Os(SC ₆ F ₅) ₄ (P(C ₆ H ₄ X-4) ₃)] (X=OCH ₃), <i>Tetrahedron Letters</i> , 2007, 48, 1007-1010.	1.0	7
99	Synthesis, characterization, molecular structures, cytotoxic and antibacterial activities of N,N'-diaryl-o-phenylenediamines. <i>Journal of Molecular Structure</i> , 2013, 1031, 168-174.	1.8	7
100	A one-dimensional supramolecular chain based on [H ₂ V ₁₀ O ₂₈] ⁴⁻ units decorated with 4-dimethylaminopyridinium ions: an experimental and theoretical characterization. <i>New Journal of Chemistry</i> , 2019, 43, 17746-17755.	1.4	7
101	Coexistence of Spin Canting and Metamagnetism in a One-Dimensional Mn(II) Compound Bridged by Alternating Double End-to-End and Double End-On Azido Ligands and the Analog Co(II) Compound. <i>Magnetochemistry</i> , 2021, 7, 50.	1.0	7
102	Dichloro[2,2'-(2,5-dithiahexamethylene)dipyridine-N,N',S,S']nickel(II). <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 1999, 55, 318-320.	0.4	6
103	A derivative of diosgenin: (25R)-23-acetyl-3 β -bromo-16 β -acetoxy-22,26-epoxy-5 β -cholest-22-en-6-one. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2002, 58, o606-o608.	0.2	6
104	The triclinic polymorph of dibromo[(S)-sparteine- η^2 N,N']zinc(II). <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 2003, 59, m79-m81.	0.4	6
105	Crystal structure, solid state and solution characterisation of copper(II) coordination compounds of ethyl 5-methyl-4-imidazolecarboxylate (emizco). <i>Journal of Inorganic Biochemistry</i> , 2005, 99, 1676-1684.	1.5	6
106	Isomorphous PrT ₂ B ₂ C (T=Co,Ni,Pt) single crystals: Structural, transport, and magnetic properties. <i>Physical Review B</i> , 2006, 74, .	1.1	6
107	Diosgenin hemihydrate. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2012, 68, o2357-o2357.	0.2	6
108	pH-Dependent Imidazolato Bridge Formation in Dicopper Complexes: Magnetic, Electrochemical, and Catalytic Repercussions. <i>European Journal of Inorganic Chemistry</i> , 2012, 2012, 4739-4749.	1.0	6

#	ARTICLE	IF	CITATIONS
109	Synthesis of 5-hydroxy hydantoins via a tandem process. <i>Tetrahedron Letters</i> , 2016, 57, 4232-4234.	0.7	6
110	Aqua(5,6-dimethyl-1,10-phenanthroline-N,N ^{â€²})(glycolato-O,O ^{â€²})copper(II) nitrate. <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 2000, 56, 766-768.	0.4	5
111	INFRARED ASSIGNMENT OF BIS(GLYCOLATO)-BIS(PYRIDINE) METAL(II) COMPOUNDS AND CRYSTAL STRUCTURE OF <i>TRANS</i> -BIS(GLYCOLATO)- <i>CIS</i> -BIS(PYRIDINE)NICKEL(II) DIHYDRATE. <i>Journal of Coordination Chemistry</i> , 2001, 54, 267-284.	0.8	5
112	Title is missing!. <i>Transition Metal Chemistry</i> , 2001, 26, 608-612.	0.7	5
113	N-Benzoyl-N,N ^{â€²} -dicyclohexylurea. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2006, 62, o2922-o2923.	0.2	5
114	[(1,2:5,6- λ^1)-Cycloocta-1,5-diene]bis[2,3,5,6-tetrafluoro-4-(trifluoromethyl)benzenethiolato]platinum(II). <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2006, 62, m3287-m3288.	0.2	5
115	Structural characterization of a lariat ether based on 4,10-diaza-2,3,11,12-dibenzo-18-crown-6 and of a coordination Pb(II) complex using picrate as co-ligand. <i>Journal of Chemical Crystallography</i> , 2006, 36, 473-479.	0.5	5
116	Asymmetric Aldol Additions with a Titanium Enolate of N-Thioglycolyl Oxazolidinethione. <i>Letters in Organic Chemistry</i> , 2007, 4, 456-461.	0.2	5
117	Synthesis and dynamics of atropisomeric (S)-N-(\pm -phenylethyl)benzamides. <i>Tetrahedron</i> , 2007, 63, 12655-12664.	1.0	5
118	Deacylation reactions of 20-acetyl dinorcholanic lactones and 20,23-diacetyl furost-22-enes. <i>Steroids</i> , 2010, 75, 240-244.	0.8	5
119	Fluoride Ion as Ligand and Hydrogen Bond Acceptor: Crystal Structures of Two Dinuclear CuII Complexes Built on a Diazecine Template. <i>Crystals</i> , 2012, 2, 1357-1365.	1.0	5
120	Crystal growth and characterization of solvated organic charge-transfer complexes built on TTF and 9-dicyanomethylene-fluorene derivatives. <i>CrystEngComm</i> , 2015, 17, 6227-6235.	1.3	5
121	Anomalous halogen bonds in the crystal structures of 1,2,3-tribromo-5-nitrobenzene and 1,3-dibromo-2-iodo-5-nitrobenzene. <i>Acta Crystallographica Section E: Crystallographic Communications</i> , 2015, 71, 960-964.	0.2	5
122	Synthesis, spectroscopic and structural characterization of bis[N , N ^{â€²} -3-azapentane-1,5-diyl-bis(salicylideneiminato)]-dicobalt(III). <i>Inorganic Chemistry Communication</i> , 2016, 70, 41-46.	1.8	5
123	Synthesis, structure and luminescence properties of zinc and cadmium linear-chain compounds with anionic monoalkoxy-tetracyanopropenes bridged by 4,4 ^{â€²} -bipyridines. <i>Polyhedron</i> , 2019, 170, 271-277.	1.0	5
124	Crystal structures of ten enantiopure Schiff bases bearing a naphthyl group. <i>Acta Crystallographica Section E: Crystallographic Communications</i> , 2016, 72, 583-589.	0.2	5
125	Redetermination of ammonium metavanadate. <i>IUCrData</i> , 2018, 3, .	0.1	5
126	A comparison of the X-ray single-crystal structure of Li3SbO4 with the Rietveld refinement. <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 2001, 57, 883-884.	0.4	4

#	ARTICLE	IF	CITATIONS
127	Crystal Structure of Li ₃ CuSbO ₅ . <i>Journal of Solid State Chemistry</i> , 2001, 156, 321-324.	1.4	4
128	Method for Metal Dispersion Measurements on Pt-Sn/ γ -Al ₂ O ₃ . <i>Reaction Kinetics and Catalysis Letters</i> , 2001, 73, 317-323.	0.6	4
129	Flatversustwisted rotamers of 2,4-disubstituted thiazoles: the effect of intermolecular hydrogen bonds. <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 2002, 58, o151-o153.	0.4	4
130	4-(4-Bromophenyl)-2-methyl-1,3-thiazole. <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 2003, 59, o360-o362.	0.4	4
131	Bis($\frac{1}{4}$ -pentafluorobenzenethiolato- λ^2 S:S)-trans-bis{(pentafluorobenzenethiolato- λ^2 S)[(pentafluorophenyl)diphenylphosphine- λ^2 P]palladium(II)}. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2003, 59, m1140-m1142.	0.2	4
132	Di- $\frac{1}{4}$ -aspirinato-copper(II): a redetermination. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2003, 59, m1171-m1173.	0.2	4
133	Bis(acetylsalicylato- λ^2 O,O ϵ^2)diaquacadmium(II). <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2004, 60, m1621-m1623.	0.2	4
134	[$\frac{1}{4}$ -2,8-Dimethyl-5,11-bis(dimethylaminoethyl)-1,4,5,6,7,10,11,12-octahydrodiimidazo[4,5-h;4,5-c][1,6]diazecine]bis[aquacopper(II)] diacetate hexahydrate. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2005, 61, m274-m276.	0.2	4
135	Tetrakis(pentafluorobenzenethiolato- λ^2 S)(triphenylphosphine- λ^2 P)osmium(IV): a $Z = 3$ structure with a supramolecular double-stranded backbone. <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 2006, 62, m201-m204.	0.4	4
136	2-Acetylpyrrole. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2007, 63, o2593-o2594.	0.2	4
137	2,4,6-Trichlorophenol. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2007, 63, o3947-o3947.	0.2	4
138	Two Nearly Isoformular Isomeric Dinuclear Platinum(II) Complexes with Planar and Butterfly [Pt ₂ ($\frac{1}{2}$ -S) ₂] Core Structures. <i>Journal of Chemical Crystallography</i> , 2008, 38, 123-127.	0.5	4
139	Physical characterization and biological studies of a (streptidine)(PtIICl ₄) compound. <i>Polyhedron</i> , 2009, 28, 3459-3466.	1.0	4
140	Synthesis, crystal structures and luminescent properties of an isotopic series of rare-earths complexes with a dialdehyde ligand. <i>Polyhedron</i> , 2010, 29, 2048-2052.	1.0	4
141	Diosgenone: a second polymorph. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2012, 68, o2358-o2358.	0.2	4
142	Polyfluorinated mercury thiolates. 199Hg NMR studies and the crystal structure of [Hg(SC ₆ H ₄ (CF ₃)-2) ₂]. <i>Journal of Fluorine Chemistry</i> , 2013, 156, 61-65.	0.9	4
143	Crystal structures of four chiral imine-substituted thiophene derivatives. <i>Acta Crystallographica Section E: Crystallographic Communications</i> , 2016, 72, 350-354.	0.2	4
144	Quantitative analysis of intermolecular interactions in cocrystals and a pair of polymorphous cocrystal hydrates from 1,4-dihydroquinoxaline-2,3-dione and 1 <i>H</i> -benzo[<i>d</i>]imidazol-2(3 <i>H</i>)-one with 2,5-dihydroxy-1,4-benzoquinones: a combined X-ray structural and theoretical analysis. <i>CrystEngComm</i> , 2020, 22, 6645-6660.	1.3	4

#	ARTICLE	IF	CITATIONS
145	Preparation and diastereoselective methylation of enantiopure (S)-4-(1-phenylethyl)-1,4-oxazin-2-ones. <i>Arkivoc</i> , 2006, 2003, 61-71.	0.3	4
146	Complexation of L-thiocaprolactam with heavy metals: terminal and bridging coordination modes in cadmium and silver compounds. <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 1999, 55, 1627-1631.	0.4	3
147	trans-(3R,2aS)-(R)-3-Phenyl-2,3,5,6,7,8-hexahydro-oxazolo[3,2-a]pyridine-5-thione. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2003, 59, o519-o521.	0.2	3
148	Pregnenolone hemisuccinate: aP1 structure with $Z^2 = 4$. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2003, 59, o1372-o1375.	0.2	3
149	Dichloro[(6R,7S,8S,14R)-(R)-L-isosparteine-2N, N ϵ^2]zinc(II). <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2003, 59, m988-m990.	0.2	3
150	catena-Poly[bromo(L-thiocaprolactam-2S)gold(I)](Au ϵ Au). <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 2004, 60, m414-m417.	0.4	3
151	Dichlorobis(1H-benzimidazole-3N)cobalt(II). <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2005, 61, m875-m877.	0.2	3
152	Tetrakis(2,3,5,6-tetrafluorobenzenethiolato-2S)(triphenylphosphine-2P)osmium(IV)n-hexane hemisolvate. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2006, 62, m2167-m2169.	0.2	3
153	Regioselective Endocyclic Oxidation of Enantiopure 3-Alkylpiperidines: Synthesis of (3S,5S)-3-ethyl-5-methylpiperidine. <i>Synthetic Communications</i> , 2006, 36, 935-942.	1.1	3
154	Synthesis, structural, electronic and magnetic studies of [Cu(II)(saealanN3H3)]. <i>Journal of Molecular Structure</i> , 2013, 1034, 183-188.	1.8	3
155	Copper(II) Complex with the Tridentate Ligand N,N-bis(2-ethyl-4-methylimidazol-5-ylmethyl)phenylethylamine (biaq). X-ray Crystal Structure and Biological Activity on <i>Bacillus subtilis</i> of [Cu(biaq)Cl ₂]. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2013, 639, 1455-1460.	0.6	3
156	Synthesis of (+)- and (R)-Geissman-Waiss lactone from chiral sulfonium salts. <i>Tetrahedron Letters</i> , 2020, 61, 151697.	0.7	3
157	trans-Hydroboration-oxidation products in ⁵ -steroids via a hydroboration-retro-hydroboration mechanism. <i>Chemical Science</i> , 2020, 11, 12764-12768.	3.7	3
158	(R)-3,4,5-Trideoxy-5,6-didehydro-1,2-O-(2,2,2-trichloroethylidene)-D-glucofuranose-6,3-carbolactone: a new derivative of L-chloralose. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2008, 64, o1784-o1784.	0.2	3
159	1,3-Bis[(+)-(S)-[1-(1-naphthyl)ethyl]iminomethyl]benzene dichloromethane solvate. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2009, 65, o1316-o1316.	0.2	3
160	2,5-Bis[(R)-(S)-1-(4-methylphenyl)ethyl]iminomethyl]thiophene. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2013, 69, o1428-o1428.	0.2	3
161	Monoclinic polymorph of chlorido(dimethyl sulfoxide-2O)triphenyltin(IV). <i>Acta Crystallographica Section E: Crystallographic Communications</i> , 2018, 74, 163-166.	0.2	3
162	One molecule, three crystal structures: conformational trimorphism of N-[(1S)-1-phenylethyl]benzamide. <i>Acta Crystallographica Section E: Crystallographic Communications</i> , 2020, 76, 1229-1233.	0.2	3

#	ARTICLE	IF	CITATIONS
163	Bis[bis(benzimidazol-2-ylmethyl-N3)amine-N]nickel(II) Dichloride. Acta Crystallographica Section C: Crystal Structure Communications, 1997, 53, 1607-1609.	0.4	2
164	Synthesis and structural investigations of derivatives of 5-ethyl-2-styryl-pyridine. Journal of Chemical Crystallography, 1999, 29, 653-657.	0.5	2
165	Allyl 4-hydroxybenzoate. Acta Crystallographica Section E: Structure Reports Online, 2003, 59, o1522-o1524.	0.2	2
166	Crystal Structure of trans(3R,2aS)-(-)-3-Phenyl-hexahydro-oxazolo[3,2-a]-pyridin-5-one. Analytical Sciences, 2003, 19, 1223-1224.	0.8	2
167	Solvent-Free Synthesis of Chiral N,N ² -Disubstituted Thioureas by \hat{a} €™Just Mixing \hat{a} ™ the Reagents. Synthesis, 2004, 2004, 1955-1958.	1.2	2
168	o-Nitrobenzoic acid anhydride. Acta Crystallographica Section E: Structure Reports Online, 2006, 62, o3191-o3192.	0.2	2
169	{Bis[2-(3,5-dimethylpyrazol-1-yl)ethyl]amine- \hat{I} ³ N,N ² ,N ² \hat{a} €²}chloropalladium(II) chloride dihydrate. Acta Crystallographica Section E: Structure Reports Online, 2006, 62, m2934-m2936.	0.2	2
170	Synthesis of fluorinated trithioether compounds. Journal of Fluorine Chemistry, 2006, 127, 22-28.	0.9	2
171	N,N ² -Bis(2-aminobenzyl)ethane-1,2-diamine. Acta Crystallographica Section E: Structure Reports Online, 2007, 63, o549-o550.	0.2	2
172	Structure and Phase Transitions of Ethyl 4 \hat{a} €²-n-undecyloxybiphenyl-4-carboxylate and Its Acid Derivative. Molecular Crystals and Liquid Crystals, 2008, 489, 222/[548]-236/[562].	0.4	2
173	N,N ² -Bis(2-ammoniobenzyl)ethane-1,2-diammonium \hat{a} €“nitrate \hat{a} €“perchlorate (1/1.5/2.5). Acta Crystallographica Section E: Structure Reports Online, 2009, 65, o2995-o2995.	0.2	2
174	Synthesis and Characterization of bis[(2-ethyl-5-methyl-imidazo-4-yl)methyl]Sulfide and Its Coordination Behavior toward Cu(II) as a Possible Approach of a Copper Site Type I. Bioinorganic Chemistry and Applications, 2009, 2009, 1-5.	1.8	2
175	Dimorphic forms of 3,6-dinitrodurene in a single space group. Acta Crystallographica Section C: Crystal Structure Communications, 2009, 65, o176-o178.	0.4	2
176	3,3,6,6,9,9-Hexaethyl-1,2,4,5,7,8-hexaoxacyclononane at 296 K. Acta Crystallographica Section C: Crystal Structure Communications, 2009, 65, o562-o564.	0.4	2
177	A contribution to the elucidation of the biosynthesis of 3-chloro-4-(3 \hat{a} €²-chloro-2 \hat{a} €²-nitrophenyl)-1H-pyrrole (pyrrolnitrin). Tetrahedron Letters, 2009, 50, 1539-1541.	0.7	2
178	Allyl 4-hydroxyphenyl carbonate. Acta Crystallographica Section E: Structure Reports Online, 2009, 65, o1603-o1603.	0.2	2
179	Stereochemistry of base-induced cleavage of methoxide ion on cis- and trans-1,4-diphenylphosphorinium salts. A different behavior with a phenyl substituent. Tetrahedron, 2010, 66, 6188-6194.	1.0	2
180	Tris{2-[(2-aminobenzylidene)amino]ethyl}amine. Acta Crystallographica Section E: Structure Reports Online, 2010, 66, o3054-o3055.	0.2	2

#	ARTICLE	IF	CITATIONS
181	Bis[4-(diphenylmethyleamino)phenyl]methanone. Acta Crystallographica Section E: Structure Reports Online, 2010, 66, o1322-o1323.	0.2	2
182	Structural Changes in CuII Complexes of Potential Octadentate Ligands by Coordination with Carboxylate/Carboxylic Acid: DFT, TD-DFT, and Experimental Studies. Australian Journal of Chemistry, 2010, 63, 965.	0.5	2
183	Tris[2-(2H-indazol-2-yl)ethyl]amine. Acta Crystallographica Section E: Structure Reports Online, 2012, 68, o1879-o1880.	0.2	2
184	2,5-Bis{[(âˆ—)-(S)-1-(4-bromophenyl)ethyl]iminomethyl}thiophene. Acta Crystallographica Section E: Structure Reports Online, 2014, 70, o345-o345.	0.2	2
185	Coordination of bis(pyrazol-1-yl)amine to palladium(II): influence of the co-ligands and counter-ions on the molecular and crystal structures. Acta Crystallographica Section E: Crystallographic Communications, 2015, 71, 22-27.	0.2	2
186	Two Closely Related Organic Charge-Transfer Complexes Based on Tetrathiafulvalene and 9H-fluorenone Derivatives. Competition between Hydrogen Bonding and Stacking Interactions. Crystals, 2015, 5, 283-293.	1.0	2
187	Crystal structure of <i>trans</i> -N,N'-bis(3,5-di- <i>tert</i> -butyl-2-hydroxyphenyl)oxamide methanol monosolvate. Acta Crystallographica Section E: Crystallographic Communications, 2016, 72, 918-921.	0.2	2
188	<i>Cis</i> - <i>trans</i> isomerism in a square-planar platinum(II) complex bearing bulky fluorinated phosphane ligands. Acta Crystallographica Section C, Structural Chemistry, 2016, 72, 268-273.	0.2	2
189	Bioinspired Co(II) and Zn(II) complexes with an imidazole derived tripodal ligand. Structural models for astacins and MnSOD. Polyhedron, 2017, 127, 167-175.	1.0	2
190	Electrochemical deamination of alkoxyamine lactams. Tetrahedron Letters, 2020, 61, 152279.	0.7	2
191	Synthesis of a truncated tetradenolide. Journal of Heterocyclic Chemistry, 2020, 57, 4373-4379.	1.4	2
192	Tetraammonium bis(metforminium) di- $\frac{1}{4}$ - $\frac{6}{sub}$ -oxido-tetra- $\frac{1}{4}$ - $\frac{3}{sub}$ -oxido-tetradeca- $\frac{1}{4}$ - $\frac{2}{sub}$ -oxido-octaoxidodecavanadium(V) hexahydrate. IUCrData, 2021, 6, .	0.1	2
193	Stereoselective synthesis of (26R)-26-hydroxydiosgenin and its effect on the regulation of rat ovarian function. Bioorganic Chemistry, 2021, 115, 105189.	2.0	2
194	[$\frac{1}{4}$ -2,8-Dimethyl-1,4,5,6,7,10,11,12-octahydrodiimidazo[4,5- <i>h</i>];4â€²,5â€²- <i>c</i>][1,6]diazecine-5,11-diacetato]bis[diaquanitrate] trihydrate. Acta Crystallographica Section E: Structure Reports Online, 2008, 64, m1135-m1136.	0.2	2
195	Tris(1 <i>H</i> -benzimidazol-2-ylmethyl)amine methanol trisolvate. IUCrData, 2020, 5, .	0.1	2
196	Redetermination of diammonium trivanadate, (NH ₄) ₂ V ₃ O ₈ . IUCrData, 2020, 5, .	0.1	2
197	The zwitterion (23â€²)-(23R,25S)-23-[1-(oxidoiminio)ethyl]-5 ¹² -spirostan-3 ¹² -yl acetate. Acta Crystallographica Section E: Structure Reports Online, 2009, 65, o2954-o2955.	0.2	2
198	N,N'-Bis(2-aminobenzyl)ethane-1,2-diaminium bis(4-methylbenzenesulfonate). Acta Crystallographica Section E: Structure Reports Online, 2011, 67, o3235-o3236.	0.2	2

#	ARTICLE	IF	CITATIONS
199	Deciphering the hydrogen-bonding scheme in the crystal structure of triphenylmethanol: a tribute to George Ferguson and co-workers. <i>Acta Crystallographica Section C, Structural Chemistry</i> , 2019, 75, 1266-1273.	0.2	2
200	First HgII-Thiocaprolactam Complex. <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 1998, 54, 49-51.	0.4	1
201	(λ^2)-(1 <i>S</i> ,4 <i>S</i> ,7 <i>R</i> ,8 <i>R</i>)-4a-Ethyl-7-hydroxy-1-(1 <i>S</i> -phenylethyl)perhydroquinolinium bromide. <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 2002, 58, o591-o592.	0.4	1
202	Aqua[(μ)-lactate-O,O](1,10-phenanthroline- λ^2 N,N)copper(II) nitrate. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2002, 58, m765-m767.	0.2	1
203	New developments on the coordination behaviour of 2-substitued benzimidazoles. <i>Journal of Inorganic Biochemistry</i> , 2003, 96, 98.	1.5	1
204	Solving the problem of the configuration of the double bond at C22 in (2 <i>S</i>)-23-acetyl-5 <i>S</i> -furost-22-ene-3 <i>S</i> ,26-diyl diacetate. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2003, 59, o1817-o1819.	0.2	1
205	Chloro(histamine)(1,10-phenanthroline)copper(II) chloride monohydrate. <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 2004, 60, m205-m207.	0.4	1
206	(3 <i>aS</i> ,7 <i>aS</i>)-1-{2-Oxo-1,3-bis[(<i>S</i>)-1-phenylethyl]perhydro-1,3,2 <i>S</i> -5-benzodiazaphosphol-2-yl}-1-phenylmethanol: a mixture of diastereoisomers in a disordered crystal. <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 2004, 60, o411-o414.	0.4	1
207	1,5-Diaminonaphthalene. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2004, 60, o45-o47.	0.2	1
208	Bis[(<i>S</i>)-(λ^2)-1-phenylethylammonium] tetrachloropalladate(II). <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2004, 60, m342-m344.	0.2	1
209	D-Galactono-1,4-lactone: a case of wrong absolute configuration surviving three decades. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2004, 60, o904-o906.	0.2	1
210	(<i>E</i>)-(2 <i>S</i> ,2 <i>S</i>)-20,23-Diacetyl-5 <i>S</i> -furost-22-ene-3 <i>S</i> ,26-diyl diacetate. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2004, 60, o1137-o1139.	0.2	1
211	Se-Phenyl 3-(1 <i>H</i> -indol-3-yl)selenoacrylate. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2004, 60, o1961-o1963.	0.2	1
212	4,4'-(2-Methyl-1 <i>H</i> -imidazole-4,5-diyl)bis[2(<i>S</i>)-methyl-3-azoniabutanoate] acetic acid monohydrate. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2005, 61, o284-o286.	0.2	1
213	N-(2-Cyanopropan-2-yl)isobutyramide. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2005, 61, o2733-o2735.	0.2	1
214	(λ^2)-1-Benzyl-4-[1(<i>S</i>)-phenylethylamino]-5,6-dihydropyridin-2(1 <i>H</i>)-one. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2005, 61, o2924-o2926.	0.2	1
215	(λ^2)-1-Benzyl-4-[(1 <i>R</i>)-2-hydroxy-1-phenylethylamino]-5,6-dihydropyridin-2(1 <i>H</i>)-one. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2005, 61, o2927-o2929.	0.2	1
216	trans-Dichlorobis[(<i>S</i>)-(λ^2)-1-(1-naphthyl)ethylamine]palladium(II). <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2006, 62, m502-m504.	0.2	1

#	ARTICLE	IF	CITATIONS
217	(S)-(λ^5)-1-(4-Methylphenyl)ethylammonium chloride. Acta Crystallographica Section E: Structure Reports Online, 2007, 63, o1053-o1055.	0.2	1
218	trans-Diphenyldiazene oxide. Acta Crystallographica Section E: Structure Reports Online, 2007, 63, o3639-o3639.	0.2	1
219	Accurate stereochemistry for two related 22,26-epiminocholestene derivatives. Acta Crystallographica Section C: Crystal Structure Communications, 2008, 64, o214-o216.	0.4	1
220	(λ^5)-N,N'-Bis[(1S,2R,5S)-6,6-dimethyl-bicyclo[3.1.1]heptan-2-ylmethyl]pyridine-2,6-dicarboxamide monohydrate. Acta Crystallographica Section E: Structure Reports Online, 2008, 64, o1078-o1079.	0.2	1
221	(+)-(S,S)-1,3-Bis[(tetrahydrofuran-2-yl)methyl]thiourea. Acta Crystallographica Section E: Structure Reports Online, 2009, 65, o96-o96.	0.2	1
222	(R)-1-Phenylethylammonium trifluoroacetate. Acta Crystallographica Section E: Structure Reports Online, 2010, 66, o1118-o1118.	0.2	1
223	(λ^5)-(S)-N,N'-Bis[1-(1-naphthyl)ethyl]oxalamide. Acta Crystallographica Section E: Structure Reports Online, 2010, 66, o2988-o2988.	0.2	1
224	5,11-Diisopropyl-2,8-dimethyl-1H,7H-diimidazo[c,h][1,6]diazecine dihydrate. Acta Crystallographica Section E: Structure Reports Online, 2010, 66, o1958-o1959.	0.2	1
225	Redetermination of bis(2-formylphenolato- λ^2 O,O')nickel(II) as bis[2-(iminomethyl)phenolato- λ^2 N,O']nickel(II). Acta Crystallographica Section E: Structure Reports Online, 2010, 66, m100-m100.	0.2	1
226	Histamine Molecule and Dianion Oxalate are Efficient Blocks for Building 2D Supramolecular Networks. Journal of Chemical Crystallography, 2011, 41, 1461-1466.	0.5	1
227	Five-coordinate fluorobenzothiolate osmium(IV) complexes [Os(SRF) ₄ (PR ₃)] (RF=C ₆ F ₄ H-4, R ₃ =Ph ₂ (C ₆ F ₅); Tj ETQq1 1 0.784314 rgB 1.0 1	1.0	1
228	1,3-Bis[(λ^5)-(S)-(1-phenylethyl)iminomethyl]benzene. Acta Crystallographica Section E: Structure Reports Online, 2011, 67, o1648-o1649.	0.2	1
229	2,2'-bis-(Propane-1,3-diyl)bis(2H-indazole). Acta Crystallographica Section E: Structure Reports Online, 2011, 67, o2144-o2144.	0.2	1
230	2-Sulfanylidene-1,3-dithiolo[4,5-b]naphtho[2,3-e][1,4]dithiine-5,10-dione. Acta Crystallographica Section E: Structure Reports Online, 2011, 67, o2837-o2837.	0.2	1
231	9-(Dicyanomethylidene)fluorene-tetrathiafulvalene (1/1). Acta Crystallographica Section E: Structure Reports Online, 2012, 68, o932-o932.	0.2	1
232	4,4'-bis-[(2R*,3R*,4R*,5R*)-3,4-Dimethyltetrahydrofuran-2,5-diyl]diphenol. Acta Crystallographica Section E: Structure Reports Online, 2012, 68, o3019-o3020.	0.2	1
233	Diaquatrakis(nitrato- λ^2 O,O'){2,2'-[pyridine-2,6-diylbis(methyleneoxy)]dibenzaldehyde- λ^1 O}dysprosium(III)-2,2'-[pyridine-2,6-diyl]bis(methyleneoxy) (1/1). Acta Crystallographica Section E: Structure Reports Online, 2012, 68, m1239-m1240.	0.2	1
234	(25R)-6 β -Hydroxy-5 β -spirostan-3 β -yl tosylate. Acta Crystallographica Section E: Structure Reports Online, 2012, 68, o3413-o3414.	0.2	1

#	ARTICLE	IF	CITATIONS
235	A Dimorphic Os(IV) Complex with Pyramidal Sulfur Inversion in a Sulfanyl Chelating Ligand. <i>Journal of Chemical Crystallography</i> , 2012, 42, 1119-1123.	0.5	1
236	Pelanserin: 3-[3-(4-phenylpiperazin-1-yl)propyl]quinazoline-2,4(1 <i>H</i> ,3 <i>H</i>)-dione. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2014, 70, o878-o878.	0.2	1
237	A candidate for a single-chain magnet: [Mn ₃ (OAc) ₆ (py) ₂ (H ₂ O) ₂] _n (OAc) Tj ETQq1 1 0		
238	Crystal structure of $\frac{1}{4}$ -cyanido-1:2 λ^2 N:C-dicyanido-1 λ^2 C,2 λ^2 C-bis(quinolin-8-amine-1 λ^2 N,N λ^2)-2-silver(I)-1-silver(II): rare occurrence of a mixed-valence Ag _I ,II compound. <i>Acta Crystallographica Section E: Crystallographic Communications</i> , 2015, 71, 698-701.	0.2	1
239	Crystal structure of 3,5-dimethylpyridine <i>N</i> -oxide dihydrate. <i>Acta Crystallographica Section E: Crystallographic Communications</i> , 2016, 72, 1687-1690.	0.2	1
240	A Concise Stereoselective Synthesis of (R)-2-Benzylmorpholine and ML398 from (R)-2-Phenylglycinol. <i>Journal of Heterocyclic Chemistry</i> , 2019, 56, 2677-2682.	1.4	1
241	Stereoconvergent synthesis of N-Boc-(2R,3S)-3-hydroxy-2-phenylpiperidine. <i>Tetrahedron Letters</i> , 2019, 60, 820-824.	0.7	1
242	<i>In vitro</i> nematocidal activity of two ferrocenyl chalcones against larvae of <i>Haemonchus contortus</i> (L ₃) and <i>Nacobbus aberrans</i> (J ₂). <i>Journal of Helminthology</i> , 2020, 94, e190.	0.4	1
243	Mesoscale Assembly of Bisteroidal Esters from Terephthalic Acid. <i>Molecules</i> , 2020, 25, 1213.	1.7	1
244	Electrocrystallization, structural and physicochemical characterization of a novel copper(II) dinuclear paddle-wheel complex with sulindac, [Cu ₂ (Suln) ₄] \cdot 3H ₂ O. <i>Inorganica Chimica Acta</i> , 2021, 515, 120070.	1.2	1
245	Structure and NMR properties of the dinuclear complex di- $\frac{1}{4}$ -azido- λ^4 - <i>N</i> -bis[λ^1 -azido- <i>N</i> -(pyridine-2-carboxamide- λ^2 - <i>N</i>)] Tj ETQq1 1 0,784314	0.2	1
246	Refinement of K[Hg ₃](H ₂ O) using non-spherical atomic form factors. <i>Acta Crystallographica Section E: Crystallographic Communications</i> , 2021, 77, 681-685.	0.2	1
247	Diaqua(nitrato- λ^2 O) ₂ bis(L-phenylalaninato- λ^2 O) ₂ lead(II) nitrate. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2008, 64, m566-m567.	0.2	1
248	N-[3-(2,6-Dimethylanilino)-1-methylbut-2-enylidene]-2,6-dimethylanilinium chloride. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2009, 65, o1671-o1672.	0.2	1
249	(S)-(+)-1-(1-Naphthyl)-1-(2-thienylmethylene)ethylamine. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2009, 65, o1651-o1651.	0.2	1
250	4-Hydroxy-1,1 λ^2 -bis[(S)-1-phenylethyl]-5,5 λ^2 ,6,6 λ^2 -tetrahydro-3,4 λ^2 -bipyridine-2,2 λ^2 -(1H,1 λ^2 H)-dione. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2013, 69, o408-o409.	0.2	1
251	N,N λ^2 -Bis(2-aminobenzyl)ethane-1,2-diaminium dinitrate. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2013, 69, o1643-o1644.	0.2	1
252	Crystal structure of $\frac{1}{4}$ -oxalato- λ^2 O1:O2-bis[(dimethyl sulfoxide- λ^2 O)triphenyltin(IV)]. <i>Acta Crystallographica Section E: Crystallographic Communications</i> , 2017, 73, 1033-1036.	0.2	1

#	ARTICLE	IF	CITATIONS
253	Crystal structure of a new hydrate form of the NSAID sodium diclofenac. <i>Acta Crystallographica Section E: Crystallographic Communications</i> , 2020, 76, 1846-1850.	0.2	1
254	fac-Bis[bis(pyridin-2-yl)methanamine]iron(II) bis(1,1,3,3-tetracyano-2-ethoxypropenide) dihydrate. <i>IUCrData</i> , 2017, 2, .	0.1	1
255	(Metformin- \hat{N})(salicylato- \hat{O})copper(II) trihydrate. <i>IUCrData</i> , 2018, 3, .	0.1	1
256	Platinum complexes with non-symmetric fluorodithioethers: Molecular structures of cis-[PtCl ₂ (CH ₃ SCH ₂ CH ₂ SRf)] (Rf = C ₆ F ₅ , C ₆ H ₄ F-3) and trans-[PtCl ₂ (CH ₃ SCH ₂ CH ₂ SC ₆ F ₅) ₂]. <i>Journal of the Brazilian Chemical Society</i> , 2005, 16, 1179-1185.	0.6	1
257	2,2-Dimethoxy-4,4-[rel-(2R,3S)-2,3-dimethylbutane-1,4-diyl]diphenol. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2009, 65, o1279-o1279.	0.2	1
258	(Benzoato- \hat{O})chlorido[(\hat{N})-sparteine- \hat{N}]zinc(II). <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2009, 65, m1142-m1143.	0.2	1
259	1,4-Bis[(+)-(S)-[1-(1-naphthyl)ethyl]iminomethyl]benzene. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2009, 65, o2317-o2317.	0.2	1
260	Diallyl 5-[(4-hexyloxyphenyl)iminomethyl]-m-phenylene dicarbonate. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2009, 65, o2810-o2811.	0.2	1
261	N,N-Bis(2-azaniumylbenzyl)ethane-1,2-diaminium tetrachloride. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2011, 67, o3237-o3238.	0.2	1
262	2-Methyl-1,4,5-triphenyl-1H-imidazole. <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 2002, 58, o619-o620.	0.4	0
263	(S)-4-Isopropyl-5,5-dimethyl-1,3-oxazolidinethione as Chiral Auxiliary for the Intramolecular Sulfur Transfer in \pm , \hat{I}^2 -Unsaturated N-Acylimides, Promoted by NbCl ₅ .. <i>ChemInform</i> , 2003, 34, no.	0.1	0
264	A Novel Nucleophilic Attack to N-Enoyl Oxazolidinethiones.. <i>ChemInform</i> , 2003, 34, no.	0.1	0
265	(25R)-1 $\hat{\pm}$,2 $\hat{\pm}$ -Epoxy-3 $\hat{\pm}$ -hydroxy-5 $\hat{\pm}$ -spirostan-6-one. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2004, 60, o1133-o1134.	0.2	0
266	(1 $\hat{\pm}$ 2R,3S)-2-Oxo-1-(1 $\hat{\pm}$ -phenylethyl)piperidine-3-carboxylic acid: a case of a very strong intramolecular hydrogen bond. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2004, 60, o2110-o2112.	0.2	0
267	Asymmetric Synthesis of 3-Methylthio Alcohols by Intramolecular Michael Addition Reactions.. <i>ChemInform</i> , 2005, 36, no-no.	0.1	0
268	N,N-Bis[(R)-2-hydroxy-2-phenylethyl]-N,N-bis[(S)-1-phenylethyl]pyridine-2,6-dicarboxamide: stabilization of an asymmetric conformer through the formation of a double intramolecular hydrogen bond. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2005, 61, o536-o538.	0.2	0
269	(2R,3S,4R)-1,2,4,5-Tetraacetoxy-3-methoxypentyl acetate. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2005, 61, o1643-o1645.	0.2	0
270	4-(Hexylamino)phenol. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2005, 61, o3210-o3211.	0.2	0

#	ARTICLE	IF	CITATIONS
271	4-(Hexyloxy)aniline. Acta Crystallographica Section E: Structure Reports Online, 2005, 61, o3212-o3213.	0.2	0
272	2,2,6,6-Tetrabromobiphenyl. Acta Crystallographica Section E: Structure Reports Online, 2006, 62, o388-o389.	0.2	0
273	4-Fluorophenyl 4-{1,1,1,3,3,3-hexafluoro-2-[4-(4-fluorobenzoyl)phenyl]-2-propyl}phenyl ketone. Acta Crystallographica Section E: Structure Reports Online, 2006, 62, o3600-o3601.	0.2	0
274	4,4-(1,1,1,3,3,3-Hexafluoropropane-2,2-diyl)bis(benzoyl chloride). Acta Crystallographica Section E: Structure Reports Online, 2006, 62, o3602-o3603.	0.2	0
275	Solasodine monohydrate: an authentic structural characterization and a reinterpretation of a previous report. Acta Crystallographica Section E: Structure Reports Online, 2006, 62, o4741-o4743.	0.2	0
276	Synthesis of N-Substituted 2,4-Thiazolidinediones from Oxazolidinethiones.. ChemInform, 2006, 37, no.	0.1	0
277	Acyclic Schiff base salts derived from 1,3-diaminopropane and 1,3-diamino-2-hydroxypropane. Acta Crystallographica Section C: Crystal Structure Communications, 2007, 63, o597-o599.	0.4	0
278	2-[(4-Hexyloxyphenyl)iminomethyl]benzene-1,4-diol. Acta Crystallographica Section E: Structure Reports Online, 2007, 63, o3853-o3853.	0.2	0
279	rac-9-Ethyl-12a-hydroxytetradecahydrotriphenylene-1,5(2H,4bH)-dione: stabilization of a new isomer of a functionalized perhydrotriphenylene through a tandem Michael addition-aldol reaction. Acta Crystallographica Section C: Crystal Structure Communications, 2008, 64, o319-o321.	0.4	0
280	(2 <i>S</i> ,2' <i>S</i>)-20-[4-(3-Hydroxy-2-methylpropyl)-3-methylisoxazol-5-yl]-5 β -pregnan-3 β ,16 β -diol. Acta Crystallographica Section E: Structure Reports Online, 2009, 65, o3265-o3266.	0.2	0
281	(2 <i>SR</i> ,3 <i>RS</i>)-Methyl 2-(adamantan-1-yl)-3-phenylsulfonyl-3-(pyridin-2-ylsulfanyl)propanoate dichloromethane hemisolvate. Acta Crystallographica Section E: Structure Reports Online, 2011, 67, o981-o982.	0.2	0
282	(<i>S</i>)-(+)-N-Benzylidene-1-(1-naphthyl)ethylamine. Acta Crystallographica Section E: Structure Reports Online, 2011, 67, o1257-o1257.	0.2	0
283	Westphalen's diol diacetate: 19(10 β)-abeo-5 β -cholest-9-ene-3 β ,6 β -diyl diacetate. Acta Crystallographica Section E: Structure Reports Online, 2012, 68, o3331-o3331.	0.2	0
284	3-tert-Butyl 5-methyl (2 <i>R</i> ,4 <i>S</i> ,5 <i>R</i>)-2-(4-methoxyphenyl)-4-(3-nitrophenyl)-1,3-oxazolidine-3,5-dicarboxylate. Acta Crystallographica Section E: Structure Reports Online, 2012, 68, o3146-o3147.	0.2	0
285	Crystal structures of two chiral piperidine derivatives: 1-[(1 <i>R</i>)-2-hydroxy-1-phenylethyl]piperidin-4-one and 8-[(1 <i>S</i>)-1-phenylethyl]-1,4-dioxo-8-azaspiro[4.5]decane-7-thione. Acta Crystallographica Section E: Crystallographic Communications, 2015, 71, 1207-1211.	0.2	0
286	Crystal structure of {bis[2-(3,5-dimethylpyrazol-1-yl)ethyl]amine}chloridoplatinum(II) chloride dihydrate. Acta Crystallographica Section E: Crystallographic Communications, 2015, 71, m98-m99.	0.2	0
287	Crystal structures of <i>p</i> -substituted derivatives of 2,6-dimethylbromobenzene with $\frac{1}{2}$ $\text{Zn} \cdot 4$. Acta Crystallographica Section E: Crystallographic Communications, 2016, 72, 1762-1767.	0.2	0
288	Does the compound hexaaqua-zinc(ii)bis(hydrogensulfate)dihydrate, $[\text{Zn}(\text{H}_2\text{O})_6](\text{HSO}_4 \cdot \text{H}_2\text{O})_2$, really exist?. RSC Advances, 2018, 8, 34921-34925.	1.7	0

#	ARTICLE	IF	CITATIONS
289	<i>N,N'</i> -bis(2-dicyclohexylaminoethyl)-1,3-bis(2-phthaloylglycyl)urea. IUCrData, 2021, 6, .	0.1	0
290	(E)-(25S)-23-Acetyl-5 β -furost-22-ene-3 β ,26-diol. Acta Crystallographica Section E: Structure Reports Online, 2008, 64, o613-o613.	0.2	0
291	Bis[1/4-2,2 α -[(3-azapentane-1,5-diyl)bis(nitrilomethylidene)]diphenolato]dicopper(II) dimethyl sulfoxide disolvate. Acta Crystallographica Section E: Structure Reports Online, 2008, 64, m631-m632.	0.2	0
292	N,N α ,N α α -Tris(2-nitrobenzyl)-2,2 α ,2 α α -nitrilotriethanaminium trichloride 1.41-hydrate. Acta Crystallographica Section E: Structure Reports Online, 2009, 65, o1616-o1617.	0.2	0
293	2,2 α -(2,6-Pyridinediyl)diquinoline. Acta Crystallographica Section E: Structure Reports Online, 2010, 66, o666-o666.	0.2	0
294	Chloridotris(pentafluorobenzenethiolato- μ S)[tris(4-fluorophenyl)phosphine- μ P]osmium(IV). Acta Crystallographica Section E: Structure Reports Online, 2010, 66, m477-m478.	0.2	0
295	(25R)-3 β ,16 β -Diacetoxy-23-acetyl-22,26-epoxycholesta-5,22-dienen-hexane 0.8-solvate. IUCrData, 2016, 1, .	0.1	0
296	Bis(pentafluorobenzenethiolato- μ S){(pentafluorophenyl)phenyl[3,4,5,6-tetrafluoro-2-(pentafluorophenylsulfanyl)phenyl]phosphane- μ 2P} dichloromethane hemisolvate. IUCrData, 2016, 1, .	0.1	0
297	(α) ⁺ -Sparteinium tetrachloridozincate monohydrate. IUCrData, 2016, 1, .	0.1	0
298	(3 β ,5 β ,25R)-12-(Hydroxyimino)spirostan-3-yl acetate. IUCrData, 2017, 2, .	0.1	0
299	Crystal structure of r-1,c-2-dibenzoyl-t-3,t-4-bis(2-nitrophenyl)cyclobutane. Acta Crystallographica Section E: Crystallographic Communications, 2017, 73, 1866-1870.	0.2	0
300	<i>fac</i> -Triaqua(2,2 α -bipyridine- μ 2 ⁺) <i>trans</i> -(nitrate- μ O)cobalt(II) chloride. IUCrData, 2018, 3, .	0.1	0
301	Packing polymorphism in the structure of <i>trans</i> -aqua[<i>trans</i> -bis(salicylidene)ethane-1,2-diamine- μ 4 ⁺] <i>trans</i> -nitrate- μ 2O]cobalt(II) monohydrate. Acta Crystallographica Section E: Crystallographic Communications, 2018, 74, 1778-1782.	0.1	0
302	Aquatris[1-(2,4-dioxo-2H-1-benzopyran-3-ylidene)ethan-1-olato]ethanolgadolinium(III) ethanol monosolvate. IUCrData, 2019, 4, .	0.1	0
303	2,8-Dimethyl-5,11-bis[3-(methylsulfanyl)propyl]-1H,7H-diimidazo[<i>cd</i>][1,6]diazecine. IUCrData, 2019, 4, .	0.1	0
304	Tetrakis(2,3,5,6-tetrafluorobenzenethiolato- μ S)(triphenylphosphane- μ P)osmium(IV): a monoclinic polymorph. IUCrData, 2019, 4, .	0.1	0
305	Ethyl (3 <i>S</i>)-3-[(3 <i>R</i> ,5 <i>R</i> ,6 <i>S</i> ,6 <i>R</i>)-6-hydroxy-2,2-dimethyltetrahydrofuro[4,5- <i>d</i>][1,3]dioxol-5-yl]-3-(3 <i>R</i>)chloroform monosolvate. IUCrData, 2020, 5, .	0.1	0
306	Diosgenin-3,6-dione: second polymorph in space group <i>P</i> ₂ ¹ ₂ ¹ . IUCrData, 2020, 5, .	0.1	0

#	ARTICLE	IF	CITATIONS
307	Diastereoselective synthesis of new zwitterionic bicyclic lactams, scaffolds for construction of 2-substituted-4-hydroxy piperidine and its pipercolic acid derivatives. RSC Advances, 2022, 12, 4187-4190.	1.7	0
308	Bis{[amino(iminiumyl)methyl]urea} tetrakis{2-[(dimethylamino)(iminiumyl)methyl]guanidine} di- $\frac{1}{4}$ -oxido-tetra- $\frac{1}{4}$ -oxido-tetra- $\frac{1}{4}$ -oxido-tetra- $\frac{1}{4}$ -oxido-octaoxidodecavanadium(V) tetrahydrate. IUCrData, 2022, 7, .		0