

# Masahiro Hirata

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2017464/publications.pdf>

Version: 2024-02-01

43  
papers

731  
citations

623734

14  
h-index

580821

25  
g-index

43  
all docs

43  
docs citations

43  
times ranked

1435  
citing authors

#	ARTICLE	IF	CITATIONS
1	Genetic regulation of the RUNX transcription factor family has antitumor effects. <i>Journal of Clinical Investigation</i> , 2017, 127, 2815-2828.	8.2	103
2	Variiegated RHOA mutations in adult T-cell leukemia/lymphoma. <i>Blood</i> , 2016, 127, 596-604.	1.4	98
3	Alteration of specific cytokine expression patterns in patients with breast cancer. <i>Scientific Reports</i> , 2019, 9, 2924.	3.3	67
4	Infiltration of PD-1-positive cells in combination with tumor site PD-L1 expression is a positive prognostic factor in cutaneous angiosarcoma. <i>Oncolmmunology</i> , 2017, 6, e1253657.	4.6	55
5	RUNX1 positively regulates the ErbB2/HER2 signaling pathway through modulating SOS1 expression in gastric cancer cells. <i>Scientific Reports</i> , 2018, 8, 6423.	3.3	33
6	Adipophilin expression in lung adenocarcinoma is associated with apocrine-like features and poor clinical prognosis: an immunohistochemical study of 328 cases. <i>Histopathology</i> , 2017, 70, 232-241.	2.9	32
7	The Killer Cell Ig-like Receptor 2DL4 Expression in Human Mast Cells and Its Potential Role in Breast Cancer Invasion. <i>Cancer Immunology Research</i> , 2015, 3, 871-880.	3.4	30
8	Unbiased Detection of Driver Mutations in Extramammary Paget Disease. <i>Clinical Cancer Research</i> , 2021, 27, 1756-1765.	7.0	24
9	<sc>GATA</sc>-positive lung adenocarcinomas are associated with invasive mucinous adenocarcinoma morphology, hepatocyte nuclear factor 4<math>\pm</math> expression, and <i><sc>KRAS</sc></i> mutations. <i>Histopathology</i> , 2018, 73, 38-48.	2.9	21
10	RUNX transcription factors potentially control E-selectin expression in the bone marrow vascular niche in mice. <i>Blood Advances</i> , 2018, 2, 509-515.	5.2	20
11	Analysis of possible structures of inducible skin-associated lymphoid tissue in lupus erythematosus profundus. <i>Journal of Dermatology</i> , 2018, 45, 1117-1121.	1.2	19
12	Histopathological characterization of the neuroglial tissue in ovarian teratoma associated with anti-N-methyl-D-aspartate (NMDA) receptor encephalitis. <i>Pathology International</i> , 2018, 68, 677-684.	1.3	18
13	Evaluating the effectiveness of <sc>RNA </sc>-in situ hybridization for detecting lung adenocarcinoma with anaplastic lymphoma kinase rearrangement. <i>Histopathology</i> , 2017, 71, 143-149.	2.9	16
14	Accelerated telomere reduction and hepatocyte senescence in tolerated human liver allografts. <i>Transplant Immunology</i> , 2014, 31, 55-59.	1.2	14
15	Trogocytosis-mediated expression of HER2 on immune cells may be associated with a pathological complete response to trastuzumab-based primary systemic therapy in HER2-overexpressing breast cancer patients. <i>BMC Cancer</i> , 2015, 15, 39.	2.6	14
16	Possible Involvement of Human Mast Cells in the Establishment of Pregnancy via Killer Cell Ig-Like Receptor 2DL4. <i>American Journal of Pathology</i> , 2018, 188, 1497-1508.	3.8	13
17	Variable indoleamine 2,3-dioxygenase expression in acral/mucosal melanoma and its possible link to immunotherapy. <i>Cancer Science</i> , 2019, 110, 3434-3441.	3.9	13
18	CD72 negatively regulates mouse mast cell functions and down-regulates the expression of KIT and FcRI. <i>International Immunology</i> , 2015, 27, 95-103.	4.0	12

#	ARTICLE	IF	CITATIONS
19	<sc>CEACAM</sc>1 long isoform has opposite effects on the growth of human mastocytosis and medullary thyroid carcinoma cells. <i>Cancer Medicine</i> , 2017, 6, 845-856.	2.8	12
20	Killer Immunoglobulin-Like Receptor 2DL4 (CD158d) Regulates Human Mast Cells both Positively and Negatively: Possible Roles in Pregnancy and Cancer Metastasis. <i>International Journal of Molecular Sciences</i> , 2020, 21, 954.	4.1	12
21	CD72 regulates the growth of KIT-mutated leukemia cell line Kasumi-1. <i>Scientific Reports</i> , 2013, 3, 2861.	3.3	10
22	SLAM family member 8 is expressed in and enhances the growth of anaplastic large cell lymphoma. <i>Scientific Reports</i> , 2020, 10, 2505.	3.3	10
23	Downregulated ATP6V1B1 expression acidifies the intracellular environment of cancer cells leading to resistance to antibody-dependent cellular cytotoxicity. <i>Cancer Immunology, Immunotherapy</i> , 2021, 70, 817-830.	4.2	10
24	Prognostic impact of activation-induced cytidine deaminase expression for patients with diffuse large B-cell lymphoma. <i>Leukemia and Lymphoma</i> , 2018, 59, 2085-2095.	1.3	9
25	Killer cell immunoglobulin-like receptor 2DL4 is expressed in and suppresses the cell growth of Langerhans cell histiocytosis. <i>Oncotarget</i> , 2017, 8, 36964-36972.	1.8	9
26	An inflammatory myofibroblastic tumor exhibiting immunoreactivity to KIT: a case report focusing on a diagnostic pitfall. <i>World Journal of Surgical Oncology</i> , 2014, 12, 186.	1.9	7
27	<sc>NK</sc>p46 regulates the production of serine proteases and <sc>IL</sc>22 in human mast cells in urticaria pigmentosa. <i>Experimental Dermatology</i> , 2015, 24, 675-679.	2.9	7
28	<sc>SLAM</sc> family member 8 is involved in oncogenic <sc>KIT</sc>-mediated signalling in human mastocytosis. <i>Experimental Dermatology</i> , 2018, 27, 641-646.	2.9	7
29	A comparison of the usefulness of nuclear beta-catenin in the diagnosis of desmoid-type fibromatosis among commonly used anti-beta-catenin antibodies. <i>Pathology International</i> , 2021, 71, 392-399.	1.3	7
30	Downregulation of neuropilin-1 on macrophages modulates antibody-mediated tumoricidal activity. <i>Cancer Immunology, Immunotherapy</i> , 2017, 66, 1131-1142.	4.2	5
31	Development of a novel lung-stabilizing device for VATS procedures. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2017, 31, 4260-4267.	2.4	5
32	RUNX1 transactivates <i>BCR-ABL1</i> expression in Philadelphia chromosome positive acute lymphoblastic leukemia. <i>Cancer Science</i> , 2022, 113, 529-539.	3.9	5
33	Suppression of malignant rhabdoid tumors through Chb-M <sup>2</sup> -mediated RUNX1 inhibition. <i>Pediatric Blood and Cancer</i> , 2021, 68, e28789.	1.5	3
34	Dual CD4/CD8-positive Ichthyosiform Mycosis Fungoides with Lymph Node, Peripheral Blood and Cardiac Involvement: A Case Report. <i>Acta Dermato-Venereologica</i> , 2016, 96, 564-566.	1.3	2
35	Analysis of tumor infiltrating lymphocytes in HER2-positive primary breast cancer treated with neoadjuvant lapatinib and trastuzumab: The NeoLath study (JBCRG-16).. <i>Journal of Clinical Oncology</i> , 2016, 34, 599-599.	1.6	2
36	Chlorambucil-conjugated PI-polyamides (Chb-M <sup>2</sup> ™), a transcription inhibitor of RUNX family, has an anti-tumor activity against SHH-type medulloblastoma with p53 mutation. <i>Biochemical and Biophysical Research Communications</i> , 2022, 620, 150-157.	2.1	2

#	ARTICLE	IF	CITATIONS
37	Maculopapular rash during a nadir period in a patient with acute myeloid leukaemia. <i>European Journal of Dermatology</i> , 2017, 27, 316-317.	0.6	1
38	Total cell necrosis of metastatic malignant melanoma at the regional lymph node in a patient treatment with nivolumab. <i>Journal of Dermatology</i> , 2018, 45, e11-e12.	1.2	1
39	Upregulated programmed death ligand 1 expression in nivolumab-induced lichen nitidus: A follow-up report with an immunohistochemical analysis. <i>Journal of Dermatology</i> , 2020, 47, e319-e320.	1.2	1
40	Drug-induced hypersensitivity syndrome/drug reaction with eosinophilia and systemic syndrome followed by transient palmoplantar keratoderma-like eruption. <i>Journal of Dermatology</i> , 2021, 48, e207-e209.	1.2	1
41	RUNX inhibitor suppresses graft-versus-host disease through targeting RUNX-FATC2 axis. <i>EJHaem</i> , 2021, 2, 449-458.	1.0	1
42	Successful treatment with anti-TNF-alpha antibody for localised lipodystrophy. <i>European Journal of Dermatology</i> , 2016, 26, 316-317.	0.6	0
43	Neonatal Fc receptor induces intravenous immunoglobulin growth suppression in Langerhans cell histiocytosis. <i>Pathology International</i> , 2021, 71, 191-198.	1.3	0