

Pascual Piñera Salmeron

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2018846/publications.pdf>

Version: 2024-02-01

81
papers

2,230
citations

236925

25
h-index

254184

43
g-index

99
all docs

99
docs citations

99
times ranked

2798
citing authors

#	ARTICLE	IF	CITATIONS
1	A bacteraemia risk prediction model: development and validation in an emergency medicine population. <i>Infection</i> , 2022, 50, 203-221.	4.7	6
2	Incidence, Clinical Characteristics, Risk Factors, and Outcomes of Upper Gastrointestinal Bleeding in Patients With COVID-19. <i>Journal of Clinical Gastroenterology</i> , 2022, 56, e38-e46.	2.2	15
3	Validation of a predictive model for bacteraemia (MPB5-Toledo) in the patients seen in emergency departments due to infections. <i>Enfermedades Infecciosas Y Microbiología Clínica (English Ed)</i> , 2022, 40, 102-102.	0.3	1
4	Factors associated with in-hospital mortality and adverse outcomes during the vulnerable post-discharge phase after the first episode of acute heart failure: results of the NOVICA-2 study. <i>Clinical Research in Cardiology</i> , 2021, 110, 993-1005.	3.3	13
5	Comparación de las características demográficas y comorbilidad de los pacientes con COVID-19 fallecidos en hospitales españoles, en función de si ingresaron o no en Cuidados Intensivos. <i>Medicina Intensiva</i> , 2021, 45, 14-26.	0.7	7
6	Prognostic implications of Anemia in patients with acute heart failure in emergency departments. ANEMIAHF Study. <i>International Journal of Clinical Practice</i> , 2021, 75, e13712.	1.7	1
7	Frequency, Risk Factors, Clinical Characteristics, and Outcomes of Spontaneous Pneumothorax in Patients With Coronavirus Disease 2019. <i>Chest</i> , 2021, 159, 1241-1255.	0.8	79
8	Incidence, clinical, risk factors and outcomes of Guillain-Barré in Covid-19. <i>Annals of Neurology</i> , 2021, 89, 598-603.	5.3	77
9	Impact of perceived inappropriate cardiopulmonary resuscitation on emergency clinicians' intention to leave the job: Results from a cross-sectional survey in 288 centres across 24 countries. <i>Resuscitation</i> , 2021, 158, 41-48.	3.0	18
10	A case-control emergency department-based analysis of acute pancreatitis in Covid-19: Results of the UMC-19-56. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2021, 28, 953-966.	2.6	16
11	Analysis of standards of quality for outcomes in acute heart failure patients directly discharged home from emergency departments and their relationship with the emergency department direct discharge rate. <i>Journal of Cardiology</i> , 2021, 77, 245-253.	1.9	8
12	Validación del modelo predictivo de bacteriemia (5MPB-Toledo) en los pacientes atendidos en el servicio de urgencias por infección. <i>Enfermedades Infecciosas Y Microbiología Clínica</i> , 2021, 40, 102-102.	0.5	6
13	Synergistic Impact of Systolic Blood Pressure and Perfusion Status on Mortality in Acute Heart Failure. <i>Circulation: Heart Failure</i> , 2021, 14, e007347.	3.9	17
14	Incidence, clinical characteristics, risk factors and outcomes of meningoencephalitis in patients with COVID-19. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , 2021, 40, 1645-1656.	2.9	7
15	Incidence, risk factors, clinical characteristics and outcomes of deep venous thrombosis in patients with COVID-19 attending the Emergency Department: results of the UMC-19-S8. <i>European Journal of Emergency Medicine</i> , 2021, 28, 218-226.	1.1	11
16	Frequency of five cardiovascular/hemostatic entities as primary manifestations of SARS-CoV-2 infection: Results of the UMC-19-S2. <i>International Journal of Cardiology</i> , 2021, 330, 268-272.	1.7	9
17	Pulmonary embolism in patients with COVID-19: incidence, risk factors, clinical characteristics, and outcome. <i>European Heart Journal</i> , 2021, 42, 3127-3142.	2.2	90
18	Socio-Demographic Health Determinants Are Associated with Poor Prognosis in Spanish Patients Hospitalized with COVID-19. <i>Journal of General Internal Medicine</i> , 2021, 36, 3737-3742.	2.6	10

#	ARTICLE	IF	CITATIONS
19	Outcomes of patients with heart failure with preserved ejection fraction discharged on treatment with neurohormonal antagonists after an episode of decompensation. <i>European Journal of Internal Medicine</i> , 2021, 94, 73-84.	2.2	5
20	ENCOVUR-3 study: Spanish emergency departments'™ participation in hospital decision-making committees during the first peak of the coronavirus disease 2019 pandemic. <i>European Journal of Emergency Medicine</i> , 2021, 28, 317-320.	1.1	2
21	A case-control analysis of stroke in COVID-19 patients: Results of unusual manifestations of COVID-19 study 11. <i>Academic Emergency Medicine</i> , 2021, 28, 1236-1250.	1.8	5
22	Circulating MR-proADM levels, as an indicator of endothelial dysfunction, for early risk stratification of mid-term mortality in COVID-19 patients. <i>International Journal of Infectious Diseases</i> , 2021, 111, 211-218.	3.3	29
23	The FAST-FURO study: effect of very early administration of intravenous furosemide in the prehospital setting to patients with acute heart failure attending the emergency department. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2021, 10, 487-496.	1.0	3
24	Predictors of noninvasive mechanical ventilation weaning failure in the emergency department. <i>Emergencias</i> , 2021, 33, 9-14.	0.6	0
25	Key issues in emergency department management of COVID-19: proposals for improving care for patients in Latin America. <i>Emergencias</i> , 2021, 33, 42-58.	0.6	12
26	La escala Identification of Senior at Risk predice la mortalidad a los 30 días en los pacientes mayores con insuficiencia cardiaca aguda. <i>Medicina Intensiva</i> , 2020, 44, 9-17.	0.7	9
27	Cardiopulmonary Resuscitation in Adults Over 80: Outcome and the Perception of Appropriateness by Clinicians. <i>Journal of the American Geriatrics Society</i> , 2020, 68, 39-45.	2.6	21
28	A multidrug-resistant microorganism infection risk prediction model: development and validation in an emergency medicine population. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , 2020, 39, 309-323.	2.9	11
29	Frequency of five unusual presentations in patients with COVID-19: results of the UMC-19-S₁. <i>Epidemiology and Infection</i> , 2020, 148, e189.	2.1	38
30	High-sensitivity cardiac troponin T 30 days all-cause mortality in patients with acute heart failure. A Propensity Score-Matching Analysis Based on the EAHFE Registry. TROPICA4 Study. <i>European Journal of Clinical Investigation</i> , 2020, 50, e13248.	3.4	5
31	Impact of the COVID-19 pandemic on hospital emergency departments: results of a survey of departments in 2020 - the Spanish ENCOVUR study. <i>Emergencias</i> , 2020, 32, 320-331.	0.6	32
32	Departments involved during the first episode of acute heart failure and subsequent emergency department revisits and rehospitalisations: an outlook through the NOVICA cohort. <i>European Journal of Heart Failure</i> , 2019, 21, 1231-1244.	7.1	42
33	Editor's Choice Impact of identifying precipitating factors on 30-day mortality in acute heart failure patients. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2019, 8, 667-680.	1.0	15
34	Acute heart failure and adverse events associated with the presence of renal dysfunction and hyperkalaemia. EAHFE- renal dysfunction and hyperkalaemia. <i>European Journal of Internal Medicine</i> , 2019, 67, 89-96.	2.2	2
35	Influence of the length of hospitalisation in post-discharge outcomes in patients with acute heart failure: Results of the LOHRCA study. <i>European Journal of Internal Medicine</i> , 2019, 70, 24-32.	2.2	7
36	Effect of Barthel Index on the Risk of Thirty-Day Mortality in Patients With Acute Heart Failure Attending the Emergency Department: A Cohort Study of Nine Thousand Ninety-Eight Patients From the Epidemiology of Acute Heart Failure in Emergency Departments Registry. <i>Annals of Emergency Medicine</i> , 2019, 73, 589-598.	0.6	22

#	ARTICLE	IF	CITATIONS
37	Clinical phenotypes of acute heart failure based on signs and symptoms of perfusion and congestion at emergency department presentation and their relationship with patient management and outcomes. <i>European Journal of Heart Failure</i> , 2019, 21, 1353-1365.	7.1	56
38	Analysis of How Emergency Physicians'™ Decisions to Hospitalize or Discharge Patients With Acute Heart Failure Match the Clinical Risk Categories of the MEESSEI-AHF Scale. <i>Annals of Emergency Medicine</i> , 2019, 74, 204-215.	0.6	35
39	Effect of risk of malnutrition on 30-day mortality among older patients with acute heart failure in Emergency Departments. <i>European Journal of Internal Medicine</i> , 2019, 65, 69-77.	2.2	23
40	The role of atrial fibrillation in the short-term outcomes of patients with acute heart failure. <i>Clinical Research in Cardiology</i> , 2019, 108, 622-633.	3.3	7
41	Comparative Analysis of Short-Term Outcomes of Patients With Heart Failure With a Mid-Range Ejection Fraction After Acute Decompensation. <i>American Journal of Cardiology</i> , 2019, 123, 84-92.	1.6	12
42	Prognostic value of pro-adrenomedullin and NT-proBNP in patients referred from the emergency department with influenza syndrome. <i>Emergencias</i> , 2019, 31, 180-184.	0.6	3
43	Effects of the intensity of prehospital treatment on short-term outcomes in patients with acute heart failure: the SEMICA-2 study. <i>Clinical Research in Cardiology</i> , 2018, 107, 347-361.	3.3	29
44	Usefulness of midregional pro-adrenomedullin as a marker of organ damage and predictor of mortality in patients with sepsis. <i>Journal of Infection</i> , 2018, 76, 249-257.	3.3	19
45	Time trends in characteristics, clinical course, and outcomes of 13,791 patients with acute heart failure. <i>Clinical Research in Cardiology</i> , 2018, 107, 897-913.	3.3	77
46	Short-term outcomes of heart failure patients with reduced and preserved ejection fraction after acute decompensation according to the final destination after emergency department care. <i>Clinical Research in Cardiology</i> , 2018, 107, 698-710.	3.3	14
47	Therapeutic approach for patients with venous thromboembolism attended in emergency departments during routine clinical practice: the EDITH study. <i>Journal of Comparative Effectiveness Research</i> , 2018, 7, 319-330.	1.4	1
48	Effects on short term outcome of non-invasive ventilation use in the emergency department to treat patients with acute heart failure: A propensity score-based analysis of the EAHFE Registry. <i>European Journal of Internal Medicine</i> , 2018, 53, 45-51.	2.2	11
49	Adherence to Mediterranean Diet and All-Cause Mortality After an Episode of Acute Heart Failure. <i>JACC: Heart Failure</i> , 2018, 6, 52-62.	4.1	40
50	Recomendaciones sobre tratamiento no farmacológico en la enfermedad pulmonar obstructiva crónica de la Guayaquil de la EPOC (GesEPOC 2017). <i>Archivos De Bronconeumología</i> , 2018, 54, 568-575.	0.8	26
51	Perception of inappropriate cardiopulmonary resuscitation by clinicians working in emergency departments and ambulance services: The REAPPROPRIATE international, multi-centre, cross sectional survey. <i>Resuscitation</i> , 2018, 132, 112-119.	3.0	26
52	Infection and systemic inflammatory response syndrome in older patients in the emergency department: a 30-day risk model. <i>Emergencias</i> , 2018, 30, 241-246.	0.6	6
53	Management of asthma in the emergency department: a consensus statement. <i>Emergencias</i> , 2018, 30, 268-277.	0.6	1
54	Study Design and Rationale of a Multicenter, Open-Labelled, Randomized Controlled Trial Comparing Midazolam Versus Morphine in Acute Pulmonary Edema: MIMO Trial. <i>Cardiovascular Drugs and Therapy</i> , 2017, 31, 209-213.	2.6	21

#	ARTICLE	IF	CITATIONS
55	Benefits of Emergency Departments'™ Contribution to Stroke Prophylaxis in Atrial Fibrillation. <i>Stroke</i> , 2017, 48, 1344-1352.	2.0	20
56	Morphine Use in the ED and Outcomes of Patients With Acute Heart Failure. <i>Chest</i> , 2017, 152, 821-832.	0.8	45
57	The Effect of Frailty on 30-Day Mortality Risk in Older Patients With Acute Heart Failure Attended in the Emergency Department. <i>Academic Emergency Medicine</i> , 2017, 24, 298-307.	1.8	37
58	Predicting 30-Day Mortality for Patients With Acute Heart Failure in the Emergency Department. <i>Annals of Internal Medicine</i> , 2017, 167, 698.	3.9	152
59	Short-term prognostic factors in the elderly patients seen in emergency departments due to infections. <i>Enfermedades Infecciosas Y Microbiologia Clinica (English Ed)</i> , 2017, 35, 214-219.	0.3	4
60	Prognostic accuracy of SIRS criteria, qSOFA score and GYM score for 30-day-mortality in older non-severely dependent infected patients attended in the emergency department. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , 2017, 36, 2361-2369.	2.9	44
61	Impact of Frailty and Disability on 30-Day Mortality in Older Patients With Acute Heart Failure. <i>American Journal of Cardiology</i> , 2017, 120, 1151-1157.	1.6	29
62	Risk profile, management, and outcomes of patients with venous thromboembolism attended in Spanish Emergency Departments. <i>Medicine (United States)</i> , 2017, 96, e8796.	1.0	14
63	Péptidos natriuréticos: consenso y uso necesarios. <i>Revista Espanola De Cardiologia</i> , 2016, 69, 817-819.	1.2	9
64	Documento de consenso y recomendaciones sobre el uso de los péptidos natriuréticos en la práctica clínica. <i>Revista Clinica Espanola</i> , 2016, 216, 313-322.	0.6	15
65	Natriuretic Peptides: Consensus Call for Use. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2016, 69, 817-819.	0.6	3
66	Consensus document and recommendations on the use of natriuretic peptides in clinical practice. <i>Revista Clinica Espanola</i> , 2016, 216, 313-322.	0.5	4
67	MARRIED-cocaine score: validating a tool for detecting the risk of ED revisit in cocaine users. <i>Emergency Medicine Journal</i> , 2016, 33, 218-223.	1.0	1
68	The utility of heart failure registries: a descriptive and comparative study of two heart failure registries. <i>Postgraduate Medical Journal</i> , 2016, 92, 260-266.	1.8	20
69	Hypoglycemic treatment of diabetic patients in the Emergency Department. <i>Farmacia Hospitalaria</i> , 2016, 40, 172-86.	0.6	1
70	Influence of Intravenous Nitrate Treatment on Early Mortality Among Patients With Acute Heart Failure. NITRO-EAHFE Study. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2015, 68, 959-967.	0.6	6
71	Prognostic Value and Risk Factors of Delirium in Emergency Patients With Decompensated Heart Failure. <i>Journal of the American Medical Directors Association</i> , 2015, 16, 799.e1-799.e6.	2.5	18
72	Stroke Prophylaxis in Atrial Fibrillation: Searching for Management Improvement Opportunities in the Emergency Department: The HERMES-AF Study. <i>Annals of Emergency Medicine</i> , 2015, 65, 1-12.	0.6	34

#	ARTICLE	IF	CITATIONS
73	The utility of copeptin in the emergency department as a predictor of adverse outcomes in non-ST-elevation acute coronary syndrome: the COPED-PAO study. <i>Emergency Medicine Journal</i> , 2014, 31, 286-291.	1.0	14
74	The utility of copeptin in the emergency department for non-ST-elevation myocardial infarction rapid rule out. <i>European Journal of Emergency Medicine</i> , 2014, 21, 220-229.	1.1	20
75	Characteristics of acute heart failure in very elderly patients "EVE study (EAHFE very elderly). <i>European Journal of Internal Medicine</i> , 2014, 25, 463-470.	2.2	13
76	Guía española de la EPOC (GesEPOC). Actualización 2014. <i>Archivos De Bronconeumología</i> , 2014, 50, 1-16.	0.8	143
77	Consenso nacional sobre el diagnóstico, estratificación de riesgo y tratamiento de los pacientes con tromboembolia pulmonar. <i>Archivos De Bronconeumología</i> , 2013, 49, 534-547.	0.8	70
78	Management of Acute Heart Failure in Spanish Emergency Departments Based on Age. <i>Revista Espanola De Cardiología (English Ed)</i> , 2013, 66, 715-720.	0.6	6
79	A new approach to grading and treating COPD based on clinical phenotypes: summary of the Spanish COPD guidelines (GesEPOC). <i>Primary Care Respiratory Journal: Journal of the General Practice Airways Group</i> , 2013, 22, 117-121.	2.3	70
80	Guía Española de la EPOC (GesEPOC). Tratamiento farmacológico de la EPOC estable. <i>Archivos De Bronconeumología</i> , 2012, 48, 247-257.	0.8	238
81	High Levels of Adenosine Deaminase in Patients with Aseptic Meningitis. <i>Clinical Infectious Diseases</i> , 1997, 25, 1275-1276.	5.8	5