Sorin Ursoniu

List of Publications by Citations

Source: https://exaly.com/author-pdf/2019599/sorin-ursoniu-publications-by-citations.pdf

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

78
papers

2,146
citations

h-index

89
ext. papers

2,539
ext. citations

3.8
L-index

L-index

#	Paper	IF	Citations
78	Effects of coenzyme Q10 on statin-induced myopathy: a meta-analysis of randomized controlled trials. <i>Mayo Clinic Proceedings</i> , 2015 , 90, 24-34	6.4	139
77	Effect of curcuminoids on oxidative stress: A systematic review and meta-analysis of randomized controlled trials. <i>Journal of Functional Foods</i> , 2015 , 18, 898-909	5.1	138
76	Impact of statin therapy on coronary plaque composition: a systematic review and meta-analysis of virtual histology intravascular ultrasound studies. <i>BMC Medicine</i> , 2015 , 13, 229	11.4	126
75	Impact of statin therapy on plasma adiponectin concentrations: A systematic review and meta-analysis of 43 randomized controlled trial arms. <i>Atherosclerosis</i> , 2016 , 253, 194-208	3.1	117
74	Lack of efficacy of resveratrol on C-reactive protein and selected cardiovascular risk factorsResults from a systematic review and meta-analysis of randomized controlled trials. <i>International Journal of Cardiology</i> , 2015 , 189, 47-55	3.2	110
73	The impact of statin therapy on plasma levels of von Willebrand factor antigen. Systematic review and meta-analysis of randomised placebo-controlled trials. <i>Thrombosis and Haemostasis</i> , 2016 , 115, 520)- 3 2	110
72	A systematic review and meta-analysis of the effect of statins on plasma asymmetric dimethylarginine concentrations. <i>Scientific Reports</i> , 2015 , 5, 9902	4.9	109
71	Statin therapy reduces plasma endothelin-1 concentrations: A meta-analysis of 15 randomized controlled trials. <i>Atherosclerosis</i> , 2015 , 241, 433-42	3.1	107
70	Statin therapy and plasma coenzyme Q10 concentrationsA systematic review and meta-analysis of placebo-controlled trials. <i>Pharmacological Research</i> , 2015 , 99, 329-36	10.2	105
69	Effect of sour tea (Hibiscus sabdariffa L.) on arterial hypertension: a systematic review and meta-analysis of randomized controlled trials. <i>Journal of Hypertension</i> , 2015 , 33, 1119-27	1.9	75
68	A systematic review and meta-analysis of the impact of Spirulina supplementation on plasma lipid concentrations. <i>Clinical Nutrition</i> , 2016 , 35, 842-51	5.9	67
67	Effects of flaxseed supplements on blood pressure: A systematic review and meta-analysis of controlled clinical trial. <i>Clinical Nutrition</i> , 2016 , 35, 615-25	5.9	58
66	Lipid profile and glucose changes after supplementation with astaxanthin: a systematic review and meta-analysis of randomized controlled trials. <i>Archives of Medical Science</i> , 2015 , 11, 253-66	2.9	57
65	Head-to-head comparison of statins versus fibrates in reducing plasma fibrinogen concentrations: A systematic review and meta-analysis. <i>Pharmacological Research</i> , 2016 , 103, 236-52	10.2	49
64	Proximal tubule dysfunction is associated with podocyte damage biomarkers nephrin and vascular endothelial growth factor in type 2 diabetes mellitus patients: a cross-sectional study. <i>PLoS ONE</i> , 2014 , 9, e112538	3.7	40
63	Effect of garlic on plasma lipoprotein(a) concentrations: A systematic review and meta-analysis of randomized controlled clinical trials. <i>Nutrition</i> , 2016 , 32, 33-40	4.8	37
62	The effects of cinnamon supplementation on blood lipid concentrations: A systematic review and meta-analysis. <i>Journal of Clinical Lipidology</i> , 2017 , 11, 1393-1406	4.9	37

61	Effects of supplementation with green tea catechins on plasma C-reactive protein concentrations: A systematic review and meta-analysis of randomized controlled trials. <i>Nutrition</i> , 2015 , 31, 1061-71	4.8	36	
60	Proximal tubule dysfunction is dissociated from endothelial dysfunction in normoalbuminuric patients with type 2 diabetes mellitus: a cross-sectional study. <i>Nephron Clinical Practice</i> , 2011 , 118, c15	5-64	32	
59	Lipid-modifying effects of krill oil in humans: systematic review and meta-analysis of randomized controlled trials. <i>Nutrition Reviews</i> , 2017 , 75, 361-373	6.4	30	
58	Cerebrovascular reactivity is impaired in patients with non-insulin-dependent diabetes mellitus and microangiopathy. <i>Wiener Klinische Wochenschrift</i> , 2007 , 119, 365-71	2.3	25	
57	Effects of pentoxifylline on inflammatory markers and blood pressure: a systematic review and meta-analysis of randomized controlled trials. <i>Journal of Hypertension</i> , 2016 , 34, 2318-2329	1.9	25	
56	Lipoprotein(a) Levels in Patients With Abdominal Aortic Aneurysm. <i>Angiology</i> , 2017 , 68, 99-108	2.1	23	
55	Pioglitazone delays proximal tubule dysfunction and improves cerebral vessel endothelial dysfunction in normoalbuminuric people with type 2 diabetes mellitus. <i>Diabetes Research and Clinical Practice</i> , 2011 , 94, 22-32	7.4	23	
54	Efficacy of Statin Therapy in Pulmonary Arterial Hypertension: A Systematic Review and Meta-Analysis. <i>Scientific Reports</i> , 2016 , 6, 30060	4.9	21	
53	Nephro- and neuroprotective effects of rosiglitazone versus glimepiride in normoalbuminuric patients with type 2 diabetes mellitus: a randomized controlled trial. <i>Wiener Klinische Wochenschrift</i> , 2009 , 121, 765-75	2.3	21	
52	Body weight perception among high school students and its influence on weight management behaviors in normal weight students: a cross-sectional study. <i>Wiener Klinische Wochenschrift</i> , 2011 , 123, 327-33	2.3	20	
51	Sleep changes following statin therapy: a systematic review and meta-analysis of randomized placebo-controlled polysomnographic trials. <i>Archives of Medical Science</i> , 2015 , 11, 915-26	2.9	20	
50	The Effects of Tamoxifen on Plasma Lipoprotein(a) Concentrations: Systematic Review and Meta-Analysis. <i>Drugs</i> , 2017 , 77, 1187-1197	12.1	19	
49	Pro-inflammatory cytokines are associated with podocyte damage and proximal tubular dysfunction in the early stage of diabetic kidney disease in type 2 diabetes mellitus patients. <i>Journal of Diabetes and Its Complications</i> , 2020 , 34, 107479	3.2	19	
48	A pilot feasibility study of a questionnaire to determine European Union-wide CAM use. <i>Research in Complementary Medicine</i> , 2012 , 19, 302-10		18	
47	Altered levels of plasma chemokines in breast cancer and their association with clinical and pathological characteristics. <i>Neoplasma</i> , 2016 , 63, 141-9	3.3	18	
46	Combined profile of the tandem repeats CAG, TA and CA of the androgen and estrogen receptor genes in breast cancer. <i>Journal of Cancer Research and Clinical Oncology</i> , 2006 , 132, 727-33	4.9	17	
45	The effect of statins on cardiovascular outcomes by smoking status: A systematic review and meta-analysis of randomized controlled trials. <i>Pharmacological Research</i> , 2017 , 122, 105-117	10.2	16	
44	A PRISMA-compliant systematic review and meta-analysis of randomized controlled trials investigating the effects of statin therapy on plasma lipid concentrations in HIV-infected patients.	10.2	16	

43	Urinary podocyte-associated mRNA levels correlate with proximal tubule dysfunction in early diabetic nephropathy of type 2 diabetes mellitus. <i>Diabetology and Metabolic Syndrome</i> , 2017 , 9, 31	5.6	15
42	Estrogen receptor alpha polymorphisms: correlation with clinicopathological parameters in breast cancer. <i>Neoplasma</i> , 2010 , 57, 306-15	3.3	15
41	Glycated peptides are associated with proximal tubule dysfunction in type 2 diabetes mellitus. <i>International Journal of Clinical and Experimental Medicine</i> , 2015 , 8, 2516-25		15
40	Safety of vascular endothelial and hepatocyte growth factor gene therapy in patients with critical limb ischemia. <i>Current Neurovascular Research</i> , 2011 , 8, 183-9	1.8	14
39	Therapy with atorvastatin versus rosuvastatin reduces urinary podocytes, podocyte-associated molecules, and proximal tubule dysfunction biomarkers in patients with type 2 diabetes mellitus: a pilot study. <i>Renal Failure</i> , 2017 , 39, 112-119	2.9	13
38	Increased expression of ADAM12 and ADAM17 genes in laser-capture microdissected breast cancers and correlations with clinical and pathological characteristics. <i>Acta Histochemica</i> , 2012 , 114, 131	2 9	13
37	Predictors of suicidal behavior in a high school student population: a cross-sectional study. <i>Wiener Klinische Wochenschrift</i> , 2009 , 121, 564-73	2.3	13
36	Does coffee consumption alter plasma lipoprotein(a) concentrations? A systematic review. <i>Critical Reviews in Food Science and Nutrition</i> , 2018 , 58, 1706-1714	11.5	12
35	Deregulated profiles of urinary microRNAs may explain podocyte injury and proximal tubule dysfunction in normoalbuminuric patients with type 2 diabetes mellitus. <i>Journal of Investigative Medicine</i> , 2018 , 66, 747-754	2.9	11
34	Glycated peptides are associated with the variability of endothelial dysfunction in the cerebral vessels and the kidney in type 2 diabetes mellitus patients: a cross-sectional study. <i>Journal of Diabetes and Its Complications</i> , 2015 , 29, 230-7	3.2	11
33	STR data for the 15 AmpFlSTR identifiler loci in the Western Romanian population. <i>Forensic Science International</i> , 2007 , 170, 73-5	2.6	10
32	The impact of argan oil on plasma lipids in humans: Systematic review and meta-analysis of randomized controlled trials. <i>Phytotherapy Research</i> , 2018 , 32, 377-383	6.7	10
31	Interleukins and miRNAs intervene in the early stages of diabetic kidney disease in Type 2 diabetes mellitus patients. <i>Biomarkers in Medicine</i> , 2019 , 13, 1577-1588	2.3	9
30	Podocyturia parallels proximal tubule dysfunction in type 2 diabetes mellitus patients independently of albuminuria and renal function decline: A cross-sectional study. <i>Journal of Diabetes and Its Complications</i> , 2017 , 31, 1444-1450	3.2	8
29	Prolactin response to antipsychotics: An inpatient study. <i>PLoS ONE</i> , 2020 , 15, e0228648	3.7	8
28	MiRNA Expression is Associated with Clinical Variables Related to Vascular Remodeling in the Kidney and the Brain in Type 2 Diabetes Mellitus Patients. <i>Endocrine Research</i> , 2020 , 45, 119-130	1.9	8
27	A systematic review and meta-analysis of clinical trials investigating the effects of flaxseed supplementation on plasma C-reactive protein concentrations. <i>Archives of Medical Science</i> , 2019 , 15, 12-22	2.9	7
26	Genetic polymorphism data on 15 autosomal STR markers in a Western Romanian population sample. <i>Legal Medicine</i> , 2014 , 16, 238-40	1.9	7

25	ADAM12 and ADAM17 gene expression in laser-capture microdissected and non-microdissected breast tumors. <i>Pathology and Oncology Research</i> , 2011 , 17, 375-85	2.6	7
24	Induction of therapeutic neoangiogenesis using in vitro-generated endothelial colony-forming cells: an autologous transplantation model in rat. <i>Journal of Surgical Research</i> , 2013 , 181, 359-68	2.5	6
23	Seroprevalence of SARS-CoV-2 antibodies in 2115 blood donors from Romania. <i>Clinical Microbiology and Infection</i> , 2021 ,	9.5	5
22	Long noncoding RNAs may impact podocytes and proximal tubule function through modulating miRNAs expression in Early Diabetic Kidney Disease of Type 2 Diabetes Mellitus patients. International Journal of Medical Sciences, 2021, 18, 2093-2101	3.7	5
21	Evaluation of antioxidant capacity and clinical assessment of patients with chronic periodontitis treated with non-surgical periodontal therapy and adjunctive systemic antibiotherapy. <i>Romanian Journal of Morphology and Embryology</i> , 2018 , 59, 1107-1113	0.6	5
20	Seroprevalence and Risk Factors of Infection in Pregnant Women from Western Romania. <i>Vector-Borne and Zoonotic Diseases</i> , 2020 , 20, 763-767	2.4	4
19	Interaction between estrogens and androgen receptor genes microsatellites, prostate-specific antigen and androgen receptor expressions in breast cancer. <i>Neoplasma</i> , 2010 , 57, 198-206	3.3	4
18	How Much Malperfusion Is Too Much in Acute Type A Aortic Dissections?. <i>Journal of Clinical Medicine</i> , 2019 , 8,	5.1	3
17	Aggressive Behaviors among 15-16-Year-Old Romanian High School Students: Results from Two Consecutive Surveys Related to Alcohol and Other Drug Use at the European Level. <i>International Journal of Environmental Research and Public Health</i> , 2020 , 17,	4.6	3
16	Effects of tibolone on fibrinogen and antithrombin III: A systematic review and meta-analysis of controlled trials. <i>Pharmacological Research</i> , 2017 , 124, 64-73	10.2	3
15	Primordial prevention, developing countries and the epidemiological transition: thirty years later. Wiener Klinische Wochenschrift, 2009 , 121, 168-72	2.3	3
14	Dynamics of Antibody Response to BNT162b2 mRNA COVID-19 Vaccine: A 7-Month Follow-Up Study <i>Medicina (Lithuania)</i> , 2021 , 57,	3.1	3
13	Particularities of Older Patients with Obstructive Sleep Apnea and Heart Failure with Mid-Range Ejection Fraction. <i>Medicina (Lithuania)</i> , 2019 , 55,	3.1	2
12	Seroprevalence and Risk Factors of Infection in Blood Donors from Western Romania <i>Medicina</i> (Lithuania), 2022 , 58,	3.1	2
11	Does chronic kidney disease define a particular risk pattern of cerebral vessels modifications in patients with symptomatic ischemic cerebrovascular disease? [Open Medicine (Poland), 2010, 5, 329-337]	2.2	1
10	Predictors of rebleeding and in-hospital mortality in patients with nonvariceal upper digestive bleeding. <i>World Journal of Clinical Cases</i> , 2019 , 7, 2687-2703	1.6	1
9	Burnout Toll on Empathy Would Mediate the Missing Professional Support in the COVID-19 Outbreak. <i>Risk Management and Healthcare Policy</i> , 2021 , 14, 2231-2244	2.8	1
8	SP382URINARY PODOCYTE-ASSOCIATEDMESSENGER RNA LEVELS CORRELATE WITH PROXIMAL TUBULE DYSFUNCTION IN EARLYDIABETIC NEPHROPATHY OF TYPE 2 DIABETES MELLITUS. Nephrology Dialysis Transplantation. 2016, 31, i217-i218	4.3	1

7	Social Inferences as Mediators of Wellbeing in Depression. <i>Neuropsychiatric Disease and Treatment</i> , 2021 , 17, 1679-1687	3.1	O
6	Seroepidemiology of Toxoplasma gondii Infection in Blood Donors from Western Romania. <i>Microorganisms</i> , 2022 , 10, 973	4.9	O
5	Pulse Wave Velocity, a Predictor of Major Adverse Cardiovascular Events, and Its Correlation with the General Stress Level of Health Care Workers during the COVID-19 Pandemic. <i>Medicina</i> (Lithuania), 2022 , 58, 704	3.1	0
4	Diagnostic approaches in a series of cases with Graves ophthalmopathy. <i>Acta Endocrinologica</i> , 2010 , 6, 455-464	0.9	
3	High SARS-CoV-2 Beroprevalence in blood donors from Romania after the third COVID-19 pandemic wave <i>Infectious Diseases</i> , 2022 , 1-4	3.1	
2	Cost Analysis of Imaging Diagnostic Tests Used in the Management of Peripheral Arterial Disease. Serbian Journal of Experimental and Clinical Research, 2019 , 20, 15-24	0.3	
1	Prevalence of a Iodothyronine Deiodinase 2 gene single nucleotide polymorphism in children with congenital hypothyroidism from Western Romania and impact on TSH levels. <i>Romanian Journal of Laboratory Medicine</i> , 2019 , 27, 169-178	0.3	