

Dmitry V Osipov

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2020340/publications.pdf>

Version: 2024-02-01

70
papers

654
citations

758635

12
h-index

676716

22
g-index

74
all docs

74
docs citations

74
times ranked

510
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Methods of synthesis of 2-aminochromanes. <i>Chemistry of Heterocyclic Compounds</i> , 2021, 57, 217-223. | 0.6 | 2 |
| 2 | Reactions of \hat{I}^2 -Carbonyl-Substituted 4H-chromenes and 1H-benzo[f]Chromenes with 5-aminopyrazoles. <i>Chemistry of Heterocyclic Compounds</i> , 2021, 57, 305-313. | 0.6 | 6 |
| 3 | Transamination of 2-piperidinochromanes with (het)aryl amines as a convenient route to 2-(het)arylaminochromanes. <i>Mendeleev Communications</i> , 2021, 31, 265-267. | 0.6 | 3 |
| 4 | Cycloaddition reactions of o-quinone methides with polarized olefins. <i>Russian Chemical Reviews</i> , 2021, 90, 324-373. | 2.5 | 23 |
| 5 | Three-component synthesis of 2-acyl-2,3-dihydro-4H-thiochromeno[4,3-b]furan-4-ones and their reductive rearrangement into 4H,5H-thiochromeno[4,3-b]pyran-5-ones. <i>Chemistry of Heterocyclic Compounds</i> , 2021, 57, 568-573. | 0.6 | 1 |
| 6 | Oxidative rearrangement of 3-aryl-1H-benzo[f]chromenes into 2-aryl-1,2-dihydronaphtho[2,1-b]furans. <i>Chemistry of Heterocyclic Compounds</i> , 2021, 57, 599-601. | 0.6 | 1 |
| 7 | 4H-Chromenes as 1,3-bielectrophiles in the reaction with 2-aminobenzimidazole: synthesis of pyrimido[1,2-a]benzimidazoles. <i>Chemistry of Heterocyclic Compounds</i> , 2021, 57, 588-593. | 0.6 | 1 |
| 8 | Three-Component Condensation of Pyridinium Ylides, \hat{I}^2 -Ketonitriles, and Aldehydes with Divergent Regioselectivity: Synthesis of 4,5-Dihydrofuran-3- and 2<i>H</i>-Pyran-5-carbonitriles. <i>Journal of Organic Chemistry</i> , 2021, 86, 7460-7476. | 1.7 | 11 |
| 9 | Methods of synthesis of chromeno[2,3-b]chromenes. <i>Chemistry of Heterocyclic Compounds</i> , 2021, 57, 505-511. | 0.6 | 1 |
| 10 | Methods for the Preparation of 3-Nitrobenzofurans. <i>Chemistry of Heterocyclic Compounds</i> , 2021, 57, 615-623. | 0.6 | 6 |
| 11 | Oxa-[3+3] annulation of 1H-benzo[f]chromene-2-carbaldehydes and 2-naphthols: synthesis of 7aH,15H-benzo[f]benzo[5,6]chromeno[2,3-b]chromenes. <i>Chemistry of Heterocyclic Compounds</i> , 2021, 57, 691-694. | 0.6 | 2 |
| 12 | Two-Step Sequence Multicomponent Synthesis/Reductive Rearrangement of 2-acyl-2,3-dihydrofurans for Modular Assembly of Annulated 4<i>H</i>-Pyrans. <i>Advanced Synthesis and Catalysis</i> , 2021, 363, 3737-3743. | 2.1 | 5 |
| 13 | Three-component condensation of cyclic 1,3-dicarbonyl compounds, N-phenacylpyridinium salts, and isatins or aromatic aldehydes as a method for the synthesis of novel condensed 2-aryl-2,3-dihydrofurans. <i>Chemistry of Heterocyclic Compounds</i> , 2021, 57, 1045-1050. | 0.6 | 6 |
| 14 | Nucleophilic Dearomatization of 3-nitrobenzofurans by the Action of 2-(1-arylethylidene)Malonitriles. <i>Chemistry of Heterocyclic Compounds</i> , 2021, 57, 996-1001. | 0.6 | 5 |
| 15 | Catalyst-free formal [3 + 2] cycloaddition of stabilized <i>N</i>-cyclic azomethine imines to 3-nitrobenzofurans and 3-nitro-4<i>H</i>-chromenes: access to heteroannulated pyrazolo[1,2- <i>a</i>]pyrazoles. <i>Organic and Biomolecular Chemistry</i>, 2021, 19, 10156-10168.</i> | 1.5 | 8 |
| 16 | Reductive rearrangement of 2-aryl-2,3-dihydrobenzofurans into 2-hydroxydihydrochalcones and flav-2-enes. <i>Chemistry of Heterocyclic Compounds</i> , 2021, 57, 1170-1175. | 0.6 | 1 |
| 17 | A cascade formation of N-pyridylacrylamides from pyrido[1,2- <i>a</i>]pyrimidine diones and chromene aldehydes. <i>Mendeleev Communications</i>, 2021, 31, 859-861.</i> | 0.6 | 2 |
| 18 | Formal [3+3] cycloaddition reaction of 4-hydroxythiocoumarin to 4H-chromene-3-carbaldehydes: synthesis of thiochromeno[3',4':5,6]pyrano[2,3-b]chromen-6-ones. <i>Chemistry of Heterocyclic Compounds</i> , 2020, 56, 1218-1221. | 0.6 | 2 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Catalyst-Free Synthesis of Chromane-Type N,O-Acetals via Intramolecular Addition of Phenols to Enamines. <i>Synthesis</i> , 2020, 52, 3604-3621. | 1.2 | 13 |
| 20 | Reactions of perfluoroacylchromenes with aromatic amines: synthesis of perfluoroalkylchromene carbaldehydes. <i>Chemistry of Heterocyclic Compounds</i> , 2020, 56, 990-996. | 0.6 | 7 |
| 21 | Eco-friendly synthesis of fused pyrano[2,3- <i>b</i>]pyrans <i>via</i> ammonium acetate-mediated formal oxa-[3 + 3]cycloaddition of 4 <i>H</i> -chromene-3-carbaldehydes and cyclic 1,3-dicarbonyl compounds. <i>RSC Advances</i> , 2020, 10, 34344-34354. | 1.7 | 9 |
| 22 | Cyclopropanation of areno-condensed 4 <i>H</i> -pyrans with dihalocarbenes. <i>Chemistry of Heterocyclic Compounds</i> , 2020, 56, 1417-1422. | 0.6 | 2 |
| 23 | \hat{I}^{\pm} -Functionalized ketene N,S-acetals as two-carbon synthons in the reaction with 1,2-naphthoquinone 1-methide. Synthesis of 3-amino-1 <i>H</i> -benzo[<i>f</i>]chromenes. <i>Chemistry of Heterocyclic Compounds</i> , 2020, 56, 521-528. | 0.6 | 4 |
| 24 | Oxidation of 3-aryl-1 <i>H</i> -benzo[<i>f</i>]chromenes with Koser's reagent – synthesis of benzoflavylium tosylates. <i>Chemistry of Heterocyclic Compounds</i> , 2020, 56, 603-606. | 0.6 | 2 |
| 25 | Reactions of naphthalen-2-ol Mannich bases with \hat{I}^2 -aminoacrylonitriles and methyl 3-morpholinoacrylate. <i>Chemistry of Heterocyclic Compounds</i> , 2020, 56, 529-536. | 0.6 | 7 |
| 26 | Synthesis and reactions of chroman-2-ols and their benzo analogs with N-nucleophiles. <i>Chemistry of Heterocyclic Compounds</i> , 2020, 56, 311-319. | 0.6 | 2 |
| 27 | The reaction of 1,2-naphthoquinone 1-methides with syncarpic acid. <i>Chemistry of Heterocyclic Compounds</i> , 2019, 55, 1004-1006. | 0.6 | 3 |
| 28 | Divergent Pathways for Reactions of 3-Formylchromone with Cyclic Secondary Amines in Alcoholic Media. <i>SynOpen</i> , 2019, 03, 164-168. | 0.8 | 3 |
| 29 | Synthesis, <i>in vitro</i> and <i>in vivo</i> evaluation of 2-aryl-4 <i>H</i> -chromene and 3-aryl-1 <i>H</i> -benzo[<i>f</i>]chromene derivatives as novel \hat{I}^{\pm} -glucosidase inhibitors. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2019, 29, 119-123. | 1.0 | 37 |
| 30 | An Inverse Electron Demand Azo-Diels-Alder Reaction of <i>o</i> -Quinone Methides and Imino Ethers: Synthesis of Benzocondensed 1,3-Oxazines. <i>Journal of Organic Chemistry</i> , 2018, 83, 4775-4785. | 1.7 | 21 |
| 31 | Synthesis of \hat{I}^2 -($\hat{D}^{3/4}$ -hydroxybenzyl)pyridines by three-component condensation of ammonia, carbonyl-substituted 4 <i>D</i> -chromenes, and $\hat{D}_j\hat{D}$ -acids. <i>Chemistry of Heterocyclic Compounds</i> , 2018, 54, 1121-1126. | 0.6 | 11 |
| 32 | Reaction of cross-conjugated push-pull enamino ketones with 1,2-naphthoquinone 1-methides: synthesis of 3-aryl-1-(1 <i>H</i> -benzo[<i>f</i>]chromen-2-yl)prop-2-en-1-ones. <i>Chemistry of Heterocyclic Compounds</i> , 2018, 54, 940-945. | 0.6 | 2 |
| 33 | Molecular design, synthesis and biological evaluation of cage compound-based inhibitors of hepatitis C virus p7 ion channels. <i>European Journal of Medicinal Chemistry</i> , 2018, 158, 214-235. | 2.6 | 32 |
| 34 | Reactions of <i>o</i> -Quinone Methides with Halogenated 1 <i>H</i> -Azoles: Access to Benzo[<i>e</i>]azolo[1,3]oxazines. <i>Synthesis</i> , 2017, 49, 2286-2296. | 1.2 | 16 |
| 35 | Reaction of Push-Pull Enaminoketones and <i>in Situ</i> Generated <i>ortho</i> -Quinone Methides: Synthesis of 3-Acyl-4 <i>H</i> -chromenes and 2-Acyl-1 <i>H</i> -benzo[<i>f</i>]chromenes as Precursors for Hydroxybenzylated Heterocycles. <i>Journal of Organic Chemistry</i> , 2017, 82, 1517-1528. | 1.7 | 42 |
| 36 | Synthesis and biological evaluation of \hat{I}^{\pm} -acylbenzofuranes as novel \hat{I}^{\pm} -glucosidase inhibitors with hypoglycemic activity. <i>Chemical Biology and Drug Design</i> , 2017, 90, 1184-1189. | 1.5 | 30 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Synthesis of 8-substituted 1,5-diazabicyclo[3.2.1]octane derivatives via double aza-Michael addition of homopiperazine to 3-trifluoroacetyl-4 H -chromenes. <i>Journal of Fluorine Chemistry</i> , 2017, 202, 71-75. | 0.9 | 4 |
| 38 | Oxidative rearrangement of 4H-chromenes to 2-arylbzofurans in the presence of selenium dioxide. <i>Chemistry of Heterocyclic Compounds</i> , 2017, 53, 1053-1056. | 0.6 | 7 |
| 39 | Synthesis of symmetrical chromeno[2,3-b]chromenes on the basis of 1,4-quinone methides and 1,1-bis(morpholino)ethene. <i>Chemistry of Heterocyclic Compounds</i> , 2017, 53, 1310-1314. | 0.6 | 4 |
| 40 | Reactions of 1-[(dimethylamino)methyl]naphthalen-2-ols with cyclic push-pull nitroenamines. <i>Chemistry of Heterocyclic Compounds</i> , 2017, 53, 1369-1372. | 0.6 | 5 |
| 41 | Synthesis of benzo[f]coumarins from 2-trifluoroacetyl-1H-benzo[f]chromenes and 2-naphthols. <i>Chemistry of Heterocyclic Compounds</i> , 2016, 52, 1012-1016. | 0.6 | 8 |
| 42 | Reactions of 2-methyleneadamantane and 2-benzylideneadamantane with acetyl nitrate. <i>Russian Journal of General Chemistry</i> , 2016, 86, 262-266. | 0.3 | 2 |
| 43 | The rearrangement of trifluoroacetylchromenes to trifluoromethylchromenols. <i>Chemistry of Heterocyclic Compounds</i> , 2016, 52, 559-563. | 0.6 | 7 |
| 44 | Recyclization of carbonyl-substituted 4H-chromenes and 1H-benzo[f]chromenes by the action of amidines and guanidine: a novel method for the synthesis of ortho-hydroxybenzylpyrimidines. <i>Chemistry of Heterocyclic Compounds</i> , 2016, 52, 803-808. | 0.6 | 9 |
| 45 | Interaction of 1,1,3,3-tetramethylguanidine with 3-acyl-4H-chromenes. <i>Chemistry of Heterocyclic Compounds</i> , 2016, 52, 809-813. | 0.6 | 3 |
| 46 | Adamantylation of hydantoin. <i>Russian Journal of Organic Chemistry</i> , 2016, 52, 906-908. | 0.3 | 4 |
| 47 | Complementary pairing of o-quinone methides with 3-(N,N-diethylamino)acrolein – synthesis of 1H-benzo[f]chromene-2-carbaldehydes. <i>Chemistry of Heterocyclic Compounds</i> , 2016, 52, 711-715. | 0.6 | 21 |
| 48 | Alkylation of 5-aryltetrazoles with 2- and 4-hydroxybenzyl alcohols. <i>Chemistry of Heterocyclic Compounds</i> , 2015, 51, 984-990. | 0.6 | 7 |
| 49 | Synthesis of 2-Nitro-1H-Benzo[f]Chromenes. <i>Chemistry of Heterocyclic Compounds</i> , 2015, 50, 1528-1533. | 0.6 | 12 |
| 50 | Reaction of 2,4-Di-tert-butyl-6-[(dimethylamino)methyl]phenol with diazabicyclo[5.4.0]undec-7-ene. <i>Russian Journal of Organic Chemistry</i> , 2015, 51, 125-127. | 0.3 | 1 |
| 51 | Synthesis of uvarindole A. <i>Russian Journal of Organic Chemistry</i> , 2014, 50, 1590-1593. | 0.3 | 2 |
| 52 | Potassium Trinitromethanide as a 1,1-Ambiphilic Synthon Equivalent: Access to 2-Nitroarenofurans. <i>Journal of Organic Chemistry</i> , 2014, 79, 1192-1198. | 1.7 | 25 |
| 53 | Novel Method for the Synthesis of 7,14-Dihydrodibenzo[A,J]Acridines. <i>Chemistry of Heterocyclic Compounds</i> , 2014, 50, 1199-1202. | 0.6 | 4 |
| 54 | Novel Method for the Synthesis of 1,5-Dihydro-2h-Chromeno[2,3-D]Pyrimidine-2,4(3h)-Diones. <i>Chemistry of Heterocyclic Compounds</i> , 2014, 50, 1195-1198. | 0.6 | 5 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Interaction of 5-methoxy-4-azatricyclo[4.3.1.1 ^{3,8}]-undec-4-ene with nitrogen-containing nucleophiles. <i>Chemistry of Heterocyclic Compounds</i> , 2013, 48, 1517-1521. | 0.6 | 0 |
| 56 | Synthesis of chromeno[2,3-b]chromenes from 2-dimethylaminophenols and malononitrile. <i>Chemistry of Heterocyclic Compounds</i> , 2013, 49, 683-688. | 0.6 | 8 |
| 57 | New synthesis of 3-amino-1H-benzo[f]chromene-2-carbonitriles. <i>Russian Journal of Organic Chemistry</i> , 2013, 49, 398-402. | 0.3 | 11 |
| 58 | Reactions of <i>o</i> -Quinone Methides with Pyridinium Methylides: A Diastereoselective Synthesis of 1,2-Dihydronaphtho[2,1- <i>b</i>]furans and 2,3-Dihydrobenzofurans. <i>Journal of Organic Chemistry</i> , 2013, 78, 5505-5520. | 1.7 | 87 |
| 59 | Easy Access to (±)-Schefflone and Espintanol. <i>Synlett</i> , 2012, 23, 917-919. | 1.0 | 7 |
| 60 | Novel Method of Synthesis of 2,3-Dihydro-Furo[3,2- <i>h</i>]Quinolines. <i>Chemistry of Heterocyclic Compounds</i> , 2012, 48, 993-996. | 0.6 | 5 |
| 61 | Convenient one-step synthesis of 4-unsubstituted 2-amino-4H-chromene-2-carbonitriles and 5-unsubstituted 5H-chromeno[2,3- <i>b</i>]pyridine-3-carbonitriles from quaternary ammonium salts. <i>Tetrahedron</i> , 2012, 68, 5612-5618. | 1.0 | 33 |
| 62 | Synthesis of 7,9,10,11-tetrahydro-8H-chromeno[3,2- <i>h</i>]quinolin-8-ones. <i>Chemistry of Heterocyclic Compounds</i> , 2012, 47, 1601-1602. | 0.6 | 4 |
| 63 | Synthesis of the novel naphtho-[1,2- <i>e</i>][1,2,4]triazolo[5,1- <i>b</i>][1,3]oxazine heterocyclic system. <i>Chemistry of Heterocyclic Compounds</i> , 2012, 47, 1607-1609. | 0.6 | 4 |
| 64 | Synthesis of 9,11-diamino-12H-benzo[5,6]-chromeno[2,3- <i>b</i>]pyridine-10-carbonitriles. <i>Chemistry of Heterocyclic Compounds</i> , 2012, 47, 1460-1462. | 0.6 | 6 |
| 65 | Synthesis of 14 \hat{h} -naphtho[1',2':5,6][1,3]oxazino-[3,2- <i>a</i>]benzimidazole, a new heterocyclic system. <i>Chemistry of Heterocyclic Compounds</i> , 2011, 47, 108-111. | 0.6 | 5 |
| 66 | Reactions of 6,7-dimethoxy-3,4-dihydroisoquinoline with <i>o</i> -quinone methides. <i>Chemistry of Heterocyclic Compounds</i> , 2011, 47, 845-850. | 0.6 | 13 |
| 67 | Synthesis of 1,2,4-triazolo[5,1- <i>b</i>][1,3]benzoxazines. <i>Chemistry of Heterocyclic Compounds</i> , 2010, 46, 377-378. | 0.6 | 7 |
| 68 | New approach to the synthesis of benzo[<i>e</i>]pyrazolo[5,1- <i>b</i>][1,3]oxazines. <i>Chemistry of Heterocyclic Compounds</i> , 2010, 46, 1027-1028. | 0.6 | 4 |
| 69 | Oxidative Dimerization of 1 \hat{D} -Benzo[<i>f</i>]chromenes: Synthesis of Benzannulated Analogues of Spiroflavonoids Welwitschins E and F. <i>Synthesis</i> , 0, 53, . | 1.2 | 0 |
| 70 | Opening of the Furan Ring of 3-Nitrobenzofurans by the Action of Carbonyl-Stabilized Sulfonium ylides. <i>Chemistry of Heterocyclic Compounds</i> , 0, , . | 0.6 | 0 |