

P Andrew Sleigh

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2021058/publications.pdf>

Version: 2024-02-01

61
papers

2,604
citations

147566

31
h-index

189595

50
g-index

64
all docs

64
docs citations

64
times ranked

2913
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Modeling fomite-mediated SARS-CoV-2 exposure through personal protective equipment doffing in a hospital environment. <i>Indoor Air</i> , 2022, 32, . | 2.0 | 10 |
| 2 | Urban correction of global DEMs using building density for Nairobi, Kenya. <i>Earth Science Informatics</i> , 2021, 14, 1383-1398. | 1.6 | 4 |
| 3 | Global flood exposure from different sized rivers. <i>Natural Hazards and Earth System Sciences</i> , 2021, 21, 2829-2847. | 1.5 | 12 |
| 4 | Understanding the costs of urban sanitation: towards a standard costing model. <i>Journal of Water Sanitation and Hygiene for Development</i> , 2020, 10, 642-658. | 0.7 | 5 |
| 5 | Modelling Mechanically Induced Non-Newtonian Flows to Improve the Energy Efficiency of Anaerobic Digesters. <i>Water (Switzerland)</i> , 2020, 12, 2995. | 1.2 | 3 |
| 6 | Stress-Particle Smoothed Particle Hydrodynamics: An application to the failure and post-failure behaviour of slopes. <i>Computer Methods in Applied Mechanics and Engineering</i> , 2020, 366, 113034. | 3.4 | 19 |
| 7 | Estimating Safely Managed Sanitation in Urban Areas; Lessons Learned From a Global Implementation of Excreta-Flow Diagrams. <i>Frontiers in Environmental Science</i> , 2020, 8, . | 1.5 | 56 |
| 8 | Systematic analysis of uncertainty in 2D flood inundation models. <i>Environmental Modelling and Software</i> , 2019, 122, 104520. | 1.9 | 24 |
| 9 | Modelling the long-term suspended sedimentological effects on stormwater pond performance in an urban catchment. <i>Journal of Hydrology</i> , 2019, 571, 805-818. | 2.3 | 24 |
| 10 | Evolution of particle interactions between accidentally released aerosol particles generated from powdered engineered nanomaterials into a simulated workplace atmosphere. <i>Journal of Aerosol Science</i> , 2019, 129, 98-115. | 1.8 | 2 |
| 11 | Evacuation characteristics of released airborne TiO2 nanomaterial particles under different ventilation rates in a confined environment. <i>Journal of Environmental Management</i> , 2019, 233, 417-426. | 3.8 | 1 |
| 12 | Numerical Unsaturated Flow Model of Railway Drainage Systems. <i>Green Energy and Technology</i> , 2019, , 677-681. | 0.4 | 0 |
| 13 | The influence of floodplain restoration on flow and sediment dynamics in an urban river. <i>Journal of Flood Risk Management</i> , 2018, 11, S986. | 1.6 | 48 |
| 14 | Numerical modeling of converging compound channel flow. <i>ISH Journal of Hydraulic Engineering</i> , 2018, 24, 285-297. | 1.1 | 16 |
| 15 | Field assessment of bacterial communities and total trihalomethanes: Implications for drinking water networks. <i>Science of the Total Environment</i> , 2018, 616-617, 345-354. | 3.9 | 25 |
| 16 | A first collective validation of global fluvial flood models for major floods in Nigeria and Mozambique. <i>Environmental Research Letters</i> , 2018, 13, 104007. | 2.2 | 66 |
| 17 | The influence of dust originating from carbon black nanopowders on the explosion characteristics of lean methane/air mixtures within a turbulent environment. <i>Journal of Loss Prevention in the Process Industries</i> , 2018, 55, 61-70. | 1.7 | 4 |
| 18 | Effects of water source accessibility and reliability improvements on water consumption in eastern Nairobi. <i>Waterlines</i> , 2017, 36, 204-215. | 0.1 | 5 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Relationship between healthcare worker surface contacts, care type and hand hygiene: an observational study in a single-bed hospital ward. <i>Journal of Hospital Infection</i> , 2016, 94, 48-51. | 1.4 | 15 |
| 20 | Physical complexity to model morphological changes at a natural channel bend. <i>Water Resources Research</i> , 2016, 52, 6348-6364. | 1.7 | 14 |
| 21 | Quantifying the combined effects of multiple extreme floods on river channel geometry and on flood hazards. <i>Journal of Hydrology</i> , 2016, 538, 256-268. | 2.3 | 58 |
| 22 | Modeling environmental contamination in hospital single- and four-bed rooms. <i>Indoor Air</i> , 2015, 25, 694-707. | 2.0 | 61 |
| 23 | Multiple effects of sediment transport and geomorphic processes within flood events: Modelling and understanding. <i>International Journal of Sediment Research</i> , 2015, 30, 371-381. | 1.8 | 24 |
| 24 | Assessment of hydro-morphodynamic modelling and geomorphological impacts of a sediment-charged jökulhlaup, at SÁlheimajökull, Iceland. <i>Journal of Hydrology</i> , 2015, 530, 336-349. | 2.3 | 32 |
| 25 | Multimode Morphodynamic Model for Sediment-Laden Flows and Geomorphic Impacts. <i>Journal of Hydraulic Engineering</i> , 2015, 141, . | 0.7 | 23 |
| 26 | Computational fluid dynamics analysis to assess performance variability of in-duct UV-C systems. <i>Science and Technology for the Built Environment</i> , 2015, 21, 45-53. | 0.8 | 13 |
| 27 | 2D Process-Based Morphodynamic Model for Flooding by Noncohesive Dyke Breach. <i>Journal of Hydraulic Engineering</i> , 2014, 140, . | 0.7 | 46 |
| 28 | A robust 2D shallow water model for solving flow over complex topography using homogenous flux method. <i>International Journal for Numerical Methods in Fluids</i> , 2013, 73, 225-249. | 0.9 | 25 |
| 29 | Effects of turbulence modelling on prediction of flow characteristics in a bench-scale anaerobic gas-lift digester. <i>Bioresource Technology</i> , 2013, 138, 297-306. | 4.8 | 50 |
| 30 | Bioaerosol deposition in single and two-bed hospital rooms: A numerical and experimental study. <i>Building and Environment</i> , 2013, 59, 436-447. | 3.0 | 79 |
| 31 | The Role of Nursing Activities on the Bioaerosol Production in Hospital Wards. <i>Indoor and Built Environment</i> , 2013, 22, 410-421. | 1.5 | 11 |
| 32 | An assessment of, and response to, potential cross-contamination routes due to defective appliance water trap seals in building drainage systems. <i>Building Services Engineering Research and Technology</i> , 2012, 33, 203-222. | 0.9 | 25 |
| 33 | CFD simulation of airborne pathogen transport due to human activities. <i>Building and Environment</i> , 2011, 46, 2500-2511. | 3.0 | 85 |
| 34 | An evaluation of the use of interactive approaches and integrated on-line resources. <i>Teaching Mathematics and Its Applications</i> , 2011, 30, 166-177. | 0.7 | 1 |
| 35 | Priority water research questions as determined by UK practitioners and policy makers†. <i>Science of the Total Environment</i> , 2010, 409, 256-266. | 3.9 | 68 |
| 36 | Effect of negative air ions on the potential for bacterial contamination of plastic medical equipment. <i>BMC Infectious Diseases</i> , 2010, 10, 92. | 1.3 | 17 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Estimation of norovirus and Ascaris infection risks to urban farmers in developing countries using wastewater for crop irrigation. <i>Journal of Water and Health</i> , 2010, 8, 572-576. | 1.1 | 33 |
| 38 | Estimation of norovirus infection risks to consumers of wastewater-irrigated food crops eaten raw. <i>Journal of Water and Health</i> , 2010, 8, 39-43. | 1.1 | 64 |
| 39 | Estimation of Ascaris infection risks in children under 15 from the consumption of wastewater-irrigated carrots. <i>Journal of Water and Health</i> , 2010, 8, 35-38. | 1.1 | 28 |
| 40 | Mathematical models for assessing the role of airflow on the risk of airborne infection in hospital wards. <i>Journal of the Royal Society Interface</i> , 2009, 6, S791-800. | 1.5 | 95 |
| 41 | Aerial Dissemination of <i>Clostridium difficile</i> spores. <i>BMC Infectious Diseases</i> , 2008, 8, 7. | 1.3 | 91 |
| 42 | The ventilation of multiple-bed hospital wards: Review and analysis. <i>American Journal of Infection Control</i> , 2008, 36, 250-259. | 1.1 | 114 |
| 43 | Health risks in wastewater irrigation: Comparing estimates from quantitative microbial risk analyses and epidemiological studies. <i>Journal of Water and Health</i> , 2007, 5, 39-50. | 1.1 | 161 |
| 44 | Bactericidal action of positive and negative ions in air. <i>BMC Microbiology</i> , 2007, 7, 32. | 1.3 | 83 |
| 45 | The influence of nurse cohorting on hand hygiene effectiveness. <i>American Journal of Infection Control</i> , 2006, 34, 621-626. | 1.1 | 53 |
| 46 | Methodology for determining the susceptibility of airborne microorganisms to irradiation by an upper-room UVGI system. <i>Journal of Aerosol Science</i> , 2006, 37, 885-902. | 1.8 | 57 |
| 47 | Modelling the transmission of airborne infections in enclosed spaces. <i>Epidemiology and Infection</i> , 2006, 134, 1082-1091. | 1.0 | 110 |
| 48 | Air ionisation and colonisation/infection with methicillin-resistant <i>Staphylococcus aureus</i> and <i>Acinetobacter</i> species in an intensive care unit. <i>Intensive Care Medicine</i> , 2006, 32, 315-317. | 3.9 | 37 |
| 49 | Use of CFD Modelling to Optimise the Design of Upper-room UVGI Disinfection Systems for Ventilated Rooms. <i>Indoor and Built Environment</i> , 2006, 15, 347-356. | 1.5 | 39 |
| 50 | Bioaerosol Production on a Respiratory Ward. <i>Indoor and Built Environment</i> , 2006, 15, 35-40. | 1.5 | 41 |
| 51 | Use of CFD Analysis in Modifying a TB Ward in Lima, Peru. <i>Indoor and Built Environment</i> , 2006, 15, 41-47. | 1.5 | 35 |
| 52 | <i>Acinetobacter</i> spp. and the Clinical Environment. <i>Indoor and Built Environment</i> , 2006, 15, 19-24. | 1.5 | 21 |
| 53 | Modelling the Performance of Upper Room Ultraviolet Germicidal Irradiation Devices in Ventilated Rooms: Comparison of Analytical and CFD Methods. <i>Indoor and Built Environment</i> , 2004, 13, 477-488. | 1.5 | 50 |
| 54 | Development of a numerical model to simulate the biological inactivation of airborne microorganisms in the presence of ultraviolet light. <i>Journal of Aerosol Science</i> , 2004, 35, 489-507. | 1.8 | 48 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | A quantitative method for evaluating the germicidal effect of upper room UV fields. <i>Journal of Aerosol Science</i> , 2002, 33, 1681-1699. | 1.8 | 41 |
| 56 | The use of solar desiccant cooling in the UK: a feasibility study. <i>Applied Thermal Engineering</i> , 2002, 22, 1327-1338. | 3.0 | 98 |
| 57 | A theoretical study of the thermal performance of the TermoDeck hollow core slab system. <i>Applied Thermal Engineering</i> , 2002, 22, 1485-1499. | 3.0 | 52 |
| 58 | The potential for solar powered single-stage desiccant cooling in southern Europe. <i>Applied Thermal Engineering</i> , 2002, 22, 1129-1140. | 3.0 | 91 |
| 59 | Susceptibility of <i>Burkholderia cepacia</i> and other pathogens of importance in cystic fibrosis to u.v. light. <i>Letters in Applied Microbiology</i> , 2001, 32, 135-138. | 1.0 | 8 |
| 60 | Letters to the Editor. <i>Journal of Hospital Infection</i> , 2000, 46, 77-78. | 1.4 | 1 |
| 61 | An unstructured finite-volume algorithm for predicting flow in rivers and estuaries. <i>Computers and Fluids</i> , 1998, 27, 479-508. | 1.3 | 153 |