## Kevin Gurney

## List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2021125/publications.pdf

Version: 2024-02-01

53660 32761 11,359 115 45 100 citations h-index g-index papers 126 126 126 9331 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	TransCom 3 CO <sub>2</sub> inversion intercomparison: 1. Annual mean control results and sensitivity to transport and prior flux information. Tellus, Series B: Chemical and Physical Meteorology, 2022, 55, 555.	0.8	105
2	The space and time impacts on U.S. regional atmospheric CO <sub>2</sub> concentrations from a high resolution fossil fuel CO <sub>2</sub> emissions inventory. Tellus, Series B: Chemical and Physical Meteorology, 2022, 62, 506.	0.8	15
3	Regional trends in terrestrial carbon exchange and their seasonal signatures. Tellus, Series B: Chemical and Physical Meteorology, 2022, 63, 328.	0.8	32
4	Three-dimensional transport and concentration of SF <sub>6</sub> A model intercomparison study (TransCom 2). Tellus, Series B: Chemical and Physical Meteorology, 2022, 51, 266.	0.8	88
5	TransCom 3 CO <sub>2</sub> inversion intercomparison: 2. Sensitivity of annual mean results to data choices. Tellus, Series B: Chemical and Physical Meteorology, 2022, 55, 580.	0.8	20
6	New York City greenhouse gas emissions estimated with inverse modeling of aircraft measurements. Elementa, $2022,10,1$	1.1	8
7	Greenhouse gas emissions from global cities under SSP/RCP scenarios, 1990 to 2100. Global Environmental Change, 2022, 73, 102478.	3.6	41
8	Estimating CO <sub>2</sub> emissions for 108 000 European cities. Earth System Science Data, 2022, 14, 845-864.	3.7	10
9	A spatially explicit inventory scaling approach to estimate urban CO2 emissions. Elementa, 2022, 10, .	1.1	O
10	Source decomposition of eddy-covariance CO <sub>2</sub> flux measurements for evaluating a high-resolution urban CO <sub>2</sub> emissions inventory. Environmental Research Letters, 2022, 17, 074035.	2.2	6
11	Under-reporting of greenhouse gas emissions in U.S. cities. Nature Communications, 2021, 12, 553.	5.8	69
12	Estimating nitrous oxide (N2O) emissions for the Los Angeles Megacity using mountaintop remote sensing observations. Remote Sensing of Environment, 2021, 259, 112351.	4.6	6
13	The Impact of COVID‶9 on CO <sub>2</sub> Emissions in the Los Angeles and Washington DC/Baltimore Metropolitan Areas. Geophysical Research Letters, 2021, 48, e2021GL092744.	1.5	32
14	An emerging GHG estimation approach can help cities achieve their climate and sustainability goals. Environmental Research Letters, 2021, 16, 084003.	2.2	22
15	The power and promise of improved climate data infrastructure. Proceedings of the National Academy of Sciences of the United States of America, $2021, 118, \ldots$	<b>3.</b> 3	2
16	The influence of near-field fluxes on seasonal carbon dioxide enhancements: results from the Indianapolis Flux Experiment (INFLUX). Carbon Balance and Management, 2021, 16, 4.	1.4	4
17	Societal shifts due to COVID-19 reveal large-scale complexities and feedbacks between atmospheric chemistry and climate change. Proceedings of the National Academy of Sciences of the United States of America, 2021, 118, .	3.3	42
18	Policy-Relevant Assessment of Urban CO <sub>2</sub> Emissions. Environmental Science & Emp; Technology, 2020, 54, 10237-10245.	4.6	52

#	Article	IF	CITATIONS
19	Toward Accurate, Policy-Relevant Fossil Fuel CO2 Emission Landscapes. Environmental Science & Emp; Technology, 2020, 54, 9896-9907.	4.6	14
20	The Vulcan Version 3.0 Highâ€Resolution Fossil Fuel CO <sub>2</sub> Emissions for the United States. Journal of Geophysical Research D: Atmospheres, 2020, 125, e2020JD032974.	1.2	50
21	Informing urban climate planning with high resolution data: the Hestia fossil fuel CO2 emissions for Baltimore, Maryland. Carbon Balance and Management, 2020, 15, 22.	1.4	9
22	Fluxes of Atmospheric Greenhouseâ€Gases in Maryland (FLAGGâ€MD): Emissions of Carbon Dioxide in the Baltimore, MDâ€Washington, D.C. Area. Journal of Geophysical Research D: Atmospheres, 2020, 125, e2019JD032004.	1.2	11
23	Estimating US fossil fuel CO <sub>2</sub> emissions from measurements of <sup>14</sup> C in atmospheric CO <sub>2</sub> . Proceedings of the National Academy of Sciences of the United States of America, 2020, 117, 13300-13307.	3.3	65
24	Towards spaceborne monitoring of localized CO <sub>2</sub> emissions: an instrument concept and first performance assessment. Atmospheric Measurement Techniques, 2020, 13, 2887-2904.	1.2	13
25	Numerical simulation of atmospheric CO2 concentration and flux over the Korean Peninsula using WRF-VPRM model during Korus-AQ 2016 campaign. PLoS ONE, 2020, 15, e0228106.	1.1	12
26	Constraining Urban CO <sub><sub></sub></sub> Emissions Using Mobile Observations from a Light Rail Public Transit Platform. Environmental Science & Environmental Science & 2020, 54, 15613-15621.	4.6	16
27	Fluxes of Atmospheric Greenhouse-Gases in Maryland (FLAGG-MD): Emissions of Carbon Dioxide in the Baltimore, MD-Washington, D.C. area. Journal of Geophysical Research D: Atmospheres, 2020, 125, .	1.2	0
28	Atmospheric Methane Emissions Correlate With Natural Gas Consumption From Residential and Commercial Sectors in Los Angeles. Geophysical Research Letters, 2019, 46, 8563-8571.	1.5	32
29	A global dataset of CO2 emissions and ancillary data related to emissions for 343 cities. Scientific Data, 2019, 6, 180280.	2.4	65
30	A Road Map for Improving the Treatment of Uncertainties in Highâ€Resolution Regional Carbon Flux Inverse Estimates. Geophysical Research Letters, 2019, 46, 13461-13469.	1.5	23
31	Atmospheric observation-based estimation of fossil fuel CO2 emissions from regions of central and southern California. Science of the Total Environment, 2019, 664, 381-391.	3.9	10
32	Combining Measurements of Built-up Area, Nighttime Light, and Travel Time Distance for Detecting Changes in Urban Boundaries: Introducing the BUNTUS Algorithm. Remote Sensing, 2019, 11, 2969.	1.8	17
33	Comparison of Global Downscaled Versus Bottomâ€Up Fossil Fuel CO <sub>2</sub> Emissions at the Urban Scale in Four U.S. Urban Areas. Journal of Geophysical Research D: Atmospheres, 2019, 124, 2823-2840.	1.2	61
34	Synthesis of Urban CO <sub>2</sub> Emission Estimates from Multiple Methods from the Indianapolis Flux Project (INFLUX). Environmental Science & Enviro	4.6	50
35	Bayesian inverse estimation of urban CO2 emissions: Results from a synthetic data simulation over Salt Lake City, UT. Elementa, 2019, 7, .	1.1	20
36	The Hestia fossil fuel CO <sub>2</sub> emissions data product for the Los Angeles megacity (Hestia-LA). Earth System Science Data, 2019, 11, 1309-1335.	3.7	36

#	Article	IF	CITATIONS
37	A global map of emission clumps for future monitoring of fossil fuel CO <sub>2</sub> emissions from space. Earth System Science Data, 2019, 11, 687-703.	3.7	19
38	Long-term urban carbon dioxide observations reveal spatial and temporal dynamics related to urban characteristics and growth. Proceedings of the National Academy of Sciences of the United States of America, 2018, 115, 2912-2917.	3.3	120
39	Assessing fossil fuel CO 2 emissions in California using atmospheric observations and models. Environmental Research Letters, 2018, 13, 065007.	2.2	27
40	Detecting drought impact on terrestrial biosphere carbon fluxes over contiguous US with satellite observations. Environmental Research Letters, 2018, 13, 095003.	2.2	22
41	Southern California megacity CO <sub>2</sub> , CH <sub>4</sub> , and CO flux estimates using ground- and space-based remote sensing and a Lagrangian model. Atmospheric Chemistry and Physics, 2018, 18, 16271-16291.	1.9	56
42	Source Sector Attribution of CO <sub>2</sub> Emissions Using an Urban CO/CO <sub>2</sub> Bayesian Inversion System. Journal of Geophysical Research D: Atmospheres, 2018, 123, 13,611.	1.2	16
43	Response to Comment on "Contrasting carbon cycle responses of the tropical continents to the 2015–2016 El Niño― Science, 2018, 362, .	6.0	6
44	CO2 Transport, Variability, and Budget over the Southern California Air Basin Using the High-Resolution WRF-VPRM Model during the CalNex 2010 Campaign. Journal of Applied Meteorology and Climatology, 2018, 57, 1337-1352.	0.6	21
45	Topâ€Down Estimates of NO <sub><i>x</i></sub> and CO Emissions From Washington, D.C.â€Baltimore During the WINTER Campaign. Journal of Geophysical Research D: Atmospheres, 2018, 123, 7705-7724.	1.2	35
46	CO2 and Carbon Emissions from Cities: Linkages to Air Quality, Socioeconomic Activity, and Stakeholders in the Salt Lake City Urban Area. Bulletin of the American Meteorological Society, 2018, 99, 2325-2339.	1.7	41
47	Investigations into the use of multi-species measurements for source apportionment of the Indianapolis fossil fuel $\langle i \rangle CO \langle l \rangle 2$ signal. Elementa, 2018, 6, .	1.1	9
48	Joint inverse estimation of fossil fuel and biogenic CO2 fluxes in an urban environment: An observing system simulation experiment to assess the impact of multiple uncertainties. Elementa, 2018, 6, .	1.1	19
49	Contrasting carbon cycle responses of the tropical continents to the 2015–2016 El Niño. Science, 2017, 358, .	6.0	307
50	Global and Brazilian Carbon Response to El Niño Modoki 2011–2010. Earth and Space Science, 2017, 4, 637-660.	1.1	49
51	Quantification of urban atmospheric boundary layer greenhouse gas dry mole fraction enhancements in the dormant season: Results from the Indianapolis Flux Experiment (INFLUX). Elementa, 2017, 5, .	1.1	24
52	Optimizing the Spatial Resolution for Urban CO2 Flux Studies Using the Shannon Entropy. Atmosphere, 2017, 8, 90.	1.0	1
53	Emissions and topographic effects on column CO 2 () variations, with a focus on the Southern California Megacity. Journal of Geophysical Research D: Atmospheres, 2017, 122, 7200-7215.	1.2	22
54	Simulating estimation of California fossil fuel and biosphere carbon dioxide exchanges combining in situ tower and satellite column observations. Journal of Geophysical Research D: Atmospheres, 2017, 122, 3653-3671.	1.2	32

#	Article	IF	Citations
55	Toward reduced transport errors in a high resolution urban CO2 inversion system. Elementa, 2017, 5, .	1.1	36
56	Assessing the optimized precision of the aircraft mass balance method for measurement of urban greenhouse gas emission rates through averaging. Elementa, $2017, 5, \ldots$	1.1	46
57	Carbon monoxide isotopic measurements in Indianapolis constrain urban source isotopic signatures and support mobile fossil fuel emissions as the dominant wintertime CO source. Elementa, 2017, 5, .	1.1	13
58	Reconciling the differences between a bottom-up and inverse-estimated FFCO2 emissions estimate in a large US urban area. Elementa, $2017, 5, .$	1.1	28
59	On the impact of granularity of space-based urban CO2 emissions in urban atmospheric inversions: A case study for Indianapolis, IN. Elementa, 2017, 5, 28.	1.1	34
60	The Indianapolis Flux Experiment (INFLUX): A test-bed for developing urban greenhouse gas emission measurements. Elementa, $2017, 5, .$	1.1	59
61	Bias present in US federal agency power plant CO <sub>2</sub> emissions data and implications for the US clean power plan. Environmental Research Letters, 2016, 11, 064005.	2.2	27
62	Urban high-resolution fossil fuel CO2 emissions quantification and exploration of emission drivers for potential policy applications. Urban Ecosystems, 2016, 19, 1013-1039.	1.1	51
63	Highâ€resolution atmospheric inversion of urban CO <sub>2</sub> emissions during the dormant season of the Indianapolis Flux Experiment (INFLUX). Journal of Geophysical Research D: Atmospheres, 2016, 121, 5213-5236.	1.2	219
64	Comment on "Analysis of Highâ€Resolution Utility Data for Understanding Energy Use in Urban Systems― Journal of Industrial Ecology, 2016, 20, 192-193.	2.8	1
65	Los Angeles megacity: a high-resolution land–atmosphere modelling system for urban CO <sub>2</sub> emissions. Atmospheric Chemistry and Physics, 2016, 16, 9019-9045.	1.9	101
66	Monthly trends of methane emissions in Los Angeles from 2011 to 2015 inferred by CLARS-FTS observations. Atmospheric Chemistry and Physics, 2016, 16, 13121-13130.	1.9	39
67	Toward consistency between trends in bottom-up CO <sub>2</sub> emissions and top-down atmospheric measurements in the Los Angeles megacity. Atmospheric Chemistry and Physics, 2016, 16, 3843-3863.	1.9	72
68	Impact of climate change on U.S. building energy demand: sensitivity to spatiotemporal scales, balance point temperature, and population distribution. Climatic Change, 2016, 137, 171-185.	1.7	30
69	The terrestrial biosphere as a net source of greenhouse gases to the atmosphere. Nature, 2016, 531, 225-228.	13.7	402
70	Toward quantification and source sector identification of fossil fuel CO <sub>2</sub> emissions from an urban area: Results from the INFLUX experiment. Journal of Geophysical Research D: Atmospheres, 2015, 120, 292-312.	1.2	140
71	Climate change: Track urban emissions on a human scale. Nature, 2015, 525, 179-181.	13.7	138
72	Second letter to editor in response to author response published in ⟨i⟩J. Air Waste Manage. Assoc⟨/i⟩. 64: 1218–1220. Journal of the Air and Waste Management Association, 2015, 65, 245-246.	0.9	0

#	Article	lF	CITATIONS
73	An approach for verifying biogenic greenhouse gas emissions inventories with atmospheric CO <sub>2</sub> concentration data. Environmental Research Letters, 2015, 10, 034012.	2.2	27
74	Quantification and source apportionment of the methane emission flux from the city of Indianapolis. Elementa, $2015, 3, .$	1.1	50
75	Current systematic carbon-cycle observations and the need for implementing a policy-relevant carbon observing system. Biogeosciences, 2014, 11, 3547-3602.	1.3	189
76	Recent research quantifying anthropogenic CO <sub>2</sub> emissions at the street scale within the urban domain. Carbon Management, 2014, 5, 309-320.	1.2	16
77	A multiyear, global gridded fossil fuel CO <sub>2</sub> emission data product: Evaluation and analysis of results. Journal of Geophysical Research D: Atmospheres, 2014, 119, 10,213.	1.2	121
78	Urbanization and the carbon cycle: Current capabilities and research outlook from the natural sciences perspective. Earth's Future, 2014, 2, 473-495.	2.4	159
79	Assessment of uncertainties of an aircraft-based mass balance approach for quantifying urban greenhouse gas emissions. Atmospheric Chemistry and Physics, 2014, 14, 9029-9050.	1.9	109
80	A critical knowledge pathway to lowâ€carbon, sustainable futures: Integrated understanding of urbanization, urban areas, and carbon. Earth's Future, 2014, 2, 515-532.	2.4	110
81	Implications of uncertainty on regional CO2 mitigation policies for the U.S. onroad sector based on a high-resolution emissions estimate. Energy Policy, 2013, 55, 386-395.	4.2	17
82	Improving the temporal and spatial distribution of CO <sub>2</sub> emissions from global fossil fuel emission data sets. Journal of Geophysical Research D: Atmospheres, 2013, 118, 917-933.	1.2	122
83	A Sensitivity Analysis of Surface Biophysical, Carbon, and Climate Impacts of Tropical Deforestation Rates in CCSM4-CNDV*. Journal of Climate, 2013, 26, 805-821.	1.2	12
84	On the variation of regional CO <sub>2</sub> exchange over temperate and boreal North America. Global Biogeochemical Cycles, 2013, 27, 991-1000.	1.9	10
85	Constraints on emissions of carbon monoxide, methane, and a suite of hydrocarbons in the Colorado Front Range using observations of & amp;lt;sup>14CO <sub>2</sub> . Atmospheric Chemistry and Physics. 2013, 13, 11101-11120.	1.9	27
86	Diurnal tracking of anthropogenic CO <sub>2</sub> emissions in the Los Angeles basin megacity during spring 2010. Atmospheric Chemistry and Physics, 2013, 13, 4359-4372.	1.9	100
87	Crowdsourcing Power Plant Carbon Dioxide Emissions Data. Eos, 2013, 94, 385-386.	0.1	2
88	Global atmospheric carbon budget: results from an ensemble of atmospheric CO <sub>2</sub> inversions. Biogeosciences, 2013, 10, 6699-6720.	1.3	356
89	Beyond Hammers and Nails: Mitigating and Verifying Greenhouse Gas Emissions. Eos, 2013, 94, 199-199.	0.1	10
90	REDD+ and climate: thinking beyond carbon. Carbon Management, 2012, 3, 457-466.	1.2	2

#	Article	IF	Citations
91	A positive carbon feedback to ENSO and volcanic aerosols in the tropical terrestrial biosphere. Global Biogeochemical Cycles, 2012, 26, .	1.9	16
92	A new inversion method to calculate emission inventories without a prior at mesoscale: Application to the anthropogenic CO $<$ sub $>$ 2 $<$ /sub $>$ emission from Houston, Texas. Journal of Geophysical Research, 2012, 117, .	3.3	44
93	Quantification of Fossil Fuel CO <sub>2</sub> Emissions on the Building/Street Scale for a Large U.S. City. Environmental Science & Environmental Scien	4.6	211
94	Is the northern high-latitude land-based CO <sub>2</sub> sink weakening?. Global Biogeochemical Cycles, 2011, 25, n/a-n/a.	1.9	184
95	Spatial relationships of sector-specific fossil fuel CO <sub>2</sub> emissions in the United States. Global Biogeochemical Cycles, 2011, 25, n/a-n/a.	1.9	19
96	An International Effort to Quantify Regional Carbon Fluxes. Eos, 2011, 92, 81-82.	0.1	93
97	Policy Update: Observing human CO <sub>2</sub> emissions. Carbon Management, 2011, 2, 223-226.	1.2	2
98	Modeling energy consumption and CO2 emissions at the urban scale: Methodological challenges and insights from the United States. Energy Policy, 2010, 38, 4765-4782.	4.2	203
99	A new methodology for quantifying on-site residential and commercial fossil fuel CO <sub>2</sub> emissions at the building spatial scale and hourly time scale. Carbon Management, 2010, 1, 45-56.	1.2	46
100	Trends in the sources and sinks of carbon dioxide. Nature Geoscience, 2009, 2, 831-836.	5.4	1,746
101	Aircraft-Based Measurements of the Carbon Footprint of Indianapolis. Environmental Science & Emp; Technology, 2009, 43, 7816-7823.	4.6	167
102	High Resolution Fossil Fuel Combustion CO <sub>2</sub> Emission Fluxes for the United States. Environmental Science & Environme	4.6	414
103			
	Targeting deforestation rates in climate change policy: a "Preservation Pathway" approach. Carbon Balance and Management, 2008, 3, 2.	1.4	10
104		1.4	96
104	Balance and Management, 2008, 3, 2.  Interannual variations in continentalâ€scale net carbon exchange and sensitivity to observing networks estimated from atmospheric CO <sub>2</sub> inversions for the period 1980 to 2005. Global		
	Balance and Management, 2008, 3, 2.  Interannual variations in continentalâ€scale net carbon exchange and sensitivity to observing networks estimated from atmospheric CO⟨sub⟩2⟨/sub⟩ inversions for the period 1980 to 2005. Global Biogeochemical Cycles, 2008, 22, .  Estimation of global CO⟨sub⟩2⟨/sub⟩ fluxes at regional scale using the maximum likelihood ensemble	1.9	96
105	Balance and Management, 2008, 3, 2.  Interannual variations in continentalâ€scale net carbon exchange and sensitivity to observing networks estimated from atmospheric CO⟨sub⟩2⟨/sub⟩ inversions for the period 1980 to 2005. Global Biogeochemical Cycles, 2008, 22, .  Estimation of global CO⟨sub⟩2⟨/sub⟩ fluxes at regional scale using the maximum likelihood ensemble filter. Journal of Geophysical Research, 2008, 113, .  Weak Northern and Strong Tropical Land Carbon Uptake from Vertical Profiles of Atmospheric CO2.	1.9 3.3	96

#	Article	IF	CITATION
109	Sensitivity of atmospheric CO2inversions to seasonal and interannual variations in fossil fuel emissions. Journal of Geophysical Research, 2005, 110, .	3.3	100
110	Maximum likelihood estimation of covariance parameters for Bayesian atmospheric trace gas surface flux inversions. Journal of Geophysical Research, 2005, $110$ , .	3.3	118
111	Transcom 3 inversion intercomparison: Model mean results for the estimation of seasonal carbon sources and sinks. Global Biogeochemical Cycles, 2004, 18, n/a-n/a.	1.9	312
112	TransCom 3 CO2 inversion intercomparison: 1. Annual mean control results and sensitivity to transport and prior flux information. Tellus, Series B: Chemical and Physical Meteorology, 2003, 55, 555-579.	0.8	235
113	TransCom 3 CO2 inversion intercomparison: 2. Sensitivity of annual mean results to data choices. Tellus, Series B: Chemical and Physical Meteorology, 2003, 55, 580-595.	0.8	74
114	On error estimation in atmospheric CO2inversions. Journal of Geophysical Research, 2002, 107, ACL 10-1.	3.3	79
115	Towards robust regional estimates of CO2 sources and sinks using atmospheric transport models. Nature, 2002, 415, 626-630.	13.7	1,157