

Jeppe Friborg

List of Publications by Citations

Source: <https://exaly.com/author-pdf/202154/jeppe-friborg-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

63

papers

1,498

citations

20

h-index

37

g-index

78

ext. papers

1,846

ext. citations

4.9

avg, IF

4.22

L-index

#	Paper	IF	Citations
63	Development and validation of a staging system for HPV-related oropharyngeal cancer by the International Collaboration on Oropharyngeal cancer Network for Staging (ICON-S): a multicentre cohort study. <i>Lancet Oncology, The</i> , 2016 , 17, 440-451	21.7	448
62	Quality of life in survivors of oropharyngeal cancer: A systematic review and meta-analysis of 1366 patients. <i>European Journal of Cancer</i> , 2017 , 78, 91-102	7.5	80
61	Frequency of atopy in the Arctic in 1987 and 1998. <i>Lancet, The</i> , 2002 , 360, 691-2	4.0	72
60	Intratumor heterogeneity of PD-L1 expression in head and neck squamous cell carcinoma. <i>British Journal of Cancer</i> , 2019 , 120, 1003-1006	8.7	69
59	Cancer susceptibility in nasopharyngeal carcinoma families--a population-based cohort study. <i>Cancer Research</i> , 2005 , 65, 8567-72	10.1	65
58	Cancer among the circumpolar Inuit, 1989-2003. II. Patterns and trends. <i>International Journal of Circumpolar Health</i> , 2008 , 67, 408-420	1.7	60
57	Cancer among circumpolar populations: an emerging public health concern. <i>International Journal of Circumpolar Health</i> , 2016 , 75, 29787	1.7	49
56	BCG vaccination and risk of atopy. <i>JAMA - Journal of the American Medical Association</i> , 2003 , 289, 1012-527.4	27.4	44
55	The epidemiology of EBV and its association with malignant disease 929-959		41
54	Phase I trial of 18F-Fludeoxyglucose based radiation dose painting with concomitant cisplatin in head and neck cancer. <i>Radiotherapy and Oncology</i> , 2016 , 120, 76-80	5.3	40
53	Cancer in Greenlandic Inuit 1973-1997: a cohort study. <i>International Journal of Cancer</i> , 2003 , 107, 1017-22.5	22.5	38
52	Cancer among the circumpolar Inuit, 1989-2003. II. Patterns and trends. <i>International Journal of Circumpolar Health</i> , 2008 , 67, 408-20	1.7	30
51	The current epidemic of HPV-associated oropharyngeal cancer: An 18-year Danish population-based study with 2,169 patients. <i>European Journal of Cancer</i> , 2020 , 134, 52-59	7.5	26
50	Pattern of and survival following loco-regional and distant recurrence in patients with HPV+ and HPV- oropharyngeal squamous cell carcinoma: A population-based study. <i>Oral Oncology</i> , 2018 , 83, 127-133.4	133.4	24
49	Primary transoral robotic surgery with concurrent neck dissection for early stage oropharyngeal squamous cell carcinoma implemented at a Danish head and neck cancer center: a phase II trial on feasibility and tumour margin status. <i>European Archives of Oto-Rhino-Laryngology</i> , 2017 , 274, 2229-2237	3.5	22
48	Elective Nodal Irradiation and Patterns of Failure in Head and Neck Cancer After Primary Radiation Therapy. <i>International Journal of Radiation Oncology Biology Physics</i> , 2016 , 94, 775-82	4	22
47	The Inuit cancer pattern--the influence of migration. <i>International Journal of Cancer</i> , 2008 , 122, 2568-72	7.5	22

46	Changing patterns of Hodgkin lymphoma incidence in Singapore. <i>International Journal of Cancer</i> , 2008 , 123, 716-9	7.5	22
45	Development and external validation of nomograms in oropharyngeal cancer patients with known HPV-DNA status: a European Multicentre Study (OroGrams). <i>British Journal of Cancer</i> , 2018 , 118, 1672-1681	8.7	22
44	Risk profiling based on p16 and HPV DNA more accurately predicts location of disease relapse in patients with oropharyngeal squamous cell carcinoma. <i>Annals of Oncology</i> , 2019 , 30, 629-636	10.3	19
43	Metal artefact reduction for accurate tumour delineation in radiotherapy. <i>Radiotherapy and Oncology</i> , 2018 , 126, 479-486	5.3	18
42	Prognostic value of 18F-fludeoxyglucose uptake in 287 patients with head and neck squamous cell carcinoma. <i>Head and Neck</i> , 2015 , 37, 1274-81	4.2	17
41	Impact on survival of tobacco smoking for cases with oropharyngeal squamous cell carcinoma and known human papillomavirus and p16-status: a multicenter retrospective study. <i>Oncotarget</i> , 2019 , 10, 4655-4663	3.3	14
40	Incidence and Survival of Thyroid Cancer in Children, Adolescents, and Young Adults in Denmark: A Nationwide Study from 1980 to 2014. <i>Thyroid</i> , 2018 , 28, 1128-1133	6.2	14
39	NTCP model validation method for DAHANCA patient selection of protons versus photons in head and neck cancer radiotherapy. <i>Acta Oncologica</i> , 2019 , 58, 1410-1415	3.2	12
38	Spatio-temporal stability of pre-treatment 18F-Fludeoxyglucose uptake in head and neck squamous cell carcinomas sufficient for dose painting. <i>Acta Oncologica</i> , 2015 , 54, 1416-22	3.2	12
37	A spectrum of basaloid morphology in a subset of EBV-associated "lymphoepithelial carcinomas" of major salivary glands. <i>Head and Neck Pathology</i> , 2012 , 6, 445-50	3.3	12
36	Comorbidity in HPV+ and HPV- oropharyngeal cancer patients: A population-based, case-control study. <i>Oral Oncology</i> , 2019 , 96, 1-6	4.4	10
35	Epstein-Barr virus-associated gastric carcinoma among patients with pernicious anemia. <i>International Journal of Cancer</i> , 2011 , 129, 2756-60	7.5	10
34	EBV-associated gastric carcinoma in high- and low-incidence areas for nasopharyngeal carcinoma. <i>British Journal of Cancer</i> , 2009 , 101, 530-3	8.7	10
33	Survival of head and neck cancer in Greenland. <i>International Journal of Circumpolar Health</i> , 2010 , 69, 373-82	18.2	9
32	A failure-type specific risk prediction tool for selection of head-and-neck cancer patients for experimental treatments. <i>Oral Oncology</i> , 2017 , 74, 77-82	4.4	8
31	An Extended Hypofractionated Palliative Radiotherapy Regimen for Head and Neck Carcinomas. <i>Frontiers in Oncology</i> , 2018 , 8, 206	5.3	8
30	A clinical prognostic model compared to the newly adopted UICC staging in an independent validation cohort of P16 negative/positive head and neck cancer patients. <i>Oral Oncology</i> , 2018 , 81, 52-60	4.4	8
29	Epstein-Barr virus immune response in high-risk nasopharyngeal carcinoma families in Greenland. <i>Journal of Medical Virology</i> , 2007 , 79, 1877-81	19.7	8

28	Familial risk and clustering of nasopharyngeal carcinoma in Guangdong, China. <i>Cancer</i> , 2005 , 103, 211; author reply 211-2	6.4	8
27	The association between human papillomavirus and oropharyngeal squamous cell Carcinoma: Reviewed according to the Bradford Hill criteria for causality. <i>Oral Oncology</i> , 2016 , 63, 61-65	4.4	7
26	Cause-specific mortality in HPV+ and HPV- oropharyngeal cancer patients: insights from a population-based cohort. <i>Cancer Medicine</i> , 2018 , 7, 87-94	4.8	7
25	Access to radiotherapy among circumpolar Inuit populations. <i>Lancet Oncology, The</i> , 2019 , 20, e590-e600	2.7	6
24	An Uncommon Case of Pediatric Esthesioneuroblastoma Presenting as SIADH: F-FDG PET/CT in Staging and Post-Therapeutic Assessment. <i>Diagnostics</i> , 2018 , 8,	3.8	6
23	Outcome in patients with isolated regional recurrence after primary radiotherapy for head and neck cancer. <i>Head and Neck</i> , 2020 , 42, 3161-3170	4.2	6
22	Radiation dose-painting with protons vs. photons for head-and-neck cancer. <i>Acta Oncologica</i> , 2020 , 59, 525-533	3.2	5
21	Cancer among the circumpolar Inuit, 1989-2003. I. Background and methods. <i>International Journal of Circumpolar Health</i> , 2008 , 67, 396-407	1.7	5
20	FDG-PET/CT in the surveillance of head and neck cancer following radiotherapy. <i>European Archives of Oto-Rhino-Laryngology</i> , 2020 , 277, 539-547	3.5	5
19	Incidence of head and neck cancer in children: A Danish nationwide study from 1978 to 2014. <i>Pediatric Blood and Cancer</i> , 2018 , 65, e27037	3	4
18	A population-based registry study of infant mortality in the Arctic: Greenland and Denmark, 1973-1997. <i>American Journal of Public Health</i> , 2004 , 94, 452-7	5.1	4
17	Improved survival of head and neck cancer patients in Greenland. <i>International Journal of Circumpolar Health</i> , 2018 , 77, 1536252	1.7	4
16	Examining geographic accessibility to radiotherapy in Canada and Greenland for indigenous populations: Measuring inequities to inform solutions. <i>Radiotherapy and Oncology</i> , 2020 , 146, 1-8	5.3	3
15	Transoral robotic surgery: a 4-year learning experience in a single Danish Cancer Centre. <i>Acta Oto-Laryngologica</i> , 2020 , 140, 157-162	1.6	3
14	Long-term survival outcomes after primary transoral robotic surgery (TORS) with concurrent neck dissection for early-stage oropharyngeal squamous cell carcinoma. <i>Acta Oto-Laryngologica</i> , 2021 , 141, 714-718	1.6	3
13	Long-term quality of life & functional outcomes after treatment of oropharyngeal cancer. <i>Cancer Medicine</i> , 2021 , 10, 483-495	4.8	3
12	PET/CT prior to salvage surgery in recurrent head and neck squamous cell carcinoma. <i>European Archives of Oto-Rhino-Laryngology</i> , 2019 , 276, 2895-2902	3.5	2
11	Early Mortality after Radical Radiotherapy in Head and Neck Cancer - A Nationwide Analysis from the Danish Head and Neck Cancer Group (DAHANCA) Database. <i>Clinical Oncology</i> , 2021 , 33, 57-63	2.8	2

10	Incidence and survival of head and neck cancer in the Faroe Islands. <i>International Journal of Circumpolar Health</i> , 2021 , 80, 1894697	1.7	2
9	The Greenlandic research database: a population-based research resource. <i>International Journal of Circumpolar Health</i> , 2004 , 63 Suppl 2, 156-8	1.7	1
8	The impact of tobacco smoking on survival of patients with oral squamous cell carcinoma: a population-based retrospective study.. <i>Acta Oncologica</i> , 2022 , 1-10	3.2	1
7	High nodal FDG uptake increases risk of distant metastasis in patients with oropharyngeal squamous cell carcinoma. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2020 , 47, 1039-1045	8.8	1
6	Bloodstream infections in head and neck cancer patients after curative-intent radiotherapy: a population-based study from the Danish Head and Neck Cancer Group database. <i>British Journal of Cancer</i> , 2021 , 125, 458-464	8.7	1
5	On the relation between improved loco-regional control and disease-free survival in head-and-neck cancer. <i>Acta Oncologica</i> , 2019 , 58, 390-392	3.2	
4	In Reply to Gunn and Garden. <i>International Journal of Radiation Oncology Biology Physics</i> , 2016 , 96, 240-14		
3	Target coverage and local recurrences after radiotherapy for sinonasal cancer in Denmark 2008-2015. A DAHANCA study.. <i>Acta Oncologica</i> , 2022 , 1-7	3.2	
2	FDG-PET/CT identified distant metastases and synchronous cancer in squamous cell carcinoma of the head and neck: the impact of smoking and P16-s. <i>European Archives of Oto-Rhino-Laryngology</i> , 2021 , 1	3.5	
1	Distant metastases in squamous cell carcinoma of the pharynx and larynx: a population-based DAHANCA study. <i>Acta Oncologica</i> , 2021 , 60, 1472-1480	3.2	