## Jeppe Friborg

## List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/202154/jeppe-friborg-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

63	1,498	20	37
papers	citations	h-index	g-index
78	1,846 ext. citations	4.9	4.22
ext. papers		avg, IF	L-index

#	Paper	IF	Citations
63	Target coverage and local recurrences after radiotherapy for sinonasal cancer in Denmark 2008-2015. A DAHANCA study <i>Acta Oncolgica</i> , <b>2022</b> , 1-7	3.2	
62	The impact of tobacco smoking on survival of patients with oral squamous cell carcinoma: a population-based retrospective study <i>Acta Oncolgica</i> , <b>2022</b> , 1-10	3.2	1
61	Bloodstream infections in head and neck cancer patients after curative-intent radiotherapy: a population-based study from the Danish Head and Neck Cancer Group database. <i>British Journal of Cancer</i> , <b>2021</b> , 125, 458-464	8.7	1
60	FDG-PET/CT identified distant metastases and synchronous cancer in squamous cell carcinoma of the head and neck: the impact of smoking and P16-s. <i>European Archives of Oto-Rhino-Laryngology</i> , <b>2021</b> , 1	3.5	
59	Long-term survival outcomes after primary transoral robotic surgery (TORS) with concurrent neck dissection for early-stage oropharyngeal squamous cell carcinoma. <i>Acta Oto-Laryngologica</i> , <b>2021</b> , 141, 714-718	1.6	3
58	Early Mortality after Radical Radiotherapy in Head and Neck Cancer - A Nationwide Analysis from the Danish Head and Neck Cancer Group (DAHANCA) Database. <i>Clinical Oncology</i> , <b>2021</b> , 33, 57-63	2.8	2
57	Long-term quality of life & functional outcomes after treatment of oropharyngeal cancer. <i>Cancer Medicine</i> , <b>2021</b> , 10, 483-495	4.8	3
56	Distant metastases in squamous cell carcinoma of the pharynx and larynx: a population-based DAHANCA study. <i>Acta Oncolgica</i> , <b>2021</b> , 60, 1472-1480	3.2	
55	Incidence and survival of head and neck cancer in the Faroe Islands. <i>International Journal of Circumpolar Health</i> , <b>2021</b> , 80, 1894697	1.7	2
54	The current epidemic of HPV-associated oropharyngeal cancer: An 18-year Danish population-based study with 2,169 patients. <i>European Journal of Cancer</i> , <b>2020</b> , 134, 52-59	7.5	26
53	Examining geographic accessibility to radiotherapy in Canada and Greenland for indigenous populations: Measuring inequities to inform solutions. <i>Radiotherapy and Oncology</i> , <b>2020</b> , 146, 1-8	5.3	3
52	Radiation dose-painting with protons vs. photons for head-and-neck cancer. <i>Acta Oncolgica</i> , <b>2020</b> , 59, 525-533	3.2	5
51	High nodal FDG uptake increases risk of distant metastasis in patients with oropharyngeal squamous cell carcinoma. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , <b>2020</b> , 47, 1039-	1045	1
50	Transoral robotic surgery: a 4-year learning experience in a single Danish Cancer Centre. <i>Acta Oto-Laryngologica</i> , <b>2020</b> , 140, 157-162	1.6	3
49	Outcome in patients with isolated regional recurrence after primary radiotherapy for head and neck cancer. <i>Head and Neck</i> , <b>2020</b> , 42, 3161-3170	4.2	6
48	FDG-PET/CT in the surveillance of head and neck cancer following radiotherapy. <i>European Archives of Oto-Rhino-Laryngology</i> , <b>2020</b> , 277, 539-547	3.5	5
47	NTCP model validation method for DAHANCA patient selection of protons versus photons in head and neck cancer radiotherapy. <i>Acta Oncolgica</i> , <b>2019</b> , 58, 1410-1415	3.2	12

Access to radiotherapy among circumpolar Inuit populations. *Lancet Oncology, The*, **2019**, 20, e590-e600<sub>21.7</sub> 46 Intratumor heterogeneity of PD-L1 expression in head and neck squamous cell carcinoma. British 8.7 45 69 Journal of Cancer, **2019**, 120, 1003-1006 On the relation between improved loco-regional control and disease-free survival in head-and-neck 3.2 44 cancer. *Acta Oncolgica*, **2019**, 58, 390-392 PET/CT prior to salvage surgery in recurrent head and neck squamous cell carcinoma. European 43 3.5 Archives of Oto-Rhino-Laryngology, 2019, 276, 2895-2902 Comorbidity in HPV+ and HPV- oropharyngeal cancer patients: A population-based, case-control 42 4.4 10 study. Oral Oncology, 2019, 96, 1-6 Impact on survival of tobacco smoking for cases with oropharyngeal squamous cell carcinoma and known human papillomavirus and p16-status: a multicenter retrospective study. Oncotarget, 2019, 41 3.3 14 10, 4655-4663 Risk profiling based on p16 and HPV DNA more accurately predicts location of disease relapse in 40 10.3 19 patients with oropharyngeal squamous cell carcinoma. Annals of Oncology, 2019, 30, 629-636 Incidence of head and neck cancer in children: A Danish nationwide study from 1978 to 2014. 39 3 4 Pediatric Blood and Cancer, 2018, 65, e27037 Metal artefact reduction for accurate tumour delineation in radiotherapy. Radiotherapy and 38 18 5.3 Oncology, **2018**, 126, 479-486 An Extended Hypofractionated Palliative Radiotherapy Regimen for Head and Neck Carcinomas. 8 37 5.3 Frontiers in Oncology, 2018, 8, 206 An Uncommon Case of Pediatric Esthesioneuroblastoma Presenting as SIADH: F-FDG PET/CT in 6 36 3.8 Staging and Post-Therapeutic Assessment. Diagnostics, 2018, 8, A clinical prognostic model compared to the newly adopted UICC staging in an independent 8 35 validation cohort of P16 negative/positive head and neck cancer patients. Oral Oncology, 2018, 81, 52-60<sup>4-4</sup> Cause-specific mortality in HPV+ and HPV- oropharyngeal cancer patients: insights from a 4.8 7 34 population-based cohort. Cancer Medicine, 2018, 7, 87-94 Improved survival of head and neck cancer patients in Greenland. International Journal of 33 1.7 4 Circumpolar Health, 2018, 77, 1536252 Development and external validation of nomograms in oropharyngeal cancer patients with known 32 22 HPV-DNA status: a European Multicentre Study (OroGrams). British Journal of Cancer, 2018, 118, 1672-1687 Pattern of and survival following loco-regional and distant recurrence in patients with HPV+ and 31 24 HPV- oropharyngeal squamous cell carcinoma: A population-based study. Oral Oncology, 2018, 83, 127-1334 Incidence and Survival of Thyroid Cancer in Children, Adolescents, and Young Adults in Denmark: A 6.2 30 14 Nationwide Study from 1980 to 2014. Thyroid, 2018, 28, 1128-1133 Primary transoral robotic surgery with concurrent neck dissection for early stage oropharyngeal squamous cell carcinoma implemented at a Danish head and neck cancer center: a phase II trial on 29 22 3.5 feasibility and tumour margin status. European Archives of Oto-Rhino-Laryngology, 2017, 274, 2229-2237

28	Quality of life in survivors of oropharyngeal cancer: Allsystematic review and meta-analysis of 1366 patients. <i>European Journal of Cancer</i> , <b>2017</b> , 78, 91-102	7.5	80
27	A failure-type specific risk prediction tool for selection of head-and-neck cancer patients for experimental treatments. <i>Oral Oncology</i> , <b>2017</b> , 74, 77-82	4.4	8
26	The association between human papillomavirus and oropharyngeal squamous cell Carcinoma: Reviewed according to the Bradford Hill criteria for causality. <i>Oral Oncology</i> , <b>2016</b> , 63, 61-65	4.4	7
25	In Reply to Gunn and Garden. International Journal of Radiation Oncology Biology Physics, 2016, 96, 240-	14	
24	Elective Nodal Irradiation and Patterns of Failure in Head and Neck Cancer After Primary Radiation Therapy. <i>International Journal of Radiation Oncology Biology Physics</i> , <b>2016</b> , 94, 775-82	4	22
23	Development and validation of a staging system for HPV-related oropharyngeal cancer by the International Collaboration on Oropharyngeal cancer Network for Staging (ICON-S): a multicentre cohort study. <i>Lancet Oncology, The</i> , <b>2016</b> , 17, 440-451	21.7	448
22	Cancer among circumpolar populations: an emerging public health concern. <i>International Journal of Circumpolar Health</i> , <b>2016</b> , 75, 29787	1.7	49
21	Phase I trial of 18F-Fludeoxyglucose based radiation dose painting with concomitant cisplatin in head and neck cancer. <i>Radiotherapy and Oncology</i> , <b>2016</b> , 120, 76-80	5.3	40
20	Spatio-temporal stability of pre-treatment 18F-Fludeoxyglucose uptake in head and neck squamous cell carcinomas sufficient for dose painting. <i>Acta Oncolgica</i> , <b>2015</b> , 54, 1416-22	3.2	12
19	Prognostic value of 18F-fludeoxyglucose uptake in 287 patients with head and neck squamous cell carcinoma. <i>Head and Neck</i> , <b>2015</b> , 37, 1274-81	4.2	17
18	A spectrum of basaloid morphology in a subset of EBV-associated "lymphoepithelial carcinomas" of major salivary glands. <i>Head and Neck Pathology</i> , <b>2012</b> , 6, 445-50	3.3	12
17	Epstein-Barr virus-associated gastric carcinoma among patients with pernicious anemia. <i>International Journal of Cancer</i> , <b>2011</b> , 129, 2756-60	7.5	10
16	Survival of head and neck cancer in Greenland. International Journal of Circumpolar Health, 2010, 69, 37	31872	9
15	EBV-associated gastric carcinoma in high- and low-incidence areas for nasopharyngeal carcinoma. <i>British Journal of Cancer</i> , <b>2009</b> , 101, 530-3	8.7	10
14	Cancer among the circumpolar Inuit, 1989-2003. I. Background and methods. <i>International Journal of Circumpolar Health</i> , <b>2008</b> , 67, 396-407	1.7	5
13	Cancer among the circumpolar Inuit, 1989\(\mathbb{Q}\)003. II. Patterns and trends. <i>International Journal of Circumpolar Health</i> , <b>2008</b> , 67, 408-420	1.7	60
12	The Inuit cancer patternthe influence of migration. <i>International Journal of Cancer</i> , <b>2008</b> , 122, 2568-72	7.5	22
11	Changing patterns of Hodgkin lymphoma incidence in Singapore. <i>International Journal of Cancer</i> , <b>2008</b> , 123, 716-9	7.5	22

## LIST OF PUBLICATIONS

10	Cancer among the circumpolar Inuit, 1989-2003. II. Patterns and trends. <i>International Journal of Circumpolar Health</i> , <b>2008</b> , 67, 408-20	1.7	30
9	Epstein-Barr virus immune response in high-risk nasopharyngeal carcinoma families in Greenland. Journal of Medical Virology, <b>2007</b> , 79, 1877-81	19.7	8
8	Familial risk and clustering of nasopharyngeal carcinoma in Guangdong, China. <i>Cancer</i> , <b>2005</b> , 103, 211; author reply 211-2	6.4	8
7	Cancer susceptibility in nasopharyngeal carcinoma familiesa population-based cohort study. <i>Cancer Research</i> , <b>2005</b> , 65, 8567-72	10.1	65
6	The Greenlandic research database: a population-based research resource. <i>International Journal of Circumpolar Health</i> , <b>2004</b> , 63 Suppl 2, 156-8	1.7	1
5	A population-based registry study of infant mortality in the Arctic: Greenland and Denmark, 1973-1997. <i>American Journal of Public Health</i> , <b>2004</b> , 94, 452-7	5.1	4
4	BCG vaccination and risk of atopy. JAMA - Journal of the American Medical Association, 2003, 289, 1012-	527.4	44
3	Cancer in Greenlandic Inuit 1973-1997: a cohort study. International Journal of Cancer, 2003, 107, 1017-	<b>27</b> .5	38
2	Frequency of atopy in the Arctic in 1987 and 1998. <i>Lancet, The</i> , <b>2002</b> , 360, 691-2	40	72
1	The epidemiology of EBV and its association with malignant disease929-959		41