

# Zhong-Ji Qian

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2021863/publications.pdf>

Version: 2024-02-01

76  
papers

3,326  
citations

218677

26  
h-index

149698

56  
g-index

76  
all docs

76  
docs citations

76  
times ranked

3405  
citing authors

#	ARTICLE	IF	CITATIONS
1	A novel glyceroglycolipid from brown algae <i>Ishige okamurae</i> improve photoaging and counteract inflammation in UVB-induced HaCaT cells. <i>Chemico-Biological Interactions</i> , 2022, 351, 109737.	4.0	11
2	Microplastics accumulation in mangroves increasing the resistance of its colonization <i>Vibrio</i> and <i>Shewanella</i> . <i>Chemosphere</i> , 2022, 295, 133861.	8.2	11
3	A new benzaldehyde from the coral-derived fungus <i>Aspergillus terreus</i> C23-3 and its anti-inflammatory effects via suppression of MAPK signaling pathway in RAW264.7 cells. <i>Journal of Zhejiang University: Science B</i> , 2022, 23, 230-240.	2.8	2
4	A Phlorotanin, 6,6- $\beta$ -bieckol from <i>Ecklonia cava</i> , Against Photoaging by Inhibiting MMP1, 3 and 9 Expression on UVB-induced HaCaT Keratinocytes. <i>Photochemistry and Photobiology</i> , 2022, 98, 1131-1139.	2.5	5
5	An ACE inhibitory peptide from <i>Isochrysis zhanjiangensis</i> exhibits antihypertensive effect via anti-inflammation and anti-apoptosis in HUVEC and hypertensive rats. <i>Journal of Functional Foods</i> , 2022, 92, 105061.	3.4	9
6	A Novel Peptide Isolated from Microalgae <i>Isochrysis zhanjiangensis</i> Exhibits Anti-apoptosis and Anti-inflammation in Ox-LDL Induced HUVEC to Improve Atherosclerosis. <i>Plant Foods for Human Nutrition</i> , 2022, 77, 181-189.	3.2	5
7	Potential anti-skin aging effect of a peptide AYAPE isolated from <i>Isochrysis zhanjiangensis</i> on UVB-induced HaCaT cells and H <sub>2</sub> O <sub>2</sub> -induced BJ cells. <i>Journal of Photochemistry and Photobiology B: Biology</i> , 2022, 233, 112481.	3.8	8
8	Mechanism of two alkaloids isolated from coral endophytic fungus for suppressing angiogenesis in atherosclerotic plaque in HUVEC. <i>International Immunopharmacology</i> , 2022, 109, 108931.	3.8	4
9	Pentapeptide AYP from <i>Isochrysis Zhanjiangensis</i> Exhibits Antiangiogenic Activity in HT1080 Cells and HUVECs by Suppressing Migration and Invasion In Vitro. <i>Journal of Agricultural and Food Chemistry</i> , 2022, 70, 8481-8491.	5.2	3
10	Intracellular ethanol-mediated oxidation and apoptosis in HepG2/CYP2E1 cells impaired by two active peptides from seahorse ( <i>Hippocampus kuda</i> bleeler) protein hydrolysates via the Nrf2/HO-1 and akt pathways. <i>Food Science and Nutrition</i> , 2021, 9, 1584-1602.	3.4	7
11	The Inhibition Effect of the Seaweed Polyphenol, 7-Phloro-Eckol from <i>Ecklonia Cava</i> on Alcohol-Induced Oxidative Stress in HepG2/CYP2E1 Cells. <i>Marine Drugs</i> , 2021, 19, 158.	4.6	11
12	Inhibition effects of 7-phloro-eckol from <i>Ecklonia cava</i> on metastasis and angiogenesis induced by hypoxia through regulation of AKT/mTOR and ERK signaling pathways. <i>Arabian Journal of Chemistry</i> , 2021, 14, 103187.	4.9	9
13	Do polystyrene nanoplastics aggravate the toxicity of single contaminants (okadaic acid)? Using AGS cells as a biological model. <i>Environmental Science: Nano</i> , 2021, 8, 3186-3201.	4.3	7
14	Nanoplastics aggravate the toxicity of arsenic to AGS cells by disrupting ABC transporter and cytoskeleton. <i>Ecotoxicology and Environmental Safety</i> , 2021, 227, 112885.	6.0	27
15	Heptapeptide Isolated from <i>Isochrysis zhanjiangensis</i> Exhibited Anti-Photoaging Potential via MAPK/AP-1/MMP Pathway and Anti-Apoptosis in UVB-Irradiated HaCaT Cells. <i>Marine Drugs</i> , 2021, 19, 626.	4.6	18
16	Structural Characterization of Sulfated Polysaccharide Isolated From Red Algae ( <i>Gelidium crinale</i> ) and Antioxidant and Anti-Inflammatory Effects in Macrophage Cells. <i>Frontiers in Bioengineering and Biotechnology</i> , 2021, 9, 794818.	4.1	10
17	Mechanism Analysis of Antiangiogenic Isofloridoside from Marine Edible Red algae <i>Laurencia undulata</i> in HUVEC and HT1080 cell. <i>Journal of Agricultural and Food Chemistry</i> , 2021, 69, 13787-13795.	5.2	10
18	Anti-Allergic Effect of Low Molecular Weight Digest from Abalone Viscera on Atopic Dermatitis-Induced NC/Nga. <i>Marine Drugs</i> , 2021, 19, 634.	4.6	3

#	ARTICLE	IF	CITATIONS
19	Comparison of an angiotensin-converting enzyme inhibitory peptide from tilapia ( <i>Oreochromis</i> ) Tj ETQq1 digestion and a molecular docking study. <i>Journal of the Science of Food and Agriculture</i> , 2020, 100, 315-324.	0.784314	53
20	In Situ Growth Visualization Nanochannel Membrane for Ultrasensitive Copper Ion Detection under the Electric Field Enrichment. <i>ACS Applied Materials &amp; Interfaces</i> , 2020, 12, 4849-4858.	8.0	19
21	Trehalose against UVB-induced skin photoaging by suppressing MMP expression and enhancing procollagen I synthesis in HaCaT cells. <i>Journal of Functional Foods</i> , 2020, 74, 104198.	3.4	29
22	Chemical Composition and Anti-Alzheimer's Disease-Related Activities of a Functional Oil from the Edible Seaweed <i>Hizikia fusiforme</i> . <i>Chemistry and Biodiversity</i> , 2020, 17, e2000055.	2.1	11
23	Mechanism Analysis of a Novel Angiotensin-I-Converting Enzyme Inhibitory Peptide from <i>Isochrysis zhanjiangensis</i> Microalgae for Suppressing Vascular Injury in Human Umbilical Vein Endothelial Cells. <i>Journal of Agricultural and Food Chemistry</i> , 2020, 68, 4411-4423.	5.2	33
24	The Protective Effect of the Polysaccharide Precursor, D-Isofloridoside, from <i>Laurencia undulata</i> on Alcohol-Induced Hepatotoxicity in HepG2 Cells. <i>Molecules</i> , 2020, 25, 1024.	3.8	9
25	Investigating the composition and distribution of microplastics surface biofilms in coral areas. <i>Chemosphere</i> , 2020, 252, 126565.	8.2	88
26	A peptide isolated from <i>Hippocampus abdominalis</i> improves exercise performance and exerts anti-fatigue effects via AMPK/PGC-1 $\alpha$ pathway in mice. <i>Journal of Functional Foods</i> , 2019, 61, 103489.	3.4	28
27	Boiled Abalone Byproduct Peptide Exhibits Anti-Tumor Activity in HT1080 Cells and HUVECs by Suppressing the Metastasis and Angiogenesis <i>In Vitro</i> . <i>Journal of Agricultural and Food Chemistry</i> , 2019, 67, 8855-8867.	5.2	21
28	In Vitro Vascular-Protective Effects of a Tilapia By-Product Oligopeptide on Angiotensin II-Induced Hypertensive Endothelial Injury in HUVEC by Nrf2/NF- $\kappa$ B Pathways. <i>Marine Drugs</i> , 2019, 17, 431.	4.6	16
29	A Peptide YGDEY from Tilapia Gelatin Hydrolysates Inhibits UVB-mediated Skin Photoaging by Regulating MMP-1 and MMP-9 Expression in HaCaT Cells. <i>Photochemistry and Photobiology</i> , 2019, 95, 1424-1432.	2.5	39
30	Viridicatol and viridicatin isolated from a shark-gill-derived fungus <i>Penicillium polonicum</i> AP2T1 as MMP-2 and MMP-9 inhibitors in HT1080 cells by MAPKs signaling pathway and docking studies. <i>Medicinal Chemistry Research</i> , 2019, 28, 1039-1048.	2.4	7
31	In Situ Growth of Ultrasmall Nanochannels in Porous Anodized Aluminum Membrane and Applied in Detection of Lead Ion. <i>Analytical Chemistry</i> , 2019, 91, 8184-8191.	6.5	22
32	Antioxidant Peptide Purified from Enzymatic Hydrolysates of <i>Isochrysis Zhanjiangensis</i> and Its Protective Effect against Ethanol Induced Oxidative Stress of HepG2 Cells. <i>Biotechnology and Bioprocess Engineering</i> , 2019, 24, 308-317.	2.6	42
33	Effects of Strontium-Hydroxyapatite Mediated Active Compounds from <i>Hippocampus Kuda Bleeler</i> (HKB) on Osteogenesis. <i>Coatings</i> , 2019, 9, 141.	2.6	2
34	A Novel Peptide from Abalone ( <i>Haliotis discus hannai</i> ) to Suppress Metastasis and Vasculogenic Mimicry of Tumor Cells and Enhance Anti-Tumor Effect <i>In Vitro</i> . <i>Marine Drugs</i> , 2019, 17, 244.	4.6	19
35	2 $\alpha$ -Hydroxy-5-methoxyacetophenone attenuates the inflammatory response in LPS-induced BV-2 and RAW264.7 cells via NF- $\kappa$ B signaling pathway. <i>Journal of Neuroimmunology</i> , 2019, 330, 143-151.	2.3	7
36	Preventive Effect of YGDEY from Tilapia Fish Skin Gelatin Hydrolysates against Alcohol-Induced Damage in HepG2 Cells through ROS-Mediated Signaling Pathways. <i>Nutrients</i> , 2019, 11, 392.	4.1	22

#	ARTICLE	IF	CITATIONS
37	Antiphototoaging effect of boiled abalone residual peptide ATPGDEG on UVB-induced keratinocyte HaCaT cells. <i>Food and Nutrition Research</i> , 2019, 63, .	2.6	18
38	Cellular properties of the fermented microalgae <i>Pavlova lutheri</i> and its isolated active peptide in osteoblastic differentiation of MG-63 cells. <i>Molecular Medicine Reports</i> , 2018, 17, 2044-2050.	2.4	8
39	A heptameric peptide isolated from the marine microalga <i>Pavlova lutheri</i> suppresses PMA-induced secretion of matrix metalloproteinase-9 through the inactivation of the JNK, p38, and NF- $\kappa$ B pathways in human fibrosarcoma cells. <i>Journal of Applied Phycology</i> , 2018, 30, 2367-2378.	2.8	12
40	1-(5-Bromo-2-hydroxy-4-methoxyphenyl)ethanone [SE1] Inhibits MMP-9 Expression by Regulating NF- $\kappa$ B and MAPKs Signaling Pathways in HT1080 Human Fibrosarcoma Cells. <i>Evidence-based Complementary and Alternative Medicine</i> , 2018, 2018, 1-9.	1.2	1
41	Antioxidant and Angiotensin I Converting Enzyme Inhibition Effects and Antihypertensive Effect in Spontaneously Hypertensive Rats of Peptide Isolated from Boiled Abalone By-Products, <i>Haliotis discus hannai</i> . <i>Journal of Aquatic Food Product Technology</i> , 2018, 27, 946-960.	1.4	7
42	Butyrolactone-I from Coral-Derived Fungus <i>Aspergillus terreus</i> Attenuates Neuro-Inflammatory Response via Suppression of NF- $\kappa$ B Pathway in BV-2 Cells. <i>Marine Drugs</i> , 2018, 16, 202.	4.6	27
43	A heptameric peptide purified from <i>Spirulina</i> sp. gastrointestinal hydrolysate inhibits angiotensin I-converting enzyme- and angiotensin II-induced vascular dysfunction in human endothelial cells. <i>International Journal of Molecular Medicine</i> , 2017, 39, 1072-1082.	4.0	38
44	An Intelligent Label for Freshness of Fish Based on a Porous Anodic Aluminum Membrane and Bromocresol Green. <i>ChemistrySelect</i> , 2017, 2, 8779-8784.	1.5	7
45	A Review - Biology, Aquaculture and Medical Use of Seahorse, <i>Hippocampus</i> spp. <i>Annual Research &amp; Review in Biology</i> , 2017, 14, 1-12.	0.4	11
46	Anti-allergic effects of a nonameric peptide isolated from the intestine gastrointestinal digests of abalone ( <i>Haliotis discus hannai</i> ) in activated HMC-1 human mast cells. <i>International Journal of Molecular Medicine</i> , 2016, 37, 243-250.	4.0	16
47	A GRAPHENE/ENZYME-BASED ELECTROCHEMICAL SENSOR FOR SENSITIVE DETECTION OF ORGANOPHOSPHORUS PESTICIDES. <i>Surface Review and Letters</i> , 2016, 23, 1550103.	1.1	15
48	A novel peptide purified from the fermented microalga <i>Pavlova lutheri</i> attenuates oxidative stress and melanogenesis in B16F10 melanoma cells. <i>Process Biochemistry</i> , 2015, 50, 1318-1326.	3.7	49
49	Mussel-inspired synthesis of polydopamine-functionalized calcium carbonate as reusable adsorbents for heavy metal ions. <i>RSC Advances</i> , 2014, 4, 47848-47852.	3.6	32
50	Beneficial Effect of Abalone Intestine Gastro-Intestinal Digests on Osteoblastic MG-63 Cell Differentiation. <i>Journal of Aquatic Food Product Technology</i> , 2014, 23, 436-446.	1.4	9
51	Fucoxanthin derivatives from <i>Sargassum siliquastrum</i> inhibit matrix metalloproteinases by suppressing NF- $\kappa$ B and MAPKs in human fibrosarcoma cells. <i>Algae</i> , 2014, 29, 355-366.	2.3	15
52	Tetrameric peptide purified from hydrolysates of biodiesel byproducts of <i>Nannochloropsis oculata</i> induces osteoblastic differentiation through MAPK and Smad pathway on MG-63 and D1 cells. <i>Process Biochemistry</i> , 2013, 48, 1387-1394.	3.7	33
53	Induction of apoptosis by the tropical seaweed <i>Pylaiella littoralis</i> in HT-29 cells via the mitochondrial and MAPK pathways. <i>Ocean Science Journal</i> , 2013, 48, 339-348.	1.3	7
54	Paeonol from <i>Hippocampus kuda</i> Bleeler suppressed the neuro-inflammatory responses in vitro via NF- $\kappa$ B and MAPK signaling pathways. <i>Toxicology in Vitro</i> , 2012, 26, 878-887.	2.4	98

#	ARTICLE	IF	CITATIONS
55	Isolation and antioxidant activity evaluation of two new phthalate derivatives from seahorse, Hippocampus Kuda Bleeler. <i>Biotechnology and Bioprocess Engineering</i> , 2012, 17, 1031-1040.	2.6	27
56	Antioxidant Peptides from Protein Hydrolysate of Microalgae <i>Navicula incerta</i> and their Protective Effects in HepG2/CYP2E1 Cells Induced by Ethanol. <i>Phytotherapy Research</i> , 2012, 26, 1555-1563.	5.8	60
57	The antioxidant and anti-inflammatory effects of abalone intestine digest, <i>Haliotis discus hannai</i> in RAW 264.7 macrophages. <i>Biotechnology and Bioprocess Engineering</i> , 2012, 17, 475-484.	2.6	25
58	Protective effects of protein hydrolysate from marine microalgae <i>Navicula incerta</i> on ethanol-induced toxicity in HepG2/CYP2E1 cells. <i>Food Chemistry</i> , 2012, 132, 677-685.	8.2	45
59	Statistical optimization of microalgae <i>Pavlova lutheri</i> cultivation conditions and its fermentation conditions by yeast, <i>Candida rugopelliculosa</i> . <i>Bioresource Technology</i> , 2012, 107, 307-313.	9.6	36
60	IN VITRO ANTIOXIDANT ACTIVITIES OF THE FERMENTED MARINE MICROALGA <i>PAVLOVA LUTHERI</i> (HAPTOPHYTA) WITH THE YEAST <i>HANSENULA POLYMORPHA</i> <sup>1</sup> . <i>Journal of Phycology</i> , 2012, 48, 475-482.	2.3	13
61	Abalone <i>Haliotis discus hannai</i> Intestine Digests with Different Molecule Weights Inhibit MMP-2 and MMP-9 Expression in Human Fibrosarcoma Cells. <i>Fisheries and Aquatic Sciences</i> , 2012, 15, 137-143.	0.8	4
62	1-(5-bromo-2-hydroxy-4-methoxyphenyl)ethanone [SE1] suppresses pro-inflammatory responses by blocking NF- $\kappa$ B and MAPK signaling pathways in activated microglia. <i>European Journal of Pharmacology</i> , 2011, 670, 608-616.	3.5	29
63	Characterization of growth and protein contents from microalgae <i>Navicula incerta</i> with the investigation of antioxidant activity of enzymatic hydrolysates. <i>Food Science and Biotechnology</i> , 2011, 20, 183-191.	2.6	65
64	Protective effect of GABA-enriched fermented sea tangle against ethanol-induced cytotoxicity in HepG2 Cells. <i>Biotechnology and Bioprocess Engineering</i> , 2011, 16, 966-970.	2.6	23
65	Protective Effects of Emodin and Chrysophanol Isolated from Marine Fungus <i>Aspergillus sp.</i> on Ethanol-Induced Toxicity in HepG2/CYP2E1 Cells. <i>Evidence-based Complementary and Alternative Medicine</i> , 2011, 2011, 1-7.	1.2	31
66	Purification of a peptide from seahorse, that inhibits TPA-induced MMP, iNOS and COX-2 expression through MAPK and NF- $\kappa$ B activation, and induces human osteoblastic and chondrocytic differentiation. <i>Chemico-Biological Interactions</i> , 2010, 184, 413-422.	4.0	63
67	In vitro antioxidant activity of a peptide isolated from Nile tilapia ( <i>Oreochromis niloticus</i> ) scale gelatin in free radical-mediated oxidative systems. <i>Journal of Functional Foods</i> , 2010, 2, 107-117.	3.4	154
68	SHP-1, a novel peptide isolated from seahorse inhibits collagen release through the suppression of collagenases 1 and 3, nitric oxide products regulated by NF- $\kappa$ B/p38 kinase. <i>Peptides</i> , 2010, 31, 79-87.	2.4	49
69	Inhibitors of Oxidation and Matrix Metalloproteinases, Floridoside, and <i>Isosclerol</i> -Isosclerol from Marine Red Alga <i>Laurencia undulata</i> . <i>Journal of Agricultural and Food Chemistry</i> , 2010, 58, 578-586.	5.2	50
70	Differentiation of human osteosarcoma cells by isolated phlorotannins is subtly linked to COX-2, iNOS, MMPs, and MAPK signaling: Implication for chronic articular disease. <i>Chemico-Biological Interactions</i> , 2009, 179, 192-201.	4.0	106
71	Chemical components and its antioxidant properties in vitro: An edible marine brown alga, <i>Ecklonia cava</i> . <i>Bioorganic and Medicinal Chemistry</i> , 2009, 17, 1963-1973.	3.0	325
72	Free radical scavenging activity of a novel antioxidative peptide purified from hydrolysate of bullfrog skin, <i>Rana catesbeiana</i> Shaw. <i>Bioresource Technology</i> , 2008, 99, 1690-1698.	9.6	352

#	ARTICLE	IF	CITATIONS
73	Protective effect of an antioxidative peptide purified from gastrointestinal digests of oyster, <i>Crassostrea gigas</i> against free radical induced DNA damage. <i>Bioresource Technology</i> , 2008, 99, 3365-3371.	9.6	245
74	Antihypertensive Effect of Angiotensin I Converting Enzyme-Inhibitory Peptide from Hydrolysates of Bigeye Tuna Dark Muscle, <i>Thunnus obesus</i> . <i>Journal of Agricultural and Food Chemistry</i> , 2007, 55, 8398-8403.	5.2	166
75	Purification and characterization of an antioxidant peptide obtained from tuna backbone protein by enzymatic hydrolysis. <i>Process Biochemistry</i> , 2007, 42, 840-846.	3.7	409
76	FREE RADICAL-SCAVENGING ACTIVITIES OF LOW MOLECULAR WEIGHT CHITIN OLIGOSACCHARIDES LEAD TO ANTIOXIDANT EFFECT IN LIVE CELLS. <i>Journal of Food Biochemistry</i> , 0, 34, 161-177.	2.9	19