

Choong Eui Song

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/2022520/choong-eui-song-publications-by-year.pdf>

Version: 2024-04-17

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

151
papers

6,942
citations

45
h-index

78
g-index

188
ext. papers

7,480
ext. citations

7.9
avg, IF

5.91
L-index

#	Paper	IF	Citations
151	Cooperative Asymmetric Cation-Binding Catalysis. <i>Accounts of Chemical Research</i> , 2021 , 54, 4319-4333	24.3	2
150	Bio-inspired Water-Driven Catalytic Enantioselective Protonation. <i>Journal of the American Chemical Society</i> , 2021 , 143, 2552-2557	16.4	4
149	Multicomponent dipolar cycloadditions: efficient synthesis of polycyclic fused pyrrolizidines via azomethine ylides. <i>Organic and Biomolecular Chemistry</i> , 2019 , 17, 1773-1777	3.9	9
148	Direct Access to α -Trifluoromethyl- β -hydroxy Thioesters by Biomimetic Organocatalytic Enantioselective Aldol Reaction. <i>Organic Letters</i> , 2019 , 21, 4567-4570	6.2	11
147	Hydrophobic chirality amplification in confined water cages. <i>Nature Communications</i> , 2019 , 10, 851	17.4	22
146	Access to Chiral GABA Analogues Bearing a Trifluoromethylated All-Carbon Quaternary Stereogenic Center through Water-Promoted Organocatalytic Michael Reactions. <i>Organic Letters</i> , 2019 , 21, 6715-6719	6.2	8
145	Kinetic Resolution of Allylic Alcohol with Chiral BINOL-Based Alkoxides: A Combination of Experimental and Theoretical Studies. <i>Journal of the American Chemical Society</i> , 2019 , 141, 1150-1159	16.4	14
144	Bioinspired Synthesis of Chiral 3,4-Dihydropyranones via S-to-O Acyl-Transfer Reactions. <i>Organic Letters</i> , 2018 , 20, 1584-1588	6.2	14
143	Kinetic Resolution of β -Hydroxy Carbonyl Compounds via Enantioselective Dehydration Using a Cation-Binding Catalyst: Facile Access to Enantiopure Chiral Aldols. <i>Organic Letters</i> , 2018 , 20, 2003-2006	6.2	11
142	Asymmetric Aminylation via Cation-Binding Catalysis. <i>Chemistry - A European Journal</i> , 2018 , 24, 1020-1025	12.5	15
141	Organocatalytic Enantioselective Cycloetherifications Using a Cooperative Cation-Binding Catalyst. <i>Organic Letters</i> , 2018 , 20, 5319-5322	6.2	7
140	Gold-catalyzed [5+2] cycloaddition of quinolinium zwitterions and allenamides as an efficient route to fused 1,4-diazepines. <i>Chemical Communications</i> , 2018 , 54, 6911-6914	5.8	25
139	Water-Enabled Catalytic Asymmetric Michael Reactions of Unreactive Nitroalkenes: One-Pot Synthesis of Chiral GABA-Analogs with All-Carbon Quaternary Stereogenic Centers. <i>Angewandte Chemie - International Edition</i> , 2017 , 56, 1835-1839	16.4	53
138	Water-Enabled Catalytic Asymmetric Michael Reactions of Unreactive Nitroalkenes: One-Pot Synthesis of Chiral GABA-Analogs with All-Carbon Quaternary Stereogenic Centers. <i>Angewandte Chemie</i> , 2017 , 129, 1861-1865	3.6	23
137	Cooperative Cation-Binding Catalysis as an Efficient Approach for Enantioselective Friedel-Crafts Reaction of Indoles and Pyrrole. <i>Advanced Synthesis and Catalysis</i> , 2017 , 359, 811-823	5.6	23
136	Biomimetic catalytic transformation of toxic α -oxoaldehydes to high-value chiral β -hydroxythioesters using artificial glyoxalase I. <i>Nature Communications</i> , 2017 , 8, 14877	17.4	29
135	Enantioselective Synthesis of anti-syn-Trihalides and anti-syn-anti-Tetrahalides via Asymmetric β -Elimination. <i>Journal of the American Chemical Society</i> , 2017 , 139, 6431-6436	16.4	26

134	Asymmetric Synthesis of Trisubstituted Tetrahydrothiophenes via in Situ Generated Chiral Fluoride-Catalyzed Cascade Sulfa-Michael/Aldol Reaction of 1,4-Dithiane-2,5-diol and α -Unsaturated Ketones. <i>Organic Letters</i> , 2017 , 19, 2298-2301	6.2	30
133	Fluoride Anions in Self-Assembled Chiral Cage for the Enantioselective Protonation of Silyl Enol Ethers. <i>Organic Letters</i> , 2017 , 19, 3279-3282	6.2	21
132	Asymmetric Synthesis of 2-Thiocyanato-2-(1-aminoalkyl)-substituted 1-Tetralones and 1-Indanones with Tetrasubstituted Carbon Stereogenic Centers via Cooperative Cation-Binding Catalysis. <i>Advanced Synthesis and Catalysis</i> , 2017 , 359, 1879-1891	5.6	24
131	Direct Access to Chiral β -Fluoroamines with Quaternary Stereogenic Center through Cooperative Cation-Binding Catalysis. <i>Chemistry - A European Journal</i> , 2017 , 23, 1268-1272	4.8	30
130	Asymmetric Synthesis of β -Fluoro- β -Amino-oxindoles with Tetrasubstituted C-F Stereogenic Centers via Cooperative Cation-Binding Catalysis. <i>Organic Letters</i> , 2017 , 19, 5336-5339	6.2	31
129	Ultrasound-Promoted Enantioselective Decarboxylative Protonation of β -Aminomalonate Hemiesters by Chiral Squaramides: A Practical Approach to Both Enantiomers of β -Amino Esters. <i>European Journal of Organic Chemistry</i> , 2017 , 2017, 4562-4565	3.2	4
128	Organocatalytic regiospecific synthesis of 1H-indene-2-carbaldehyde derivatives: suppression of cycloolefin isomerisation by employing sterically demanding catalysts. <i>Organic and Biomolecular Chemistry</i> , 2017 , 15, 1355-1362	3.9	4
127	Organocatalytic Asymmetric Synthesis of Chiral Dioxazinanes and Dioxazepanes with in Situ Generated Nitrones via a Tandem Reaction Pathway Using a Cooperative Cation Binding Catalyst. <i>Journal of the American Chemical Society</i> , 2016 , 138, 16486-16492	16.4	39
126	Hydrogen-bond promoted nucleophilic fluorination: concept, mechanism and applications in positron emission tomography. <i>Chemical Society Reviews</i> , 2016 , 45, 4638-50	58.5	90
125	Direct Catalytic Asymmetric Mannich Reaction with Dithiomalonates as Excellent Mannich Donors: Organocatalytic Synthesis of (R)-Sitagliptin. <i>Angewandte Chemie - International Edition</i> , 2016 , 55, 10825-9	16.4	41
124	Direct Catalytic Asymmetric Mannich Reaction with Dithiomalonates as Excellent Mannich Donors: Organocatalytic Synthesis of (R)-Sitagliptin. <i>Angewandte Chemie</i> , 2016 , 128, 10983-10987	3.6	14
123	Parts-per-million level loading organocatalysed enantioselective silylation of alcohols. <i>Nature Communications</i> , 2015 , 6, 7512	17.4	65
122	Unprecedented Hydrophobic Amplification in Noncovalent Organocatalysis β n Water β Hydrophobic Chiral Squaramide Catalyzed Michael Addition of Malonates to Nitroalkenes. <i>ACS Catalysis</i> , 2015 , 5, 3613-3619	13.1	91
121	Chemoselective and repetitive intermolecular cross-acyloin condensation reactions between a variety of aromatic and aliphatic aldehydes using a robust N-heterocyclic carbene catalyst. <i>Organic and Biomolecular Chemistry</i> , 2014 , 12, 1547-50	3.9	27
120	Highly Efficient Bipolar Host Materials with Indenocarbazole and Pyrimidine Moieties for Phosphorescent Green Light-Emitting Diodes. <i>Journal of Physical Chemistry C</i> , 2014 , 118, 28757-28763	3.8	27
119	Cinchona-based Sulfonamide Organocatalysts: Concept, Scope, and Practical Applications. <i>Bulletin of the Korean Chemical Society</i> , 2014 , 35, 1590-1600	1.2	16
118	Organotextile catalysis. <i>Science</i> , 2013 , 341, 1225-9	33.3	98
117	Organocatalytic enantioselective decarboxylative aldol reaction of malonic acid half thioesters with aldehydes. <i>Angewandte Chemie - International Edition</i> , 2013 , 52, 12143-7	16.4	91

116	Polymer-supported oligoethylene glycols as heterogeneous multifunctional catalysts for nucleophilic substitution. <i>Tetrahedron</i> , 2013 , 69, 3577-3583	2.4	5
115	Nucleophilic substitution reactions promoted by oligoethylene glycols: a mechanistic study of ion-pair SN2 processes facilitated by Lewis base. <i>Journal of Physical Organic Chemistry</i> , 2013 , 26, 9-14	2.1	9
114	Organocatalytic Enantioselective Decarboxylative Aldol Reaction of Malonic Acid Half Thioesters with Aldehydes. <i>Angewandte Chemie</i> , 2013 , 125, 12365-12369	3.6	33
113	Self-association free bifunctional thiourea organocatalysts: synthesis of chiral α -amino acids via dynamic kinetic resolution of racemic azlactones. <i>Organic and Biomolecular Chemistry</i> , 2012 , 10, 1052-5	3.9	37
112	Preparation and application of TEMPO-based di-radical organic electrode with ionic liquid-based polymer electrolyte. <i>RSC Advances</i> , 2012 , 2, 10394	3.7	10
111	Scalable organocatalytic asymmetric Strecker reactions catalysed by a chiral cyanide generator. <i>Nature Communications</i> , 2012 , 3, 1212	17.4	53
110	Oligoethylene glycols as highly efficient multifunctional promoters for nucleophilic-substitution reactions. <i>Chemistry - A European Journal</i> , 2012 , 18, 3918-24	4.8	31
109	Very Efficient Nucleophilic Aromatic Fluorination Reaction in Molten Salts: A Mechanistic Study. <i>Bulletin of the Korean Chemical Society</i> , 2012 , 33, 881-884	1.2	5
108	Hydrogen bonding mediated enantioselective organocatalysis in brine: significant rate acceleration and enhanced stereoselectivity in enantioselective Michael addition reactions of 1,3-dicarbonyls to α -nitroolefins. <i>Chemical Communications</i> , 2011 , 47, 9621-3	5.8	87
107	A mild and efficient method for the selective deprotection of silyl ethers using KF in the presence of tetraethylene glycol. <i>Organic and Biomolecular Chemistry</i> , 2011 , 9, 8119-21	3.9	23
106	SN2 fluorination reactions in ionic liquids: a mechanistic study towards solvent engineering. <i>Organic and Biomolecular Chemistry</i> , 2011 , 9, 418-22	3.9	29
105	Enantioselective synthesis of β -deuterium labelled chiral α -amino acids via dynamic kinetic resolution of racemic azlactones. <i>Organic and Biomolecular Chemistry</i> , 2011 , 9, 7983-5	3.9	23
104	N-heterocyclic carbene-catalysed intermolecular Stetter reactions of acetaldehyde. <i>Organic and Biomolecular Chemistry</i> , 2011 , 9, 2069-71	3.9	30
103	Organocatalytic Enantioselective Michael-Addition of Malonic Acid Half-Thioesters to α -Nitroolefins: From Mimicry of Polyketide Synthases to Scalable Synthesis of α -Amino Acids. <i>Advanced Synthesis and Catalysis</i> , 2011 , 353, 3196-3202	5.6	119
102	Self-Association-Free and Recyclable, Dimeric Cinchona Alkaloid Organocatalysts for Methanolytic Desymmetrization of meso-Glutaric Anhydrides. <i>Bulletin of the Korean Chemical Society</i> , 2011 , 32, 3127-3129	1.3	8
101	Toward understanding the origin of positive effects of ionic liquids on catalysis: formation of more reactive catalysts and stabilization of reactive intermediates and transition states in ionic liquids. <i>Accounts of Chemical Research</i> , 2010 , 43, 985-94	24.3	163
100	DOSY NMR for monitoring self aggregation of bifunctional organocatalysts: increasing enantioselectivity with decreasing catalyst concentration. <i>Organic and Biomolecular Chemistry</i> , 2010 , 8, 3918-22	3.9	80
99	Enantioselective Alcoholysis of meso-Glutaric Anhydrides Catalyzed by Cinchona-Based Sulfonamide Catalysts. <i>Advanced Synthesis and Catalysis</i> , 2010 , 352, 2211-2217	5.6	53

98	A Chiral-Anion Generator: Application to Catalytic Desilylative Kinetic Resolution of Silyl-Protected Secondary Alcohols. <i>Angewandte Chemie</i> , 2010 , 122, 9099-9101	3.6	20
97	A chiral-anion generator: application to catalytic desilylative kinetic resolution of silyl-protected secondary alcohols. <i>Angewandte Chemie - International Edition</i> , 2010 , 49, 8915-7	16.4	55
96	Bis-terminal hydroxy polyethers as all-purpose, multifunctional organic promoters: a mechanistic investigation and applications. <i>Angewandte Chemie - International Edition</i> , 2009 , 48, 7683-6	16.4	84
95	Electrochemical properties of rechargeable organic radical battery with PTMA cathode. <i>Metals and Materials International</i> , 2009 , 15, 77-82	2.4	47
94	Self-association-free dimeric cinchona alkaloid organocatalysts: unprecedented catalytic activity, enantioselectivity and catalyst recyclability in dynamic kinetic resolution of racemic azlactones. <i>Chemical Communications</i> , 2009 , 7224-6	5.8	22
93	A polymer-supported Cinchona-based bifunctional sulfonamide catalyst: a highly enantioselective, recyclable heterogeneous organocatalyst. <i>Chemical Communications</i> , 2009 , 2220-2	5.8	66
92	Diastereoselective diaza-Cope rearrangement reaction. <i>Chemical Communications</i> , 2008 , 1335-7	5.8	8
91	Bifunctional organocatalyst for methanolytic desymmetrization of cyclic anhydrides: increasing enantioselectivity by catalyst dilution. <i>Chemical Communications</i> , 2008 , 1208-10	5.8	106
90	Organic radical battery with PTMA cathode: Effect of PTMA content on electrochemical properties. <i>Journal of Industrial and Engineering Chemistry</i> , 2008 , 14, 371-376	6.3	72
89	Electrochemical properties of new organic radical materials for lithium secondary batteries. <i>Journal of Power Sources</i> , 2008 , 184, 503-507	8.9	39
88	A highly reactive and enantioselective bifunctional organocatalyst for the methanolytic desymmetrization of cyclic anhydrides: prevention of catalyst aggregation. <i>Angewandte Chemie - International Edition</i> , 2008 , 47, 7872-5	16.4	143
87	Hydrogenation of arenes by dual activation: reduction of substrates ranging from benzene to C60 fullerene under ambient conditions. <i>Angewandte Chemie - International Edition</i> , 2008 , 47, 8615-7	16.4	65
86	Palladium nanoparticles supported onto ionic carbon nanotubes as robust recyclable catalysts in an ionic liquid. <i>Chemical Communications</i> , 2008 , 942-4	5.8	113
85	Self-supported oligomeric Grubbs/Hoveyda-type Ru-carbene complexes for ring-closing metathesis. <i>Organic Letters</i> , 2007 , 9, 3845-8	6.2	52
84	Rechargeable Organic Radical Battery with Electrospun, Fibrous Membrane-Based Polymer Electrolyte. <i>Journal of the Electrochemical Society</i> , 2007 , 154, A839	3.9	59
83	Thermodynamically- and kinetically-controlled Friedel-Crafts alkenylation of arenes with alkynes using an acidic fluoroantimonate(v) ionic liquid as catalyst. <i>Chemical Communications</i> , 2007 , 3482-4	5.8	38
82	Metal Triflate-Catalyzed Regio- and Stereoselective Friedel-Crafts Alkenylation of Arenes with Alkynes in an Ionic Liquid: Scope and Mechanism. <i>Advanced Synthesis and Catalysis</i> , 2007 , 349, 1725-1737	5.6	103
81	Poly(ethylene oxide)-based polymer electrolyte incorporating room-temperature ionic liquid for lithium batteries. <i>Solid State Ionics</i> , 2007 , 178, 1235-1241	3.3	107

80	Effect of radical polymer cathode thickness on the electrochemical performance of organic radical battery. <i>Solid State Ionics</i> , 2007 , 178, 1546-1551	3.3	71
79	Oxidatively pure chiral (salen)Co(III)-X complexes in situ prepared by Lewis acid-promoted electron transfer from chiral (salen)Co(II) to oxygen: Their application in the hydrolytic kinetic resolution of terminal epoxides. <i>Journal of Molecular Catalysis A</i> , 2007 , 271, 70-74		12
78	Electrospun polymer membrane activated with room temperature ionic liquid: Novel polymer electrolytes for lithium batteries. <i>Journal of Power Sources</i> , 2007 , 172, 863-869	8.9	89
77	Activation of Lewis acid catalysts in the presence of an organic salt containing a non-coordinating anion: its origin and application potential. <i>Chemical Communications</i> , 2007 , 4683-5	5.8	23
76	Electrochemical Properties of PEO-Based Polymer Electrolytes Blended with Different Room Temperature Ionic Liquids. <i>Macromolecular Symposia</i> , 2007 , 249-250, 183-189	0.8	28
75	The dramatic acceleration effect of imidazolium ionic liquids on electron transfer reactions. <i>Chemical Communications</i> , 2007 , 3467-9	5.8	55
74	Chiral Organometallic Catalysts in Confined Nanospaces: Significantly Enhanced Enantioselectivity and Stability. <i>European Journal of Inorganic Chemistry</i> , 2006 , 2006, 2927-2935	2.3	39
73	New Mono-Quarternized Bis-Cinchona Alkaloid Ligands for Asymmetric Dihydroxylation of Olefins in Aqueous Medium: Unprecedented High Enantioselectivity and Recyclability. <i>Advanced Synthesis and Catalysis</i> , 2006 , 348, 2560-2564	5.6	11
72	Markedly enhanced recyclability of osmium catalyst in asymmetric dihydroxylation reactions by using macroporous resins bearing both residual vinyl groups and quaternary ammonium moieties. <i>Chemical Communications</i> , 2005 , 3337-9	5.8	12
71	5 Immobilisation of chiral catalysts: easy recycling of catalyst and improvement of catalytic efficiencies. <i>Annual Reports on the Progress of Chemistry Section C</i> , 2005 , 101, 143		41
70	Synthesis of Diastereomeric 1,4-Diphosphine Ligands Bearing Imidazolidin-2-one Backbone and Their Application in Rh(I)-Catalyzed Asymmetric Hydrogenation of Functionalized Olefins. <i>Advanced Synthesis and Catalysis</i> , 2005 , 347, 563-570	5.6	14
69	Dramatic enhancement of catalytic activity in an ionic liquid: highly practical Friedel-Crafts alkenylation of arenes with alkynes catalyzed by metal triflates. <i>Angewandte Chemie - International Edition</i> , 2004 , 43, 6183-5	16.4	159
68	Dramatic Enhancement of Catalytic Activity in an Ionic Liquid: Highly Practical Friedel-Crafts Alkenylation of Arenes with Alkynes Catalyzed by Metal Triflates. <i>Angewandte Chemie</i> , 2004 , 116, 6309-6311	3.6	31
67	Enantioselective chemo- and bio-catalysis in ionic liquids. <i>Chemical Communications</i> , 2004 , 1033-43	5.8	268
66	Hydroxylation of alkyl halides with water in ionic liquid: significantly enhanced nucleophilicity of water. <i>Journal of Organic Chemistry</i> , 2004 , 69, 3186-9	4.2	66
65	Asymmetric Catalysis in Ionic Liquids: Easy Recycling of Catalyst and Improvement of Catalytic Performances. <i>ACS Symposium Series</i> , 2004 , 145-160	0.4	4
64	Induction of heme oxygenase-1 is involved in anti-proliferative effects of paclitaxel on rat vascular smooth muscle cells. <i>Biochemical and Biophysical Research Communications</i> , 2004 , 321, 132-7	3.4	54
63	Imidazolium ion-terminated self-assembled monolayers on Au: effects of counteranions on surface wettability. <i>Journal of the American Chemical Society</i> , 2004 , 126, 480-1	16.4	221

62	Osmylated macroporous resins: safe, highly efficient and recyclable catalysts for asymmetric aminohydroxylation of olefins. <i>Chemical Communications</i> , 2003 , 1312-1313	5.8	8
61	Acceleration of the Baylis-Hillman Reaction in the Presence of Ionic Liquids. <i>Helvetica Chimica Acta</i> , 2003 , 86, 894-899	2	44
60	Significantly enhanced reactivities of the nucleophilic substitution reactions in ionic liquid. <i>Journal of Organic Chemistry</i> , 2003 , 68, 4281-5	4.2	140
59	Catalytic asymmetric hydrogenation in a room temperature ionic liquid using chiral Rh-complex of ionic liquid grafted 1,4-bisphosphine ligand. <i>Chemical Communications</i> , 2003 , 2624-5	5.8	85
58	Thermal Behaviors of Ionic Liquids Under Microwave Irradiation and Their Application on Microwave-Assisted Catalytic Beckmann Rearrangement of Ketoximes. <i>Synthetic Communications</i> , 2003 , 33, 2301-2307	1.7	39
57	Novel 1,4-Diphosphanes with Imidazolidin-2-one Backbones as Chiral Ligands: Highly Enantioselective Rh-Catalyzed Hydrogenation of Enamides. <i>Angewandte Chemie</i> , 2002 , 114, 875-877	3.6	6
56	Novel 1,4-diphosphanes with imidazolidin-2-one backbones as chiral ligands: highly enantioselective Rh-catalyzed hydrogenation of enamides. <i>Angewandte Chemie - International Edition</i> , 2002 , 41, 847-9	16.4	41
55	Heterogeneous Pd-catalyzed asymmetric allylic substitution using resin-supported trost-type bisphosphane ligands. <i>Angewandte Chemie - International Edition</i> , 2002 , 41, 3852-4	16.4	40
54	Synthesis, biological activity and receptor-based 3-D QSAR study of 3'-N-substituted-3'-N-debenzoylpaclitaxel analogues. <i>Bioorganic and Medicinal Chemistry</i> , 2002 , 10, 3135-43	3.4	12
53	Structure-activity relationship study at the 3'-N-position of paclitaxel: synthesis and biological evaluation of 3'-N-acyl-paclitaxel analogues. <i>Bioorganic and Medicinal Chemistry</i> , 2002 , 10, 3145-51	3.4	24
52	Inhibition of inducible nitric oxide synthesis by catalposide from <i>Catalpa ovata</i> . <i>Planta Medica</i> , 2002 , 68, 685-9	3.1	26
51	Osmium tetroxide anchored to porous resins bearing residual vinyl groups: a highly active and recyclable solid for asymmetric dihydroxylation of olefins. <i>Organic Letters</i> , 2002 , 4, 4685-8	6.2	41
50	New method of fluorination using potassium fluoride in ionic liquid: significantly enhanced reactivity of fluoride and improved selectivity. <i>Journal of the American Chemical Society</i> , 2002 , 124, 10278-9	16.4	208
49	Supported chiral catalysts on inorganic materials. <i>Chemical Reviews</i> , 2002 , 102, 3495-524	68.1	592
48	Osmium tetroxide-(QN)2PHAL in an ionic liquid: a highly efficient and recyclable catalyst system for asymmetric dihydroxylation of olefins. <i>Chemical Communications</i> , 2002 , 3038-9	5.8	44
47	Inhibition of TNF-alpha, IL-1beta, and IL-6 productions and NF-kappa B activation in lipopolysaccharide-activated RAW 264.7 macrophages by catalposide, an iridoid glycoside isolated from <i>Catalpa ovata</i> G. Don (Bignoniaceae). <i>International Immunopharmacology</i> , 2002 , 2, 1173-81	5.8	77
46	Asymmetric dihydroxylation of trans-cinnamates under high-pressure conditions: substantial increase of turnover number. <i>Tetrahedron: Asymmetry</i> , 2001 , 12, 1533-1535		4
45	Ionic liquids as powerful media in scandium triflate catalysed Diels-Alder reactions: significant rate acceleration, selectivity improvement and easy recycling of catalyst. <i>Chemical Communications</i> , 2001 , 1122-1123	5.8	112

44	HALOGENATION OF AROMATIC METHYL KETONES USING OXONE [®] AND SODIUM HALIDE. <i>Synthetic Communications</i> , 2001 , 31, 3627-3632	1.7	28
43	Radiolabeling of paclitaxel with electrophilic ¹²³ I. <i>Bioorganic and Medicinal Chemistry</i> , 2000 , 8, 65-8	3.4	13
42	Cr(salen) catalysed asymmetric ring opening reactions of epoxides in room temperature ionic liquids. <i>Chemical Communications</i> , 2000 , 1743-1744	5.8	76
41	Practical method to recycle a chiral (salen)Mn epoxidation catalyst by using an ionic liquid. <i>Chemical Communications</i> , 2000 , 837-838	5.8	226
40	Scandium(III) triflate immobilised in ionic liquids: a novel and recyclable catalytic system for Friedel-Crafts alkylation of aromatic compounds with alkenes. <i>Chemical Communications</i> , 2000 , 1695-1698	5.8	180
39	Immobilisation of ketone catalyst: a method to prevent ketone catalyst from decomposing during dioxirane-mediated epoxidation of alkenes. <i>Chemical Communications</i> , 2000 , 2415-2416	5.8	36
38	Heterogeneous asymmetric epoxidation of alkenes catalysed by a polymer-bound (pyrrolidine salen)manganese(III) complex. <i>Chemical Communications</i> , 2000 , 615-616	5.8	82
37	One-step synthesis of paclitaxel side-chain precursor: benzamide-based asymmetric aminohydroxylation of isopropyl trans-cinnamate. <i>Tetrahedron: Asymmetry</i> , 1999 , 10, 671-674		18
36	Novel phosphinobioxazines as chiral ligands in palladium-catalyzed enantioselective allylic substitution. <i>Tetrahedron: Asymmetry</i> , 1999 , 10, 1795-1802		18
35	Synthesis and biology of 3'-N-acyl-N-debenzoylpaclitaxel analogues. <i>Bioorganic and Medicinal Chemistry</i> , 1999 , 7, 2115-9	3.4	8
34	Alkaloids as Chirality Transmitters in Asymmetric Catalysis. <i>The Alkaloids Chemistry and Biology</i> , 1999 , 53, 1-56	4.8	
33	C ₂ -Symmetric Bisphosphinobioxazoline as a Chiral Ligand. Highly Enantioselective Palladium-Catalyzed Allylic Substitutions and Formation of P,N,N,P Tetradentate Palladium (II) Complexes. <i>Journal of Organic Chemistry</i> , 1999 , 64, 4445-4451	4.2	34
32	A new synthetic route to (3R,4S)-3-hydroxy-4-phenylazetididin-2-one as a taxol side chain precursor. <i>Tetrahedron: Asymmetry</i> , 1998 , 9, 983-992		26
31	Polymer-supported bis-cinchona alkaloid ligands for asymmetric dihydroxylation of alkenes [†] cautionary tale. <i>Tetrahedron: Asymmetry</i> , 1998 , 9, 1029-1034		19
30	Heterogeneous asymmetric aminohydroxylation of alkenes using a silica gel-supported bis-cinchona alkaloid. <i>Chemical Communications</i> , 1998 , 2435-2436	5.8	14
29	Preparation of Ethyl (R)-3-hydroxy-4-chlorobutyrate by Selective Reduction of (R)-4-(Trichloromethyl)-oxetan-2-one: Key Intermediate to (R)-Carnitine and (R)-4-Amino-3-hydroxybutyric Acid. <i>Synthetic Communications</i> , 1997 , 27, 1009-1014	1.7	12
28	Silica gel supported bis-cinchona alkaloid: a highly efficient chiral ligand for heterogeneous asymmetric dihydroxylation of olefins. <i>Tetrahedron: Asymmetry</i> , 1997 , 8, 841-844		43
27	New C ₂ -symmetric chiral ketones for catalytic asymmetric epoxidation of unfunctionalized olefins. <i>Tetrahedron: Asymmetry</i> , 1997 , 8, 2921-2926		56

26	Synthesis of new C ₂ -symmetric bioxazoles and application as chiral ligands in asymmetric hydrosilylation. <i>Tetrahedron: Asymmetry</i> , 1997 , 8, 2927-2932		33
25	A new C ₂ -symmetric chiral bisphosphine ligand containing a bioxazole backbone: highly enantioselective hydrosilylation of ketones. <i>Tetrahedron: Asymmetry</i> , 1997 , 8, 4027-4031		35
24	Efficient and practical polymeric catalysts for heterogeneous asymmetric dihydroxylation of olefins. <i>Tetrahedron: Asymmetry</i> , 1996 , 7, 645-648		71
23	Highly stereoselective formation of optically pure 2,4-oxazolidinedione via diastereoselective dihydroxylation of (4S)-3-((E)-3?-substituted-2?-propenoyl)-4-isopropyl-2-oxazolidinone. <i>Tetrahedron: Asymmetry</i> , 1995 , 6, 871-872		3
22	New method for the preparation of (R)-carnitine. <i>Tetrahedron: Asymmetry</i> , 1995 , 6, 1063-1066		36
21	Polymeric cinchona alkaloids for the heterogeneous catalytic asymmetric dihydroxylation of olefins: The influence of the polymer backbone polarity on the compatibility between polymer support and reaction medium. <i>Tetrahedron: Asymmetry</i> , 1995 , 6, 2687-2694		27
20	Asymmetric Hydrocyanation of 3-Phenoxybenzaldehyde Catalyzed by Polymer-Bound Cyclic Dipeptides. <i>Synthetic Communications</i> , 1994 , 24, 103-109	1.7	11
19	Polymeric cinchona alkaloids as catalysts in the enantioselective 2,2-cycloaddition reaction of ketene and chloral. <i>Tetrahedron: Asymmetry</i> , 1994 , 5, 1215-1218		17
18	Oxygen tripod ligands with functionalized pendant arms: the dangling ligand concept in homogeneous catalysis. <i>Organometallics</i> , 1993 , 12, 4949-4954	3.8	13
17	Chromatographic resolution of racemic β -halocarboxylic acids and O-substituted β -hydroxycarboxylic acids via diastereomeric N-acyloxazolidinones. <i>Journal of Chromatography A</i> , 1993 , 654, 303-308	4.5	5
16	The reaction of cobaltocene with secondary phosphine oxides revisited. Trapping of an intermediate cobalt(I) complex. <i>Inorganic Chemistry</i> , 1989 , 28, 3845-3849	5.1	7
15	Appendix: Tabular Survey of Selected Cinchona-Promoted Asymmetric Reactions471-505		1
14	An Overview of Cinchona Alkaloids in Chemistry1-10		7
13	Cinchona-Catalyzed Cycloaddition Reactions297-324		0
12	Cinchona-Based Organocatalysts for Desymmetrization of meso-Compounds and (Dynamic) Kinetic Resolution of Racemic Compounds325-357		1
11	Organic Chemistry of Cinchona Alkaloids359-418		2
10	Resolution of Racemates and Enantioselective Analytics by Cinchona Alkaloids and Their Derivatives419-469		1
9	Cinchona Alkaloids as Chirality Transmitters in Metal-Catalyzed Asymmetric Reductions11-28		1

- 8 Cinchona Alkaloids as Chiral Ligands in Asymmetric Oxidations 29-71 2
- 7 Cinchona Alkaloids and their Derivatives as Chirality Inducers in Metal-Promoted Enantioselective Carbon-Carbon and Carbon-Heteroatom Bond Forming Reactions 73-104 0
- 6 Cinchona-Based Organocatalysts for Asymmetric Oxidations and Reductions 105-129
- 5 Cinchona-Catalyzed Nucleophilic Substitution of Carbonyl Derivatives 131-169 0
- 4 Cinchona-Mediated Enantioselective Protonations 171-196 1
- 3 Cinchona-Catalyzed Nucleophilic 1,2-Addition to C=O and C=N Bonds 197-247 1
- 2 Cinchona-Catalyzed Nucleophilic Conjugate Addition to Electron-Deficient C=C Double Bonds 249-295 0
- 1 Heterogeneous Enantioselective Catalysis Using Inorganic Supports 25-72