

Noelia Calvar

List of Publications by Citations

Source: <https://exaly.com/author-pdf/2022580/noelia-calvar-publications-by-citations.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

82
papers

3,442
citations

37
h-index

56
g-index

83
ext. papers

3,651
ext. citations

3
avg, IF

5.23
L-index

#	Paper	IF	Citations
82	Physical Properties of Pure 1-Ethyl-3-methylimidazolium Ethylsulfate and Its Binary Mixtures with Ethanol and Water at Several Temperatures. <i>Journal of Chemical & Engineering Data</i> , 2006 , 51, 2096-2102	2.8	322
81	Density, dynamic viscosity, and derived properties of binary mixtures of methanol or ethanol with water, ethyl acetate, and methyl acetate at T=(293.15, 298.15, and 303.15)K. <i>Journal of Chemical Thermodynamics</i> , 2007 , 39, 1578-1588	2.9	263
80	Temperature Dependence and Structural Influence on the Thermophysical Properties of Eleven Commercial Ionic Liquids. <i>Industrial & Engineering Chemistry Research</i> , 2012 , 51, 2492-2504	3.9	142
79	Physical Properties of Binary Mixtures of the Ionic Liquid 1-Ethyl-3-methylimidazolium Ethyl Sulfate with Several Alcohols at T = (298.15, 313.15, and 328.15) K and Atmospheric Pressure. <i>Journal of Chemical & Engineering Data</i> , 2007 , 52, 1641-1648	2.8	140
78	Vapor-Liquid Equilibria for the Ternary System Ethanol + Water + 1-Butyl-3-methylimidazolium Chloride and the Corresponding Binary Systems at 101.3 kPa. <i>Journal of Chemical & Engineering Data</i> , 2006 , 51, 2178-2181	2.8	97
77	Vapor-Liquid Equilibria for the Ternary System Ethanol + Water + 1-Ethyl-3-methylimidazolium Ethylsulfate and the Corresponding Binary Systems Containing the Ionic Liquid at 101.3 kPa. <i>Journal of Chemical & Engineering Data</i> , 2008 , 53, 820-825	2.8	96
76	Study of the behaviour of the azeotropic mixture ethanol-water with imidazolium-based ionic liquids. <i>Fluid Phase Equilibria</i> , 2007 , 259, 51-56	2.5	82
75	(Liquid+liquid) equilibria for ternary mixtures of (alkane+benzene+[EMpy][ESO4]) at several temperatures and atmospheric pressure. <i>Journal of Chemical Thermodynamics</i> , 2009 , 41, 1215-1221	2.9	80
74	Esterification of acetic acid with ethanol: Reaction kinetics and operation in a packed bed reactive distillation column. <i>Chemical Engineering and Processing: Process Intensification</i> , 2007 , 46, 1317-1323	3.7	74
73	Physical properties of the ternary system (ethanol+water+1-butyl-3-methylimidazolium methylsulphate) and its binary mixtures at several temperatures. <i>Journal of Chemical Thermodynamics</i> , 2008 , 40, 1274-1281	2.9	71
72	Separation of benzene from alkanes using 1-ethyl-3-methylpyridinium ethylsulfate ionic liquid at several temperatures and atmospheric pressure: Effect of the size of the aliphatic hydrocarbons. <i>Journal of Chemical Thermodynamics</i> , 2010 , 42, 104-109	2.9	68
71	Thermal Analysis and Heat Capacities of 1-Alkyl-3-methylimidazolium Ionic Liquids with NTF2 ⁺ TFO ⁻ and DCA ⁻ Anions. <i>Industrial & Engineering Chemistry Research</i> , 2013 , 52, 2103-2110	3.9	59
70	Effect of the temperature on the physical properties of pure 1-propyl 3-methylimidazolium bis(trifluoromethylsulfonyl)imide and characterization of its binary mixtures with alcohols. <i>Journal of Chemical Thermodynamics</i> , 2012 , 45, 9-15	2.9	57
69	Liquid-Liquid Equilibrium for Ternary Mixtures of Hexane + Aromatic Compounds + [EMpy][ESO4] at T = 298.15 K. <i>Journal of Chemical & Engineering Data</i> , 2010 , 55, 633-638	2.8	53
68	Dynamic viscosities of binary mixtures of cycloalkanes with primary alcohols at T = (293.15, 298.15, and 303.15) K: New UNIFAC-VISCO interaction parameters. <i>Journal of Chemical Thermodynamics</i> , 2007 , 39, 322-334	2.9	53
67	Excess molar properties of ternary system (ethanol+water+1,3-dimethylimidazolium methylsulphate) and its binary mixtures at several temperatures. <i>Journal of Chemical Thermodynamics</i> , 2008 , 40, 1208-1216	2.9	53
66	Osmotic coefficients of aqueous solutions of four ionic liquids at T=(313.15 and 333.15) K. <i>Journal of Chemical Thermodynamics</i> , 2008 , 40, 1346-1351	2.9	51

65	Vapor-liquid equilibria for the quaternary reactive system ethyl acetate + ethanol + water + acetic acid and some of the constituent binary systems at 101.3 kPa. <i>Fluid Phase Equilibria</i> , 2005 , 235, 215-222	2.5	51
64	Separation of binary mixtures aromatic + aliphatic using ionic liquids: Influence of the structure of the ionic liquid, aromatic and aliphatic. <i>Chemical Engineering Journal</i> , 2011 , 175, 213-221	14.7	50
63	Vapor-liquid Equilibria for the Ternary System Ethanol + Water + 1-Butyl-3-methylimidazolium Methylsulfate and the Corresponding Binary Systems at 101.3 kPa. <i>Journal of Chemical & Engineering Data</i> , 2009 , 54, 1004-1008	2.8	50
62	Synthesis and temperature dependence of physical properties of four pyridinium-based ionic liquids: Influence of the size of the cation. <i>Journal of Chemical Thermodynamics</i> , 2010 , 42, 1324-1329	2.9	50
61	Density, Speed of Sound, and Refractive Index for Binary Mixtures Containing Cycloalkanes with o-Xylene, m-Xylene, p-Xylene, and Mesitylene at T = (298.15 and 313.15) K. <i>Journal of Chemical & Engineering Data</i> , 2010 , 55, 2294-2305	2.8	49
60	Density and Viscosity Experimental Data of the Ternary Mixtures 1-Propanol or 2-Propanol + Water + 1-Ethyl-3-methylimidazolium Ethylsulfate. Correlation and Prediction of Physical Properties of the Ternary Systems. <i>Journal of Chemical & Engineering Data</i> , 2008 , 53, 881-887	2.8	48
59	Synthesis and Physical Properties of 1-Ethyl 3-methylpyridinium Ethylsulfate and Its Binary Mixtures with Ethanol and Water at Several Temperatures. <i>Journal of Chemical & Engineering Data</i> , 2008 , 53, 1824-1828	2.8	48
58	Osmotic coefficients of binary mixtures of four ionic liquids with ethanol or water at T=(313.15 and 333.15)K. <i>Journal of Chemical Thermodynamics</i> , 2009 , 41, 11-16	2.9	47
57	Experimental densities, refractive indices, and speeds of sound of 12 binary mixtures containing alkanes and aromatic compounds at T=313.15K. <i>Journal of Chemical Thermodynamics</i> , 2009 , 41, 939-944	2.9	47
56	Separation of toluene from alkanes using 1-ethyl-3-methylpyridinium ethylsulfate ionic liquid at T=298.15K and atmospheric pressure. <i>Journal of Chemical Thermodynamics</i> , 2010 , 42, 752-757	2.9	47
55	Application of [HMim][NTf ₂], [HMim][TfO] and [BMim][TfO] ionic liquids on the extraction of toluene from alkanes: Effect of the anion and the alkyl chain length of the cation on the LLE. <i>Journal of Chemical Thermodynamics</i> , 2012 , 53, 60-66	2.9	46
54	Capacity of ionic liquids [EMim][NTf ₂] and [EMpy][NTf ₂] for extraction of toluene from mixtures with alkanes: Comparative study of the effect of the cation. <i>Fluid Phase Equilibria</i> , 2012 , 315, 46-52	2.5	46
53	Experimental Determination, Correlation, and Prediction of Physical Properties of the Ternary Mixtures Ethanol + Water with 1-Octyl-3-methylimidazolium Chloride and 1-Ethyl-3-methylimidazolium Ethylsulfate. <i>Journal of Chemical & Engineering Data</i> , 2007 , 52, 2529-2535	2.8	46
52	Synthesis and Physical Properties of 1-Ethylpyridinium Ethylsulfate and its Binary Mixtures with Ethanol and 1-Propanol at Several Temperatures. <i>Journal of Chemical & Engineering Data</i> , 2009 , 54, 1353-1358	2.8	45
51	Thermal analysis and heat capacities of pyridinium and imidazolium ionic liquids. <i>Thermochimica Acta</i> , 2013 , 565, 178-182	2.9	43
50	Liquid Extraction of Benzene from Its Mixtures Using 1-Ethyl-3-methylimidazolium Ethylsulfate as a Solvent. <i>Journal of Chemical & Engineering Data</i> , 2010 , 55, 4931-4936	2.8	42
49	Separation of Benzene from Linear Alkanes (C ₆ -C ₉) Using 1-Ethyl-3-Methylimidazolium Ethylsulfate at T = 298.15 K. <i>Journal of Chemical & Engineering Data</i> , 2010 , 55, 3422-3427	2.8	41
48	Ionic liquids as solvents to separate the azeotropic mixture hexane/ethanol. <i>Fluid Phase Equilibria</i> , 2013 , 337, 11-17	2.5	40

47	Experimental Vapor-Liquid Equilibria for the Ternary System Ethanol + Water + 1-Ethyl-3-methylpyridinium Ethylsulfate and the Corresponding Binary Systems at 101.3 kPa: Study of the Effect of the Cation. <i>Journal of Chemical & Engineering Data</i> , 2010 , 55, 2786-2791	2.8	40
46	Measurement and correlation of liquid-liquid equilibria for ternary systems {cyclooctane+aromatic hydrocarbon+1-ethyl-3-methylpyridinium ethylsulfate} at T=298.15K and atmospheric pressure. <i>Fluid Phase Equilibria</i> , 2010 , 291, 59-65	2.5	39
45	Extraction of toluene from aliphatic compounds using an ionic liquid as solvent: Influence of the alkane on the (liquid+liquid) equilibrium. <i>Journal of Chemical Thermodynamics</i> , 2011 , 43, 562-568	2.9	37
44	Separation of benzene from alkanes by solvent extraction with 1-ethylpyridinium ethylsulfate ionic liquid. <i>Journal of Chemical Thermodynamics</i> , 2010 , 42, 1234-1239	2.9	37
43	Density, Speed of Sound, and Refractive Index for Binary Mixtures Containing Cycloalkanes and Aromatic Compounds at T = 313.15 K. <i>Journal of Chemical & Engineering Data</i> , 2009 , 54, 1334-1339	2.8	36
42	Physical Properties of the Ternary Mixture Ethanol+Water+1-Butyl-3-Methylimidazolium Chloride at 298.15 K. <i>Journal of Solution Chemistry</i> , 2006 , 35, 1217-1225	1.8	33
41	Application of Pyrrolidinium-Based Ionic Liquid as Solvent for the Liquid Extraction of Benzene from Its Mixtures with Aliphatic Hydrocarbons. <i>Industrial & Engineering Chemistry Research</i> , 2015 , 54, 1342-1349	3.9	31
40	Osmotic and apparent molar properties of binary mixtures alcohol+1-butyl-3-methylimidazolium trifluoromethanesulfonate ionic liquid. <i>Journal of Chemical Thermodynamics</i> , 2013 , 61, 64-73	2.9	31
39	Acoustic, volumetric and osmotic properties of binary mixtures containing the ionic liquid 1-butyl-3-methylimidazolium dicyanamide mixed with primary and secondary alcohols. <i>Journal of Chemical Thermodynamics</i> , 2012 , 50, 19-29	2.9	29
38	Application of [EMim][ESO4] ionic liquid as solvent in the extraction of toluene from cycloalkanes: Study of liquid-liquid equilibria at T=298.15K. <i>Fluid Phase Equilibria</i> , 2011 , 303, 174-179	2.5	28
37	Evaluation of ionic liquids as solvent for aromatic extraction: Experimental, correlation and COSMO-RS predictions. <i>Journal of Chemical Thermodynamics</i> , 2013 , 67, 5-12	2.9	27
36	Physical properties of the ternary mixture ethanol + water + 1-hexyl-3-methylimidazolium chloride at 298.15 K. <i>Physics and Chemistry of Liquids</i> , 2006 , 44, 409-417	1.5	27
35	Osmotic coefficients of binary mixtures of 1-butyl-3-methylimidazolium methylsulfate and 1,3-dimethylimidazolium methylsulfate with alcohols at T=323.15K. <i>Journal of Chemical Thermodynamics</i> , 2009 , 41, 617-622	2.9	26
34	Application of [EMpy][ESO4] ionic liquid as solvent for the liquid extraction of xylenes from hexane. <i>Fluid Phase Equilibria</i> , 2010 , 295, 249-254	2.5	26
33	Thermal behavior and heat capacities of pyrrolidinium-based ionic liquids by DSC. <i>Fluid Phase Equilibria</i> , 2018 , 470, 51-59	2.5	24
32	(Liquid+liquid) equilibrium data for the ternary systems (cycloalkane+ethylbenzene+1-ethyl-3-methylimidazolium ethylsulfate) at T=298.15K and atmospheric pressure. <i>Journal of Chemical Thermodynamics</i> , 2011 , 43, 725-730	2.9	24
31	Study of the influence of the structure of the alcohol on vapor pressures and osmotic coefficients of binary mixtures alcohol+1-hexyl-3-methylimidazolium bis(trifluoromethylsulfonyl)imide at T=323.15K. <i>Fluid Phase Equilibria</i> , 2012 , 313, 38-45	2.5	21
30	Liquid-Liquid Extraction of Aromatic Compounds from Cycloalkanes Using 1-Butyl-3-methylimidazolium Methylsulfate Ionic Liquid. <i>Journal of Chemical & Engineering Data</i> , 2013 , 58, 189-196	2.8	19

29	Vapour pressures and osmotic coefficients of binary mixtures of 1-ethyl-3-methylimidazolium ethylsulfate and 1-ethyl-3-methylpyridinium ethylsulfate with alcohols at T=323.15K. <i>Journal of Chemical Thermodynamics</i> , 2009 , 41, 1439-1445	2.9	19
28	Separation of toluene from cyclic hydrocarbons using 1-butyl-3-methylimidazolium methylsulfate ionic liquid at T = 298.15 K and atmospheric pressure. <i>Journal of Chemical Thermodynamics</i> , 2011 , 43, 705-710	2.9	19
27	Quaternary (liquid+liquid) equilibrium data for the extraction of toluene from alkanes using the ionic liquid [EMim][MSO ₄]. <i>Journal of Chemical Thermodynamics</i> , 2014 , 76, 79-86	2.9	18
26	Effect of the Chain Length on the Aromatic Ring in the Separation of Aromatic Compounds from Methylcyclohexane Using the Ionic Liquid 1-Ethyl-3-methylpyridinium Ethylsulfate. <i>Journal of Chemical & Engineering Data</i> , 2010 , 55, 2289-2293	2.8	18
25	Determination and modelling of osmotic coefficients and vapour pressures of binary systems 1- and 2-propanol with C _n MimNTf ₂ ionic liquids (n = 2, 3, and 4) at T = 323.15 K. <i>Journal of Chemical Thermodynamics</i> , 2011 , 43, 1256-1262	2.9	18
24	Vapour pressures, osmotic and activity coefficients for binary mixtures containing (1-ethylpyridinium ethylsulfate + several alcohols) at T = 323.15 K. <i>Journal of Chemical Thermodynamics</i> , 2010 , 42, 625-630	2.9	18
23	Comparative study of the LLE of the quaternary and ternary systems involving benzene, n-octane, n-decane and the ionic liquid [BMpyr][NTf ₂]. <i>Journal of Chemical Thermodynamics</i> , 2016 , 98, 56-61	2.9	16
22	Measurement and modeling of osmotic coefficients of binary mixtures (alcohol+1,3-dimethylpyridinium methylsulfate) at T=323.15K. <i>Journal of Chemical Thermodynamics</i> , 2011 , 43, 908-913	2.9	16
21	Application of the ionic liquid tributylmethylammonium bis(trifluoromethylsulfonyl)imide as solvent for the extraction of benzene from octane and decane at T = 298.15 K and atmospheric pressure. <i>Fluid Phase Equilibria</i> , 2016 , 417, 137-143	2.5	15
20	Experimental data, correlation and prediction of the extraction of benzene from cyclic hydrocarbons using [Epy][ESO ₄] ionic liquid. <i>Fluid Phase Equilibria</i> , 2014 , 361, 83-92	2.5	15
19	Physicochemical Characterization of New Sulfonate and Sulfate Ammonium Ionic Liquids. <i>Journal of Chemical & Engineering Data</i> , 2012 , 57, 241-248	2.8	15
18	Measurement and Correlation of Liquid-Liquid Equilibria for Ternary and Quaternary Systems of Heptane, Cyclohexane, Toluene, and [EMim][OAc] at 298.15 K. <i>Industrial & Engineering Chemistry Research</i> , 2014 , 53, 9471-9477	3.9	14
17	Study of [EMim][ESO ₄] ionic liquid as solvent in the liquid-liquid extraction of xylenes from their mixtures with hexane. <i>Fluid Phase Equilibria</i> , 2011 , 305, 227-232	2.5	14
16	Osmotic coefficients and apparent molar volumes of 1-hexyl-3-methylimidazolium trifluoromethanesulfonate ionic liquid in alcohols. <i>Journal of Chemical Thermodynamics</i> , 2014 , 69, 93-100 ^{2.9}	2.9	13
15	(Liquid+liquid) equilibrium of ternary and quaternary systems containing heptane, cyclohexane, toluene and the ionic liquid [EMim][N(CN) ₂]. Experimental data and correlation. <i>Journal of Chemical Thermodynamics</i> , 2016 , 94, 16-23	2.9	11
14	Osmotic coefficients of alcoholic mixtures containing BMpyrDCA: Experimental determination and correlation. <i>Journal of Chemical Thermodynamics</i> , 2014 , 72, 9-15	2.9	9
13	Vapour pressures and osmotic coefficients of binary mixtures containing alcohol and pyrrolidinium-based ionic liquids. <i>Journal of Chemical Thermodynamics</i> , 2013 , 66, 137-143	2.9	9
12	Separation of Benzene from Heptane Using Tree Ionic Liquids: BMimMSO ₄ , BMimNTf ₂ , and PMimNTf ₂ . <i>Procedia Engineering</i> , 2012 , 42, 1597-1605		9

11	Determination and correlation of (liquid + liquid) equilibria of ternary and quaternary systems with octane, decane, benzene and [BMpyr][DCA] at T = 298.15 K and atmospheric pressure. <i>Journal of Chemical Thermodynamics</i> , 2016 , 94, 197-203	2.9	8
10	Thermal Behaviour of Pure Ionic Liquids 2015 ,		7
9	Thermodynamic behavior of binary mixtures CnMpyNTf2 ionic liquids with primary and secondary alcohols. <i>Thermochimica Acta</i> , 2012 , 549, 49-56	2.9	6
8	(Vapor + liquid) equilibria of alcohol + 1-methyl-1-propylpiperidinium triflate ionic liquid: VPO measurements and modeling. <i>Journal of Chemical Thermodynamics</i> , 2016 , 97, 183-190	2.9	5
7	Physical and Excess Properties for Binary Systems Containing an Alcohol and Ionic Liquid at T = 298.15 K. <i>Procedia Engineering</i> , 2012 , 42, 1383-1389		5
6	Experimental Determination, Correlation, and Prediction of Physical Properties of the Ternary Mixtures Ethanol and 1-Propanol + Water + 1-Ethyl-3-methylpyridinium Ethylsulfate at 298.15 K. <i>Journal of Chemical & Engineering Data</i> , 2009 , 54, 2229-2234	2.8	5
5	Modeling of Ionic Liquid Systems: Phase Equilibria and Physical Properties 2013 ,		3
4	Study of the suitability of two ammonium-based ionic liquids for the extraction of benzene from its mixtures with aliphatic hydrocarbons. <i>Fluid Phase Equilibria</i> , 2016 , 426, 17-24	2.5	3
3	Influence of the Structure of the Cation of Ionic Liquids on the Vapor Pressure and Osmotic Coefficients in their Binary Mixtures with 1-Propanol. <i>Procedia Engineering</i> , 2012 , 42, 1053-1060		2
2	Activity and Osmotic Coefficients of Binary Mixtures of NTf2 ⁻ Ionic Liquids with a Primary Alcohol. <i>Journal of Chemical & Engineering Data</i> , 2016 , 61, 4123-4130	2.8	
1	Equilibrium in Electrolyte Systems 2019 , 529-562		