

J Raymond Depaulo

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2022621/publications.pdf>

Version: 2024-02-01

114
papers

10,910
citations

66250

44
h-index

46524

93
g-index

123
all docs

123
docs citations

123
times ranked

12507
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | “Supporting Wellness” A depression and bipolar support alliance mixed-methods investigation of lived experience perspectives and priorities for mood disorder treatment. <i>Journal of Affective Disorders</i> , 2022, 299, 575-584. | 2.0 | 7 |
| 2 | Using polygenic scores and clinical data for bipolar disorder patient stratification and lithium response prediction: machine learning approach. <i>British Journal of Psychiatry</i> , 2022, 220, 219-228. | 1.7 | 11 |
| 3 | Association of polygenic score for major depression with response to lithium in patients with bipolar disorder. <i>Molecular Psychiatry</i> , 2021, 26, 2457-2470. | 4.1 | 44 |
| 4 | A 7 Tesla Amygdalar-Hippocampal Shape Analysis of Lithium Response in Bipolar Disorder. <i>Frontiers in Psychiatry</i> , 2021, 12, 614010. | 1.3 | 7 |
| 5 | Genome-wide association study of more than 40,000 bipolar disorder cases provides new insights into the underlying biology. <i>Nature Genetics</i> , 2021, 53, 817-829. | 9.4 | 629 |
| 6 | Characterisation of age and polarity at onset in bipolar disorder. <i>British Journal of Psychiatry</i> , 2021, 219, 659-669. | 1.7 | 20 |
| 7 | HLA-DRB1 and HLA-DQB1 genetic diversity modulates response to lithium in bipolar affective disorders. <i>Scientific Reports</i> , 2021, 11, 17823. | 1.6 | 10 |
| 8 | Combining schizophrenia and depression polygenic risk scores improves the genetic prediction of lithium response in bipolar disorder patients. <i>Translational Psychiatry</i> , 2021, 11, 606. | 2.4 | 25 |
| 9 | Harmonized Outcome Measures for Use in Depression Patient Registries and Clinical Practice. <i>Annals of Internal Medicine</i> , 2020, 172, 803-809. | 2.0 | 19 |
| 10 | The Care of Patients With Complex Mood Disorders. <i>Focus (American Psychiatric Publishing)</i> , 2020, 18, 129-138. | 0.4 | 5 |
| 11 | Development of the National Network of Depression Centers Mood Outcomes Program: A Multisite Platform for Measurement-Based Care. <i>Psychiatric Services</i> , 2020, 71, 456-464. | 1.1 | 20 |
| 12 | NNDC Special Issue: Challenges of Mood Disorders Care. <i>Focus (American Psychiatric Publishing)</i> , 2020, 18, 87-87. | 0.4 | 0 |
| 13 | Genome-wide association study identifies 30 loci associated with bipolar disorder. <i>Nature Genetics</i> , 2019, 51, 793-803. | 9.4 | 1,191 |
| 14 | A pilot fMRI study of lithium response in bipolar disorder. <i>Psychiatry Research - Neuroimaging</i> , 2019, 286, 1-3. | 0.9 | 5 |
| 15 | Article The Familial Aggregation of Psychotic Symptoms in Bipolar Disorder Pedigrees. , 2019, , 48-54. | | 0 |
| 16 | Association of Polygenic Score for Schizophrenia and HLA Antigen and Inflammation Genes With Response to Lithium in Bipolar Affective Disorder. <i>JAMA Psychiatry</i> , 2018, 75, 65-74. | 6.0 | 102 |
| 17 | Genome-wide association analyses identify 44 risk variants and refine the genetic architecture of major depression. <i>Nature Genetics</i> , 2018, 50, 668-681. | 9.4 | 2,224 |
| 18 | Analysis of the Influence of microRNAs in Lithium Response in Bipolar Disorder. <i>Frontiers in Psychiatry</i> , 2018, 9, 207. | 1.3 | 28 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 19 | Genomic Dissection of Bipolar Disorder and Schizophrenia, Including 28 Subphenotypes. <i>Cell</i> , 2018, 173, 1705-1715.e16. | 13.5 | 623 |
| 20 | One Hundred Years of Psychiatry at Johns Hopkins. <i>Journal of Nervous and Mental Disease</i> , 2017, 205, 260-265. | 0.5 | 3 |
| 21 | Introduction to 100 Years of Psychiatry at Johns Hopkins. <i>Journal of Nervous and Mental Disease</i> , 2017, 205, 252-252. | 0.5 | 1 |
| 22 | Electroconvulsive Therapy. <i>Journal of ECT</i> , 2017, 33, 221-222. | 0.3 | 0 |
| 23 | Genome-wide association study of 40,000 individuals identifies two novel loci associated with bipolar disorder. <i>Human Molecular Genetics</i> , 2016, 25, 3383-3394. | 1.4 | 182 |
| 24 | Genetic variants associated with response to lithium treatment in bipolar disorder: a genome-wide association study. <i>Lancet</i> , 2016, 387, 1085-1093. | 6.3 | 306 |
| 25 | Test-retest reliability of a new questionnaire for the retrospective assessment of long-term lithium use in bipolar disorder. <i>Journal of Affective Disorders</i> , 2015, 174, 589-593. | 2.0 | 8 |
| 26 | Lumpers, Splitters, and Statistics: Bipolar Disorder, Schizophrenia, and Their Relationship to Seasonality. <i>Journal of Clinical Psychiatry</i> , 2015, 76, e214-e215. | 1.1 | 0 |
| 27 | Letter to the Editor in response to 2012 article by Frances and Jones. <i>Bipolar Disorders</i> , 2014, 16, 214-215. | 1.1 | 3 |
| 28 | Converging evidence for epistasis between ANK3 and potassium channel gene KCNQ2 in bipolar disorder. <i>Frontiers in Genetics</i> , 2013, 4, 87. | 1.1 | 31 |
| 29 | Assessment of Response to Lithium Maintenance Treatment in Bipolar Disorder: A Consortium on Lithium Genetics (ConLiGen) Report. <i>PLoS ONE</i> , 2013, 8, e65636. | 1.1 | 156 |
| 30 | Total white matter hyperintensity volume in bipolar disorder patients and their healthy relatives. <i>Bipolar Disorders</i> , 2012, 14, 888-893. | 1.1 | 34 |
| 31 | Association study of serotonin pathway genes in attempted suicide. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2012, 159B, 112-119. | 1.1 | 15 |
| 32 | Genetic association of bipolar disorder with the $\alpha 3$ nicotinic receptor subunit gene. <i>Psychiatric Genetics</i> , 2011, 21, 77-84. | 0.6 | 10 |
| 33 | Genome-wide association analysis of age at onset and psychotic symptoms in bipolar disorder. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2011, 156, 370-378. | 1.1 | 42 |
| 34 | Case-control association study of <i>TGOLN2</i> in attempted suicide. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2010, 153B, 1016-1023. | 1.1 | 4 |
| 35 | The Effectiveness of a School-Based Adolescent Depression Education Program. <i>Health Education and Behavior</i> , 2010, 37, 11-22. | 1.3 | 54 |
| 36 | Genome-Wide Linkage and Follow-Up Association Study of Postpartum Mood Symptoms. <i>American Journal of Psychiatry</i> , 2009, 166, 1229-1237. | 4.0 | 85 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 37 | Premenstrual mood symptoms: study of familiarity and personality correlates in mood disorder pedigrees. <i>Archives of Women's Mental Health</i> , 2009, 12, 27-34. | 1.2 | 14 |
| 38 | Gene-based SNP mapping of a psychotic bipolar affective disorder linkage region on 22q12.3: Association with <i>HMG2L1</i> and <i>TOM1</i> . <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2008, 147B, 59-67. | 1.1 | 16 |
| 39 | Family-based SNP association study on 8q24 in bipolar disorder. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2008, 147B, 612-618. | 1.1 | 22 |
| 40 | Familial aggregation of postpartum mood symptoms in bipolar disorder pedigrees. <i>Bipolar Disorders</i> , 2008, 10, 38-44. | 1.1 | 55 |
| 41 | Rapid switching of mood in families with familial bipolar disorder. <i>Bipolar Disorders</i> , 2008, 10, 597-606. | 1.1 | 12 |
| 42 | Linkage Disequilibrium Mapping of a Chromosome 15q25-26 Major Depression Linkage Region and Sequencing of <i>NTRK3</i> . <i>Biological Psychiatry</i> , 2008, 63, 1185-1189. | 0.7 | 35 |
| 43 | Association Study of Wnt Signaling Pathway Genes in Bipolar Disorder. <i>Archives of General Psychiatry</i> , 2008, 65, 785. | 13.8 | 70 |
| 44 | The unrecognized costs of delirium. <i>Nature Clinical Practice Neurology</i> , 2008, 4, 233-233. | 2.7 | 2 |
| 45 | Etiology of Depression and Implications on Work Environment. <i>Journal of Occupational and Environmental Medicine</i> , 2008, 50, 391-395. | 0.9 | 18 |
| 46 | Mood-Incongruent Psychotic Features in Bipolar Disorder: Familial Aggregation and Suggestive Linkage to 2p11-q14 and 13q21-33. <i>American Journal of Psychiatry</i> , 2007, 164, 236-247. | 4.0 | 93 |
| 47 | Genetics of Recurrent Early-Onset Major Depression (GenRED): Significant Linkage on Chromosome 15q25-q26 After Fine Mapping With Single Nucleotide Polymorphism Markers. <i>American Journal of Psychiatry</i> , 2007, 164, 259-264. | 4.0 | 48 |
| 48 | Parent-of-origin effect in the segregation analysis of bipolar affective disorder families. <i>Psychiatric Genetics</i> , 2007, 17, 93-101. | 0.6 | 9 |
| 49 | Genetics of Recurrent Early-Onset Major Depression (GenRED): Final Genome Scan Report. <i>American Journal of Psychiatry</i> , 2007, 164, 248-258. | 4.0 | 91 |
| 50 | Attempted Suicide in Bipolar Disorder Pedigrees: Evidence for Linkage to 2p12. <i>Biological Psychiatry</i> , 2007, 61, 725-727. | 0.7 | 42 |
| 51 | SNP fine mapping of chromosome 8q24 in bipolar disorder. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2007, 144B, 625-630. | 1.1 | 17 |
| 52 | Investigating the role of p11 (<i>S100A10</i>) sequence variation in susceptibility to major depression. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2007, 144B, 1079-1082. | 1.1 | 11 |
| 53 | Genome-wide scan of bipolar II disorder. <i>Bipolar Disorders</i> , 2007, 9, 580-588. | 1.1 | 17 |
| 54 | Psychotic features in bipolar and unipolar depression. <i>Bipolar Disorders</i> , 2007, 9, 901-906. | 1.1 | 48 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | Reproductive cycle-associated mood symptoms in women with major depression and bipolar disorder. <i>Journal of Affective Disorders</i> , 2007, 99, 221-229. | 2.0 | 118 |
| 56 | A comparison of the familiarity of chronic depression in recurrent early-onset depression pedigrees using different definitions of chronicity. <i>Journal of Affective Disorders</i> , 2007, 100, 171-177. | 2.0 | 21 |
| 57 | Is perinatal depression familial?. <i>Journal of Affective Disorders</i> , 2006, 90, 49-55. | 2.0 | 86 |
| 58 | Clinical Correlates and Familial Aggregation of Age at Onset in Bipolar Disorder. <i>American Journal of Psychiatry</i> , 2006, 163, 240-246. | 4.0 | 160 |
| 59 | Bipolar Disorder Treatment: An Evidence-Based Reality Check. <i>American Journal of Psychiatry</i> , 2006, 163, 175-176. | 4.0 | 16 |
| 60 | Familial Aggregation of Illness Chronicity in Recurrent, Early-Onset Major Depression Pedigrees. <i>American Journal of Psychiatry</i> , 2006, 163, 1554-1560. | 4.0 | 58 |
| 61 | Rapid mood switching and suicidality in familial bipolar disorder. <i>Bipolar Disorders</i> , 2005, 7, 441-448. | 1.1 | 57 |
| 62 | Resolving the heterogeneity of psychiatric disorders: Clinical and statistical approaches. <i>Clinical Neuroscience Research</i> , 2005, 5, 45-51. | 0.8 | 3 |
| 63 | Familial Variation in Episode Frequency in Bipolar Affective Disorder. <i>American Journal of Psychiatry</i> , 2005, 162, 1266-1272. | 4.0 | 60 |
| 64 | Assessment of the Effect of Age at Onset on Linkage to Bipolar Disorder: Evidence on Chromosomes 18p and 21q. <i>American Journal of Human Genetics</i> , 2005, 77, 545-555. | 2.6 | 47 |
| 65 | Combined Analysis from Eleven Linkage Studies of Bipolar Disorder Provides Strong Evidence of Susceptibility Loci on Chromosomes 6q and 8q. <i>American Journal of Human Genetics</i> , 2005, 77, 582-595. | 2.6 | 218 |
| 66 | Recent Findings on the Genetic Basis of Bipolar Disorder. <i>Psychiatric Clinics of North America</i> , 2005, 28, 481-498. | 0.7 | 16 |
| 67 | The evolving nosology of mood disorders. <i>International Review of Psychiatry</i> , 2005, 17, 1-2. | 1.4 | 5 |
| 68 | Hippocampal and ventricular volumes in psychotic and nonpsychotic bipolar patients compared with schizophrenia patients and community control subjects: A pilot study. <i>Biological Psychiatry</i> , 2005, 57, 633-639. | 0.7 | 162 |
| 69 | Psychosocial variables in children and teens of extended families identified through bipolar affective disorder probands. <i>Bipolar Disorders</i> , 2004, 6, 106-114. | 1.1 | 26 |
| 70 | Loci on chromosomes 6q and 6p interact to increase susceptibility to bipolar affective disorder in the national institute of mental health genetics initiative pedigrees. <i>Biological Psychiatry</i> , 2004, 56, 18-23. | 0.7 | 60 |
| 71 | Genomewide Significant Linkage to Recurrent, Early-Onset Major Depressive Disorder on Chromosome 15q. <i>American Journal of Human Genetics</i> , 2004, 74, 1154-1167. | 2.6 | 107 |
| 72 | Genetics of Bipolar Disorder: Where Do We Stand?. <i>American Journal of Psychiatry</i> , 2004, 161, 595-597. | 4.0 | 33 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 73 | Genome scan of a second wave of NIMH genetics initiative bipolar pedigrees: chromosomes 2, 11, 13, 14, and X. American Journal of Medical Genetics Part A, 2003, 119B, 69-76. | 2.4 | 39 |
| 74 | Familial aggregation of psychotic symptoms in a replication set of 69 bipolar disorder pedigrees. American Journal of Medical Genetics Part A, 2003, 116B, 90-97. | 2.4 | 58 |
| 75 | Genome scan of the fifty-six bipolar pedigrees from the NIMH genetics initiative replication sample: Chromosomes 4, 7, 9, 18, 19, 20, and 21. American Journal of Medical Genetics Part A, 2003, 121B, 21-27. | 2.4 | 35 |
| 76 | Genome-wide scan of bipolar disorder in 65 pedigrees: supportive evidence for linkage at 8q24, 18q22, 4q32, 2p12, and 13q12. Molecular Psychiatry, 2003, 8, 288-298. | 4.1 | 134 |
| 77 | Trapping and sequence analysis of 1138 putative exons from human chromosome 18. Molecular Psychiatry, 2003, 8, 619-623. | 4.1 | 1 |
| 78 | Genome-wide scan and conditional analysis in bipolar disorder: evidence for genomic interaction in the National Institute of Mental Health genetics initiative bipolar pedigrees. Biological Psychiatry, 2003, 54, 1265-1273. | 0.7 | 80 |
| 79 | Additional, physically ordered markers increase linkage signal for bipolar disorder on chromosome 18q22. Biological Psychiatry, 2003, 53, 239-243. | 0.7 | 29 |
| 80 | Genome Scan Meta-Analysis of Schizophrenia and Bipolar Disorder, Part III: Bipolar Disorder. American Journal of Human Genetics, 2003, 73, 49-62. | 2.6 | 400 |
| 81 | Rapid Switching of Mood in Families With Multiple Cases of Bipolar Disorder. Archives of General Psychiatry, 2003, 60, 921. | 13.8 | 86 |
| 82 | Association of Rapid Mood Switching With Panic Disorder and Familial Panic Risk in Familial Bipolar Disorder. American Journal of Psychiatry, 2003, 160, 1696-1698. | 4.0 | 60 |
| 83 | Suggestive Linkage to Chromosomal Regions 13q31 and 22q12 in Families With Psychotic Bipolar Disorder. American Journal of Psychiatry, 2003, 160, 680-686. | 4.0 | 165 |
| 84 | Comorbid Bipolar Disorder and Panic Disorder in Families With a High Prevalence of Bipolar Disorder. American Journal of Psychiatry, 2002, 159, 30-35. | 4.0 | 142 |
| 85 | Can long-range microsatellite data be used to predict short-range linkage disequilibrium?. Human Molecular Genetics, 2002, 11, 1363-1372. | 1.4 | 22 |
| 86 | Disorders of mood. , 2002, , 364-373. | | 0 |
| 87 | Diagnostic Reliability of Bipolar II Disorder. Archives of General Psychiatry, 2002, 59, 736. | 13.8 | 145 |
| 88 | Future of genetics of mood disorders research. Biological Psychiatry, 2002, 52, 457-477. | 0.7 | 116 |
| 89 | Apparent replication of suggestive linkage on chromosome 16 in the NIMH genetics initiative bipolar pedigrees. American Journal of Medical Genetics Part A, 2002, 114, 407-412. | 2.4 | 37 |
| 90 | The current status and prospects for genetic studies of bipolar disorder. Clinical Neuroscience Research, 2001, 1, 153-157. | 0.8 | 1 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 91 | The Familial Aggregation of Psychotic Symptoms in Bipolar Disorder Pedigrees. American Journal of Psychiatry, 2001, 158, 1258-1264. | 4.0 | 138 |
| 92 | Attempted Suicide and Alcoholism in Bipolar Disorder: Clinical and Familial Relationships. American Journal of Psychiatry, 2000, 157, 2048-2050. | 4.0 | 104 |
| 93 | Mitochondrial DNA Sequence Diversity in Bipolar Affective Disorder. American Journal of Psychiatry, 2000, 157, 1058-1064. | 4.0 | 71 |
| 94 | Suggestive evidence of a locus on chromosome 10p using the NIMH genetics initiative bipolar affective disorder pedigrees. , 2000, 96, 18-23. | | 65 |
| 95 | Full-Genome Scan for Linkage in 50 Families Segregating the Bipolar Affective Disease Phenotype. American Journal of Human Genetics, 2000, 66, 205-215. | 2.6 | 77 |
| 96 | Integrating clinical and laboratory data in genetic studies of complex phenotypes: A network-based data management system. , 1998, 81, 248-256. | | 5 |
| 97 | Affective Disorders. , 1998, , 995-1003. | | 1 |
| 98 | Linkage of Bipolar Affective Disorder to Chromosome 18 Markers in a New Pedigree Series. American Journal of Human Genetics, 1997, 61, 1397-1404. | 2.6 | 101 |
| 99 | Panic disorder with familial bipolar disorder. Biological Psychiatry, 1997, 42, 90-95. | 0.7 | 97 |
| 100 | Quantitative analysis of leukocyte mitochondrial DNA deletion in affective disorders. Biological Psychiatry, 1997, 42, 311-316. | 0.7 | 14 |
| 101 | Genomic survey of bipolar illness in the NIMH genetics initiative pedigrees: A preliminary report. , 1997, 74, 227-237. | | 115 |
| 102 | Initial genomic scan of the NIMH genetics initiative bipolar pedigrees: Chromosomes 3, 5, 15, 16, 17, and 22. , 1997, 74, 238-246. | | 149 |
| 103 | Initial genome scan of the NIMH genetics initiative bipolar pedigrees: Chromosomes 1, 6, 8, 10, and 12. , 1997, 74, 247-253. | | 145 |
| 104 | Initial Genome Scan of the NIMH Genetics Initiative Bipolar Pedigrees: Chromosomes 4, 7, 9, 18, 19, 20, and 21q. , 1997, 74, 254-262. | | 133 |
| 105 | Initial genome screen for bipolar disorder in the NIMH genetics initiative pedigrees: Chromosomes 2, 11, 13, 14, and X. , 1997, 74, 263-269. | | 97 |
| 106 | Differentiation of schizoaffective bipolar disorder from bipolar disorder and schizophrenia. Depression, 1995, 3, 309-315. | 0.7 | 2 |
| 107 | Psychiatric Comorbidity in Subgroups of Eating-Disordered Inpatients. Eating Disorders, 1994, 2, 231-236. | 1.9 | 7 |
| 108 | Mood variability in normal subjects on lithium. Biological Psychiatry, 1993, 34, 878-884. | 0.7 | 12 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 109 | Bipolar II Affective Disorder in Eating Disorder Inpatients. Journal of Nervous and Mental Disease, 1992, 180, 719-722. | 0.5 | 43 |
| 110 | Screening for Cognitive Impairment-Reply. JAMA - Journal of the American Medical Association, 1982, 248, 1975. | 3.8 | 0 |
| 111 | Psychiatric Morbidity From Long-term Medications. JAMA - Journal of the American Medical Association, 1982, 247, 1867. | 3.8 | 0 |
| 112 | Loxapine: Fifteen yearsâ€™ clinical expenence. Psychosomatics, 1982, 23, 261-271. | 2.5 | 14 |
| 113 | Psychiatric screening on a neurological ward. Psychological Medicine, 1980, 10, 125-132. | 2.7 | 97 |
| 114 | Assessment and general approach. , 0, , 1-24. | | 0 |