

Changhe Li

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/2022690/changhe-li-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

146
papers

6,355
citations

45
h-index

77
g-index

162
ext. papers

9,732
ext. citations

4.3
avg, IF

6.45
L-index

#	Paper	IF	Citations
146	A Sustainable Methodology Using Lean and Smart Manufacturing for the Cleaner Production of Shop Floor Management in Industry 4.0. <i>Mathematics</i> , 2022 , 10, 347	2.3	3
145	Biological Stability of Water-Based Cutting Fluids: Progress and Application. <i>Chinese Journal of Mechanical Engineering (English Edition)</i> , 2022 , 35,	2.5	30
144	Optimization of FDM Printing Process Parameters on Surface Finish, Thickness, and Outer Dimension with ABS Polymer Specimens Using Taguchi Orthogonal Array and Genetic Algorithms. <i>Mathematical Problems in Engineering</i> , 2022 , 2022, 1-13	1.1	1
143	Preference Index of Sustainable Natural Fibers in Stone Matrix Asphalt Mixture Using Waste Marble.. <i>Materials</i> , 2022 , 15,	3.5	2
142	Development of a Data-Driven Decision-Making System Using Lean and Smart Manufacturing Concept in Industry 4.0: A Case Study. <i>Mathematical Problems in Engineering</i> , 2022 , 2022, 1-20	1.1	1
141	CCFR3: A cooperative co-evolution with efficient resource allocation for large-scale global optimization. <i>Expert Systems With Applications</i> , 2022 , 203, 117397	7.8	
140	Effects of Elevated Temperature on the Residual Behavior of Concrete Containing Marble Dust and Foundry Sand. <i>Materials</i> , 2022 , 15, 3632	3.5	1
139	Impact of Unsustainable Environmental Conditions Due to Vehicular Emissions on Associated Lifetime Cancer Risk in India: A Novel Approach. <i>International Journal of Environmental Research and Public Health</i> , 2022 , 19, 6459	4.6	
138	Handling Constrained Many-Objective Optimization Problems via Problem Transformation. <i>IEEE Transactions on Cybernetics</i> , 2021 , 51, 4834-4847	10.2	13
137	Comparative Analysis of Erosive Wear Behaviour of Epoxy, Polyester and Vinyl Esters Based Thermosetting Polymer Composites for Human Prosthetic Applications Using Taguchi Design. <i>Polymers</i> , 2021 , 13,	4.5	9
136	An Agile System to Enhance Productivity through a Modified Value Stream Mapping Approach in Industry 4.0: A Novel Approach. <i>Sustainability</i> , 2021 , 13, 11997	3.6	11
135	Temperature of Grinding Carbide With Castor Oil-Based MoS ₂ Nanofluid Minimum Quantity Lubrication. <i>Journal of Thermal Science and Engineering Applications</i> , 2021 , 13,	1.9	54
134	Adaptive Multipopulation Evolutionary Algorithm for Contamination Source Identification in Water Distribution Systems. <i>Journal of Water Resources Planning and Management - ASCE</i> , 2021 , 147, 04021014	2.8	1
133	Prediction on grinding force during grinding powder metallurgy nickel-based superalloy FGH96 with electroplated CBN abrasive wheel. <i>Chinese Journal of Aeronautics</i> , 2021 , 34, 65-74	3.7	16
132	Milling surface roughness for 7050 aluminum alloy cavity influenced by nozzle position of nanofluid minimum quantity lubrication. <i>Chinese Journal of Aeronautics</i> , 2021 , 34, 33-53	3.7	42
131	An Efficient Recursive Differential Grouping for Large-Scale Continuous Problems. <i>IEEE Transactions on Evolutionary Computation</i> , 2021 , 25, 159-171	15.6	16
130	Convective Heat Transfer Coefficient Model Under Nanofluid Minimum Quantity Lubrication Coupled with Cryogenic Air Grinding Ti6Al4V. <i>International Journal of Precision Engineering and Manufacturing - Green Technology</i> , 2021 , 8, 1113-1135	3.8	44

129	Advances in fabrication of ceramic corundum abrasives based on sol-gel process. <i>Chinese Journal of Aeronautics</i> , 2021 , 34, 1-17	3.7	61
128	. <i>IEEE Transactions on Antennas and Propagation</i> , 2021 , 69, 1118-1129	4.9	5
127	Experimental Research on Heat Transfer Performance in MQL Grinding With Different Nanofluids 2021 , 1031-1051		
126	Enhanced Heat Transfer Mechanism of Nanofluids Minimum Lubrication Grinding 2021 , 928-950		
125	Experimental Evaluation on Tribological Performance of the Wheel/Workpiece Interface in NMQL Grinding With Different Concentrations of Al ₂ O ₃ Nanofluids 2021 , 1608-1627		
124	Dynamic Multi-objective Optimization for Multi-objective Vehicle Routing Problem with Real-time Traffic Conditions. <i>Studies in Systems, Decision and Control</i> , 2021 , 289-307	0.8	
123	Temperature of the 45 steel in the minimum quantity lubricant milling with different biolubricants. <i>International Journal of Advanced Manufacturing Technology</i> , 2021 , 113, 2779-2790	3.2	7
122	Effects of Physicochemical Properties of Different Base Oils on Friction Coefficient and Surface Roughness in MQL Milling AISI 1045. <i>International Journal of Precision Engineering and Manufacturing - Green Technology</i> , 2021 , 8, 1629	3.8	49
121	Circulating purification of cutting fluid: an overview. <i>International Journal of Advanced Manufacturing Technology</i> , 2021 , 117, 1-36	3.2	32
120	Minimum quantity lubrication machining of aeronautical materials using carbon group nanolubricant: From mechanisms to application. <i>Chinese Journal of Aeronautics</i> , 2021 ,	3.7	42
119	Assessment of Dimensional Stability, Biodegradability, and Fracture Energy of Bio-Composites Reinforced with Novel Pine Cone. <i>Polymers</i> , 2021 , 13,	4.5	12
118	Two-type weight adjustments in MOEA/D for highly constrained many-objective optimization. <i>Information Sciences</i> , 2021 , 578, 592-614	7.7	6
117	Experimental Research on Minimum Quantity Lubrication Surface Grinding With Different Cooling and Lubrication Conditions 2021 , 1052-1079		
116	Experimental Evaluation on the Effect of Nanofluids Physical Properties With Different Concentrations on Grinding Temperature 2021 , 904-927		
115	Milling force and surface morphology of 45 steel under different Al ₂ O ₃ nanofluid concentrations. <i>International Journal of Advanced Manufacturing Technology</i> , 2020 , 107, 1277-1296	3.2	70
114	. <i>IEEE Computational Intelligence Magazine</i> , 2020 , 15, 52-63	5.6	14
113	Surface morphology evaluation of multi-angle 2D ultrasonic vibration integrated with nanofluid minimum quantity lubrication grinding. <i>Journal of Manufacturing Processes</i> , 2020 , 51, 44-61	5	68
112	A Contribution-based Resource Allocation Scheme for Multi-population Methods in Dynamic Environments 2020 ,		1

111	Enhanced Heat Transfer Mechanism of Nanofluid MQL Cooling Grinding. <i>Advances in Chemical and Materials Engineering Book Series</i> , 2020 ,	0.2	4
110	Physicochemical properties of degradable vegetable-based oils on minimum quantity lubrication milling. <i>International Journal of Advanced Manufacturing Technology</i> , 2020 , 106, 4143-4155	3.2	12
109	Vegetable oil-based nanofluid minimum quantity lubrication turning: Academic review and perspectives. <i>Journal of Manufacturing Processes</i> , 2020 , 59, 76-97	5	110
108	CCFR2: A more efficient cooperative co-evolutionary framework for large-scale global optimization. <i>Information Sciences</i> , 2020 , 512, 64-79	7.7	17
107	Tribological properties under the grinding wheel and workpiece interface by using graphene nanofluid lubricant. <i>International Journal of Advanced Manufacturing Technology</i> , 2019 , 104, 3943-3958	3.2	24
106	Specific Energy and G ratio of Grinding Cemented Carbide under Different Cooling and Lubrication Conditions. <i>International Journal of Advanced Manufacturing Technology</i> , 2019 , 105, 67-82	3.2	14
105	Effect of friction coefficient on chip thickness models in ductile-regime grinding of zirconia ceramics. <i>International Journal of Advanced Manufacturing Technology</i> , 2019 , 102, 2617-2632	3.2	75
104	Predictive model for minimum chip thickness and size effect in single diamond grain grinding of zirconia ceramics under different lubricating conditions. <i>Ceramics International</i> , 2019 , 45, 14908-14920	5.1	129
103	A feasible-ratio control technique for constrained optimization. <i>Information Sciences</i> , 2019 , 502, 201-217	7.7	19
102	Spraying parameter optimization and microtopography evaluation in nanofluid minimum quantity lubrication grinding. <i>International Journal of Advanced Manufacturing Technology</i> , 2019 , 103, 2523-2539	3.2	8
101	Analysis of the cooling performance of Ti-6Al-4V in minimum quantity lubricant milling with different nanoparticles. <i>International Journal of Advanced Manufacturing Technology</i> , 2019 , 103, 2197-2206	3.2	19
100	2019 ,		3
99	Constrained optimisation by solving equivalent dynamic loosely-constrained multiobjective optimisation problem. <i>International Journal of Bio-Inspired Computation</i> , 2019 , 13, 86	2.9	14
98	Grindability of powder metallurgy nickel-base superalloy FGH96 and sensibility analysis of machined surface roughness. <i>International Journal of Advanced Manufacturing Technology</i> , 2019 , 101, 2259-2273	3.2	24
97	Dispersing mechanism and tribological performance of vegetable oil-based CNT nanofluids with different surfactants. <i>Tribology International</i> , 2019 , 131, 51-63	4.9	205
96	Optimising discrete dynamic berth allocations in seaports using a Levy Flight based meta-heuristic. <i>Swarm and Evolutionary Computation</i> , 2019 , 44, 1003-1017	9.8	5
95	Experimental evaluation of the lubrication performances of different nanofluids for minimum quantity lubrication (MQL) in milling Ti-6Al-4V. <i>International Journal of Advanced Manufacturing Technology</i> , 2019 , 101, 2621-2632	3.2	51
94	Experimental evaluation of surface topographies of NMQL grinding ZrO ₂ ceramics combining multiangle ultrasonic vibration. <i>International Journal of Advanced Manufacturing Technology</i> , 2019 , 100, 457-473	3.2	52

93	An Open Framework for Constructing Continuous Optimization Problems. <i>IEEE Transactions on Cybernetics</i> , 2019 , 49, 2316-2330	10.2	6
92	Spectral analysis and power spectral density evaluation in Al ₂ O ₃ nanofluid minimum quantity lubrication milling of 45 steel. <i>International Journal of Advanced Manufacturing Technology</i> , 2018 , 97, 129-145	3.2	23
91	Temperature field model and experimental verification on cryogenic air nanofluid minimum quantity lubrication grinding. <i>International Journal of Advanced Manufacturing Technology</i> , 2018 , 97, 209-228	3.2	17
90	Analysis of volume ratio of castor/soybean oil mixture on minimum quantity lubrication grinding performance and microstructure evaluation by fractal dimension. <i>Industrial Crops and Products</i> , 2018 , 111, 494-505	5.9	28
89	Processing Characteristics of Vegetable Oil-based Nanofluid MQL for Grinding Different Workpiece Materials. <i>International Journal of Precision Engineering and Manufacturing - Green Technology</i> , 2018 , 5, 327-339	3.8	102
88	Microscale bone grinding temperature by dynamic heat flux in nanoparticle jet mist cooling with different particle sizes. <i>Materials and Manufacturing Processes</i> , 2018 , 33, 58-68	4.1	21
87	Process parameter optimization and experimental evaluation for nanofluid MQL in grinding Ti-6Al-4V based on grey relational analysis. <i>Materials and Manufacturing Processes</i> , 2018 , 33, 950-963	4.1	24
86	A Supervised-Learning ℓ_1 -Norm Distance Metric for Hyperspectral Remote Sensing Image Classification. <i>IEEE Geoscience and Remote Sensing Letters</i> , 2018 , 15, 1432-1436	4.1	1
85	Dynamic constrained multi-objective evolutionary algorithms with a novel selection strategy for constrained optimization 2018 ,		1
84	Analysis of single-grain interference mechanics based on material removal and plastic stacking mechanisms in nanofluid minimum quantity lubrication grinding. <i>Procedia CIRP</i> , 2018 , 71, 116-121	1.8	3
83	Effects of the physicochemical properties of different nanoparticles on lubrication performance and experimental evaluation in the NMQL milling of Ti-6Al-4V. <i>International Journal of Advanced Manufacturing Technology</i> , 2018 , 99, 3091-3109	3.2	20
82	Experimental assessment of an environmentally friendly grinding process using nanofluid minimum quantity lubrication with cryogenic air. <i>Journal of Cleaner Production</i> , 2018 , 193, 236-248	10.3	115
81	Experimental research on microscale grinding temperature under different nanoparticle jet minimum quantity cooling. <i>Materials and Manufacturing Processes</i> , 2017 , 32, 589-597	4.1	23
80	A General Framework of Dynamic Constrained Multiobjective Evolutionary Algorithms for Constrained Optimization. <i>IEEE Transactions on Cybernetics</i> , 2017 , 47, 2678-2688	10.2	43
79	A survey of swarm intelligence for dynamic optimization: Algorithms and applications. <i>Swarm and Evolutionary Computation</i> , 2017 , 33, 1-17	9.8	300
78	Comparative evaluation of the lubricating properties of vegetable-oil-based nanofluids between frictional test and grinding experiment. <i>Journal of Manufacturing Processes</i> , 2017 , 26, 94-104	5	53
77	Maximum undeformed equivalent chip thickness for ductile-brittle transition of zirconia ceramics under different lubrication conditions. <i>International Journal of Machine Tools and Manufacture</i> , 2017 , 122, 55-65	9.4	186
76	Analysis of grinding mechanics and improved predictive force model based on material-removal and plastic-stacking mechanisms. <i>International Journal of Machine Tools and Manufacture</i> , 2017 , 122, 81-97	9.4	184

75	Specific energy and surface roughness of minimum quantity lubrication grinding Ni-based alloy with mixed vegetable oil-based nanofluids. <i>Precision Engineering</i> , 2017 , 50, 248-262	2.9	66
74	Analysis of flow field in cutting zone for spiral orderly distributed fiber tool. <i>International Journal of Advanced Manufacturing Technology</i> , 2017 , 92, 4345-4354	3.2	23
73	Heat transfer performance of MQL grinding with different nanofluids for Ni-based alloys using vegetable oil. <i>Journal of Cleaner Production</i> , 2017 , 154, 1-11	10.3	169
72	Experimental evaluation of the lubrication performance of mixtures of castor oil with other vegetable oils in MQL grinding of nickel-based alloy. <i>Journal of Cleaner Production</i> , 2017 , 140, 1060-1076	10.3	191
71	Efficient Resource Allocation in Cooperative Co-Evolution for Large-Scale Global Optimization. <i>IEEE Transactions on Evolutionary Computation</i> , 2017 , 21, 493-505	15.6	66
70	Dynamic multi-objective evolutionary algorithms for single-objective optimization. <i>Applied Soft Computing Journal</i> , 2017 , 61, 793-805	7.5	16
69	Research on microscale skull grinding temperature field under different cooling conditions. <i>Applied Thermal Engineering</i> , 2017 , 126, 525-537	5.8	49
68	Numerical and experimental research on the grinding temperature of minimum quantity lubrication cooling of different workpiece materials using vegetable oil-based nanofluids. <i>International Journal of Advanced Manufacturing Technology</i> , 2017 , 93, 1971-1988	3.2	16
67	Experimental evaluation on tribological performance of the wheel/workpiece interface in minimum quantity lubrication grinding with different concentrations of Al ₂ O ₃ nanofluids. <i>Journal of Cleaner Production</i> , 2017 , 142, 3571-3583	10.3	82
66	Effect of the physical properties of different vegetable oil-based nanofluids on MQLC grinding temperature of Ni-based alloy. <i>International Journal of Advanced Manufacturing Technology</i> , 2017 , 89, 3459-3474	3.2	32
65	Many-objective optimization with dynamic constraint handling for constrained optimization problems. <i>Soft Computing</i> , 2017 , 21, 7435-7445	3.5	6
64	Lubricating property of MQL grinding of Al ₂ O ₃ /SiC mixed nanofluid with different particle sizes and microtopography analysis by cross-correlation. <i>Precision Engineering</i> , 2017 , 47, 532-545	2.9	49
63	Experimental research on the influence of the jet parameters of minimum quantity lubrication on the lubricating property of Ni-based alloy grinding. <i>International Journal of Advanced Manufacturing Technology</i> , 2016 , 82, 617-630	3.2	30
62	Advances and Patents about Medical Surgical Operation Skull Grinding Equipment. <i>Recent Patents on Engineering</i> , 2016 , 10, 12-27	0.3	1
61	Experimental evaluation of cooling performance by friction coefficient and specific friction energy in nanofluid minimum quantity lubrication grinding with different types of vegetable oil. <i>Journal of Cleaner Production</i> , 2016 , 139, 685-705	10.3	55
60	Performances of Al ₂ O ₃ /SiC hybrid nanofluids in minimum-quantity lubrication grinding. <i>International Journal of Advanced Manufacturing Technology</i> , 2016 , 86, 3427-3441	3.2	58
59	Experimental study on the effect of nanoparticle concentration on the lubricating property of nanofluids for MQL grinding of Ni-based alloy. <i>Journal of Materials Processing Technology</i> , 2016 , 232, 100-115	5.3	184
58	Grinding temperature and energy ratio coefficient in MQL grinding of high-temperature nickel-base alloy by using different vegetable oils as base oil. <i>Chinese Journal of Aeronautics</i> , 2016 , 29, 1084-1095	3.7	129

57	. <i>IEEE Transactions on Evolutionary Computation</i> , 2016 , 20, 590-605	15.6	52
56	Differential evolution with auto-enhanced population diversity: The experiments on the CEC2016 competition 2016 ,		2
55	An Efficient Benchmark Generator for Dynamic Optimization Problems. <i>Communications in Computer and Information Science</i> , 2016 , 60-72	0.3	1
54	Improvement of useful flow rate of grinding fluid with simulation schemes. <i>International Journal of Advanced Manufacturing Technology</i> , 2016 , 84, 2113-2126	3.2	17
53	Experimental evaluation of the lubrication properties of the wheel/workpiece interface in MQL grinding with different nanofluids. <i>Tribology International</i> , 2016 , 99, 198-210	4.9	138
52	Experimental evaluation of the lubrication properties of the wheel/workpiece interface in minimum quantity lubrication (MQL) grinding using different types of vegetable oils. <i>Journal of Cleaner Production</i> , 2016 , 127, 487-499	10.3	198
51	Experimental research on the energy ratio coefficient and specific grinding energy in nanoparticle jet MQL grinding. <i>International Journal of Advanced Manufacturing Technology</i> , 2015 , 78, 1275-1288	3.2	102
50	Specific grinding energy and surface roughness of nanoparticle jet minimum quantity lubrication in grinding. <i>Chinese Journal of Aeronautics</i> , 2015 , 28, 570-581	3.7	73
49	Useful fluid flow and flow rate in grinding: an experimental verification. <i>International Journal of Advanced Manufacturing Technology</i> , 2015 , 81, 785-794	3.2	17
48	Experimental evaluation of the lubrication performance of MoS ₂ /CNT nanofluid for minimal quantity lubrication in Ni-based alloy grinding. <i>International Journal of Machine Tools and Manufacture</i> , 2015 , 99, 19-33	9.4	259
47	Experimental evaluation of MoS ₂ nanoparticles in jet MQL grinding with different types of vegetable oil as base oil. <i>Journal of Cleaner Production</i> , 2015 , 87, 930-940	10.3	248
46	Differential evolution with auto-enhanced population diversity. <i>IEEE Transactions on Cybernetics</i> , 2015 , 45, 302-15	10.2	145
45	Multi-population methods in unconstrained continuous dynamic environments: The challenges. <i>Information Sciences</i> , 2015 , 296, 95-118	7.7	57
44	Modelling and simulation of the surface topography generation with engineered grinding wheel. <i>International Journal of Computational Materials Science and Surface Engineering</i> , 2015 , 6, 111	0.4	0
43	Experimental evaluation on tribological properties of nano-particle jet MQL grinding. <i>International Journal of Surface Science and Engineering</i> , 2015 , 9, 159	1	10
42	Advances and Recent Patents in the Field of Grinding Temperature Measurement Methods. <i>Recent Patents on Materials Science</i> , 2015 , 8, 55-68	0.3	4
41	Simulation study on effect of cutting parameters and cooling mode on bone-drilling temperature field of superhard drill. <i>International Journal of Advanced Manufacturing Technology</i> , 2015 , 81, 2027-2038	3.2	27
40	An Experimental Research on Bone Drilling Temperature in Orthopaedic Surgery. <i>Open Materials Science Journal</i> , 2015 , 9, 178-188		11

39	Technological Investigation about Minimum Quantity Lubrication Grinding Metallic Material with Nanofluid. <i>Recent Patents on Materials Science</i> , 2015 , 8, 208-224	0.3	2
38	Modeling the operation of a common grinding wheel with nanoparticle jet flow minimal quantity lubrication. <i>International Journal of Advanced Manufacturing Technology</i> , 2014 , 74, 835-850	3.2	27
37	Investigation on the grinding temperature field of nano-ZrO ₂ dental ceramics with a nanoparticle jet of MQL. <i>International Journal of Computational Materials Science and Surface Engineering</i> , 2014 , 6, 13	0.4	1
36	Experimental verification of nanoparticle jet minimum quantity lubrication effectiveness in grinding. <i>Journal of Nanoparticle Research</i> , 2014 , 16, 1	2.3	55
35	An adaptive multi-swarm optimizer for dynamic optimization problems. <i>Evolutionary Computation</i> , 2014 , 22, 559-94	4.3	46
34	An improved JADE algorithm for global optimization 2014 ,		4
33	Modeling and simulation of useful fluid flow rate in grinding. <i>International Journal of Advanced Manufacturing Technology</i> , 2014 , 75, 1587-1604	3.2	20
32	Grinding model and material removal mechanism of medical nanometer zirconia ceramics. <i>Recent Patents on Nanotechnology</i> , 2014 , 8, 2-17	1.2	15
31	Advances and patents about grinding equipments with nano-particle jet minimum quantity lubrication. <i>Recent Patents on Nanotechnology</i> , 2014 , 8, 215-29	1.2	3
30	Modeling and Simulation of the Single Grain Grinding Process of the Nano-Particle Jet Flow of Minimal Quantity Lubrication. <i>Open Materials Science Journal</i> , 2014 , 8, 55-62		9
29	Evolutionary design of a wide-band twisted dipole antenna for X-band application 2013 ,		2
28	Differential Evolution based on population reduction with minimum distance 2013 ,		1
27	Modelling and simulation of the airflow field in wedge-shaped zone during the high-speed grinding. <i>International Journal of Abrasive Technology</i> , 2013 , 6, 114	0.5	8
26	Evaluation of minimum quantity lubrication grinding with nano-particles and recent related patents. <i>Recent Patents on Nanotechnology</i> , 2013 , 7, 167-81	1.2	9
25	Evolutionary Dynamic Optimization: Test and Evaluation Environments. <i>Studies in Computational Intelligence</i> , 2013 , 3-37	0.8	12
24	A General Framework of Multipopulation Methods With Clustering in Undetectable Dynamic Environments. <i>IEEE Transactions on Evolutionary Computation</i> , 2012 , 16, 556-577	15.6	171
23	A self-learning particle swarm optimizer for global optimization problems. <i>IEEE Transactions on Systems, Man, and Cybernetics</i> , 2012 , 42, 627-46		235
22	Maintaining diversity by clustering in dynamic environments 2012 ,		4

21	Analytical and experimental investigations into material removal mechanism of abrasive jet precision finishing with grinding wheel as restraint. <i>International Journal of Machining and Machinability of Materials</i> , 2012 , 12, 266	0.7	5
20	Feasibility investigations on compound process: a novel fabrication method for finishing with grinding wheel as restraint. <i>International Journal of Computational Materials Science and Surface Engineering</i> , 2011 , 4, 55	0.4	24
19	Mathematical Modeling and Simulation of Fluid Velocity Field in Grinding Zone with Smooth Grinding Wheel. <i>Advanced Science Letters</i> , 2011 , 4, 2468-2473	0.1	2
18	Study on Machining Distortion of Titanium Alloy Aircraft Monolithic Component by Finite Element Method and Experiment. <i>Advanced Science Letters</i> , 2011 , 4, 3206-3210	0.1	5
17	Examination of the Material Removal Mechanisms During the Abrasive Jet Finishing of 45 Steel. <i>Advanced Science Letters</i> , 2011 , 4, 1478-1484	0.1	3
16	Experimental Investigations of Mechanical Characteristics and Tribological Mechanisms of Nanometric Zirconia Dental Ceramics. <i>Open Materials Science Journal</i> , 2011 , 5, 178-183		3
15	Adaptive learning particle swarm optimizer-II for global optimization 2010 ,		3
14	A Clustering Particle Swarm Optimizer for Locating and Tracking Multiple Optima in Dynamic Environments. <i>IEEE Transactions on Evolutionary Computation</i> , 2010 , 14, 959-974	15.6	274
13	An adaptive learning particle swarm optimizer for function optimization 2009 ,		25
12	Error compensation for tool-tip trace during cutting of laminated paper for rapid prototyping. <i>Frontiers of Mechanical Engineering in China</i> , 2009 , 4, 111-119		
11	A clustering particle swarm optimizer for dynamic optimization 2009 ,		49
10	Fast Multi-Swarm Optimization for Dynamic Optimization Problems 2008 ,		59
9	Material Removal Mechanisms Analysis in the Finishing Machining of Engineering Ceramics 2006 , 729-734		
8	Real-Time Comprehensive Energy Analysis of the LHD 811MK-V Machine with Mathematical Model Validation and Empirical Study of Overheating: An Experimental Approach. <i>Arabian Journal for Science and Engineering</i> ,1	2.5	0
7	Extreme pressure and antiwear additives for lubricant: academic insights and perspectives. <i>International Journal of Advanced Manufacturing Technology</i> ,1	3.2	17
6	Effect of B4C on CBN/CuSnTi laser cladding grinding tool. <i>International Journal of Advanced Manufacturing Technology</i> ,1	3.2	0
5	Residual stress of grinding cemented carbide using MoS2 nano-lubricant. <i>International Journal of Advanced Manufacturing Technology</i> ,1	3.2	13
4	Cutting fluid corrosion inhibitors from inorganic to organic: Progress and applications. <i>Korean Journal of Chemical Engineering</i> ,1	2.8	8

3	Influence of texture shape and arrangement on nanofluid minimum quantity lubrication turning. <i>International Journal of Advanced Manufacturing Technology</i> ,1	3.2	14
2	Characterization of Friction Stir-Welded Polylactic Acid/Aluminum Composite Primed through Fused Filament Fabrication. <i>Journal of Materials Engineering and Performance</i> ,1	1.6	5
1	Walnut Fruit Processing Equipment: Academic Insights and Perspectives. <i>Food Engineering Reviews</i> ,1	6.5	45